

Aquatic Resources Delineation Report

Bridge M-21-I

Prepared By:

Stanley Consultants, Inc.
8000 South Chester St, Ste 500
Centennial, Colorado 80112

Prepared For:

Colorado Department of Transportation, Region 2
5615 Wills Blvd.
Pueblo, Colorado 81008

FINAL

January 2021



©Stanley Consultants 2021

Executive Summary

Stanley Consultants, Inc. (Stanley) has prepared an aquatic resources delineation for the proposed replacement of a bridge structure on U.S. Highway (US) 350 about 0.4 miles northeast of Timpas, Colorado, known as the M-21-I Bridge Replacement Project (Project). The purpose of the delineation is to identify any potential waters of the U.S. (WOTUS), including wetlands, present within the Project Area. The delineation was conducted in accordance with the *1987 Corps of Engineers Wetlands Delineation Manual* (Environmental Laboratory 1987) and the *Regional Supplement to the Corps of Engineers Wetlands Delineation Manual: Great Plains Region* (Version 2.0) (U.S. Army Corps of Engineers [USACE] 2010). For non-wetland waters, *Updated Datasheet for the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States* (Curtis and Lichvar 2010) was used.

This Aquatics Resource Report provides the findings at the CDOT bridge M-21-I survey area (7.2 acres). An unnamed drainage feature drains to the northeast and into the Timpas Creek, which connects to the Arkansas River. However, this ephemeral swale does not appear to see regular flows, appears to be dammed up by private land-owner, only rarely flows over the dam in response to storm events. No waters or wetlands were identified though a swale feature exists.

This report provides documentation of the standards and field survey methods used to determine lack of the potential for waters and wetlands regulated under the Clean Water Act (CWA) within the vicinity of the Project. Based on these results, no further survey for WOTUS will be required and no permitting under CWA Section 404 will be required for Project impacts within the surveyed area.

Table of Contents

1.	Introduction.....	1
2.	Location and Project Description.....	2
2.1	Location	2
2.2	Purpose and Need	2
2.3	Project Description.....	2
3.	Methods	3
3.1	Regulatory Context.....	3
3.2	Wetland Delineations.....	3
3.3	Non-Wetland Waters Delineation.....	4
4.	Existing Conditions.....	4
4.1	Topography and Climate.....	4
4.2	Surface Waters	4
5.	Aquatic Resource Results	5
6.	Summary	5
7.	References.....	6
	List of Preparers.....	8

APPENDICES

Appendix A – Aquatic Resources Maps

Appendix B – Photo Inventory

Acronyms and Abbreviations

CDOT	Colorado Department of Transportation
CO	Colorado State Highway
CWA	Clean Water Act
IP	Individual Permit
MP	Mile Post
NRCS	Natural Resources Conservation Service
NWI	National Wetland Inventory
NWP	Nationwide Permit
NWPL	National Wetland Plant List
OHW	ordinary high water mark
PIA	Potential Impact Area
PSS	palustrine scrub-shrub
ROW	right-of-way
USACE	U.S. Army Corps of Engineers
USFWS	U.S. Fish and Wildlife Service
WOTUS	water of the United States

1. Introduction

On behalf of the Colorado Department of Transportation (CDOT), Stanley Consultants, Inc. (Stanley) has prepared an aquatic resources delineation for the proposed replacement of a bridge structure on U.S. Highway (US) 350 about 0.4 miles northeast of Timpas, Colorado, known as the M-21-I Bridge Replacement Project (Project). The purpose of the delineation is to identify any potential waters of the U.S. (WOTUS), including wetlands, present within the area of potential Project impacts.

The presence of wetlands and other waters were assessed within the vicinity of the proposed Project construction. The boundaries of the wetlands and other waters were then delineated to determine the extent of potential waters to regulation under the Clean Water Act within the area of potential Project impacts. The purpose of this delineation report is to facilitate efforts to:

- Avoid or minimize impacts to aquatic resources during the design process.
- Document aquatic resource boundary determinations for review by regulatory authorities.

Field investigations were conducted on August 26, 2020, by wetland biologists for Stanley Consultants, Inc.

Contact Information for the Applicant and Land Owner are as follows:

Applicant

Jennifer Sparks
Region 2 Resident Engineer

Colorado Department of Transportation
5615 Wills Blvd.
Pueblo, CO 81008

Office: (719) 546-5753
Fax: (719) 546-5414
jennifer.sparks@state.co.us

Land Owner

Colorado Department of Transportation

Agent:
Amber Billings, ROW Supervisor
5615 Wills Blvd.
Pueblo, CO 81008

Office: (719) 546-5413
Fax: (719) 546-5414
amber.billings@state.co.us

2. Location and Project Description

2.1 Location

The surveyed Project Area, to be referred to as the Potential Impact Area (PIA), is approximately 7.2 acres and includes the CDOT right-of-way (ROW), where impacts may occur, along with an expanded limit of disturbance to account for a possible detour or other work. The existing bridge is located approximately 0.4 miles northeast of Timpas, Colorado and 16 miles southwest of La Junta, Colorado (37.822974/-103.769344), in Section 34, Township 25S, Range 57W (6th Principal Base and Meridian). A map of the PIA is located in the Aquatic Resources Delineation Map in Appendix A, Figure 1.

2.2 Purpose and Need

The treated timber stringer bridge (Structure M-21-I) was built in 1935 on US 350 which is a key north-south corridor connecting residents and tourists from La Junta, Colorado and the Arkansas River Valley to Trinidad, Colorado and the Rocky Mountains. The structure is in poor condition, requiring frequent inspection and repair from issues such as damaged girders, leaning piles, displaced abutments, rot, mold, water staining, and other general deterioration. This bridge is well past its replacement life and is not up to current construction and safety standards and must be replaced to prevent potential failure.

2.3 Project Description

The CDOT Region 2 Bridge Bundle Design Build Project consists of the replacement of a total of nineteen (19) structures bundled together as a single design-build project. These structures are rural bridges on essential highway corridors (US 350, US 24, Colorado State Highway [CO] 239 and CO 9) in southeastern and central Colorado. These key corridors provide rural mobility, intra- and interstate commerce, movement of agricultural products and supplies, and access to tourist destinations. The design build project has two funding sources; Bridge M-21-I will be funded through the Colorado Bridge Enterprise (Project No. 23559).

Bridge M-21-I is located on US 350 at milepost 56.454, approximately 0.4 miles northwest of Timpas, Colorado. The bridge is a three-span treated timber stringer (29 feet [ft] wide, 69 ft long) that crosses over an ephemeral swale. The Project will replace this bridge with similarly sized concrete and steel bridge or concrete box culvert.

As stated by the CDOT grant application, the roadway shall not be closed for construction. Phasing the construction to keep one lane open was investigated. Due to the narrow existing roadway and wood railing keeping one lane of roadway is not recommended.

A two-lane shoofly will be constructed on the west side of the existing bridge with a temporary drainage pipe placed under the shoofly for drainage. Once the bridge is complete and ready for use, any areas disturbed by bridge construction or the temporary shoofly will be restored to original contours and reseeded.

3. Methods

3.1 Regulatory Context

Section 404 of the Clean Water Act (CWA) regulates the discharge of dredged or fill material into WOTUS and is administered by the U.S. Army Corps of Engineers (USACE) and the U.S. Environmental Protection Agency (EPA). The definition of WOTUS has been in flux in recent years, with the latest definition published by the EPA in the Navigable Waters Protection Rule, which went into effect on June 22, 2020, in 49 states. Due to an injunction issued by a federal court in Colorado, the Navigable Waters Protection Rule has not gone into effect in Colorado, and instead the state remains under the post-*Rapanos v. United States* (Rapanos) guidance (USACE and EPA 2008). The potential for WOTUS within the PIA therefore will be evaluated per the definition in the Rapanos guidance. Since the WOTUS definition under Rapanos is more expansive than the Navigable Waters Protection Rule, assessing the PIA under Rapanos ensures that no additional reevaluation is likely to be required in the event CWA applicability changes in Colorado during the period of Project construction.

The Rapanos guidance defines WOTUS as traditional navigable waters (TNWs), relatively permanent waters, and their adjacent wetlands.¹ Additionally, the Rapanos guidance includes all tributaries with a bed and bank or ordinary highwater mark (OHWM) that have a significant nexus to a Traditionally Navigable Water, as well as wetlands, ponds, impoundments, and lakes located adjacent to said tributaries. Under Section 404 of the CWA, the OHWM defines the lateral extent of federal jurisdiction in non-tidal WOTUS (absent adjacent wetlands) (33 U.S.C. 1251). Per the regional guidance developed by the Corps (Mersel and Lichvar 2014), OHWM in Colorado is considered to be the “physical and biological signature established and maintained at the boundaries of the active channel.” Mersel and Lichvar (2014) state the OHWM identification in non-perennial streams is based on three primary physical or biological indicators—topographic break in slope, change in sediment characteristics, and change in vegetation characteristics.

3.2 Wetland Delineations

All wetland delineations were conducted in accordance with the 1987 *Corps of Engineers Wetlands Delineation Manual* (Environmental Laboratory 1987) and the Regional Supplement to the *Corps of Engineers Wetlands Delineation Manual: Great Plains Region (Version 2.0)* (USACE 2010). Survey areas were assessed by the biologists to determine the presence or absence of wetland features. Locations that contained some potential as a wetland based on surface conditions such as the presence of dominant hydrophytic vegetation or surface hydrology were investigated more closely with a sampling point containing a soil pit, a delineation field form, and photo documentation.

Sources of information used in this Aquatic Resources investigation could include:

- Web Soil Survey (USDA/NRCS 2020)

¹ Adjacent is defined as “bordering, contiguous, or neighboring” in the Rapanos guidance.

- Aerial photography of the PIA from the National Agriculture Imagery Program (NAIP) taken in 2017, and from aerial drone photography collected by Stanley.
- National Wetland Plant List, version 3.4 (USACE 2018)
- Munsell Soil-Color Charts (Munsell Color 2009)
- National Wetland Inventory (NWI) Map (See Appendix A, Figure 2)

3.3 Non-Wetland Waters Delineation

Delineations of non-wetland waters were conducted using the *Updated Datasheet for the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States* (Curtis and Lichvar 2010). The project specific PIA was examined for any potential OHWM supporting features, such as root exposure, water staining, silt deposits, litter removal, etc. (Mersel and Lichvar 2014, USACE 2005), that might provide information interpreting recent flow levels (e.g., drift/wrack deposits or headcutting) or that might eliminate or reinforce potential OHWM locations. Stanley also examined aerial photography and hydrologic data to support the Section 404 CWA assessment. The boundaries of any non-wetland water features were identified by the OHWM indicators and recorded using a Trimble sub-meter GPS antenna connected to a tablet or smart phone.

4. Existing Conditions

4.1 Topography and Climate

The PIA is located on the edge of the eastern plains of Colorado including the Purgatoire River Valley and the distant Arkansas River Valley to the north. To the west is the foothills of the Front Range of the Rocky Mountains, and to the south and east is the Purgatoire River Valley. The elevation at the site is approximately 4,415±5 ft above sea level. Land use in the area is agricultural, open space and residential to the southwest, with an ecological ecoregion of Piedmont Plains and Tablelands, which includes open grasslands with a small arid shrub component. The highway and bridge structure were constructed in 1935, with fill being built up for the roadway with a gap that allows for any storm flows in ephemeral swale feature, with the bridge constructed across the feature.

Climate in the La Junta area (closest weather station with complete data) has an average maximum temperature of 69.4° F and average minimum temperature of 39.1° F. The average annual precipitation is 11.5 inches, with an average snowfall of 20.7 inches (CCC 2020a). Normal monthly precipitation average for August is 1.6 inches, but during this past August (when the field survey was conducted) the rainfall was measured at 0.38 inches, which is below normal (CCC 2020b).

4.2 Surface Waters

National Wetlands Inventory (NWI) data indicated that no wetlands exist within the PIA. Only one water was classified as riverine (Appendix A, Figure 2). The U.S. Geologic Survey (USGS) classifies this feature as an intermittent stream (Appendix A, Figure 1), as

opposed to being considered a perennial stream, the only other USGS classification for surface stream features. The referenced riverine feature is an unnamed drainage feature, an ephemeral swale, within the landscape, but only appears to collect rare storm event flows and transmits those flows northeast to Timpas Creek, just to the northwest of the M-21-I bridge by approximately 1 mile. Timpas Creek flows northeast to its confluence with the Arkansas River by the town of Swink, Colorado. From there, the Arkansas River flows east, then southeast to the Mississippi River and south to the Gulf of Mexico.

In the PIA, no surface water was present and soils within and surrounding the ephemeral swale appeared very dry. Given the width of the channel and the surrounding vegetation, some storm event flows must occur, but with not enough frequency to support any wetland conditions or even a continuous and well-defined channel.

5. Aquatic Resource Results

During the ground investigation, no features with an OHWM or wetland characteristics were observed within the PIA. No potential waters of the U.S. are present. The ephemeral swale appears to only experience occasional storm flows, likely only every 5-10 years or more. There was a vague indication of an older channel upgradient of the bridge, but it rarely sees any flows as it appears the adjacent landowner has dammed up, by the edge of the owner's property, what little water is carried by the ephemeral channel coming from the south (see Appendix B, Photo Inventory). Under the bridge structure, there was only minor evidence of a scour pool. Downgradient of the bridge, there was only the historic floodplain of this feature as it continued northward to the railroad bridge and beyond. In areas that would contain a defined channel if a drainage had a significant nexus to downstream waters, there was no visible OHWM. Additionally, grasses, forbs, and even a few shrubs were observed within the swale, suggesting rare and weak flows at best.

6. Summary

No WOTUS or wetland features were identified and delineated within the PIA. The existing unnamed ephemeral swale appears to only support rare storm flows and not regular, consistent, yearly or seasonal flows. No impacts to any potential WOTUS are anticipated as no regulated resource exists. Therefore, no CWA Section 404 permitting and/or mitigation measures would be needed.

Although mitigation measures to avoid impacts to WOTUS will not be needed for the Project, the Contractor will likely still need to develop best management practices to avoid impacts to additional sensitive resources from stormwater run-off, pollutants, etc., due to construction activities. A review of other Project-related permitting needs is discussed in further detail in the Desktop Analysis for Sensitive Resources Report.

7. References

- Colorado Climate Center (CCC), Colorado State University. 2020a. Access Colorado Data for TRINIDAD PERRY STOKES AP Station. https://climate.colostate.edu/data_access.html. Accessed November 16.
- _____. 2020b. Access Colorado Water Year Precipitation Data for TRINIDAD PERRY STOKES AP Station. https://climate.colostate.edu/wy_data.html. Accessed November 16.
- Curtis, K.E. and R.W. Lichvar. 2010. Updated Datasheet for the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States. ERDC/CRREL TN-10-1. Hanover, NH: U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory.
- Environmental Laboratory. 1987. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1. U.S. Army Engineer Waterways Experimental Station, Vicksburg, MS.
- Mersel, Matthew K. and Robert W. Lichvar. 2014. "A Guide to Ordinary High Water Mark (OHWM) Delineation for Non-Perennial Streams in the Western Mountains, Valleys, and Coast Region of the United States." ERDC/CRREL TR-13-14. Hanover, NH: U.S. Army Engineer Research and Development Center, Wetlands Regulatory Assistance Program.
- Munsell Color. 2009. Munsell Soil-Color Charts. Grand Rapids, MI.
- U.S. Army Corps of Engineers (USACE). 2005. Regulatory Guidance Letter: Ordinary High Water Mark Identification. RGL-05-05. December 7, 2005.
- _____. 2010. *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Great Plains Region (Version 2.0)*, ed. J.S. Wakeley, R.W. Lichvar, and C.V. Noble. ERDC/EL TR-10-1. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- _____. 2017 Regional Conditions to Nationwide Permits in the State of Colorado. U.S. Army Corps of Engineers, Albuquerque District, Omaha District, and Sacramento District. January 11, 2017.
- _____. 2018. National Wetland Plant List, version 3.4. http://wetland_plants.usace.army.mil/. U.S. Army Corps of Engineers, Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory, Hanover, NH.
- U.S. Army Corps of Engineers (USACE) and U.S. Environmental Protection Agency (EPA). 2008. Clean Water Act Jurisdiction Following the U.S. Supreme Court's

Decision in Rapanos v. United States & Carabell v. United States. December 02, 2008.

U. S. Fish and Wildlife Service (USFWS). 2020. National Wetlands Inventory website. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. <http://www.fws.gov/wetlands/>. Accessed December 14, 2020.

U.S. Geological Survey (USGS). 2020. StreamStats website. <http://streamstats.usgs.gov/ss/>. Accessed November 16, 2020.

List of Preparers




Trent Toler, Senior Scientist
Stanley Consultants, Inc.
6975 Union Park Ave., Ste 300
Cottonwood Heights, Utah 84047
Main: (801) 559-4612
TolerTrent@stanleygroup.com

Claire Phillips, Environmental Scientist
Stanley Consultants, Inc.
8000 South Chester St., Ste. 500
Centennial, Colorado 80112
Main: (303) 799-5091
PhillipsClaire@stanleygroup.com

Rick Black, Principal Ecologist
Stanley Consultants, Inc.
8000 South Chester St., Ste. 500
Centennial, Colorado 80112
Main: (303) 799-5091
Cell: (801) 559-4610
BlackRick@stanleygroup.com

Appendix A

Aquatic Resources Delineation Maps




Colorado Department of Transportation
 R2 Bridges Project - M-21-I

Figure 1
 Vicinity Map

Image Source: ArcGIS Online, World Street
 Map, USGS TopoView
 USGS Topo: Timpas, CO
 S34, T25S, R57W
 Bridge Lat/Long: 37.822974/-103.769344





Colorado Department of Transportation
R2 Bridges Project - M-21-1

Figure 2: Aquatic Delineation Map

Coordinate System: NAD 1983
State Plane CO Central FIPS 0502 (US Feet)
Projection: State Plane
Datum: North American 1983
Created: December 15, 2020

Data Source: Stanley Consultants, Inc.
Image Source: ArcGIS Online, World Imagery



Appendix B

Photo Inventory



Photo 1.
Ephemeral swale, looking southwest and upgradient from bridge, at the condition of the swale. No continuous, well defined channel, only vague, rarely used swale coming from left side of the low dam (see Photo 3).



Photo 2.
Ephemeral swale, looking north and downgradient from near the CDOT ROW fence. The swale appears to just be a vegetated, ephemeral swale, with no defined channel. Possible small scour pool on right side of the underside of the bridge. However, its also heavily used by resting cattle, may rarely contain water.



Photo 3.
Ephemeral swale, looking south at low dam which prevents nearly all flows that come from the south, from flowing in its original channel. There was evidence that rare events may breach the dam on the left side.



Photo 4.

Ephemeral swale, looking south and upgradient towards the bridge. No outlet appears on the downgradient side of the possible scour pool under the bridge. Dense weedy vegetation can be seen.



Photo 5.

Ephemeral swale, looking north and downgradient of bridge. No distinct channels of any sort, only a vague swale. Dense vegetation in all areas. Railroad bridge in the distance.