GENERIC SCOPE OF WORK BASIC CONTRACT

CONTRACT TYPE

- □ Specific Rate of Pay
- X Cost Plus Fixed Fee
- □ Other

SOW DATE: April 14, 2022

THE COMPLETE SCOPE OF WORK INCLUDES THIS DOCUMENT (ATTACHED TO THE CONTRACT FOR CONSULTANT SERVICES)

- SECTION 1PROJECT SPECIFIC INFORMATIONSECTION 2PROJECT MANAGEMENT AND COORDINATION
- SECTION 3 GENERAL INFORMATION
- SECTION 4 PROJECT INITIATION AND CONTINUING REQUIREMENTS
- SECTION 5 NEPA ENVIRONMENTAL WORK TASK DESCRIPTIONS
- SECTION 6 PRECONSTRUCTION WORK TASK DESCRIPTIONS
- SECTION 7 SERVICES AFTER DESIGN
- SECTION 8 CONTRACT CONCLUSION (CHECKLIST)

APPENDICES

Comments regarding this scope may be directed to:

CONTRACTS AND MARKET ANALYSIS BRANCH

Jim Walker Contracting Officer 303-757-9295

TABLE OF CONTENTS

		<u>Page</u>
INSTRUCTION	SERROR! BOOKMARK NOT DEFI	INED.
SECTION 1	PROJECT SPECIFIC INFORMATION	2
SECTION 2	PROJECT MANAGEMENT AND COORDINATION	8
SECTION 3	GENERAL INFORMATION	9
SECTION 4	PROJECT INITIATION AND CONTINUING REQUIREMENTS	12
	EETINGS	
	ANAGEMENT PROJECT SCHEDULE AND ASSIGN TASKS	
	PROJECT SCHEDULE AND ASSIGN TASKS SSURANCE/QUALITY CONTROL (QA/QC)	
E. VALUE ENG	INEERING (VE) STUDY	14
F. OBTAIN NEO	CESSARY RIGHT-OF-ENTRY AND PERMITS	15
SECTION 5	NEPA ENVIRONMENTAL WORK TASK DESCRIPTIONS	16
A. CONSULTAN	NT DISCLOSURE STATEMENT	16
	ITIATION	
	ENTAL ANALYSIS AND DOCUMENTATION	
	IATES AND FINANCIAL ANALYSIS	
	ECTION, FIELD INVESTIGATION, MITIGATION MEASURES LES Error! Bookmark not de	
	D AGENCY INVOLVEMENT	
	MENTATION PROCESS	
SECTION 6	PRECONSTRUCTION WORK TASK DESCRIPTIONS	36
A. PROJECT IN	ITIATION AND CONTINUING REQUIREMENTS	36
B. PROJECT DE	VELOPMENT	37
	RY DESIGN	
	GN	
	MANAGEMENT SUPPORT	
SECTION 7	SERVICES AFTER DESIGN	59
	SHOP DRAWINGS	
	TION SERVICES	
	N PLAN MODIFICATIONS IRUCTION SERVICES	
SECTION 8	CONTRACT CONCLUSION (CHECKLIST)	

APPENDICES

APPENDIX A	REFERENCES
APPENDIX B	SPECIFIC DESIGN CRITERIA
APPENDIX C	DEFINITIONS

SECTION 1 PROJECT SPECIFIC INFORMATION

1. PROJECT BACKGROUND

The Colorado Department of Transportation has determined that it would be in the best interest to create a scope of work that can cover the design requirements for projects geared at the rehabilitation, improvement, and maintenance of tunnels statewide. There are several anticipated Tunnel construction projects across that are detailed in the Tunnel Asset 10-Year plan. These projects are slated to be funded by SB 260, SB 267, and upcoming Bridge-Tunnel Enterprise funding sources. Having these NPS contracts will broaden the experience and resource availability to CDOT to make sure specialty elements are properly constructed. The NPS contracts will also ensure all unique discipline groups detailed in the pre-qualifications are adequately represented.

CDOT intends to hire two (2) Professional Consultant Firms with a Five Year Period of Performance for this Project with Contract Not to Exceed Limits (NTX) Tier of \$5M. The selected Consultants will contract with CDOT to provide Non-Project Specific Tunnel Engineering Services for CDOT on a statewide basis to include those specific services set forth below and in the CDOT Statewide NPS Tunnel Engineering Scope of Work (SOW). The purpose of this RFP is to have multiple consultants available on an as needed basis as these future projects receive funding. Having these design contracts in place will save time in the contracting process and allow for CDOT.

2. **PROJECT GOALS**

The scope for tunnel engineering services is intended to produce improvements for tunnel planning, environmental, maintenance, operations, or other tunnel engineering services as required. Those services may include, but shall not necessarily be limited to:

- 1. Provide conceptual drawings, graphs, or charts for CDOT Regions 1-5 for tunnel planning, environmental, maintenance, operations, or other tunnel engineering services as required.
- 2. Complete full design efforts for future rehabilitation and improvement projects as needed for tunnels statewide.
- 3. Work with innovative contracting methods (CM/GC, or DB) and be able to develop RFP's
- 4. Pre-scoping project development
- 5. Provide innovative ideas and solutions
- 6. Provide a strong team to provide design needs of the projects

3. PROJECT LIMITS

This contract extends across all tunnels in the State of Colorado (Regions 1-5).

5. WORK DURATION

The duration for this work described in this scope will be 5 years from the execution of the contract.

6. CONSULTANT RESPONSIBILITY AND DUTIES

- A. Tunnel Engineering Services -The scope for tunnel engineering services may include but shall not necessarily be limited to: Provide conceptual drawings, graphs, data collection, or charts for the Region's planning, environmental, maintenance, operations or other units as needed.
 - 1. Conduct or update studies for transportation, environmental, NEPA etc.
 - 2. Provide support for region planning activities, including assistance with public meetings and/or public information including handouts, website support or development, and public meeting presentations.
 - 3. Provide design support for off systems or other modes of transportation alternatives.
 - 4. Provide drafting support or CADD services. All CADD work for CDOT will be conducted using Bentley products including Microstation, Inroads Software, and ProjectWise latest versions used by CDOT.
 - 5. Provide support research or search county, state or other areas for records or documents relevant to the project or task.
 - 6. Provide scoping services.
 - 7. Provide scheduling in MS Project or other scheduling software as requested.
 - 8. Provide funding guidance and or support including grant applications.
 - 9. Prepare, provide support, and coordinate Innovative Contracting documents or supporting information.
 - 10. Provide Program Management support and/or financial planning as requested.
 - 11. Provide support, preparation, or guidance for Grant Applications including economic analysis.
 - 12. Provide Local Agency/Enhancement project support, oversight, and/or guidance.
 - 13. Write, review, and/or provide guidance or expertise related to manual preparation or guidance documents.
 - 14. Provide/prepare training, advice, or guidance as requested.
 - 15. Provide or acquire design services as required to complete tasks not specifically defined in the outline, but that may be required by specific task order.
 - 16. Provide Independent Cost Estimates
 - i. Concept and planning estimates
 - ii. Project level estimates

SECTION 1 - PROJECT SPECIFIC INFORMATION

- 17. Provide Constructability Reviews
- 18. Provide public relations and public information services.
- B. Structural Services-The scope of work for structural design activities may include:
 - 1. Provide design services for various transportation structures or portions of transportation structures, within and adjacent to tunnel facilities.
 - 2. Furnish detailing services including drafting and quantity calculations for various transportation structures or portions of transportation structures.
 - 3. Inspect and rate elements of the tunnel structure in accordance with the current National Tunnel Inspection Standards.
 - 4. Provide structural design and detailed review of work performed by other designers.
 - 5. Provide wall design and detailed review of work performed by other designers.
 - 6. Provide structural selection reports and structure selection studies.
 - 7. Provide a structure concept study.
 - 8. Obtain structural data
 - 9. Provide foundation investigation reports
 - 10. Coordinate with outside agencies; for example, railroad agencies or utility agencies.
 - 11. Provide foundation, tunnel lining, ceiling panel, steel hangar and anchorages, tile lined concrete panel and portal investigation reports.
 - 12. Provide Construction Administration/Management services for Tunnel projects designed by others
- C. Mechanical Systems
 - 1. Provide design services for various transportation mechanical systems or portions of transportation system, within and adjacent to tunnel facilities.
 - 2. Furnish detailing services including drafting and quantity calculations for various transportation ventilation systems or portions of transportation structures.
 - 3. Provide fan motor, emergency generator, drainage and pumping system and water treatment system concept and design and detailed reports.
- D. Fire/Life Safety/Security Systems

- 1. Provide design services for various transportation fire life safety, and security systems or portions of transportation system, within and adjacent to tunnel facilities.
- 2. Provide design services for various transportation fire/Life Safety and security systems or portions of transportation system, within and adjacent to tunnel facilities.
- 3. Provide fire detection, waterline for fire protection, emergency generator and tunnel operation and security concept, design and detailed reports.
- E. Electrical Systems
 - 1. Provide design services for various transportation electrical systems or portions of transportation system, within and adjacent to tunnel facilities.
 - 2. Provide design services for various transportation electrical systems or portions of transportation system, within and adjacent to tunnel facilities.
 - 3. Provide design services for electrical distribution systems, incoming power, transformer, medium and high voltage switch gear, and motor control, lighting, electronic lane usage and variable message signing concept, design and detailed reports.
 - 4. Provide energy usage reports
- F. Roadway Design Activities -The scope of work for roadway design activities may include:
 - 1. Provide design services including quantity calculations for the various components of roadway construction, which could include intersection layout, signals, structures, lighting, landscaping, irrigation design, ditch design, waterline, erosion control, and sanitary sewer design and groundwater collection.
 - 2. Conduct plan, specification, and cost estimate checking and/or quality control.
 - 3. Furnish detailing and drafting services utilizing MicroStation and Inroads Software, latest CDOT adopted versions utilizing CDOT format. Other software required for design services and communication of information are Microsoft Office products such as Word, Excel, Power Point. In addition, Project Wise, Sharepoint, or FTP sites may be required for file sharing. Other formats or software products may be required for specific tasks such as traffic modeling or truck turning movements.
 - 4. Attend and/or conduct meetings as needed such as scoping reviews, design office reviews, field inspection reviews, and final office reviews and provide minutes as appropriate.
 - 5. Prepare (PS&E Package) final plans, specifications and provide the CDOT project manager with detailed estimates that can be entered into CDOT Transport application system at any point in the project.
 - 6. Prepare revisions under-advertisement to plans or specifications when necessary.
 - 7. Design and layout of intersections and traffic operational improvements within and adjacent to tunnel facilities.
 - 8. Provide design services for civil element of traffic barrier,
- G. Hydrology Activities -The scope of work for the hydrology activities may include:
 - 1. Collect historical drainage data-both for surface and subsurface flows.
 - 2. Establish drainage basin data.
 - 3. Select run-off parameters and predict peak flow.

- H. Hydraulics Design Activities -The scope of work for hydraulics design activities may include:
 - 1. Furnish the size and location of drainage structures.
 - 2. Furnish storm sewer design.
 - 3. Furnish erosion protection design and NPDES requirements.
 - 4. Furnish design and quantity calculations for drainage structures including irrigation and permanent BMP's for surface drainage.
 - 5. Design of water and waste water systems.
 - 6. Water quality monitoring and mitigation.
- I. ITS & Traffic Engineering Activities -The scope of work for traffic engineering activities may include:
 - 1. Collect traffic data.
 - 2. Perform traffic studies or analyses including traffic modeling.
 - 3. Perform in-field inventories of traffic control device locations and conditions.
 - 4. Furnish design and quantity calculations necessary to prepare signal, signing or pavement marking plans.
 - 5. Furnish detailing and drafting services.
 - 6. Attend meetings such as field inspection and final office review or others as requested.
 - 7. Prepare construction signing plans and schedules.
 - 8. Prepare final plans and specifications.
- J. Value Engineering (VE) The scope of work for value engineering activities may include:
 - 1. a. Conduct VE meetings and provide minutes. The VE meetings should be considered for the following efforts:
 - i. Brain Storming
 - ii. Evaluating alternatives upon meeting the project purposes and need
 - Recommend alternatives based upon: -Most benefit to purpose and need -Minimal or mitigatable impacts -Constructibility -Cost -Best overall response to constraints and concerns
 - 2. Collect and compile VE cost and workhour data.
 - 3. Provide Final VE Report.
- K. Materials and Geotechnical Services for Design -The scope of work for design services include:
 - 1. Provide field sampling and testing of existing pavements, and soils necessary for proper pavement design as per the CDOT Pavement Design Manual.
 - 2. Perform boring and subsurface geotechnical investigations for tunnel linings and structures within and adjacent to tunnel facilities.
 - 3. Provide testing results used in the design process that are certified by a professional engineer.
 - 4. Provide other materials and geotechnical engineering services, including but not limited to rock bolt, grouting or other structural mitigations within and adjacent to tunnel structures, life cycle cost analysis, subsurface investigations, instrumentation, foundation reports, landslide evaluations, MSE wall designs, soil nail designs, pavement design, pavement justification reports and retaining wall designs.

- L. Environmental Services -The scope of work for environmental services may include:
 - 1. Review environmental conditions, determine required permits.
 - 2. Delineation and mitigation recommendations of wetlands.
 - 3. Prepare and/or review environmental documents for CDOT projects.
 - 4. Conduct and prepare environmental surveys and clearance reports.
 - 5. Preparation and processing of Nationwide and Individual Section 404 permits.
- M. Utility Services -The scope of work for Utility Services may include:
 - 1. Survey/Research existing utilities.
 - 2. Map existing and relocated utilities
 - 3. Assist or facilitate utility agreements
 - 4. Coordinate and discuss utility impacts with utility companies
 - 5. Prepare exhibits or other support as needed for utilities
- N. Design Services during construction the Scope of Work for design services under construction may include:
 - 1. Review of actual subsurface conditions to verify structural design.
 - 2. Review and approval of shop drawings.
 - 3. Changes in design based on field conditions.
 - 4. Services as needed per PE stamp requirements on design drawings.
 - 5. Answer questions as needed on plans and specifications.
 - 6. Claim and schedule analysis.
 - 7. Analysis of VE proposals.
 - 8. Analysis of construction phasing false work, shoring, methods statements, and CPM schedules (Microsoft Project and/or Primavera).
 - 9. Analysis of bridge demolition plans, girder erection plans, structural stability, Project Safety Management Plans, and Safety Critical work.
 - 10. Field Visits, Meeting attendance, and re-design as needed.
 - 11. Electrical and Mechanical Inspection for, in accordance with all applicable electrical and mechanical codes.

7. WORK PRODUCT

The Consultant work products delivered in this contract will follow all CDOT design guide manuals and processes and conform to the CDOT project delivery process.

8. WORK PRODUCT COMPLETION

All submittals must be accepted by the CDOT Contract Administrator or designee.

SECTION 2 PROJECT MANAGEMENT AND COORDINATION

1. CDOT CONTACT

The Contract Administrator for this project is: Mike Keleman, Region 1 West Program Engineer. Questions of a technical nature (SOW, etc.) regarding this project may be directed to: Name: Neal Retzer Organization: CDOT RE, Tunnel Telephone: (303) 249-0741

2. PROJECT COORDINATION

Coordination will be required with the following:

- A. Cities
- B. Counties
- C. Regional Transportation District (RTD)
- D. Federal Highway Administration (FHWA)
- E. Federal Transit Authority (FTA)
- F. Utilities

The consultant should anticipate that a design that affects another agency must be accepted by that agency prior to its acceptance by CDOT. Submittals to affected agencies will be coordinated with CDOT.

SECTION 3 GENERAL INFORMATION

1. NOTICE TO PROCEED

Work on any Tunnel shall not commence until the written Notice-to-Proceed is issued by CDOT. Work may be required, night or day, and/or weekends, and/or holidays, and/or split shifts. CDOT must concur in time lost reports prior to the time lost delays being subtracted from time charges. Subject to CDOT prior approval, the time charged may exclude time lost for:

- A. Reviews and Approvals
- B. Response and Direction

2. PROJECT COORDINATION

- A. Routine Working Contact: Routine working contact shall be between the CDOT/PM and the Consultant Project Manager (C/PM) as defined in Appendix C.
- B. Project Manager Requirements: Each Project Manager shall provide the others with the following:
 - 1. A written synopsis or copy of their respective contacts by telephone and in person with others
 - 2. Copies of pertinent written communications

3. ROUTINE REPORTING AND BILLING

The Consultant shall provide the following on a routine basis:

- A. Coordination: Coordination of all contract activities by the C/PM
- B. Periodic Reports and Billings: The periodic reports and billings required by CDOT Procedural Directive 400.2 (Monitoring Consultant Contracts), including monthly drawdown schedules.
- C. General Reports and Submittals: In general, all reports and submittals must be approved by CDOT prior to their content being utilized in follow-up work effort.

4. **PERSONNEL QUALIFICATIONS**

The prime firm of each team must be on CDOT's list of prequalified consultants by July 01, 2022. Prequalification must be done annually. Consultants who are not prequalified or who have questions regarding their prequalification should immediately contact Peter Avbenake, Agreements Office at telephone (303) 757-9583. For the Capacity factor included in the Statement of Interest portion of the consultant's submittal, and described in the SOI/WP Preparation Instructions for Consultants, the prime firm or any member of its team must show, for the entire length of the contract, capacity in the following disciplines:

TU – Tunnel Engineering
CE - Civil Engineering
EL Electrical Engineering
EN- Environmental Services
GE – Geotechnical Engineering
HD-Highway and Street Design
HY– Hydraulics
MC – Construction Management

ME – Mechanical Engineering SE – Structural Engineering TR – Traffic Engineering.

The Consultant shall include a Colorado Registered Professional Engineer. The Consultant will also need a comprehensive knowledge of CDOT manuals, guidelines, policies and procedures. The Contract Administrator will approve all Consultant personnel task-specific qualifications.

All tasks assigned to the Consultant must be conducted by a person on the Consultant team that is qualified and has specific expertise in that task. The qualified person is a professional with the necessary education, certifications (including registrations and licenses), skills, experience, qualities, or attributes to complete a particular task. Design of any special project features must be directed, completed, and overseen by a professional engineer with significant experience in design of those special project features, given the specific required qualification list above.

Certified Welding Inspectors (CWI) shall be qualified and certified in conformance with the provisions of AWS QC1, Standard for AWS Certification of Welding Inspectors, or shall be an engineer or technician who, by training and experience in metals fabrication, testing and/or in-service inspection, is acceptable to the Owner.

Individuals performing Nondestructive Testing (NDT) shall be qualified in accordance with the current edition of the American Society for Nondestructive Testing Recommended Practice No. SNT-TC-1A. Only individuals qualified for NDT Level II may perform the testing. The testing program shall be administered by an ASNT certified Level III.

5. CDOT COMPUTER/SOFTWARE INFORMATION

The consultant shall utilize the most recent CDOT adopted software. The primary software used by CDOT is as follows:

А.	Earthwork	InRoads
B.	Drafting/CADD	InRoads & Microstation w/CDOT's formatting configurations &
		Standards, OpenRoads
C.	Survey/photogrammetry	CDOT TMOSS, InRoads, OpenRoads
D.	Bridge check	CDOT Staff Bridge software shall be used in either design or design
E.	Estimating	Transport (an AASHTO sponsored software) as used by CDOT
F.	Specifications	Microsoft Word
G.	Scheduling	Microsoft Project
H.	Water Quality Data	ArcView

6. COMPUTER DATA COMPATIBILITY

The data format for submitting design computer files shall be compatible with the latest version of the adopted CDOT software as of Notice to Proceed for the contract. The Consultant shall immediately notify the CDOT/PM if the firm is unable to produce the desired format for any reason and cease work until the problem is resolved. Refer to Section 8, Table 1 - Submittals, for additional information regarding current formats and the acceptable transmittal media.

7. PROJECT DESIGN DATA AND STANDARDS KEEP

A. General:

Appendix A provides a comprehensive list of state and federal reference material. However, Appendix A does not contain local agency reference material that may be pertinent to some projects. The consultant is responsible for obtaining and ensuring compliance with the most recent CDOT-

adopted version of the listed references including standards and specifications, manuals, and software, or as directed by the CDOT/PM. Conflicts in criteria shall be resolved by the CDOT/PM.

- B. Specific Design Criteria: Appendix B is a list of specific project criteria. The list is comprehensive and may include items that are not required for tasks defined in this scope. The Consultant shall submit any proposed changes to the pertinent criteria to the CDOT/PM at one of the periodic progress meetings prior to initiating design.
- C. Construction Materials/Methods: The materials and methods specified for construction will be selected to minimize the initial construction and long-term maintenance cost to the State of Colorado. Non-typical construction materials and methods must be approved in writing by CDOT.

SECTION 4

PROJECT INITIATION AND CONTINUING REQUIREMENTS

Note: This list establishes the individual task responsibility. Those tasks identified as CDOT/Other should utilize an abbreviation system to indicate whether the task will be completed by CDOT or another agency (i.e. "C" for CDOT and abbreviations as provided below). The consultant shall maintain the ability to perform all work tasks that are indicated below by an 'X' in the consultant column, in accordance with the forms and conditions contained herein, and the applicable CDOT standards. Where appropriate, mark "N/A" for not applicable items.

	CDOT (C)/ Other*	Consultant	Not Annlicable
A. PROJECT MEETINGS			
The types and numbers of meetings shall be flexible and determined by an interactive process as approved by the CDOT/PM. Public Hearing efforts are accounted for in Section 5.	C	х	
1. Initial Project Meeting			
Schedule and facilitate initial project kick-off meeting. All appropriate disciplines should be included in the scoping meeting. Create an invitation list, send notices with a draft agenda prior to the meeting, and provide meeting minutes to all those invited. Whenever possible, the kick-off meeting will include an on-site inspection to familiarize the entire project team with the character and conditions of the area. The scoping meeting will also be used to			
clearly identify scope elements, responsibilities and coordination necessary to			
complete the work.	С	X	
2. Progress Meetings CDOT and Consultant team will meet periodically as required (typically at two- week intervals). The meetings will review activities required to be complete since the last meeting, problems encountered/anticipated and potential solutions, project schedule update, action items, and coordination required with other			
agencies.	C	X	
3. Public Meetings The Computent shall answide the presentation side, and help conduct the			
The Consultant shall provide the presentation aids, and help conduct the meeting.	C	Х	
a. Small Group Meetings (one-on-one) Meet with property and business owners or others directly affected by the			
project work to identify likely impacts and discuss possible mitigation or resolutions.		Х	
b. General Public Meetings (information and workshops)		Λ	
The format of these meetings (information and workshops) The format of these meetings will be dictated by the project and goals for the meetings. These meetings may be used to establish communications with the public, add to the "contact list", and gather information regarding local concerns. The meetings may also take the form of a work session or workshop with the affected parties.	С	Х	
c. Public Review Meetings These meetings are intended to disseminate project progress information to the public and representatives of local entities. Notices will be mailed at least 14 days in advance of these meetings to those on the "contact list".	С	X	

	T		T
	CDOT (C)/ Other*	Consultant	Not Applicable
4. Meeting Minutes			
Project meeting minutes shall be completed by the Consultant and provided to the CDOT/PM within one week of the actual meeting. When a definable task is discussed during a meeting, the minutes will identify the "Action Item", the party responsible for accomplishing it, and the proposed completion date.		X	
5. Contact List			
Establish and maintain a computerized list of all appropriate interested parties		v	
for the communication process. a. The information on the list shall include as a minimum: i) Name ii) Firm (if any)		X	
iii) Mailing/E-mail address			
iv) Phone/Fax number		Х	
 b. The contacts will be compiled from the list below, as supplemented by the Project Team and the attendees at public meetings: Public Agencies Elected/Appointed Officials Neighborhood Groups Property Owners/Tenants Business Interests Special Interests 			
vii) Railroads			
viii) Media Contacts		Х	
6. Public Notices/Advertisements Publicize the proposed project in accordance with the CDOT policies and procedures. Copies of the publication shall also be mailed to the individuals on the "contact list".	С	Х	
7. Communication Aids		Х	
 Graphics Support – provide graphics for presentations and project documents. This may include slides, overhead projector slides, maps and plan views of conceptual design, computerized presentations and other displays for visual presentations at meetings. 		X	
 Newsletter – a newsletter which will contain project progress information and announcements will be published at the specified interval and will be distributed to those on the "contact list" specified by the CDOT/PM. 		X	
 Local Office – Obtain and maintain an office within the project area to conduct small group meetings and provide displays/information to the public. 		X	

	CDOT (C)/ Other*	Consultant	Not Applicable
 d. Internet web pages – All external CDOT-related Web sites shall be hosted on CDOT's server and developed in-house with assistance from the Web Team and the Office of Public Relations. The use of all Web 2.0 and similar social marketing applications on behalf of CDOT (including all regions, divisions and offices) is strictly prohibited unless authorized by the Director of the Office of Public Relations. No CDOT employee, contractor or consultant working for CDOT will post material on behalf of the agency on such applications without 			
expressed written consent of the Director of the Office of Public Relations.		Х	
B. PROJECT MANAGEMENT At the kick-off meeting, or shortly thereafter, create and provide an approach for managing the project (i.e. involved staff, key team positions), including task orders, a schedule, document and agency reviews and other project needs. Should the overall project budget be \$500 million or more, an official Project Management Plan (PMP) shall be prepared in accordance with the Safe, Accountable, Flexible, Efficient, Transportation Equity Act (SAFETEA-LU) requirements (or newer authorization guidance as applicable). The Consultant shall coordinate all the work tasks being accomplished by all parties to ensure project work completion stages are on schedule.	С	X	
C. DEVELOP A PROJECT SCHEDULE AND ASSIGN TASKS			
The Consultant is responsible for coordinating the required work schedule for tasks accomplished by CDOT and other agencies. Prepare the initial project schedule for review by the CDOT/PM and consultant team, and refine to provide detail as requested. Modifications will be made as necessary in collaboration with CDOT and			
appropriate justification.	С	Х	
D. QUALITY ASSURANCE/QUALITY CONTROL (QA/QC) Prepare and submit a QA/QC plan as part of the planning documents noted above, and commit to adhering to the QA/QC process throughout the project.		X	
 E. VALUE ENGINEERING (VE) STUDY A team of transportation design and construction experts will perform a Value Engineering (VE) study. The VE study will be conducted early enough in the project development process to allow evaluation and incorporation of VE recommendations in the NEPA document or design process, as appropriate. The VE study shall be performed in accordance with Federal Highway Administration's (FHWA) current guidelines and recognized techniques and will identify possible alternatives that may save the project cost, time, or other resources. An individual with prior experience and certification in facilitating VE studies (the VE facilitator) shall conduct each VE session. VE facilitators shall be qualified VE practitioners, experienced in performing and leading VE studies (have participated in several VE studies as a team member and several as a team leader), and have sufficient VE training, education, and experience to be recognized by the Society of American Value Engineers (SAVE) International as meeting the requirements for certification. The VE team will consist of individuals with no prior exposure to the project. Individuals that have some familiarity and history with the project shall provide briefings to the team. Consultants or firms shall not conduct studies of their own designs unless they maintain distinct organizational separation of their VE and design sections. The VE team will be assembled to review the Conceptual 		Х	

	T T		T
	CDOT (C)/ Other*	Consultant	Not
Background information and plans shall be provided to the team at least three weeks in advance of VE sessions. The VE facilitator will coordinate the study with CDOT, appropriate entities, and FHWA.			
The VE review team will formally evaluate each VE recommendation, and sufficient justification will be made for the acceptance or rejection of each. The VE facilitator will produce a document that summarizes the results, as well as the project elements investigated.			
The Consultant/PM shall prepare a written response detailing which recommendations were not included, the reasons for exclusion, and how all approved VE results will be incorporated into subsequent engineering efforts. These responses shall be forwarded to the CDOT/PM for distribution to the CDOT Region Transportation Director, FHWA, and other appropriate entities. All approved VE proposals shall be incorporated into the final design plans			
F. OBTAIN NECESSARY RIGHT-OF-ENTRY AND PERMITS Some activities may require work on land not controlled by CDOT. In such cases the Consultant shall obtain the necessary written permission to enter the premises. Written permission shall be coordinated with other CDOT staff and consultants that may need right-of-entry such as geotechnical and environmental personnel. Included in this written permission will be the names and telephone numbers of persons to contact should notification prior to entry be necessary.		X	
1. Signature Copies Permissions apply to CDOT personnel as well as Consultant personnel. CDOT Form 730 may be used for this purpose. Signed copies of written permission will be submitted to the CDOT/PM prior to entering private property for survey work.	C	X	
2. Permits Some activities such as materials testing on existing pavement and structures may require a permit. Permits will be obtained and copies submitted to the CDOT/PM.		X	

SECTION 5 ENVIRONMENTAL WORK TASK DESCRIPTIONS

Note: This Section is written specifically for projects requiring an Environmental Impact Statement (EIS), an Environmental Assessment (EA), or a Categorical Exclusion (CatEx). It includes elements that are not required for all projects requiring NEPA protocol. Contact Region environmental personnel to determine which items in this section are necessary to address the requirements of the EIS, EA, or CatEx, or post-NEPA activities (ensuring that all of the commitments made by the NEPA document are implemented in the design package).

Use the most current version of the CDOT NEPA Manual when completing this section to assure that the level of detail and documentation included meets CDOT expectations and requirements and any other applicable state and federal laws and regulations. Nothing in this Section precludes federal, state, or local agencies or officials from fulfilling their responsibilities under federal, state, or local laws and regulations, NEPA, as codified in 42 United States Code (USC), section 4321, et. Seq., or any of NEPA's implementing regulations.

This list establishes individual task responsibility. Those tasks identified as CDOT/Other should utilize an abbreviation system to indicate whether the task will be completed by CDOT or another agency (i.e. "C" for CDOT and abbreviations as provided below). The consultant shall maintain the ability to perform all work tasks that are indicated below by an 'X' in the consultant column, in accordance with the forms and conditions contained herein, and the applicable CDOT standards. Where appropriate, mark "N/A" for not applicable items.

	CDOT (C)/ Other*	Consultant	Not Applicable
A. CONSULTANT DISCLOSURE STATEMENT	C	Х	
40 Code of Federal Regulations (CFR) Section 1506.5(c) specifies that a disclosure statement to avoid conflict of interest must be prepared. If an environmental document is prepared with the assistance of a consulting firm, the firm must execute a disclosure statement.	С	х	
B. PROJECT INITIATION	С	X	
1. Environmental Scoping Task An early environmental coordination/scoping task will occur as directed by the CDOT/PM. An environmental scoping meeting should be held with the Regional Environmental Project Manager, the Regional Water Quality Specialist/Water Pollution Control Manager, the Regional Project Manager, appropriate members of the Environmental Programs Branch (EPB), C/PM, and staff from Right-of-Way, Maintenance, Hydraulics, Traffic, Property Management, and Utilities, as appropriate. This task will include a meeting with CDOT and the local agency representatives to discuss the initial work efforts of the project.	С	X	
2. Review Applicable Existing Documents Review project-specific documents or data related to the assessment of environmental, social, and economic resources and impacts in the project area that are determined relevant. Examples of relevant documents are previous studies, planning efforts, access management plans, safety assessments, and other traffic studies. These resources may be CDOT documents or may have been created by local planning agencies or municipalities.	С	Х	

	CDOT (C)/ Other*	Consultant	Not Applicable
3. Extent of Study Required for Resources			
Determine the extent of study required for each resource area. The extent of			
study can be defined in four categories: 1) complete analysis required; 2) short			
analysis to define resources/impacts; 3) no analysis required; or 4) analysis	C	Х	
already completed (for example, by a previous study).4. Preparation and Coordination of Requirements		Λ	
During the early coordination / scoping process, determine the effort required for			
the preparation and coordination requirements to allocate: 1) work to be			
completed by CDOT Region Staff; 2) work to be completed by CDOT			
Headquarters Staff; 3) work to be completed by Consultant or its project			
partners; and 4) outside agency concurrence or approvals required.	C	Х	
5. Extent of Narrative Required		- 1	1
For each resource, determine during the scoping phase the extent to which			
documentation is required for each resource. The level of documentation can be			
included in several ways, such as: 1) a complete analysis/ documentation			
included in the text; 2) a summary of the analysis performed included in the			
text; 3) a statement that no impacts are expected; or 4) including information			
and documentation (technical memoranda, references, annotated bibliography)			
in an appendix of the document with reference to the appendix in the body of			
the text. This will be detailed to the extent possible using information available			
during the scoping phase.	C	X	
6. Project Study Area Limits/Logical Termini			
Preliminary project study area limits are established in Section 1 of the Generic			
Scope of Work document. Perform necessary research and data collection to			
propose a study area boundary for environmental resources and logical termini			
for use in scoping. In coordination with the CDOT/PM, prepare a			3.7/1
recommendation to the FHWA for approval of the logical termini, if applicable.	+		N/A
7. Administrative Record			
Maintain a NEPA Administrative Record that adheres to the established			
process. Make available all parts of this Administrative Record to the			
CDOT/PM (or his or her designee), or to the Colorado Attorney General's			
office (as requested) at any time during the project's duration. All materials associated with the project Administrative Record will be delivered in the			
format specified by the CDOT/PM when closing the project. Final project			
invoice payments to the Consultant are conditional upon the professional and			
complete delivery of these materials to CDOT's office. Given the extent of			
documentation collected for the NEPA process, the consultant must update the			
record regularly and provide information to CDOT electronically.		Х	
C. ENVIRONMENTAL ANALYSIS AND DOCUMENTATION	C	X	+
Determine the effort required to examine the transportation needs in the project area			+
definitively and completely, to develop and evaluate transportation alternatives			
following the NEPA process, and to develop the appropriate NEPA documents. All			
environmental documentation, technical reports and technical memos will be			
submitted to CDOT, and may be required to be supplied to reviewers at CDOT EPB,			
FHWA, and the City of Wheat Ridge for early review as appropriate and necessary.			

	CDOT (C)/ Other*	Consultant	Not Applicable
1. Purpose and Need Develop a solid Purpose and Need statement, reviewed, and approved by appropriate parties. The objectives of the project should be clearly identified and agreed upon early in the project process to prevent backtracking and limit schedule changes. Develop and refine, as necessary, to address information collected on the project during data collection, transportation analysis, and public and agency scoping and involvement. Review previously prepared studies to help direct Purpose and Need information as appropriate (e.g., local planning studies, engineering feasibility studies, etc.). No more than 5 (five) versions of the Purpose and Need will be submitted for review and comment.	С	X	
 2. Alternatives Development and Evaluation Develop a range of reasonable alternatives not to exceed two alternatives that will satisfy the Purpose and Need requirements of the project, including, but not limited to, those identified in earlier and ongoing studies of the area. The Consultant team, in coordination with CDOT and FHWA, will determine the design year to use for the project. Changes in the design year during the project may be subject to a Scope of Work modification. 	C	<u>л</u> Х	
3. Evaluate Alternatives Impacts The consultant shall take into account the projected design-year traffic volumes and projected opening day traffic volumes for new facilities as developed for this Scope of Work, or as modified through later studies and calculations by CDOT. Evaluate the impacts of these alternatives according to established guidelines and examine the degree to which these alternatives satisfy the Purpose and Need requirements of the project. Set out these evaluations both schematically and in narrative form for review within a reasonable time after the notice to proceed.		X	
4. Alternatives Screening Process Apply an alternatives screening process to identify the reasonable alternatives (practical or feasible from a technical and economic standpoint), which will be subject to a more detailed evaluation. Develop NEPA-appropriate evaluation criteria, and measures of effectiveness, and submit them for review and approval by CDOT and FHWA before beginning the screening process. The rationale for eliminating alternatives will be thoroughly discussed within the documentation.	С	X	
5. Preliminary Design of Alternatives For each alternative that passes the screening process, incorporate preliminary design for up to two alternatives to a level that clearly allows the identification of impacts within each environmental resource area. These alternatives may be carried through the entire analysis process until a decision document is written. If CDOT or another agency or Consultants performs selected alternative studies, the Consultant shall incorporate the results of these studies into the appropriate document.		Х	
D. COST ESTIMATES AND FINANCIAL ANALYSIS	С	X	
1. Develop Cost Estimates and Financial Analyses As part of evaluating reasonable alternatives in the NEPA document, including the No-Action Alternative, develop cost estimates and financial analyses at varying levels of detail throughout the process. Basic engineering, preliminary engineering, construction engineering, construction, and operating/maintenance	~		
for the design life will also be analyzed. A funding package identifying the		Х	

	CDOT (C)/ Other*	Consultant	Not
funding sources necessary to construct and maintain the projects will be developed.			
2. Incorporate Into NEPA Document Review the cost estimates and financial analysis, provide supplemental analysis as needed to support the Preferred Alternative, and incorporate findings into the draft NEPA document.	С	Х	
3. Preliminary Construction Cost Estimates Prepare preliminary construction cost estimates based on 20% design of no more than two alternatives identified during the NEPA process. Project right of way acquisition and project environmental mitigation costs shall be included within the cost estimate. Include enough detail to ensure a reasonable degree of accuracy for the level of design performed. Submit the format of estimates, including the year from which the unit costs were assumed, to CDOT's Project Engineer for review and approval. Incorporate the analysis into the NEPA document.		Х	
E. DATA COLLECTION, FIELD INVESTIGATION, MITIGATION MEASURES			
The following analyses are required for each of the alternatives that pass the screening process. Each resource will be summarized concisely, focusing on the project issues of concern in the NEPA document. The scope shall define the level of documentation, project tasks, and project deliverables for each of the resource areas. Identify the required area and resources to evaluate and determine the early coordination/scoping process as discussed above, but may evolve over the life of the project as new information is discovered through analysis. Reference other projects within the study area (to make sure existing conditions are alike between both projects, understand future planned conditions within the study area, and to appropriately evaluate cumulative impacts to resources); these projects may be related to transportation, but may also be entirely unrelated to transportation (such as a new strip mall, school, park, apartment building, for example). As determined by the Consultant team, the Region, and EPB, a larger area is typically evaluated for cumulative effects. The level of detail and analysis will be determined based on the level of environmental documentation (e.g., Feasibility Study, CatEx, EA, or EIS). It is expected that the level of detail for this NEPA document will be as appropriate for an CatEx. Use of Geographic Information Systems (GIS) for environmental data is required to EDOT in electronic format with the annual updates for the administrative record.			
Relevant information will be incorporated in the NEPA document sections such as: Affected Environment, Environmental Consequences, and Mitigation Measures. In addition, technical reports may be prepared in support of the project and shall be reviewed and referenced as appropriate in the NEPA document. If new or unique resources are identified during scoping, this scope of work will be modified to include these, as appropriate.	С	X	

	CDOT (C)/ Other*	Consultant	Not Applicable
1. Existing Roadway and Major Structures	C	X	
 a. Evaluate existing conditions to assess the proposed design relative to the following: i) existing roadway safety and structure condition ii) general traffic concerns iii) geometry and conditions including cross-sections, shoulders, medians and lane widths iv) noise walls v) Americans with Disabilities Act (ADA) accommodations and compliance vi) Guardrail vii) Lighting viii) Traffic Signal Devices 			
ix) Signage, signals, lighting, grades, speeds, components, and	0	v	
structures should be included in the effort. b. Construction Requirements: i) General construction impact (of temporary nature) ii) Material pits	C	X	
iii) Haul roads c. Multi-modal Transportation: Document existing multi-modal	C		
transportation facilities including bike paths/lanes, sidewalks, alignments for transit (heavy rail, light rail, bus routes), transit stops/stations, and multi-modal centers. Signage, signals, lighting, grades, speeds, components, and structures should be included in the effort. Coordinate with the CDOT Division of Transit and Rail to obtain relevant data.			N/A
2. Geospatial Data Assemble, store, manipulate and display data for resources as needed.			N/A
 Air Quality Perform the necessary air quality assessment or modeling as required and provide the results for integration into the NEPA document and Air Quality Technical Report (with modeling data assumptions). These will include, but are not limited to, analysis or discussion of: NAAQS, carbon monoxide (CO) hot spots, PM 10 hot spot analysis, regional emissions analysis, Mobile source air toxics (MSAT) —qualitative or quantitative, greenhouse gases (GHG), climate change, construction issues such as fugitive dust emissions, and mitigation measures. 			
CDOT staff will lead coordination with the Colorado Department of Public Health and Environment Air Pollution Control Division (CDPHE-APCD) and U.S. Environmental Protection Agency (EPA) (as necessary). The analytical methodologies (including number of intersections to be modeled) will be determined through the coordination. Each Build Alternative and the No-Action Alternative will be analyzed for impacts through the appropriate design year. Mitigation commitments will be developed, as necessary. The Consultant must get approval from the CDOT Region and/or EPB air specialist (and possibly FHWA staff) for any methodologies to evaluate hazardous air pollutants. Utilize the most current standard, accepted FHWA language for MSATs.			N/A

		CDOT (C)/ Other*	Consultant	Not Applicable
4. Ge	ologic Resources and Soil			
Report, geologie Constra grade m presence	a and document in the NEPA Document, and a Geologic Technical a thorough investigation of the project area to determine possible c influences on the alternative designs under consideration, or vice versa. ints, including but not limited to major excavations, unsatisfactory sub- laterials, present and potential subsidence, potential for rockfall, the e of abandoned mine sites, etc., will be evaluated. This task includes ration and description of the corridor water table (i.e., depth/gradient).		X	
	iter Quality			
a.	Status of the water resources (quality, etc.) for the purposes of describing the "affected environment" before construction: ground water/aquifers, lakes, rivers, streams, and springs. Locations of drinking water treatment plants and locations of sewage treatment facilities.	С	x	
b.	Water resource and quality impacts of the project during and following construction, determined by considering the project location and design concepts in relation to existing water resources including groundwater or alluvial waters or aquifers (particularly sole source), drainage ditches and other State Waters as defined by CDPHE Water Quality Control Division, aquatic as well as riparian habitat, and Sensitive Waters (Class 1 Aquatic Life, Recreation 1, and Water Supply, 303[d] listed, etc).	С	<u>л</u> Х	
c.	Municipal Separate Storm Sewer System (MS4), Colorado Discharge Permit System (CDPS), and design and permitting issues per the CDOT PWQ program.		X	
d.	A mitigation plan that includes conclusions of effects, permanent best management practices (BMPs), temporary/construction BMPs, erosion control measures, and definition of maintenance responsibilities.	С	x	
e.	The Driscoll Model [WILL/WILL NOT] be used for this project.			N/A
f.	NEPA Water Quality Technical Report	С	Х	
<u>6. Flo</u> a.	odplains Assessment Identify location of regulatory floodplains and floodways published by FEMA and local agencies, and assess impacts of planned changes to those boundaries from CDOT activities or planned map revisions by others.			N/A
b.	Add information to environmental resource mapping of existing conditions.			
c.	Determine the adverse impacts of each alternative with respect to the base flood elevation (BFE), floodway boundary, and local drainage. This must include the impacts of construction and other "temporary" activities.			
d.	Analyze impacts and develop possible actions to mitigate for the adverse impacts, then coordinate with roadway and structural designers.			
e.	Analyze the impacts and mitigation. Included in the analysis will be a determination of significant impacts due to:			

		CDOT (C)/ Other*	Consultant	Not Applicable
	i) Single community access routes.			
	ii) Risk for social or economic losses due to flooding.iii) Alteration of beneficial floodplain values.			
	iv) Recommend preparation of a local floodplain development permit			
	for all work in floodplains and floodways, as required by state and federal law.			
	v) Recommend preparation of a no-rise certification for all work in floodways, as required by state and federal law.			
	vi) Recommend preparation of Conditional Letter of Map Revision (CLOMR), Letter of Map Revision (LOMR) requirement			
f.	Prepare a Floodplain Information Sheet for the final approved plan set.			
	i) Show and clearly label the current effective 100-yr floodplain and			
	floodway boundaries, and the 500-year floodplain (as applicable).			
	 Show and clearly label all cross sections and BFE lines published on the current effective FIRM (note; all elevations must be reported in the same vertical datum identified on the current effective FIRM). 			
	iii) Show and clearly label any fluvial hazards, buffer zones or erosion management zones.			
	iv) Show the limits of disturbance for all permanent and temporary activities, and label as such.			
	 Show all ground survey point elevations in the same vertical datum identified on the current effective FIRM. 			
	 vi) Add notes to indicate the waterway name, jurisdiction and community number, panel number, date of current effective information, a sentence describing which local code requires permits, a sentence for permitting and no-rise compliance, and a note recognizing that flooding may occur outside the mapped 			
	Special Flood Hazard Area (SFHA). Prepare floodplain and drainage assessment information as outlined in			
	the CDOT NEPA manual. If prepared, the information will be			
	reviewed by the Region or EPB specialist and then finalized.		37	
	lands Watlanda Datamination/Dalinaation	C	X	
	 Wetlands Determination/Delineation: Conduct a field evaluation for the presence of wetlands within the project study area. Global Positioning System (GPS) should be used for this activity. 		X	
	ii) Delineate the boundaries and size of all anticipated jurisdictional and non-jurisdictional wetlands and waters of the US within the project area. using United States Army Corps of Engineers			
	(USACE) guidance listed in Appendix A. iii) Prepare wetlands maps that delineate the wetland boundaries	C	X	
	within the corridor. GPS will be used for this mapping.iv) Coordinate the findings with the CDOT Region and the USACE.	 		N/A
	Obtain jurisdictional determination of the wetlands from the USACE.		X	
	Wetland Finding Report Prepare a Wetland Finding Report. The Functional Assessment of Colorado Wetlands (FACWet) should be used, as appropriate		Х	

	CDOT (C)/ Other*	Consultant	Not
according to current CDOT procedures. Conduct a wetland assessment			1
based on the NEPA document addressing the amount of permanent and temporary wetlands impacts and mitigation. Wetland mitigation should be identified as early as possible in the NEPA process. Mitigation sites must be evaluated for availability and suitability for wetland habitat.			
8. Vegetation and Noxious Weeds			
Conduct necessary field surveys and identify vegetation and noxious weeds within the project area. GPS will be used for this activity. Plot major vegetation zones/ecosystems, and weed locations and densities on a map.			N
a. Perform an impact analysis.			1
b. Prepare an Integrated Noxious Weed Management Plan			1
9. Fish and Wildlife			1
Conduct necessary field surveys and identify fish and wildlife and their habitat within the project area. As appropriate, GPS will be used to identify habitat.	С		N
a. Coordination with the Colorado Division of Wildlife (CDOW) and US Fish and Wildlife Service (USFWS)			11
b. Perform an impact analysis.			
c. Develop appropriate mitigation measures			
d. Prepare Biological Resources Report			
10. Threatened and Endangered (T&E) Species			N/
 a. Write letters for the CDOT EPB Wildlife Program Manager's signature to the Colorado Division of Wildlife (CDOW), US Fish and Wildlife Service (USFWS), and Colorado Natural Heritage Program (CNHP) requesting a T&E species list. 			
b. Conduct necessary desktop and field surveys and identify T&E species and/or Designated Critical Habitat.			
c. Review existing planning documents to determine any existing Habitat Conservation Plans (HCP) for T&E species.			
d. Identify impacts to species and recommend mitigation.			
e. Based on affected environment and habitat, prepare the T&E species impact assessment.			
 f. Develop a Biological Assessment for the USFWS if federally listed T&E species and/or Designated Critical Habitat will be impacted and there is a federal nexus. 			
g. Develop a HCP with the USFWS if T&E species and/or Designated Critical Habitat will be impacted and if there is a federal nexus.			
h. Identify any impacts and develop a mitigation plan to conform to requirements of the Endangered Species Act.			
11. Historic Properties	C	Х	ļ
a. Perform and provide the survey report for review by the CDOT Region Historian or EPB Senior Staff Historian, and incorporate the information into the NEPA document. The following lists are not meant to be exhaustive.	С	X	
b. Collection and Evaluation of Baseline Information as defined by Section 106 of the National Historic Preservation Act of 1966, as			
amended 12. Historic Clearance	C	X	+

		CDOT (C)/ Other*	Consultant	Not Applicable
a.	Provide changes and updates as needed to the area of potential effect (APE), in coordination with CDOT, already drafted by HDR in consultation with CDOT. This APE includes CDOT ROW and the parcel boundaries of four properties adjacent to the bridges at 32 nd and			
b.	I-70, unless project scope requires changes to this APE. Conduct a literature and records search for previously recorded historic	С	X	
	resources in the APE at the OAHP.	С	Х	
c.	Conduct an intensive architectural field survey of the APE and determine National Register of Historic Places (NRHP) eligibility for each resource 45 years or older. Potential resources include man-made structures, ditches, railroads, etc.		Х	
d.	Identify and coordinate with consulting parties (e.g., public, historic preservation groups, local historical societies, museums) regarding historic properties in the project area.	С		
e.	Write a comprehensive Historic Resources Survey Report according to guidelines established by the OAHP to submit for review by the CDOT Region and/or EPB Senior Staff Historian.		X	
f.	Determine potential impacts, both direct and indirect, to historic resources and include in the correspondence to the SHPO.		Х	
g.	Prepare correspondence as necessary for the CDOT Region and/or EPB Senior Staff Historian to submit to the SHPO. As discussed between CDOT and HDR, the APE includes four properties outside of CDOT ROW. Three of these are not age-eligible. The fourth, 12930 W. 32 nd , has been determined officially not eligible as part of a 2017 CDOT project. CDOT has provide relevant documentation for this property.		X	
h.	Collaborate with the CDOT Region Historian or EPB Senior Staff Historian to develop a Memorandum of Agreement, if necessary, with recommended mitigation strategies for adverse effects for agency review and execution.		X	
i.	Prepare Section 4(f) documents as required.	С		
j.	Work with the CDOT Region historian or EPB Staff Historian to obtain any necessary approvals.	С	X	
13. His	storic Bridge Clearance (if applicable)			
	CDOT to research the Statewide Historic Bridge Inventory to determine			
***	ible or non-eligible status of bridges that may be in the project area.			N/A
a.	Prepare correspondence as necessary for the CDOT Region and/or EPB Senior Staff Historian to submit to the SHPO.			
b.	If bridges that have been determined to be eligible or listed on the NRHP are present, develop alternatives to bridge replacement, including: No-Action, rehabilitation, build a companion structure, build a new bridge in a different location, and others dictated by the project circumstances.			
c.	Collaborate with the CDOT Region and/or EPB Senior Staff Historian to develop a Memorandum of Agreement, if necessary, to mitigate adverse impacts to historic bridges for agency review and execution.			
d.	Prepare a archival documentation or other creative mitigation of the bridge to mitigate adverse effects according to standards established by the OAHP.			

		CDOT (C)/ Other*	Consultant	Not Applicable
	e. When applicable, prepare information for CDOT Adopt-a-Bridge program to mitigate adverse effects.			
	f. Work with the CDOT Region and/or the EPB Senior Staff Historian to obtain any necessary approvals.			
	g. Prepare Section 4(f) documents as required.			
14.	Archaeology			N/A
	a. A review of historic Sanborn Fire Insurance maps and other appropriate archival sources will be completed to determine if the area may contain significant archaeological sites or features.			
	b. Conduct an intensive field survey of the project corridor(s) and undertake site-specific test excavations, as necessary and appropriate, to determine NRHP eligibility. The Consultant shall not undertake test excavations before consulting with CDOT.			
	 Complete laboratory analyses of all collected artifacts and ancillary specimens. 			
	d. Write a comprehensive survey report according to guidelines established by the OAHP.			
	e. Develop a data recovery plan to mitigate potential adverse effects to significant archaeological localities, as appropriate and necessary.			
	f. Coordinate the mitigation plan with the EPB Senior Staff Archaeologist, SHPO, and other required agencies.			
	g. Conduct data recovery excavations at any significant archaeological site that cannot be avoided during construction.			
	h. Analyze artifacts.			
	i. Prepare and submit a data recovery excavation report which describes, in a thorough and comprehensive fashion, the project results and the nature of the site in the context of the regional archaeological database. The report must also include site management recommendations in the context of the NRHP.			
	j. Coordinate Tribal consultation and support EPB Senior Staff Archaeologist as needed.			
	k. Prepare Section 4(f) documents as required.			
15.	Paleontological Resources			N/A
	a. Perform a literature and museum fossil database search and field assessment.			
	b. Determine the presence or absence of paleontological resources.			
	c. Conduct analysis to determine the scientific significance (research and/or educational value) of the resource.			
	d. Write the paleontological technical report, including mitigation proposals, if necessary. The assessment report will be reviewed by the EPB Staff Paleontologist for adequacy.			
	e. Coordinate the mitigation plan with the EPB Staff Paleontologist.			<u> </u>

	CDOT (C)/ Other*	Consultant	Not Applicable
16. Land Use			
Collect, map and evaluate baseline information. Prepare information on land use and zoning, including maps of existing, planned and future uses. Prepare land use mapping. Mapping may include parcel use categories such as land in public ownership, commercial, retail, wholesale, industrial, residential, vacant, mixed etc. identifying jurisdictional boundaries and land usage along each alternative. (Information may be obtained from Department of Local Affairs, from old			
Sanborn maps, from archival aerial photos, from the local city, town or County, and/or from field verification.) Identify any impacts or consequences to land			
uses and recommend appropriate mitigation measures as necessary.			N/A
17. Social and Economic Resources			
Collect, map, and evaluate baseline information to investigate and document the effects of the project alternatives on community cohesion, safety and security, neighborhoods, and accessibility of facilities and services. Investigate the effects			
of the project alternatives on commercial and industrial enterprises,			
employment, local tax base, regional earnings, etc. When relevant, recent			
Census data shall be utilized. This will be done at the regional and corridor level, as well as part of a cumulative effects analysis, as appropriate. Identify			
any impacts and recommend appropriate mitigation measures as necessary.			N/A
18. Environmental Justice			1.01
Collect the necessary U.S. Census and other applicable data to identify existing			
low-income and minority populations, as well as adverse effects and mitigation			
measures or alternatives that would avoid or reduce the impacts according to			
environmental justice guidelines. Impacts to these communities will be evaluated using CDOT and FHWA guidance in accordance with Executive			
Order 12898. Beneficial effects of the project on these populations will also be			
identified. The analysis will cross-reference other resources as appropriate (e.g.,			
noise, air and water pollution, aesthetics, community cohesion, relocation			
impacts).			
As part of the project's public participation or public involvement program,			
ensure that meaningful opportunities for all members of the community to			
provide input to the project exist. Document the degree to which affected low-			
income or minority populations have been afforded the opportunity to provide			
input in the NEPA process related to the development of purpose and need,			
alternatives analysis and screening, , impact analysis, preferred alternative			
identification, and mitigation measures development. Collaborate with EPB's			
Environmental Justice specialist to determine the level of Environmental Justice outreach activities necessary to obtain sufficient input from low-income and/or			
minority populations. Document all outreach efforts and input (or feedback) for			
low-income and/or minority communities within an Environmental Justice			
Technical Report.			N/A
19. Bicycle and Pedestrian Facilities			
Research and identify existing and future planned bicycle and pedestrian			
facilities in the project area. The necessary data will be collected from project			
design documents, community transportation plans, local land developers, open			
space and park trails, or local governmental agency or community interest groups to determine if any facilities will be impacted, and as a result what			
mitigation is necessary. If the corridor is a heavily traveled biking facility, the			
scope of work shall include meetings to coordinate with bike users throughout			N/A

	CDOT (C)/ Other*	Consultant	Not Applicable
the NEPA process. (If Section 4(f) resources are impacted, see Section 4(f) and 6(f) Evaluation.)			
20. Residential/Business/Right-of-Way (ROW) Relocation			
The following activities will be performed and documented by a qualified			
member of the Consultant team, in coordination with the CDOT Region ROW			
manager (or designee), or Headquarters ROW specialist assigned to the project,			
in accordance with Title 23 CFR 710:			N/A
a. Prepare a table identifying and listing all potentially affected properties			
including, at a minimum, ownership names, property and mailing			
addresses, estimated areas of impacts, and indicating which alternatives			
impact each property. This table will be submitted to the CDOT			
Region ROW Manager for review and may be included in the NEPA			
document (without personal property details) at the discretion of the CDOT Region and/or Headquarters ROW staff.			
b. Perform a ROW field inspection of each short-listed alternative.	+		
Ascertain number of parcels, types of improvements, and possible			
issues (e.g., historic sites). Estimate family sizes for residential			
relocations.			
c. Compile a ROW acquisition and relocation cost estimate for			
alternatives.			
d. Prepare a property ownership map based on tax records, which			
identifies ownerships for alternatives.			
e. Develop and document mitigation measures			
21. Transportation Resources	C	X	
a. Develop traffic volumes using available traffic demand models;			
determine the design year during the scoping process for the project.			
The model expected to be used for this project is the 2040 model. Forecasts should be based on existing roadways and roadways that are			
committed to be constructed (that is, "No Action"—those that will be			
constructed regardless of whether the project in question moves			
forward). Future traffic forecasts must be developed for the No-Action			
Alternative and any build alternatives. The results of the travel demand			
forecast process will be developed into a technical report.		Х	
b. Analyze existing and future traffic operations analysis will be			
conducted for the No-Action Alternative and build alternative(s).			
Analysis will be completed in accordance with the latest edition of the			
Highway Capacity Manual or similar methodology. In addition, the			
Consultant shall use a micro simulation software package (i.e., CORSIM, VISSIM, Dynasmart-P, or others as approved by CDOT) to			
evaluate the operations of the entire roadway network and report the			
appropriate measures of effectiveness for the alternative(s). The			
selection of the software package for the required analyses will depend			
on the size and other characteristics of the network, the alternatives to			
be analyzed, and the measures of interest. At a minimum, analysis will	C	Х	

	CDOT (C)/ Other*	Consultant	Not
consider existing traffic volumes, accident history, percent of truck	1		
traffic, directional splits on all arterials, turning movements at			
intersections, interchange and ramp characteristics, travel/access			
patterns, level of service, delays, travel times and speeds, and areas of			
congestion. During the alternatives development and evaluation			
process, the appropriate level of operations analysis will also be			
conducted on the alternatives being considered. The results of the			
operations analysis are documented into a Transportation Technical			
Report.			
c. Conduct safety analysis and document accident rates based on data			
collected from local emergency services, Colorado State Patrol, and CDOT Traffic Analysis Unit; obtain weighted hazard index from			
CDOT/PM; evaluate trends; document safety issues and how they can			
be addressed.	C	Х	
22. Utilities and Railroads	+		-
Collect utility location key maps for all existing and planned utilities in the area			
in coordination with the CDOT Region utilities specialist. Conduct all field			
utility locates. The potential impacts on or from utilities in the project area will			
be analyzed as well as any appropriate mitigation measures.	C	Х	
23. Section 4(f) and Section 6(f) Evaluation			N
a. Inventory and map project area for Section 4(f) and/or 6(f) facilities.			
b. Determine if any potential impacts or ROW acquisitions include			
Section 4(f) properties (e.g., publicly owned parks, recreational			
facilities, nationally significant historic sites, wildlife refuges) or			
Section 6(f) properties (those that have received Land and Water			
Conservation Funds).			
c. Determine and evaluate project impacts on Section 4(f) and/or 6(f)			
properties using preliminary design information, and the necessary			
commitments for mitigation measures. Determine whether impacts			
qualify under the "de minimis" 4(f) use. Prepare an analysis that			
includes avoidance alternatives, discussion of prudent and feasible,			
least harm (if necessary), minimization, and mitigation related to Section 4(f) properties. This may include the development of a new			
alternative(s) as an avoidance alternative(s)			
d. Determine if the Section 4(f) use could be evaluated as a De Minimis	++		+
Finding. If so, prepare that documentation in consultation with CDOT			
Region or EPB Staff.			
e. Prepare the Draft and Final documentation for Section 4(f) and/or 6(f)			+
evaluation. This will go through the Region Planning and			
Environmental Manager (RPEM) to the EPB for review.			
f. Prepare evaluation and coordinate reviews with RPEM and EPB staff			
for review by FHWA.			
24. Farmlands			
In coordination with the Natural Resource Conservation Service (NRCS),			
investigate and quantify the effect of the project alternatives on farmlands-			
determining whether farmlands in question are classified as "prime" or			
"unique," as well as the extent to which impacts may affect local communities.			
The US Department of Agriculture Farmland Conversion Form (Form AD			

	CDOT (C)/ Other*	Consultant	Not Annlicable
1006) will be completed as necessary. Develop mitigation measures, if applicable, for impacts.			
25. Noise			
Prepare a technical noise assessment in accordance with the most recent CDOT			
Noise Analysis and Abatement Guidelines and submit a comprehensive noise			
assessment document to CDOT for review and acceptance. The analysis will			
consist of the following, each of which must be covered in the noise assessment			
document:			N/A
a. Definition of relevant noise abatement criteria and identification of			
noise-sensitive land uses			
b. Determination of existing noise levels (by measurement and/or			
modeling).			
c. Prediction of future traffic noise levels for all alternatives, including			
the No-Action Alternative, using FHWA's current Traffic Noise			
Model.			
d. Determination of traffic noise impacts			
e. Identify and evaluate feasibility and reasonableness of noise abatement			
measures. Coordinate with Project Engineer with regards to locations			
and heights of proposed abatement measures			
f. Development of recommendations regarding noise abatement measures			
g. Assessment of construction related noise issues.			
h. The above items will be addressed and documented in a Noise			
Technical Report, which will be prepared and submitted to CDOT for review and acceptance. Prior to beginning this work, the Consultant			
shall meet with CDOT to review the appropriate noise methodology.			
Noise modeling should be completed for the model year 2040. The			
draft and final technical report will be completed and made available to			
the CDOT Noise Specialist for review; the findings will be			
incorporated into the NEPA document.			
26. Visual Resources			
Identify and inventory the highway corridor landscape units/types/themes, and			
project view shed; identify key views, including to and from the highway and			
other likely locations of viewers; analyze existing visual resources and viewer			
response/exposure and any impacts expected from the project. Recommend and			
develop mitigation measures for identified impacts.			
When specified, the following will be investigated: natural areas (e.g. scenic landscapes such as national parks or forests), wildlife habitat, topography, major			
drainages, unique land forms, soil types, plant communities. Quality (including			
vividness, intactness, and unity); viewer sensitivity/exposure (over space and			
time) and existing aesthetic liabilities.	C	Х	

	CDOT (C)/ Other*	Consultant	Not Applicable
27. Energy Discuss in general terms the construction and operational energy requirements and conservation potential of various alternatives under consideration. The			
discussion should be reasonable and supportable. A calculation of energy consumption during construction should be included.		Х	
28. Hazardous Materials			
Perform and document the following Initial Site Assessment (ISA) and/or Modified Environmental Site Assessment (MESA) activities:			N/A
a. Conduct regulatory research that includes the collection, mapping and Evaluation of data from the following resources:			
i) Hazardous Waste Lists compiled by U.S. EPA or CDPHE which identify, utilizing a database provider if appropriate.			
ii) Records kept by U.S. EPA or CDPHE on hazardous waste regulation violations or citations			
iii) Lists kept by the appropriate fire department			
iv) Available historic tax records which indicate past land use			
(coordinate with property ownership and land use data research), such as Sanborn Fire Insurance Maps			
 v) Available historic aerial photos of the corridor (e.g., United States Geological Survey, public libraries, etc.) 			
vi) Historic topographic maps			
vii) Any pertinent records maintained by CDOT			
viii) Documented personal interviews, if approved by CDOT/PM			
ix) Agency file reviews			
b. Analyze results of regulatory research and records review and identify			
potential impacts construction activities may have on existing			
hazardous waste sites. Assess potential liability issues and hazards to			
the public and construction workers and develop potential mitigation			
options. Prepare the ISA/MESA Document to include the following:			
i) Prepare the draft and subsequent final ISAs to address comments provided by CDOT.			
 ii) ISAs will conform to American Society for Testing and Materials (ASTM) standards for Phase I reports (with limitations), and make a determination of the necessity of a Phase II report. 			
iii) Identify how the presence of hazardous waste locations may impact each alternative, including the no-action alternative. GIS			
mapping will be desired.			ļ
c. Conduct In-Situ Tests via performing the following and providing a			
survey report, as determined on a project-specific basis:			+
 Select locations for soil boring/monitoring wells based on information obtained above, geologic review, and alignment considerations. 			
 ii) Install monitoring wells and obtain soil and water samples for chemical analysis as well as geotechnical and geologic data. 			
 iii) Perform asbestos and lead based paint testing as determined appropriate. 			
 d. Phase II site assessment if deemed to be important for the alternatives screening process. 			

	CDOT (C)/ Other*	Consultant	Not
29. Cumulative Impacts Consistent with CEQ regulations, the cumulative effects of each proposed action on a resource, ecosystem or human community will be evaluated for each alternative. The analysis will both list and consider incremental impacts of each alternative in conjunction with all past, present, and reasonably foreseeable future actions, no matter what entity (federal, non-federal, local government, or private) is taking or has taken the action; but the analysis should only focus on meaningful effects. Develop the scope of the analysis in consultation with FHWA and CDOT, and, in general, will base temporal and spatial boundaries on the natural boundaries of resources of concern and the period of time that the proposed action's impacts will persist. The analysis will be incorporated into the NEPA document, and mitigation measures specific to cumulative impacts, if needed, will be identified.			
Standard FHWA global climate change language is to be incorporated within every cumulative impacts section of a NEPA document.			N/
30. PUBLIC AND AGENCY INVOLVEMENT			
This section identifies public and agency involvement tasks anticipated for the project.		X	
F. Develop an Agency Coordination Plan (required for an EIS, optional		<u>Λ</u>	
for an EA)	С	X	
1. Stakeholder Involvement Plan			
Prepare a Stakeholder Involvement Plan specific to the nature of this project. The level of effort included in the plan will be in keeping with the complexity and expected controversy of the project. Coordinate with the CDOT/PM and project team to identify the level of effort to be documented in the plan. At a minimum, the	С	v	
plan should: Develop a stakeholder database	<u> </u>	X X	+
G. Identify methods for public notification and dissemination of		Λ	
information, such as newsletters, flyers, postcards, web site, press			
releases, miscellaneous informational materials, etc.	С	X	
H. NEPA DOCUMENTATION PROCESS			
Develop, coordinate, write, review, conduct QA/QC and finalize the			
appropriate NEPA document in accordance with the current provisions of the			
following laws, regulations, and standards.	С	Х	
1. Preliminary Data Submission			
2. Provide a report detailing all the data collected for the resources listed			
under "Data Collection, Field Investigation and Analysis" and "Environmental Analysis and Documentation" of this Scope of Work			
for the affected environment and impact sections of the NEPA			
document. The level of effort will be directly commensurate with the			
class of action and degree of controversy of the project. The Scope of			
Work will be revisited for possible update at the end of this			
Preliminary Data Submission task when more is understood about the			
impacts or analyses that will be necessary (determined during scoping and data collection)	C	v	
and data collection). 3. Draft and Final NEPA Document Preparation	C	X	+
Assign a team leader qualified to (1) manage the NEPA process, (2) develop a			
schedule for document preparation, printing, review, and comment response, (3)		X	

	CDOT (C)/ Other*	Consultant	Not Applicable
will direct the Consultant team in the following tasks in coordination with the CDOT Region, EPB, and FHWA. The CDOT NEPA Manual specifies the number of copies to be provided for document review for each phase of the NEPA process.			
 a. Distribute the internal draft NEPA document and relevant technical reports for review to a distribution list specified by CDOT. Prepare no more than 2 versions of the draft NEPA document and relevant technical reports with each version. Provide effort for no more than 2 review cycles of the draft NEPA document and relevant technical reports. Coordinate and conduct no more than two comment resolution meetings for distribution list comments. Respond to comments within a reasonable number of working days after received. 		Х	
 b. Lead the effort with Consultant team to determine whether the "class of action" (EA or EIS) decided upon during the scoping process is still valid after the impacts and mitigation measures have been determined. This will be determined with no more than two meetings. 	С		
Determine review process to be used for the NEPA document.		Х	
		х	
Prepare a NEPA document outline for review by CDOT and FHWA. Prepare no more than three versions of the outline to be submitted and reviewed, with reviews and approvals being conducted by CDOT, FHWA, and other appropriate agencies.		A	
 a. Prepare and provide to the CDOT Region up to two versions of the complete draft NEPA document and relevant technical reports [in paper format and also in electronic format]. Provide effort for no more than two review cycles of the draft NEPA document and relevant technical reports for Region review. Coordinate and conduct no more than two comment resolution meetings for Region comments. If deemed appropriate by the PMT and CDOT, a concurrent review may be conducted between the Region and EPB, at which point combine tasks a and b above may be combined. 		X	
 b. Prepare and provide to CDOT EPB up to two versions of the complete draft NEPA document and relevant technical reports. Provide effort for no more than two review cycles of the draft NEPA document and relevant technical reports for CDOT EPB review. Coordinate and conduct no more than two comment resolution meetings for CDOT EPB comments. 		X	
 c. Prepare and provide to FHWA Colorado Division and FHWA Legal up to two versions of the complete draft NEPA document and relevant technical reports. Provide effort for no more than two review cycles of 	С	X	

		CDOT (C)/ Other*	Consultant	Not Applicable
	the draft NEPA document and relevant technical reports for FHWA Colorado Division and FHWA Legal review. Coordinate and conduct no more than two comment resolution meetings for FHWA comments.			
d.	Distribute the draft NEPA document and relevant technical reports for review to a distribution list specified by CDOT. Prepare no more than two] versions of the draft NEPA document and relevant technical reports with each version including a comment/response period. Provide effort for no more than two review cycles of the draft NEPA document and relevant technical reports. Coordinate and conduct no more than two comment resolution meetings for distribution list comments.		X	
e.	After each review cycle, make appropriate revisions to each subsequent version draft NEPA document and relevant technical reports until all comments are sufficiently addressed. Copies of each subsequent draft shall be provided to CDOT for distribution to CDOT, and appropriate agencies, and FHWA. A review meeting will be held to discuss review comments, if needed.		X	
f.	For the review cycles listed above, prepare a comment/response matrix for each draft NEPA document and relevant technical reports that describes how each comment was addressed. This matrix will be distributed with each version of the draft document and relevant technical reports that CDOT and FHWA review.	С		
g.	Submit the NEPA document to CDOT for signature and routing to FHWA for approval.	С		
h.	Draft NEPA Document Distribution, Advertising and Public Review, Review and Concurrence, and Public NEPA Document Availability and Advertisement.	С		
i.	Provide the following services in coordination with the CDOT Region or EPB specialist [or CDOT Public Relations specialist as appropriate]:		Х	
j.	Create draft and final text for the public Notice of Availability of the NEPA document and the date, time and location of the public hearing [if appropriate for NEPA document] for placement in all appropriate local papers and within the Federal Register [if for an EIS] and provide to the FHWA Operations Engineer for processing.		X	
k. 1.	Follow the signature process outlined in the CDOT NEPA Manual. Prepare all aspects of the project necessary for public review of the NEPA document and relevant technical reports, including placing the documents in libraries, on the project web site, and with agencies. For public dissemination the Consultant shall provide an agreed upon number of copies of the signed NEPA document.	С	X X	
m.	Compile public comments in determined format by CDOT/PM.		X	
n.	Provide an electronic version of the NEPA document and relevant technical reports on the CDOT website in PDF, or other read only format.		x	
0.	Make revisions to the final draft NEPA document and relevant technical reports. The resulting NEPA document and relevant technical reports will be provided to CDOT for distribution and final review, prior to preparing the signature copy. Provide certification that all comments have been addressed. Submit the signature copy of the	С	X	

		CDOT (C)/ Other*	Consultant	Not Applicable
	NEPA document and relevant technical reports [to CDOT] for signatures and routing to FHWA for approval, and then will provide copies of the signed final NEPA document to CDOT.			
4.	Public Hearing			+
ч.	 Provide the following services, in coordination with the CDOT Region and EPB, for no more than one public meetings: 			N/A
	q. Determine location for public meeting and ascertain that facilities are ADA compliant			
	r. Advertise the public hearing/meeting date and location. The following media will be used for advertisement: mailed meeting notices, email			
	meeting notice, radio or television Public Service Announcements,			
	door hangers, public displays, community newsletters, etc.			
	s. Hire translator, or sign language communicator, as needed			+
	t. Provide audio/visual equipment and support for presentations, as needed			
	Prepare the graphics/display boards to include, at a minimum, the following features:			
	a. Purpose of and need for project			1
	b. Maps showing alternatives			
	c. Description of social, environmental and economic impacts			
	d. Design features			
	e. Consistency with federal and local plans			
	i) Right-of-way information, acquisition, and construction			
	ii) Source and amount of funding			
	iii) Location of 4(f) properties if required			ļ
	iv) Any other project-specific resource impacts deemed appropriate			
	v) Mitigation measures that warrant public disclosure or relevance			
	vi) Anticipated project schedule and next steps			
	vii) How and where the public can provide comments			
	viii) Provide a court reporter (if public hearing) and prepare a certified transcript of the public hearing within 7 working days after the public hearing/meeting.			
5.	Decision Document (FONSI/ROD) Preparation			+
5.	There is no guarantee of the outcome of the NEPA process in order to			
	determine next steps after an [EA/ EIS], and therefore a scope of work			
	cannot be prematurely developed for the NEPA decision document. This			
	scope of work and contract will be reevaluated once the preliminary			
	[EA/DEIS/FEIS] process is complete and the lead agency has made a			
	decision on how to proceed.			
	In the event that significant impacts are identified in the EA, the NEPA			
	process would be required to continue to the preparation of an EIS rather			
	than a FONSI. Continuing to prepare an EIS after completion of an EA is at CDOT's and EHWA's discretion and should not be considered part of the			
	CDOT's and FHWA's discretion and should not be considered part of the initial EA scope of work. At this point, a separate Consultant contract			
	would be required, with a new scope of work.			
	ix) In the event that a decision document is deemed necessary, this			
	contract and scope of work would be amended with the			N/A

		CDOT (C)/ Other*	Consultant	Not Annlicable
	concurrence and agreement of both CDOT and FHWA (and other applicable agencies). At the conclusion of the public comment period, (if the project is determined to have no significant impact, a Finding of No Significant Impact (FONSI)) (if determined to have a significant impact then a Record of Decision (ROD)] document may be prepared. In the event a scope of work is prepared for a NEPA decision document to be drafted, the following services would be addressed in coordination with the Region and EPB:			
	 Prepare draft NEPA decision document and relevant supporting documentation for incorporating comments received at the public hearing/meeting or from the NEPA document public review period. 			
	 xi) Submit draft NEPA decision document (note how many copies: electronic vs. paper) and relevant supporting documentation to CDOT Region, EPB, and FHWA for two reviews. 			
	xii) Coordinate and conduct a draft NEPA decision document and relevant supporting documentation review meeting and modify the draft decision document to respond to comments received. Provide certification that comments have been addressed.			
f.	If necessary, re-submit the draft NEPA decision document and relevant supporting documentation for review to ensure that all comments have been made.			
	necessary, modify the draft NEPA decision document and relevant			
<u>sup</u> a.	Submit final NEPA decision document and relevant supporting documentation for signature using the signature process outlined in the CDOT NEPA Manual. Make no more than three hard copies and electronic versions of the final NEPA decision document and relevant supporting documentation on compact disc.			
	 i) This Scope of Work could be supplemented for additional as-yet unidentified work, if CDOT determines additional work is warranted or needed. In the event that none of the alternatives is selected at the conclusion of the [EA/EIS] process, this portion of the scope and contract will be voided. 			

SECTION 6 PRECONSTRUCTION WORK TASK DESCRIPTIONS

Note: The following activities of communication, consensus building, project team reviews, conceptual design, data gathering, documentation, and formal public notice shall be planned by the Consultant and coordinated with the CDOT/PM. The time of their accomplishment will overlap and parallel paths of activity should be planned to finish the development phase in accordance with the shortest possible schedule. A project plan shall be developed by the Consultant that satisfies the requirements of the project development. This plan must be approved by the Contract Administrator (see Section 2.01) before starting the work.

This list establishes the individual task responsibility. Those tasks identified as CDOT/Other should utilize an abbreviation system to indicate whether the task will be completed by CDOT or another agency (i.e. "C" for CDOT and abbreviations as provided below). The consultant shall maintain the ability to perform all work tasks indicated below by an 'X' in the consultant column, in accordance with the forms and conditions contained herein, and the applicable CDOT standards. Where appropriate, mark "N/A" for not applicable items.

	CDOT (C)/ Other*	Consultant	Not Applicable
A. PROJECT INITIATION AND CONTINUING REQUIREMENTS		X	
1. Environmental Mitigation and Requirements Ensure that any mitigation commitments within the NEPA documentation are incorporated into the project.	С	x	
2. Independent Design Review			
An independent design review shall be performed on any design accomplished by others that will be used in this project. A report identifying the results of these reviews shall be submitted to the CDOT/PM within one week of the review.		Х	
3. Identify Design Criteria Submit a copy of Appendix B -Specific Design Criteria with the appropriate items completed.	C	x	
4. Initiate Survey Arrange Preliminary Field Survey and/or Aerial Survey. CDOT Form 1217a is an outline of a complete survey request and may be used as a guide for completing the survey plan.	С	Х	
5. Traffic Control Consultant field activities that interfere with traffic operations within existing roadways will require control of traffic. The Consultant shall plan and provide any required traffic control for the survey, testing, or the design process. Traffic control operations will be in accordance with the MUTCD. The proposed Method for Handling Traffic (MHT) must be submitted to the CDOT/PM. Also, certification of the Traffic Control Supervisor as a Worksite Traffic Supervisor by the American Traffic Safety Services Association (ATSSA) or as a TCS (Traffic Control Supervisor) by the Colorado Contractors Association (CCA) shall be required.		X	
6. Structure Review Meeting While the major structural design work is progressing, the Consultant shall meet periodically with the CDOT Structure Reviewer to review the work. These meetings may be in addition to, or in conjunction with, the Project Progress Meetings. The complexity of the structure shall be considered by the CDOT Structure Reviewer to		X	

	CDOT (C)/ Other*	Consultant	Not Applicable
determine the frequency of review meetings. Other required meetings are described in subsequent sections.			
7. Initial Submittals			
Submit the following samples to the CDOT/PM for approval:		Х	
a. An original plan sheet that complies with this scope of work		Х	
 Photogrammetric and/or survey data and a drawing or photograph in accordance with the requirements specified in this scope of work 		X	

Note: No original plan sheets or photogrammetric survey work will be accomplished until satisfactory samples have been received and approved by the CDOT/PM.

B. PROJECT DEVELOPMENT	C	X
1. Survey Surveys will be conducted in accordance with the CDOT Survey Manual, the latest addendum thereof, and applicable state statutes. The completed survey shall be reviewed by the Region survey unit. Two weeks should be provided in the schedule to complete the review and sufficient time should be provided to address all comments provided by this review. Design shall not proceed until all comments resulting from this review have been satisfactorily addressed.		X
a. Pre-survey Conference		
A pre-survey conference shall be held. The consultant shall attend the		
Presurvey conference prior to any right of way or survey work		Х
b. Survey Data Research		
Research shall be done as per current CDOT manuals		Х
c. Project Control Survey:		Х
i) Locate or Establish HARN Stations		
 Project control shall be tied to the nearest Colorado High Accuracy Reference Network Station (HARN). In the event there are no HARN stations within 3 miles of the project (Order B, 1:1,000,000 accuracy), or HARN Densification (Order B-2, 1:500,000 accuracy), additional HARN Densification stations shall be set. NGS Blue Book procedures shall be followed for all HARN Densification stations. This will include proper spacing using proper monumentation, equipment, observation procedures, coordination through the Colorado State Geodetic Advisor and submission to NGS for inclusion in the National Database. ii) Monumentation Materials will be supplied by CDOT. Care is to be taken to install said monumentation in locations that are readily usable for the project and in a safe location so that they can be utilized throughout construction (no monumentation shall be set on or near the centerline of the 		
 proposed roadway). iii) Local Project Control Survey the required project control (centerline/baselines and elevation reference) as required. Prepare a control survey diagram showing graphical representation of all monuments used for control. Tabulate 		
coordinates and physical descriptions of all found monuments and other physical evidence.		

		CDOT (C)/ Other*	Consultant	Not Applicable
d.	Land Survey/Boundary Survey Tie aliquot, property and other land monuments to the control survey. Prepare a Land Survey Control Diagram showing graphical representation			
	of all found aliquot, property and land monuments and their relationship to the project control. Tabulate the coordinates and physical description of all found monuments and other physical evidence.		Х	
e.	TMOSS (Topographic) Survey Collect the data required to produce a planimetric map and submit in TMOSS format. Features located will include, but not be limited to signs,			
	mailboxes, fences, driveways, curb cuts, curbs, sidewalks, and edges of pavements. Horizontal accuracy shall be as specified for a CDOT class C or D TMOSS survey.	C	X	
f.	Terrain (Relief or Elevation) Survey Collect elevation data and submit in TMOSS format. Natural ground elevations shall be as specified.	С	X	
g.	Utility Survey Locate utility poles, manholes, valves, pedestals, guy wires, and other visible utility features. Survey underground utilities as marked by the utility companies. Determine invert elevations of manholes and vaults and survey the locations of utilities exposed by "potholing".		х	
h.	Hydraulic Survey Locate existing culverts, storm sewers, inlets, vaults, manholes, PWQ structures, and determine invert and rim elevations and sizes and materials. Accomplish existing drainage site surveys for designated culverts and			
i.	bridges in accordance with the Drainage Design Manual. Material Sources Survey designated material sources as specified.		XX	
j.	Supplemental Surveying: As required and specifically requested.		X	
k.	Survey Report: Prepare a Survey Report as required in the Survey Manual.		X	
	Photogrammetry i) Camera Calibration Report ii) Flight Plan iii) Flight			N/A
	iv) Contact Prints v) Negatives vi) Enlargements			
	vi) Emargements vii) Photo Index viii) Supplemental Survey (wing points) ix) Data Reduction			
	 a) Topographic Contours b) Planimetric (Topography) x) Map Compilation 			
	a) Index Maps b) Finished Maps			
m.	Accuracy Tests: Tests are to be performed on a regular basis throughout the project by the consultant.			

	CDOT (C)/ Other*	Consultant	Not
n. Review by Professional Land Surveyor			
The accuracy tests are to be reviewed by the PLS in responsible			
the project, and submitted to the project engineer and made part			
project records. Further review of all aspects of the field and off			
shall also be the responsibility of the PLS in responsible charge. C. PRELIMINARY DESIGN		v	
		X X	
1. Traffic Engineering a. Review locations with "potential for accident reduction map" ar	d or traffic	<u>Λ</u>	
operations analysis and or the safety assessment report as provid CDOT to determine which safety improvements will be incorpo	led by		
the project.	1 .	37	
b. Analyze the proposed project design with the traffic projection of		X	
c. Recommend the appropriate geometry (i.e., number of lanes, au lanes, storage lengths, weaving distances, etc.) in accordance wi current version of Highway Capacity Manual.		X	
d. The proposed design shall be reviewed to ensure compatibility v	vith		1
existing signing procedures throughout the preliminary roadway			
process	Ū I	X	
e. Use traffic data appropriate to the anticipated construction timin	g in		
developing detour alternatives.		X	
f. Develop the total ESAL for the design life and submit to the CE	OT/PM for		
the pavement design.		X	
g. Submit the traffic data and recommendations to the CDOT/PM	for review.	X	
2. Materials Engineering			
A preliminary soil investigation should be conducted.	1	X	
a. Determine test hole locations (horizontal and vertical) and coord the CDOT/PM.	linate with	X	
b. Collect soil samples and test for:			
i) Classification			
ii) Moisture – Density Relationshipiii) Resistance Value			
iv) Corrosiveness – Note locations of high corrosiveness with			
recommendations; see CDOT pipe material selection policy	7		
v) Bearing Capacity		Х	
c. Prepare and submit a soils investigation report.		X	
d. Prepare and submit pipe material selection report.		X	
3. Pavement	С	X	
a. Pavement Rehabilitation			
This section applies if the project includes existing pavement the	at is		
incorporated in the design for continued utilization.	С	X	
i) Determine the equivalent Design Traffic (18k ESAL) that the	ne existing		
pavement can carry			
ii) Estimate the 18k ESAL's experienced by the existing paver			
iii) Obtain the projected 18k ESAL for rehabilitated pavement	design		
period.			
iv) Perform a distress survey			
a) Determine the types of distress present in the pavementb) Determine the extent of each distress type			
c) Develop a distress map for the existing pavement			

	CDOT (C)/ Other*	Consultant	Not Applicable
<i>d)</i> Determine the causes of the existing distress utilizing tests and required and analyses.			
e) Determine the drainage conditions of the existing surface and subsurface			
v) Investigate the existing pavement structure			
a) Subgrade: soil classifications, moisture/density relationship,			
resistance value and corrosiveness			
b) Base: thickness, gradation, plasticity index, liquid limit,			
resistance value, strength coefficient			
c) Pavement: thickness, strength coefficient			
vi) Perform deflection testing to obtain the following:			
a) Deflection profile			
b) Maximum deflection			
c) Deflection basin			
d) Differential deflections at transverse joints for portland cement			
concrete pavement (pccp)			
e) In place determination of the appropriate modulus for each layer			
and subgrade	ļ		
vii) Determine the remaining load carrying capacity from the above data.			
Design the feasible alternatives for the required rehabilitation (and			
widening if appropriate) utilizing the above investigations and test			
results. The design of the feasible alternatives shall be checked against			
the following:			
<i>a)</i> The basic cause of distress which shall be corrected			
b) Effect on the rate of future deterioration			
c) Effect on surface characteristics			
Where appropriate, any new pavement widening shall be included in the analysis.			
b. New Pavement Structure			
The feasible alternatives of new pavement structure shall be designed utilizing			
procedures accepted by the CDOT/PM. New pavement designs for widening			
shall be compatible with adjacent rehabilitated existing pavement.		Х	
c. Pavement Justification	1	X	
i) Basic factors:	1		
<i>a)</i> Desired life expectancy (obtain design life from CDOT).			
b) Required maintenance activities intervals.			
c) Basis for performance life.			
ii) Analyze life cycle cost of the selected alternatives	1		
a) Perform analysis with unit and maintenance costs from CDOT.			
Determine present worth and annual costs in accordance with the			
procedures in the CDOT Pavement Design Guide.			
b) Compare alternatives over the same life span.			
c) Recommend the pavement structure and provide the basis for the			
recommendations.			
d. Pavement Design Report			
Include all the above tests, investigations, analyses, and calculations performed.			
Submit to the CDOT/PM for acceptance.			
4. Existing Structures and Foundation		Х	[

	CDOT (C)/ Other*	Consultant	Not
a. Existing bridge condition investigation			
Determine condition of existing bridge deck, superstructure and			
substructure material as required.			N/
b. Foundation Investigation Report		Х	
 Prepare a Foundation Investigation Request showing requested test hole locations. 			
ii) Formulate drilling pattern, perform the necessary subsurface			
investigation and collect samples as required.			
iii) Perform the appropriate laboratory tests and analyze the data.			
Determine strength, allowable bearing capacity and corrosiveness of foundation material.			
iv) Perform lateral analyses (deformation, moment, and shear) for the			
caissons and/or piles which are subjected to lateral loadings. This may			
be a computer analysis which will consider the group effect and			
selection of the soil parameters.			
 v) If appropriate, a pile driving analysis using a wave equation will be accomplished. 			
 vi) Submit the Foundation Investigation Report to the CDOT/PM for approval. 			
vii) Prepare engineering geology plan sheet and copies of the Foundation			
Investigation Report foundation report with recommendations for type,			
size, and tip (bottom) elevation of the required foundation. Specify if			
pre-drilling, pile tip, casing, dewatering, etc., are needed for			
foundation construction.		v	
5. Hydrology/Hydraulic Engineering		X X	+
 a. Data Collection and Hydrology i) Establish drainage basin data: delineate and determine size, waterway 		Λ	+
i) Establish drainage basin data: delineate and determine size, waterway geometrics, vegetation cover, and land use.			
ii) Collect historical data: research flood history and previous designs in			
the project proximity; obtain data from other sources (e.g., UDFCD,			
CWCB, CDOT Maintenance, and local residents).			
iii) Complete a project site visit to evaluate channel/overbank roughness			1
coefficients, channel stability, vegetation, condition/adequacy of			
existing structures, Ordinary High Water, allowable high water, etc.			
Document the site visit with photos.			
iv) Select a design storm frequency based on the established criteria.			
 v) Complete a hydrological analysis using existing studies or approved methods. 			
vi) Perform a risk analysis.			
b. Hydraulics		Х	

i) Complete preliminary design of minor drainage structures: a) Determine locations, sizes, and alignment based on preliminary hydraulic design. Identify locations by highway station or coordinates, as appropriate. b) Determine the allowable headwater. c) Assess the degree of sediment and debris problems to be encountered d) Assess abrasion and corrosion levels based on CDOT Pipe Material Selection Policy. e) Prepare preliminary structure cross-sections and determine elevations, flow lines, slopes and lengths of the structures. ii) Complete hydraulic analysis and water surface profiles. b) Determine reguined hydraulic size/skew of major structures/channels c) Determine reguined hydraulic size/skew of major structures. iii) Complete preliminary design for PWQ CMs and outlet structures with details as needed. Adequate detail should be included in the FIR construction plan set if FIR-level decisions are required with respect to right-of-way, easements, maintenance, etc. to move to final design. iv) If required, identify and assist CDOT in coordinating potential funding participation of local municipalities or agencies. c. Prepare preliminary dustic Design Report in accordance with the CDOT Drainage Design Manual i) Drainage Design should be preliminary at this level and progress through final design. iv) If required, bidentify structures and De			CDOT (C)/ Other*	Consultant	Not Applicable
elevations, flow lines, slopes and lengths of the structures. ii) Complete preliminary design of major drainage structures: a) Complete hydraulic analysis and water surface profiles. b) Determine required hydraulic size/skew of major structures/channels c) Determine design storm and 500-year water surface elevations. e) Determine design storm and 500-year event f) Assess channel erosion protection for structures. iii) Complete preliminary design for PWQ CMs and outlet structures with details as needed. Adequate detail should be included in the FIR construction plan set if FIR-level decisions are required with respect to right-of-way, easements, maintenance, etc. to move to final design. iv) If required, identify and assist CDOT in coordinating potential funding participation of local municipalities or agencies. c. Prepare preliminary construction plans that include: X i) Drainage Plan Sheets ii) ii) Drainage Design Manual i) Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion sections should be close to final at this level and progress through final design. iii) All design assumptions and related design decisions shall be documented. iv) The Appendix shall contain: a) Drainage basin maps b) Hydrology/hydraulic worksheets c) Drainage construction plan sheets. c) CDOT pipe material selection documentation e) Mater		 a) Determine locations, sizes, and alignment based on preliminary hydraulic design. Identify locations by highway station or coordinates, as appropriate. b) Determine the allowable headwater. c) Assess the degree of sediment and debris problems to be encountered d) Assess abrasion and corrosion levels based on CDOT Pipe Material Selection Policy. 			
ii) Complete preliminary design of major drainage structures: a) Complete hydraulic analysis and water surface profiles. b) Determine required hydraulic size/skew of major structures/channels c) Determine design storm and 500-year water surface elevations. e) Determine design storm and 500-year water surface elevations. e) Determine design storm and 500-year event f) Assess channel erosion protection for structures. iii) Complete preliminary design for PWQ CMs and outlet structures with details as needed. Adequate detail should be included in the FIR construction plan set if FIR-level decisions are required with respect to right-of-way, easements, maintenance, etc. to move to final design. iv) If required, identify and assist CDOT in coordinating potential funding participation of local municipalities or agencies. X i) Drainage Detail Sheets as needed ii) Drainage Detail Sheets as needed X i) Drainage Detail Sheets as needed iii) Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion sections should be close to final at this level and progress through final design. iii) All design assumptions and related design decisions shall be documented. iv) The Appendix shall contain: a) Drainage basin maps b) Hydrology/hydraulic worksheets c) Drainage construction plan sheets. c) Drainage construction plan sheets. c) Drainage construction plan sheets. d) CDOT pipe material selection documentation e) Mater Qu					
iii) Complete preliminary design for PWQ CMs and outlet structures with details as needed. Adequate detail should be included in the FIR construction plan set if FIR-level decisions are required with respect to right-of-way, easements, maintenance, etc. to move to final design. iv) If required, identify and assist CDOT in coordinating potential funding participation of local municipalities or agencies. X c. Prepare preliminary construction plans that include: X i) Drainage Plan Sheets X ii) Drainage Detail Sheets as needed X d. Prepare preliminary Hydraulic Design Report in accordance with the CDOT Drainage Design Manual X i) Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion should include CDOT and local criteria the project intends to meet. X ii) Recommended design should be preliminary at this level and progress through final design. X iii) All design assumptions and related design decisions shall be documented. X iv) The Appendix shall contain: a) Drainage basin maps X b) Hydrology/hydraulic worksheets X X c) Drainage construction plan sheets. X X iii) Recommended Querterial selection documentation X X iii) All design assumptions and related design decisions shall be documented. X X		 ii) Complete preliminary design of major drainage structures: a) Complete hydraulic analysis and water surface profiles. b) Determine required hydraulic size/skew of major structures/channels c) Determine minimum low chord elevation per CDOT criteria d) Determine design storm and 500-year water surface elevations. e) Determine scour for design storm and 500-year event 			
details as needed. Adequate detail should be included in the FIR construction plan set if FIR-level decisions are required with respect to right-of-way, easements, maintenance, etc. to move to final design. iv) If required, identify and assist CDOT in coordinating potential funding participation of local municipalities or agencies. X i) Drainage Plan Sheets X ii) Drainage Detail Sheets as needed X d. Prepare preliminary construction plans that include: X i) Drainage Detail Sheets as needed X ii) Drainage Detail Sheets as needed X ii) Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion should include CDOT and local criteria the project intends to meet. X ii) Recommended design should be preliminary at this level and progress through final design. X iii) All design assumptions and related design decisions shall be documented. X iv) The Appendix shall contain: A a) Drainage basin maps X b) Hydrology/hydraulic worksheets X c) Drainage construction plan sheets. X d) CDOT pipe material selection documentation X e. Perform internal QA/QC prior to submittal to CDOT. X 6. Environmental – Water Quality C					
iv) If required, identify and assist CDOT in coordinating potential funding participation of local municipalities or agencies. c. Prepare preliminary construction plans that include: X i) Drainage Plan Sheets X ii) Drainage Detail Sheets as needed X d. Prepare preliminary Hydraulic Design Report in accordance with the CDOT Drainage Design Manual Image Plans Sheets ii) Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion should include CDOT and local criteria the project intends to meet. Image Plans assumptions and related design decisions shall be documented. iii) All design assumptions and related design decisions shall be documented. Image Data Sheets. Image Data Sheets. d) Drainage basin maps Image Data Sheets. Image CDOT pipe material selection documentation Image Data Sheets. d) Drainage basin maps Image CDOT pipe material selection documentation Image CDOT pipe material selection documentation e) Water Quality report and PWQ worksheets X e. Perform internal QA/QC prior to submittal to CDOT. X A. Storm Water Management Plan C X		details as needed. Adequate detail should be included in the FIR construction plan set if FIR-level decisions are required with respect to			
participation of local municipalities or agencies. X c. Prepare preliminary construction plans that include: X i) Drainage Plan Sheets X ii) Drainage Detail Sheets as needed X d. Prepare preliminary Hydraulic Design Report in accordance with the CDOT Drainage Design Manual Image Design Manual i) Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion should include CDOT and local criteria the project intends to meet. Image Plan Sheets ii) Recommended design should be preliminary at this level and progress through final design. Image Plan Sheets iii) All design assumptions and related design decisions shall be documented. Image Plan Sheets iv) The Appendix shall contain: a) Drainage basin maps Image Plan Sheets. b) Hydrology/hydraulic worksheets Image Plan Sheets. Image Plan Sheets. d) CDOT pipe material selection documentation Image Plan Sheets. Image Plan Sheets. d) CDOT pipe material selection documentation Image Plan Sheets. Image Plan Sheets. d) CDOT pipe material selection documentation Image Plan Sheets. Image Plan Sheets. c) Parinage Construction plan sheets. Image Plan Sheets. Image Plan Sheets. d) CDOT pipe material selection document					
c. Prepare preliminary construction plans that include: X i) Drainage Plan Sheets X ii) Drainage Detail Sheets as needed X d. Prepare preliminary Hydraulic Design Report in accordance with the CDOT Drainage Design Manual X i) Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion should include CDOT and local criteria the project intends to meet. X ii) Recommended design should be preliminary at this level and progress through final design. X iii) All design assumptions and related design decisions shall be documented. X iv) The Appendix shall contain: A a) Drainage basin maps X b) Hydrology/hydraulic worksheets X c) Drainage construction plan sheets. X d) CDOT pipe material selection documentation X e. Perform internal QA/QC prior to submittal to CDOT. X X A. Storm Water Management Plan X					
ii) Drainage Detail Sheets as needed Image Detail Sheets as needed d. Prepare preliminary Hydraulic Design Report in accordance with the CDOT Drainage Design Manual Image Design Manual i) Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion should include CDOT and local criteria the project intends to meet. Image Design Manual ii) Recommended design should be preliminary at this level and progress through final design. Image Design Manual iii) All design assumptions and related design decisions shall be documented. Image Dasin maps iv) The Appendix shall contain: Image Dasin maps b) Hydrology/hydraulic worksheets Image Construction plan sheets. c) Drainage construction plan sheets. Image Construction plan sheets. d) CDOT pipe material selection documentation X e. Perform internal QA/QC prior to submittal to CDOT. X 4. Environmental – Water Quality C X				Х	
d. Prepare preliminary Hydraulic Design Report in accordance with the CDOT Drainage Design Manual Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion should include CDOT and local criteria the project intends to meet. Recommended design should be preliminary at this level and progress through final design. All design assumptions and related design decisions shall be documented. The Appendix shall contain:		i) Drainage Plan Sheets			
CDOT Drainage Design Manuali)Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion should include CDOT and local criteria the project intends to meet.ii)Recommended design should be preliminary at this level and progress through final design.iii)All design assumptions and related design decisions shall be documented.iv)The Appendix shall contain: a)a)Drainage basin maps b)b)Hydrology/hydraulic worksheets c)c)Drainage construction plan sheets. d)d)CDOT pipe material selection documentation e)water Quality report and PWQ worksheets A.c.Perform internal QA/QC prior to submittal to CDOT.Xa.Storm Water Management Plan		ii) Drainage Detail Sheets as needed			
a. Storm Water Management Plan		 CDOT Drainage Design Manual i) Introduction, Hydrology, Existing Structures and Design Discussion sections should be close to final at this level. Design Discussion should include CDOT and local criteria the project intends to meet. ii) Recommended design should be preliminary at this level and progress through final design. iii) All design assumptions and related design decisions shall be documented. iv) The Appendix shall contain: a) Drainage basin maps b) Hydrology/hydraulic worksheets c) Drainage construction plan sheets. d) CDOT pipe material selection documentation e) Water Quality report and PWQ worksheets 			
a. Storm Water Management Plan	6.		C		
Initiate a Storm Water Management Plan in accordance with:		Initiate a Storm Water Management Plan in accordance with:	C	Х	
 Municipal Separate Storm Sewer Systems (MS4) CDPHE's Construction Discharge Permit System requirements 		i) Municipal Separate Storm Sewer Systems (MS4)			

	CDOT (C)/ Other*	Consultant	Not Applicable
iii) CDOT's Erosion Control and Storm Water Quality Guide			
iv) Local agency SWMP/GESC/EC requirements			
v) CDOT's Standard Specifications			
vi) CDOT Standard Plans			
vii) Other appropriate documents			
b. Prepare preliminary Permanent Water Quality (PWQ) plans in conjunction			
with Section 7.C.5.b.iii of this document.		X	
i) Determine PWQ requirements (local agency MS4 requirements,			
CDOT requirements, etc.)			
ii) Develop PWQ alternatives that will meet CDOT and local agency			
MS4 requirements			
iii) Identify right-of-way requirements and utility impacts for alternatives			
iv) Identify all entities and			
v) Other appropriate documents			
c. Prepare preliminary water quality report as an appendix to the Hydraulic			
Design Report to include PWQ Evaluation and Tracking Forms, cost			
estimate for PWQ CMs, etc.			
d. Conduct a PWQ meeting just prior to FIR to discuss alternatives with			
CDOT PWQ Specialist/Water Pollution Control Manager, Hydraulics			
Engineer, and Project manager.			
e. Perform internal QA/QC prior to submittal to CDOT.			
7. Utility Coordination	C	X	
a. Location Maps			
Obtain utility location maps from the Utility Companies which identify utility			
features in the project area. Requests and receipt of maps will be coordinated			
with the Region Utility Engineer via copies of request and transmittal letters.	C	X	
b. Reviews and Investigations			
Conduct field reviews and utility investigations with the Region Utility			
Engineer and Utility companies, as required, to ensure correct horizontal and			
vertical utility data. When possible this will be done utilizing non-destructive			
investigative techniques. The horizontal and vertical locations will be shown in			
the FIR plans and cross sections. When "potholing" is required, the Consultant		37	
shall be responsible for all necessary excavations.		X	
c. Incorporate utility locations in plans from utility survey		Х	
d. Relocation Recommendations			
Submit necessary information for the relocation or adjustments of affected			
utilities to the Region Utility Engineer. The Region Utility Engineer will			
process the required agreements.		X	
e. Ditch Company Coordination			
Contact ditch companies through the Region Utility Engineer to coordinate			
ditch requirements and restrictions. Develop the plans for the necessary			
ditch requirements and restrictions. Develop the plans for the necessary irrigation structures and submit to the Region Utility Engineer for Ditch		Х	
ditch requirements and restrictions. Develop the plans for the necessary irrigation structures and submit to the Region Utility Engineer for Ditch Company review.			
 ditch requirements and restrictions. Develop the plans for the necessary irrigation structures and submit to the Region Utility Engineer for Ditch Company review. 8. Roadway Design and Roadside Development 	-		
 ditch requirements and restrictions. Develop the plans for the necessary irrigation structures and submit to the Region Utility Engineer for Ditch Company review. 8. Roadway Design and Roadside Development Coordinate all design activities with required CDOT specialty units and other 		_	
 ditch requirements and restrictions. Develop the plans for the necessary irrigation structures and submit to the Region Utility Engineer for Ditch Company review. 8. Roadway Design and Roadside Development 		X X	

	CDOT (C)/ Other*	Consultant	Not
ii) Verify that a project specific coordinate system approved by CDOT is			
used to identify the horizontal locations of key points. The coordinate			
systems used for roadway design and ROW shall be compatible.			
iii) Input and check horizontal and vertical alignments against all design			
criteria. Necessary variances and/or design decisions will be identified			
with justification and concurrence by CDOT & FHWA.			
iv) Provide alignments, toes of slope and pertinent design features,			
including permanent and temporary impacts, to the ROW, Utility and Environmental Managers.			
v) Plot/develop all required information on the plans in accordance with			
all applicable CDOT policies and procedures.			
vi) Using current approved CDOT software, generate a 3 dimensional			
design model and produce preliminary quantities			
b. Roadside Development:			
For roadside items including but not limited to, guardrails, delineators, ditches,			
PWQ CMs, landscaping, sprinkler systems, sound barriers, bike paths,			
sidewalks, lighting, curb ramps, truck escape ramps, and rest areas provide the			
following layouts in the plans:		Х	
i) Critical locations in the plans for irrigation sleeves and other utility			
conduits underneath the proposed roadways.			
ii) Coordinate the roadside items with the Storm Water Management Plan			
(SWMP).			
9. Right-of-Way			
The following work shall be done by, or under the immediate supervision of, a			
Professional Land Surveyor (PLS). The following work may be included as part of a			
Surveying contract or part of a Right-of-Way plans preparation contract.	C	<u>X</u>	ļ
a. Research	C	Х	ļ
i) Identify affected ownership from preliminary design plans			ļ
ii) Obtain assessor's maps for the project			
iii) Locate documents which transfer title			ļ
iv) Prepare chain of title as described in the manual or as directed by the			
CDOT Project Manager v) Look for encumbrances, liens, releases, etc.			
V) Look for enclimbrances liens releases etc			
vi) Make physical inspection of property. Note any physical evidence of			
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress 			
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or 			
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or County Engineer for location of existing roads or easements 			
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or County Engineer for location of existing roads or easements viii) Check for and obtain latest subdivision plats and vacations of streets 			
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or County Engineer for location of existing roads or easements viii) Check for and obtain latest subdivision plats and vacations of streets b. Ownership Map 			
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or County Engineer for location of existing roads or easements viii) Check for and obtain latest subdivision plats and vacations of streets b. Ownership Map For additional detail on required drafting software, see Section 8 Submittals. 			
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or County Engineer for location of existing roads or easements viii) Check for and obtain latest subdivision plats and vacations of streets b. Ownership Map For additional detail on required drafting software, see Section 8 Submittals. Project coordinate system ownership map shall be submitted along with a 		x	
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or County Engineer for location of existing roads or easements viii) Check for and obtain latest subdivision plats and vacations of streets b. Ownership Map For additional detail on required drafting software, see Section 8 Submittals. Project coordinate system ownership map shall be submitted along with a "Project Narrative". 		X	
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or County Engineer for location of existing roads or easements viii) Check for and obtain latest subdivision plats and vacations of streets b. Ownership Map For additional detail on required drafting software, see Section 8 Submittals. Project coordinate system ownership map shall be submitted along with a "Project Narrative". i) Review preliminary design and survey report. 		X	
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or County Engineer for location of existing roads or easements viii) Check for and obtain latest subdivision plats and vacations of streets b. Ownership Map For additional detail on required drafting software, see Section 8 Submittals. Project coordinate system ownership map shall be submitted along with a "Project Narrative". i) Review preliminary design and survey report. ii) Review project coordinate system and basis of bearing from Control 		X	
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or County Engineer for location of existing roads or easements viii) Check for and obtain latest subdivision plats and vacations of streets b. Ownership Map For additional detail on required drafting software, see Section 8 Submittals. Project coordinate system ownership map shall be submitted along with a "Project Narrative". i) Review preliminary design and survey report. ii) Review project coordinate system and basis of bearing from Control Survey prior to calculations 		X	
 vi) Make physical inspection of property. Note any physical evidence of apparent easements, wells, ditches, ingress, and egress vii) Check with local entities such as the County Road Department or County Engineer for location of existing roads or easements viii) Check for and obtain latest subdivision plats and vacations of streets b. Ownership Map For additional detail on required drafting software, see Section 8 Submittals. Project coordinate system ownership map shall be submitted along with a "Project Narrative". i) Review preliminary design and survey report. ii) Review project coordinate system and basis of bearing from Control 		X	

		CDOT (C)/ Other*	Consultant	Not Applicable
	w ownership documents (Memoranda of Ownership and/or title itments, deeds and supporting plats)			
v) Calcul guidel	late coordinates of lost or obliterated aliquot corners using ines established by the Bureau of Land Management. (To be n resetting corners according to Colorado Revised Statutes)			
Guidel owner	ish subdivisions of sections using Bureau of Land Management lines. Show all section lines and ¼ section lines on the ship map and ROW plans			
plans a availal	nine existing Right-of-Way limits from deeds of record, CDOT and found ROW markers. Previous Right-of-Way plans, if ble, will be provided by CDOT as an aid			
the int CDOT	nine ownerships and their property boundary locations. Locate ersection of these property boundary lines with the existing Right-of-Way. Determine location and ownership of existing ents of record.			
highw: of-Wa <i>a)</i> Pr <i>b)</i> U. <i>c)</i> W	e additional property ties and additional topography where the ay improvement may affect improvements adjacent to the Right- y. This additional topography should include: roximate buildings, sheds, etc. Inderground cables and conduits Vells			
e) Se f) La g) O	rigation ditches and systems eptic tanks, cesspools, and leaching fields andscaping ther			
docum	cile overlaps and gaps in ownerships as required by CDOT, nenting method used (may require additional field work). Include is for decisions in the "Project Narrative".			
at this used a	WNERSHIP MAP. If entire ownership will not fit on the sheet scale, an additional abbreviated OWNERSHIP MAP may be t a scale of 1"=1 mile, or other suitable scale, to show the suration of large ownerships. Metric equivalents may be ed.			
xii) Label	all monuments found with description of monument and project nates (from Control Survey Diagram)			
xiii) Show	improvements and topography within the ownerships and access to the street/county road system.			
xiv) Numb south t	er ownerships alternately as they occur along the centerline from to north or west to east in the same direction as the stationing. current names of owners and lessees			
coordi Rights	ate the total area of all ownerships affected, including nates of all property corners. Deduct areas for existing road s-of-Way. Bearings and distances do not need to be shown on 1" ile abbreviated OWNERSHIP MAPS			
	ent land uses within a property should be cross-hatched or			
	n the lower right corner of the OWNERSHIP MAP, show seal, er and name of Professional Land Surveyor supervising the work			

	CDOT (C)/ Other*	Consultant	Not Applicable
xviii) Transmit finished reproducible OWNERSHIP MAP, electronic drawing files, and Memoranda of Ownership to CDOT along with all calculations, field notes, and supporting data. The OWNERSHIP MAP will include a copy of the control and monumentation sheet			
10. Major Structural Design			
Major structures are bridges and culverts with a total length greater than twenty feet or retaining walls with a total length greater than one hundred feet and a maximum			
exposed height at any section of over five feet. This length is measured along centerline of roadway for bridges and culverts, and along the top of wall for retaining walls. Overhead sign structures (sign bridges, cantilevers, and butterflies extending over traffic) are also major structures, but are exempt from the structure			
preliminary design activity defined here. The CDOT Structure Reviewer will			
participate in coordinating this activity.		<u>X</u>	
a. Structural Data Collection		X	
 i) Obtain the structure site data. The following data, as applicable, shall be collected: (Typical roadway section, roadway plan and profile sheets showing all alignment data, topography, utilities, preliminary 			
design plan) Right-of-Way restrictions, preliminary hydraulics and			
geology information, environmental constraints, lighting requirements,			
guardrail types, recommendations for structure type, and architectural			
recommendations.			
ii) Obtain data on existing structures. When applicable, collect items such			
as existing plans, inspection reports, structure ratings, foundation			
information, and shop drawings. A field investigation of existing			
structures will be made with notification to the Resident Engineer.			
b. Structure Selection and Layout		X	
i) Review the structure site data to determine the requirements that will			
control the structure size, layout, type, and rehabilitation alternatives.			
On a continuing basis, provide support data and recommendations as			
necessary to finalize the structure site data. ii) Determine the structure layout alternatives. For bridges, determine the			
ii) Determine the structure layout alternatives. For bridges, determine the structure length, width, and span configurations that satisfy all			
horizontal and vertical clearance criteria. For walls, determine the			
necessary top and bottom of wall profiles.			
iii) Determine the structure type alternatives. For bridges, consider precast			
and cast-in-place concrete and steel superstructures and determine the			
spans and depths for each. For walls, determine the feasible wall types.			
iv) Determine the foundation alternatives. Consider piles, drilled caissons,			
spread footings, and mechanically stabilized earth foundations based			
on geology information from existing structures and early estimates			
from the project geologist. To obtain supporting information, initiate			
the foundation investigation as early as possible during the preliminary			
design phase.			
v) Determine the rehabilitation alternatives. Continued use of all or parts			
of existing structures shall be considered as applicable. The condition			
of existing structures shall be investigated and reported. Determine the			
modifications and rehabilitation necessary to use all or parts of			:

	CDOT (C)/ Other*	Consultant	Not Applicable
 vi) Develop the staged construction phasing plan, as necessary for traffic control and detours, in conjunction with the parties performing the roadway design and traffic control plan. The impact of staged construction on the structure alternatives shall be considered and 			
reported on.			
 vii) Compute preliminary quantities and preliminary cost estimates as necessary to evaluate and compare the structure layout, type, and rehabilitation alternatives. 			
viii) Evaluate the structure alternatives. Establish the criteria for evaluating and comparing the structure alternatives that, in addition to cost,			
encompass all aspects of the project's objectives. Based on these criteria, select the optimum structure layout, type, and rehabilitation			
alternative, as applicable, for recommendation to CDOT.			
 ix) Prepare preliminary general layout for the recommended structure. Prepare structure layouts in accordance with current standards. Special detail drawings and a detailed preliminary cost estimate shall accompany the general layout. The special detail drawings shall 			
include the architectural treatment. Perform an independent design and			
detail check of the general layout. c. Structure Selection Report			
Prepare a structure selection report to document, and obtain approval for, the			
structure preliminary design. By means of the structure general layout, with supporting drawings, tables, and discussion, provide for the following:		X	
i) Summarize the structure site data used to select and layout the			
structures. Include the following:			
a) Existing structure data, including sufficiency rating and whether or not the structure is on the "select list".			
b) Project site plan			
c) Roadway vertical and horizontal alignments and cross sections at the structure			
d) Construction phasing			
e) Utilities on, below, and adjacent to the structuref) Hydraulics:			
g) Channel size and skew, design year frequency, minimum low girder elevation, design year and 500 year high water elevations, estimated design year and 500 year scour profiles, and channel erosion protection			
 h) Preliminary geology information for structure foundation i) Architectural requirements 			
ii) Report on the structure selection and layout process. Include the			
following:			
<i>a)</i> Discuss the structure layout, type, and rehabilitation alternatives considered			
b) Define the criteria used to evaluate the structure alternatives and how the recommended structure was selected			
 c) Provide a detailed preliminary cost estimate and general layout of the recommended structure 			
iii) Obtain acceptance by CDOT on the recommended structure and its			
layout. Allow approximately two weeks for review of the structure			

	CDOT (C)/ Other*	Consultant	Not Applicable
selection report. The associated general layout, with the revisions required by the CDOT review, will be included in the FIR plans. The structure selection report, with the associated general layout, must be accepted in writing by CDOT prior to the commencement of further design activities.			
d. Foundation Investigation Request Initiate the foundation investigation as early in the preliminary design phase as is practical. On plan sheets showing the project control line, its stations and coordinates, utilities, identify the test holes needed and submit them to the project geologist. The available general layout information for the new structure shall be included in the investigation request.			
11. Construction Phasing Plan A construction phasing plan shall be developed for all projects which integrates the construction of all the project work elements into a practical and feasible sequence. This plan shall accommodate the existing traffic movements during construction (detours). A preliminary traffic control plan will also be developed which will be compatible with the phasing plan.	C	v	
12. Preparation for the Field Inspection Review (FIR)	C C	X	
a. Coordinate, complete, and compile the plan inputs from other branches:			
materials, hydraulics, traffic, right-of-way, environmental and water quality, and Staff Bridge.	C	X	
b. If a major structure is included in the project, including a PWQ CM, a general layout (which has been accepted by CDOT) will be included in the FIR plans.		X	
c. Prepare the preliminary cost estimate for the work described in the FIR plans base on estimated quantities.		X	
d. The FIR plans shall comply with CDOT requirements and shall include a title sheet, typical sections, general notes, plan/profile sheets, and preliminary layouts of interchanges/intersections. The plan/profile sheets will include all existing topography, survey alignments, projected alignments, profile grades, ground line, existing ROW, rough structure notes (preliminary drainage design notes, including pipes, inlets, ditches and channels), and existing utility			
locations.		Х	
 i) The following items will be mandatory for the FIR plans: a) Preliminary earthwork (plotted cross sections at critical points with roadway template and existing utility lines at known or estimated depths) b) Catch points c) Proposed Right-of-Way 			
 d) Pit data (if required) e) Soil profile and stabilization data f) Structure general layouts (if applicable) 			
 ii) Typical plan sheet scales will be as follows: a) Plan and Profile 1 inch = 50 Feet (Urban) b) 1 inch = 100 Feet (Rural) 			
c) Intersections 1 inch = 20 feet e. The ROW ownership map shall be included in the FIR plan set	++	X	
f. The plans shall be submitted to the CDOT/PM for a preliminary review prior to the FIR		X	

	CDOT (C)/ Other*	Consultant	Not
g. FIR plan reproduction not to exceed six sets		Х	
h. The preliminary construction phasing including preliminary traffic control			
plan with proposed detours will be included in the FIR plan set		Х	
i. CDOT form 1048 – project scoping procedures completion checklist	C		
13. Field Inspection Review	С	Х	
a. Attend the FIR	C	Х	
b. The FIR meeting minutes shall be prepared by the C/PM, approved by the			
CDOT/PM, and distributed as directed	C	Х	
c. The FIR original plan sheets shall be revised/corrected in accordance with			
the FIR meeting comments within thirty (30) working days		X	
d. Design decisions concerning questions raised by the FIR will be resolved			
in cooperation with the CDOT/PM. The C/PM shall document the decision and		37	
transmit the documentation to the CDOT/PM for approval.		X	
e. A list of all deviations from standard design criteria along with the written		v	
justification for each one shall be submitted to the CDOT/PM		X	
14. Post-FIR Revisions			
The Consultant shall complete the revisions required by the FIR before this phase of work is considered to be complete	C	Х	
a. Update project schedule	C C	<u>л</u> Х	
a. Update project schedule b. Coordinate activities	C	<u>л</u> Х	
	C	Λ	
c. Finalize design decisions, variances, justification process, and traffic signal	C		
D. FINAL DESIGN	C	v	
		X	
1. Traffic Engineering		X X	
 a. Prepare and provide permanent signing/pavement marking plans b. Signalized intersections: 		Λ	N?
i) Prepare and provide the signal warrant study			19.
i) Prepare plan sheet with intersection condition diagrams and required			
traffic signal design and forward to appropriate agency. Prepare 1 inch			
to 20 foot scale intersection plan sheet for each intersection which will			
have a traffic signal designed for it.			
iii) Prepare and provide the construction traffic control plans and			
quantities			
2. Materials Engineering		X	
a. Finalize and provide the stabilization plan/pavement design report.			
b. Finalize geotechnical considerations and incorporate them into the plans.			
i) Rock fall			
ii) Rock cut			
iii) Landslides			
iv) Other			
3. Permits	C	X	
This activity is concurrent with final design and must be completed prior to the			
advertisement for construction. Coordinate between the agencies, the Region			
Environmental Manager and the CDOT/PM and prepare and submit application			
and design information to the Region Environmental Manager for the following			
permits:			
a. 401 Permit Process (Water Quality Certification)	С		1
			t

	CDOT (C)/ Other*	Consultant	Not Applicable
c. 404 Permit Process (Individual Dredge and Fill)	С		
i) Determine impacts			
ii) Coordinate with the U.S. Army Corps of Engineers, Region and Staff			
Design			
iii) Incorporate permit stipulations into the final plans			
d. Wildlife Certification			N/A
e. CDPS or NPDES Storm Water Permit for Construction Activities			
4. Structures		Х	
Ensure approval of the Foundation Investigation Report from CDOT/PM.		Х	
5. Hydrology/Hydraulic Engineering		Х	
a. Data Review			
Review data and information developed under the Preliminary Hydraulic			
Investigation and update in accordance with decisions made at the FIR.		Х	
b. Hydraulics		Х	
i) Review data and information developed under the preliminary			
hydraulic investigation and update per FIR decisions			
ii) Complete final design for minor drainage structures			
a) Finalize horizontal and vertical locations and sizes for all			
drainage structures based on hydraulic design. Update locations			
in construction plans by highway station or coordinates, as			
appropriate			
b) Make final recommendations for pipe material based on CDOT			
Pipe Material Selection Policy guidelines. Document			
recommendations in a letter with supporting design information.			
c) Finalize structure cross-sections and profiles to determine the			
elevations, flow lines, slopes and lengths of structures.			
iii) Complete final design for major structures.			
a) Finalize hydraulic analysis elevations, flow lines, water surface			
profiles and hydraulic information.			
b) Finalize configuration, size and skew of major structures and			
channels.			
c) Coordinate final water surface profiles and final low girder			
elevation for selected structures.			
d) Finalize channel scour profiles for design year and 500-year			
scour for selected structures.			
e) Finalize channel erosion protection limits and mitigation			
measures for selected structures and provide appropriate details.			
iv) Complete final design for all drainage details required for minor and			
major drainage structures.			
v) Recommend culvert pipe sizes, type, shape and material for proposed			
construction detours.			
c. Prepare final construction plans in accordance with requirements in the			
CDOT Drainage Design Manual			
i) Drainage Notes			
ii) Drainage Tabulation Sheets			
iii) Drainage Plan Sheets			
iv) Drainage Profile Sheets			
v) Drainage Detail Sheets			
vi) Bridge Hydraulic Information Sheets		Х	L

		CDOT (C)/ Other*	Consultant	Not Applicable
	e a Final Hydraulic Design Report in accordance with the		37	
	ts of the CDOT Drainage Design Manual		X	
	wiew data and information in the Preliminary Hydraulic Design			
	port and update in accordance with decisions made at FIR nalize all sections of the report and include Bridge Hydraulic			
	formation Sheets. All design assumptions and related design			
	cisions shall be documented in the report.			
	ovide a PDF copy of the Final Hydraulic Design Report to the			
	OOT Project Manager for disbursement to appropriate parties.			
	podplain & floodway information incorporated into the plan sheets			
	idge hydraulic information incorporated into the plan sheet			
	ovide digital linework from all drainage and floodplain analysis in			
	S Shapefiles, AutoCAD/Civil3D drawings, or			
Mi	icroStation/InRoads drawings. All CAD or µStation drawings must			
be	compressed into a single drawing. All surfaces (DTMs, TINs,			
	sters, etc.) must be separated and labeled clearly for archiving and			
	liscovery			
	e Final Floodplain Report			N/A
	clude the Floodpalin Information Sheet in 11x17 or smaller, and all			
	ner hydraulic mapping information relevant to requisite permits and rtifications			
ii) Lis	st and identify all applicable ordinance or code, and describe how			
tho	ose specific standards were addressed and resolved			
	scuss all alternatives analyzed, analysis results, recommendations,			
	d final design direction			
	cord all relevant current effective floodplain information, like			
	mmunity number, panel number(s), effective date(s), waterway			
	mes, cross sections, BFEs, and contact name and information for			
	cal floodplain administrators contacted for the project.			
	ovide a copy of approved floodplain development permits and no- e certifications			
	entify all construction and as-built stipulations required from			
	proved permits and certifications			
	ovide all background survey information on 11x17 or smaller			
	entify future actions required prior to CDOT project close-out			
	n internal QA/QC prior to submittal to CDOT.		Х	
	ental – Water Quality		Х	
	Water Management Plan			
Initiate a St	orm Water Management Plan in accordance with:		Х	
	unicipal Separate Storm Sewer Systems (MS4)			
	OPHE's Construction Discharge Permit System requirements			
	OOT's Erosion Control and Storm Water Quality Guide			
	cal agency SWMP/GESC/EC requirements			
	DOT's Standard Specifications			
· · · · · · · · · · · · · · · · · · ·	DOT Standard Plans			
	her appropriate documents		V	
b. Perman	nent Water Quality		X	

 ii) Coordinate with all entities and municipalities regarding ownership and maintenance responsibilities for PWQ CMs. c. Prepare a Final PWQ report as an appendix to the Final Hydraulic Design Report. d. Conduct a PWQ meeting just prior to FOR to discuss documentation of PWQ with CDOT PWQ Specialist/Water Pollution Control Manager, Hydraulics Engineer, and Project Manager. e. Prepare Final Floodplain Information Sheet in 11X17 or smaller, and all other hydraulic mapping information relevant to requisite permits and certifications. ii) List and identify all applicable ordinance or code, and describe how those specific standards were addressed and <u>resolved</u> iii) Discuss all alternatives analyzed, analysis results, recommendations, and final design direction iv) Record all relevant current effective floodplain information, like community number, panel number(s), effective date(s), waterway names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vii Jentify all construction and as-built stipulations required from approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Provide all background survey information on 11x17 or smaller viii) Provide all background survey information on 11x17 or smaller viii) Provide all background survey information on 11x17 or smaller viii) Provide all velical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve and the horizontal and vertical location of the final hydraulic design, and the completion of the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans sh	Other* Consultant	Not
 c. Prepare a Final PWQ report as an appendix to the Final Hydraulic Design Report. d. Conduct a PWQ meeting just prior to FOR to discuss documentation of PWQ with CDOT PWQ Specialist/Water Pollution Control Manager, Hydraulics Engineer, and Project Manager. e. Prepare Final Floodplain Report i) Include the Floodplain Report i) Include the Floodplain Information Sheet in 11X17 or smaller, and all other hydraulic mapping information relevant to requisite permits and certifications. ii) List and identify all applicable ordinance or code, and describe how those specific standards were addressed and resolved iii) Discuss all alternatives analyzed, analysis results, recommendations, and final design direction iv) Record all relevant current effective floodplain information, like community number, panel number(s), effective date(s), waterway names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vii Identify all construction and as-built stipulations required from approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Identify future actions required prior to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. C a. Prepare and provide final utility plans<td></td><td></td>		
 d. Conduct a PWQ meeting just prior to FOR to discuss documentation of PWQ with CDOT PWQ Specialist/Water Pollution Control Manager, Hydraulics Engineer, and Project Manager. e. Prepare Final Floodplain Report i) Include the Floodplain Information Sheet in 11X17 or smaller, and all other hydraulic mapping information relevant to requisite permits and certifications. ii) List and identify all applicable ordinance or code, and describe how those specific standards were addressed and resolved iii) Discuss all alternatives analyzed, analysis results, recommendations, and final design direction iv) Record all relevant current effective floodplain information, like community number, panel number(s), effective date(s), waterway names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications vii) Identify future actions required prior to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The new or revised utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be	X	ζ
 e. Prepare Final Floodplain Report i) Include the Floodplain Information Sheet in 11X17 or smaller, and all other hydraulic mapping information relevant to requisite permits and certifications. ii) List and identify all applicable ordinance or code, and describe how those specific standards were addressed and resolved iii) Discuss all alternatives analyzed, analysis results, recommendations, and final design direction iv) Record all relevant current effective floodplain information, like community number, panel number(s), effective date(s), waterway names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Provide all background survey information on 11x17 or smaller viii) Provide all background survey information on 11x17 or smaller viii) Provide all background survey information for LoDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. C a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list		
 i) Include the Floodplain Information Sheet in 11X17 or smaller, and all other hydraulic mapping information relevant to requisite permits and certifications. ii) List and identify all applicable ordinance or code, and describe how those specific standards were addressed and resolved iii) Discuss all alternatives analyzed, analysis results, recommendations, and final design direction iv) Record all relevant current effective floodplain information, like community number, panel number(s), effective date(s), waterway names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Provide all background survey information on 11x17 or smaller viii) Identify future actions required prior to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities. 	X	K
other hydraulic mapping information relevant to requisite permits and certifications. ii) List and identify all applicable ordinance or code, and describe how those specific standards were addressed and resolved iii) Discuss all alternatives analyzed, analysis results, recommendations, and final design direction iv) Record all relevant current effective floodplain information, like community number, panel number(s), effective date(s), waterway names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications vii) Identify future actions required prior to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. C a. Prepare and provide final utility plans i) i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical loc		N/.
those specific standards were addressed and resolved iii) Discuss all alternatives analyzed, analysis results, recommendations, and final design direction iv) Record all relevant current effective floodplain information, like community number, panel number(s), effective date(s), waterway names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Identify future actions required prior to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. C a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility		
 iii) Discuss all alternatives analyzed, analysis results, recommendations, and final design direction iv) Record all relevant current effective floodplain information, like community number, panel number(s), effective date(s), waterway names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Provide all background survey information on 11x17 or smaller viii) Identify future actions required prior to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities. 		
 iv) Record all relevant current effective floodplain information, like community number, panel number(s), effective date(s), waterway names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Identify future actions required <u>prior</u> to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities. 		
community number, panel number(s), effective date(s), waterway names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Identify future actions required prior to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. C a. Prepare and provide final utility plans i) i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if re		
names, cross sections, BFEs, and contact name and information for local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Identify future actions required prior to CDOT project close-out F. f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. C a. Prepare and provide final utility plans C i) The final utility plans shall be prepared following the resolution of the completion of the design of the other items in the list in paragraph (b) below. below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities.		
local floodplain administrators contacted for the project. v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Identify future actions required prior to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. C a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities.		
 v) Provide a copy of approved floodplain development permits and no-rise certifications. vi) Identify all construction and as-built stipulations required from approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Identify future actions required prior to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. C a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities. 		
approved permits and certifications vii) Provide all background survey information on 11x17 or smaller viii) Identify future actions required prior to CDOT project close-out f. Perform internal QA/QC prior to submittal to CDOT. 7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. C a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities.		
vii) Provide all background survey information on 11x17 or smallerviii) Identify future actions required prior to CDOT project close-outf. Perform internal QA/QC prior to submittal to CDOT.7. Utility CoordinationFollowing the finalization of the roadway horizontal alignment and profile gradeand the horizontal and vertical location of drainage structures, sewers, and otherunderground structures, coordinate with the Utility Engineer to identify and resolveany conflicts to finalize utility clearances.ca. Prepare and provide final utility plansi) The final utility plans shall be prepared following the resolution of the completion of the design of the other items in the list in paragraph (b) below.ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts.iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities.		
f.Perform internal QA/QC prior to submittal to CDOT.7.Utility CoordinationFollowing the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances.Ca.Prepare and provide final utility plansCi)The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below.ii)The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts.iii)The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities.		
7. Utility Coordination Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. C a. Prepare and provide final utility plans C i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities.		
Following the finalization of the roadway horizontal alignment and profile grade and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances.Ca.Prepare and provide final utility plansCi)The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below.Cii)The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts.Ciii)The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities.C		
 and the horizontal and vertical location of drainage structures, sewers, and other underground structures, coordinate with the Utility Engineer to identify and resolve any conflicts to finalize utility clearances. a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities. 		
 a. Prepare and provide final utility plans i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities. 	x	ζ
 i) The final utility plans shall be prepared following the resolution of the FIR comments, the completion of the final hydraulic design, and the completion of the design of the other items in the list in paragraph (b) below. ii) The final utility plans shall include all horizontal and vertical locations of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities. 	X	ζ
of the existing and proposed utilities and any other details which would indicate possible utility conflicts. iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities.		
 iii) The new or revised utility locations will be added to the plan topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities. 		
topography. Conflicts will be resolved and appropriate pay items and specifications added, if required, to adjust utilities.		
Coordinate the following activities through the Region Utility Engineer and in		
accordance with railroad requirements.	X	ζ (
i) Develop the railroad encroachment plan (with cross sections)		
ii) Define construction responsibilities between the railroad and highway		
iii) Develop cost estimates based upon cost allocation previously		

	CDOT (C)/ Other*	Consultant	Not
iv) Prepare Public Utilities Commission application exhibits as required.			
8. Roadway Design and Roadside Development		X	
a. Roadway design. Prepare and provide final roadway design plans			
incorporating all input from applicable CDOT specialties and outside entities.		Х	
b. Roadside design		Х	
c. Landscaping	C	Х	
i) Determine the most economical alternative, finalize concept, and			
complete the plan.			
ii) Verify that an acceptable safe recovery distance exists between			
traveled way and all trees to be planted.			
iii) Coordinate special permits that may be required.			
iv) Verify availability of plant materials and submit letter to the			
CDOT/PM certifying that designated plants are available.			
d. Prepare and provide plans for sprinkler systems, bike paths, sound barriers,			
truck escape ramps, rest areas, and others, as appropriate.			N/A
e. Lighting plans		Х	
i) Provide a foundation investigation for each high mast light location.			
ii) After approval of the locations of the lights, the lighting design will be			
completed with the following information shown on the plan sheets:			
<i>f) Circuit type and voltage of power source</i>			
g) Location of power source (coordinated with the utility engineer)			
h) Lumina ire type and lumens			
<i>i)</i> Light standard type and mounting height			
<i>j)</i> Bracket arm type and length			
k) Foundation details			
<i>l)</i> Size and location of electrical conduit			
m) Locations of power sources(s)/lighting control center(s) (if			
appropriate)			
n) Location of direct burial cable			
o) Size of wiring and/or direct burial cable			
iii) Coordinate with local entities			
f. Prepare and provide wetland mitigation plan.			
9. Right-of-Way Plans and Activities			
Reference the CDOT ROW and surveying manual' requirements for the			
following:		X	
a. Initiate ROW authorization process			
Coordinate with the CDOT/PM to initiate the ROW authorization process.			
Typically, the corrected FIR plans (with final hydraulic design inputs) will be			
used as the design basis for the ROW authorization plans.		<u>X</u>	
b. Ownership Maps		<u>X</u>	
c. Authorization Plan:		X	
i) Integrate toes of slopes and other design details such as lane lines,			
culverts, road approaches, etc. into ownership map (base map for ROW plans)			

	CDOT (C)/ Other*	Consultant	Not Annlicabla
ii) Determine new Right-of-Way requirements, access control, and			
easements from design plans following the FIR and plot on			
ownership/base maps. Normal scale, 1"=50' in urban areas, 1"=100' in			
rural areas. Metric units may be required as per PM. Metric scales will			
be as shown in the CDOT "Metric Conversion Manual". Revise numbering of ownerships to correspond to ROW acquisitions.			
iii) Calculate areas of parcels, easements, and remainders			
iv) Prepare ROW plan sheets			+
v) Prepare legal descriptions of parcels, easements and access control			+
vi) Prepare tabulation of properties sheet			
vii) Prepare Right-of-Way Title Sheet			+
viii) Incorporate the Control Survey and Monumentation Sheets into the			
plans			
ix) On the Monumentation Sheet, list the ROW, Easement, Control, etc.,			1
points to be set and the aliquot corners to be reset			
x) Prepare ROW tabulation of road approaches, if applicable. Show			
owner milepost/station, right or left of centerline, width of approach,			
skew angle, and any remark			
xi) Hold ROW Plan Review (ROWPR), with Design, ROW, and			
Construction to determine if ROW plans are sufficient to proceed with			
appraisal of property to be acquired for the project			+
xii) Transmit originals of the plan sheets, title sheet, tabulation of properties sheet, and revised ownership (memoranda of ownership and			
title commitments as directed by the ROW manager), calculations and			
supporting data (i.e., parcel diaries), and final electronic data for all			
work products.			
d. Right-of-Way Plan Revisions			1
Revise the ROW plans as needed through out the appraisal and negotiation			
process for those changes approved by the Region ROW Supervisor. All plan			
revisions shall be submitted to the Region ROW Supervisor within 5 working			
days after receiving notice from CDOT to proceed with a Plan Revision.	C	<u>X</u>	
e. Final ROW Plans and Monumentation	C	X	
i) ROW Plan Review			
ii) ROW Plan Revisions, as needed throughout the negotiation and			
appraisal process f. Appraisals			N/A
g. Appraisal staking			11/7
Stake the proposed ROW line, easements and existing ROW line, if required by			
the region supervisor. Set lath or wooden stakes at all angle points and on line			
as necessary to have at least three stakes visible from any point on line. Mark			
point numbers on all stakes and color code as required. The appraisal stakes			
only need to be set at an accuracy of +/- 1.0 foot, unless the point fall near			
improvements, then +/- 0.25 foot is necessary.	ļ		N/A
h. Title Insurance and Closing Services			
Provide title insurance and closing services as described in the CDOT ROW			
Manual and coordinate with the CDOT Region ROW Manager.			N/A
i. Acquire needed parcels including title insurance and closing services			
coordinated with the Region ROW Manager 10. Final Major Structural Design		X	

	CDOT (C)/ Other*	Consultant	Not
During the conduct of this activity, the Consultant shall participate in structural			
review meetings with the CDOT Structural Reviewer.			
a. Structure final design		X	
i) Perform the structural analysis. Provide superstructure design,			
substructure design and document the design with design notes, detail			
notes, and computer outputs.			
ii) Perform final design check from design and detail notes.			
b. Preparation of structure plans and specifications			
Prepare and provide the Structural Plans and Specifications, including any revisions identified during the independent check.		Х	
c. Independent design, detail and quantity check	C	<u></u> Х	
d. Prepare and provide the bridge rating and field packages		Λ	N
11. Construction Phasing Plan			11
A final construction phasing plan will be developed which integrates the construction of all project work elements into a practical and feasible sequence. This plan shall accommodate the existing traffic movements during			
construction, and a final traffic control plan will be developed which shall be			
compatible with the phasing plan.	C	Х	
12. Preparation for the Final Office Review (FOR)	C	Х	
a. Coordinate the packaging of the plans	C	Х	
 Collect plans from all design elements and collate the plan package. Include all items listed in the Project Development Manual. 			
 Calculate plan quantities and prepare the tabulations and Summary of Approximate Quantities. 			
b. In addition to the plan sheets, the special provisions shall be provided. This will consist of those unique Project Special Provisions which have to be written specifically for items, details and procedures not adequately covered by CDOT's Standard Specifications and Standard Special Provisions. Also a list of the Standard Special Provisions which have to be written the provision of the Standard Special Provision which have the provision of the Standard Special Provision which have the provision of the standard Special Provision which have the provision of the Standard Special Provision which have the provision of the Standard Special Provision which have the provision of the Standard Special Provision which have the provision of the Standard Special Provision which have the provision of the Standard Special			
the Standard Special Provisions which are applicable to the project shall be prepared. The Project Special Provisions shall be provided in the CDOT format and submitted with the project plans. Appropriate mitigation commitments			
made within any environmental documents should be included in the plans and specifications.		Х	
 c. Prepare FOR Estimate. Item numbers, descriptions, units and quantities shall be listed and submitted to the CDOT/PM. 		X	
d. Submit the FOR Plans and specifications (Originals) to the CDOT/PM for a preliminary review prior to the FOR.		X	
e. FOR plan reproduction not to exceed six sets		Х	
13. Final Office Review	С	Х	
a. Attend the FOR	С	Х	
b. The FOR meeting minutes shall be prepared, approved, and distributed within two weeks of the meeting as directed.	C	X	
c. The FOR original plan sheets and the specifications shall be revised in			
accordance with the FOR meeting comments and submitted to the CDOT/PM			
within four (4) weeks after the FOR.		Х	ļ
d. Submit the final revision of the plans after CDOT review.		Х	ļ
E. PRIOR TO AD	C	Х	

	CDOT (C)/ Other*	Consultant	Not Annlicable
The bid plan construction contract package shall consist of the revised FOR plans and will completely describe the work required to build the project			
including project special provisions and detailed quantities.			
a. Electronic and hard copies of the following:		Х	
i) Roadway			
a) Horizontal and vertical data			
b) Staking data			
c) Earthwork quantities			
d) Cross sections			
ii) Major structures			
An independent set of the following shall be submitted to the CDOT			
Structural Reviewer for each major structure.			
a) Structure grades			
b) Structure geometry			
b. Final engineering package. The consultant shall submit copies, in			
electronically and in 3-ring binders (if requested) of the following:		X	
i) All project calculations or worksheets			
ii) All final reports and their approvals:			
Traffic, hydraulics, lighting, pavement design and economic analysis,			
geology foundation report, etc. All reports will have the latest			
revisions included.			
iii) Copies of variances, design decisions, and variance approvals			
iv) Project meeting minutes			
v) Utility clearance package			
vi) Utility agreements and information regarding the utility location and clearance conditions			
vii) Maintain an environmental mitigation tracking tool for all			
environmental document commitments.			
viii)Bridge construction packet			
ix) Includes bridge grades, geometry, and quantity calculations or worksheets			
x) Any other information unique to this project and deemed important to			
the effectiveness of construction.			
c. Record plans sets			
Three (3) record plan sets for final design of roadways and structures will be			
produced which shall bear the seal and signature of the responsible Consultant			
Engineer on each sheet. One (1) set shall be retained by the Consultant for three			
(3) years. Two sets shall be submitted to CDOT. The original plan drawings			
shall not bear a seal.		Х	
2. FEMA CLOMR submittal			
Apply for a Conditional Letter of Map Revision from FEMA for any work that			
alters the 100-year floodplain or floodway.			N/A
3. Water Rights Reporting			
If the project includes a detention or water quality pond, water rights reporting			
is required once the pond is substantially complete. See Section 8, Services			
After Design for additional information.	ļ	X	ļ
F. CORRIDOR MANAGEMENT SUPPORT	1	Х	

	CDOT (C)/ Other*	Consultant	Not Applicable
a. Provide the required staff, communication equipment and computer			
systems with appropriate software for tracking and monitoring the planning		v	
efforts.		X	
b. Conduct periodic corridor progress meetings at an interval acceptable to the CDOT/DM. The following shall be reviewed:		Х	
i) Activities complete since the last meeting		Λ	
i) Problems encountered			
iii) Late activities			
iv) Activities required by the next progress meeting			
v) Solutions for unresolved and anticipated problems vi) Information or items required from other agencies			
c. Develop a quality assurance program that ensures correct error-free plans are produced by the project designers.		Х	
d. The consultant shall coordinate the technical aspects of the planning efforts		Λ	
such as:		Х	
i) Ensuring that the separate projects all utilize the same reference and			
data base for horizontal and vertical control.			
ii) Bearings, coordinates, grades and elevations are identical for common	1		
control lines on separate projects.			
iii) Earthwork balance is accomplished where appropriate			
2. Information Services	1		N/A
a. Provide a management information system to monitor and report progress.	1		
This System will include a computer terminal and/or software for the			
CDOT/PM that the consultant shall furnish and maintain. This system will:			
i) Provide access to current project data and status (e.g., progress versus			
schedules and cost estimates versus budgeted funds)			N/A
ii) Include the project schedules for submittals and key events			N/A
iii) Identify progress with respect to the schedules			N/A
iv) Identify critical path activities			N/A
v) Provide upon demand the scheduled submittals/key events for			
designated time periods			N/A
b. Produce and periodically update a strip map which outlines the entire			
corridor. The Information Shown on this Map will Include the following:			N/A
i) Preliminary engineering project limits			N/A
ii) Construction project limits			N/A
iii) Construction project estimated costs			N/A
iv) Construction project Advertise-for-Bid (AD) dates			N/A
v) Other information that is considered appropriate			N/A
3. Budget Planning Support			N/A
a. Maintain a current file of project cost estimates. The date and type of each estimate will be identified.			N/A
b. Maintain a current file of existing and proposed funding for projects.			
Types of funding sources will be identified.			N/A
c. Develop a proposed ad schedule based on the estimated costs and the existing and anticipated future funding. The proposed ad schedule will be			
compared to the design schedule. Adjustments to the design and ad schedules may be made with CDOT concurrence.			N/A

	CDOT (C)/ Other*	Consultant	Not Applicable
d. A continuing evaluation of cash flow requirements and drawdown schedules administrative, preliminary engineering, right-of-way, utility, and construction costs will be accomplished. The funding requirements will be compared with the budget, also on a continuing basis. CDOT will be notified immediately of changes in funding requirements. (this will be completed when needed)			N/A

SECTION 7 SERVICES AFTER DESIGN

Note: The Consultant shall appoint a responsible member of the firm to be the contact person for all construction services. That person should be available until the end of construction to coordinate the following services.

This list establishes the individual task responsibility. Those tasks identified as CDOT/Other should utilize an abbreviation system to indicate whether the task will be completed by CDOT or another agency (i.e. "C" for CDOT and abbreviations as provided below). The consultant shall maintain the ability to perform all work tasks which are indicated below by an 'X' in the consultant column, in accordance with the forms and conditions contained herein, and the applicable CDOT standards. Where appropriate, mark "N/A" for not applicable items.

	CDOT (C)/ Other*	Consultant	Not
A. REVIEW OF SHOP DRAWINGS			
Review contractor shop and auxiliary drawings as directed by the CDOT/PM.		X	
1. Maintain a log of all submittals which includes the following information:		X v	
a. Submittal description		X	
b. Date received c. Date transmitted back to the sender		X	
		X	
2. The review of submittals shall be done by a licensed professional engineer who is acceptable to the CDOT/PM.		Х	
3. Review Shop Drawings		Λ	
 Review the construction contractor's shop drawings for conformance and compliance with the contract documents, the provisions of the current "Standard Specifications for Road and Bridge Construction, and the period of work shown in the CDOT specifications in conjunction with the contract work. B. CONSTRUCTION SERVICES 		X	
			N/
When requested by the appropriate Program Manager, the Consultant shall provide the services described below			
1. Coordinate Schedule Coordinate and evaluate contractor's construction schedule at start of construction and continuously throughout construction phase.			
2. Provide field observation prior to, and on the day of, the following:			
a. Pile driving and/or caisson drilling			
b. All major concrete pours			
c. Placement of girders			
d. Splicing of girders			
e. Post-tensioning duct and anchorage placement			
f. Post-tensioning operations			
3. Technical Assistance			
Provide technical assistance to CDOT project personnel on an as-needed basis. This service shall include, but not be limited to, the following:			
a. Respond to questions in the field that arise relative to the plans, details or special provisions			
b. Review girder erection plan			
4. Report Submittal			1

	CDOT (C)/ Other*	Consultant	Not Annlicable
The following reports/submittals shall be maintained and submitted:			
a. Diary - A complete diary will be accomplished daily for each field			
observation activity.			
b. Documentation/justification - Changes/revisions/documentation justifying			
changes and/or revisions to plans and specifications			
c. Progress reports - Monthly progress reports will be submitted for the Consultant's activities.			
d. Calculations, drawings, and specifications as needed.			
e. Daily time sheets - This will be filled out daily on a form approved by the Project Engineer. This sheet will remain with the Project Engineer.			
C. POST DESIGN PLAN MODIFICATIONS		X	
 When requested by the Program Manager through the CDOT/PM, the Consultant shall provide design services for plan modifications required by unforeseen field conditions. 			
 Revisions to PWQ CMs and drainage design should be performed by Engineer of Record. 	2		
D. POST CONSTRUCTION SERVICES			N/A
1. Final Earthwork or Interim Determination			
Compute the final or interim as-built earthwork quantities. This will include the			
required surveying, engineering technician, and computer support.			
2. "As-Built" Plans Redline the original plan set in a "track changes" manner so that design information is	,		
shown alongside as-constructed information.	,		
3. PWQ CM GIS Attribute Tables and Feature Classes			
Information shall be submitted that meets all the reporting requirements of the MS4 Permit and the CDOT PWQ Program.			
4. Revisions to the Final Right-of-Way Plans			
Review the final Right-of-Way line to identify any excess property due to			
construction changes. Prepare Final Plan Revisions, including legal Descriptions of			
excess property			
5. Monument the Right-of-Way			
a. Reset all monuments referenced prior to construction that have been damaged or destroyed.			
b. Reset any control monuments disturbed or destroyed by construction that are			
necessary to set Right-of-Way monuments.			
c. Set all new Right-of-Way monuments as shown on final plans (or reference			
monuments, if necessary).			
6. Set property corners on all remainder parcels			
Required monumentation will be as directed by the CDOT/PM.			
7. Deposit ROW Plans			
A Record Plan Set updated for revisions and showing all monuments set subsequent			
to construction, must be signed and sealed by the Professional Land Surveyor			
responsible for the work. The Record Set must be deposited in the appropriate county			
office in accordance with CRS 38-50-101 and CRS 38-51-107. A copy of the			1

	CDOT (C)/ Other*	Consultant	Not Applicable
8. FEMA LOMR Submittal Apply for a Letter of Map Revision from FEMA based on the as-built information and corresponding modifications to the modeling and report that was submitted to FEMA for the CLOMR application for all work that will alter the regulatory floodplain or floodway.			
9. Update Floodway No-Rise Certification Stipulations for no-rise in regulatory floodways often include as-built surveys, certifications, and other operational standards. Check project specials from CDOT and floodplain development permit stipulations from local agencies issuing the permit to determine what is required.			
10. Water Rights Reporting Submit pond information to the water rights reporting website. Pond information submitted should be reflect the as-built condition for pond volume and stage/storage/discharge relationships, and any other information requested by the water rights reporting website during upload.			

SECTION 8 CONTRACT CONCLUSION (CHECKLIST)

1. SUPPLEMENTAL WORK

It is anticipated that this contract may be supplemented for:

- A. Preliminary Design
- B. Final Design
- C. Construction Services
- D. Construction Engineering
- E. Final Earthwork Determination
- F. Completion of the "as-built" plans and/or final ROW plans

2. CONTRACT COMPLETION

This Contract will be satisfied upon acceptance of the following items if applicable:

- A. Project Schedule
- B. Project Progress Meeting Minutes
- C. Traffic Control Plan(s)
- D. All documents found In Research
- F. All Permission to Enter Property forms
- G. Monumented & Surveyed Ground Control Diagram(s)
- H. Legally Deposited Control Survey Diagram(s)
- I. Digital TMOSS Data
- J. Photography Products
- K. Ownership Map
- L. Survey Report (including monument recovery forms)
- M. Monumented and Sealed ROW Plans
- N. Legally Deposited Survey Plans
- O. Legal Descriptions (Signed and Sealed)
- P. NOAA-NGS Blue Book
- Q. Completion of review of contract submittals
- R. Design Plans, Specifications, and Final Estimate
- S. All Environmental Permits
- T. All Environmental, Utility, and ROW Clearances
- U. Floodplain Report
- V. Hydraulic Design Report (signed and sealed)
- W. Structural Report (signed and sealed)
- X. Geotechnical Report (signed and sealed)
- Y. Materials Report
- Z. Environmental Technical Resource Reports
- AA. Environmental NEPA Documents
- AB. Floodplain Development Permit & No-Rise Documents

TABLE 1 – SUBMITTALS

Note: This list establishes the individual task responsibility. Those tasks identified as CDOT/Other should utilize an abbreviation system to indicate whether the task will be completed by CDOT or another agency (i.e. "C" for CDOT and abbreviations as provided below). The consultant shall maintain the ability to perform all work tasks which are indicated below by an 'X' in the consultant column, in accordance with the forms and conditions contained herein, and the applicable CDOT standards. Where appropriate, mark "N/A" for not applicable items.

Hard Copy	Electro	nic Copy	Work Tasks	CDOT (C)/ Other*	Consultant	Not Applicable
	PDF	Orig.				
Х	X	X	Periodic Reports		Х	
	X		Billings		Х	
	X	Х	Meeting Minutes		Х	
	X		Project Schedule	С	Х	
		Х	Completed Specific Design Criteria		Х	
	X		Survey Plan		X	
Х	X		Approved MHT's		X	
Х	X		Traffic Control Supervisor Certification		X	
Х	X		Permissions to Enter		X	
			Initial Submittal of TMOSS (?) and or MOSS Compatible Data			N/A
Х	X	X	Initial Submittal of an Original Plan Sheet		X	
			Project Development		Х	
Х		X	Public Communication Contact List	С	Х	
			Route Location Survey		Х	
Х	X		Traffic Control Supervisor Certification		Х	
Х	Х		Approved MHT's		Х	
		Х	Survey data in raw, unedited formats		Х	
Х		Х	Pothole data including invert elevations		Х	
	X		Existing culverts report		Х	
	X		Access report		Х	
	X		Topographic survey notes		Х	
	X	Х	Contour plan checked for errors		Х	
Х	X	Х	Survey control diagram		Х	
Х			Field books		Х	
		Х	Electronic Survey Files		Х	
		Х	Survey TMOSS Data		Х	
Х		Х	Monument Records		Х	
Х	X	Х	Control & Monumentation Plan Sheets		Х	
Х	Х		Aerial Photography Index Map Sheets		Х	
Х	Х		Aerial Photography Contact Sheets		X	
			Permits		Χ	
Х	Х		401 Permit	С	Χ	
Х	Х		Dewatering / 402 Permit	С	Χ	
Х	X	[404 Permit	С	Х	

Hard Copy	Electronic Copy	onic Copy Work Tasks	CDOT (C)/ Other*	Consultant	Not Applicable	
	PDF	Orig.				
X	X	0115	SB 40 Permit	C	X	
X	X		Wildlife Certification	C	X	
X	X		CDPS Storm Water Permit	C	X	
X	X		CDPHE Discharge Permit	C	X	
<u></u>	X		Floodplain Development Permit (approved)	C	X	
	X		No-Rise Certification (approved)	C	Х	
	X		No-Rise Recertification at As-Built (approved)	C	л Х	
	Λ		· · · · · · · · · · · · · · · · · · ·	U.	Λ	
			Environmental Work Tasks			
Х	X	Х	Appropriate NEPA Document (CatEx, EA, EIS, FONSI or ROD)	C	X	
Х	Х	Х	Figures and Exhibits from NEPA Document	C	Х	
Х	X	Х	Air Quality Technical Report	С	X	
Х	X	Х	Geologic Technical Report		Х	
Х	X	Х	NEPA Water Quality Technical Report	С	Х	
Х	Х	Х	Wetland Finding Report	С	Х	
X	X	Х	Integrated Noxious Weed Management Plan	С	Х	
X	X	X	Biological Resources Report	C	X	
X	X	Х	Biological Assessment	C	X	
X	X	X	Historic Resource Technical Reports	C	X	·
X	X	X	Section 4(f) Documents	C	X	·
X	X	X	Paleontological Technical Report	C	X	
X	X	X	Environmental Justice Technical Report		X	
X	X	X	Transportation Technical Report		X	
X	X	X	Noise Technical Report	C	X	
X	X	X	Hazardous Materials Documentation (ISA/MESA)	C	X	
			PRELMINARY DESIGN			
		X	Electronic Survey Data	С	X	
X	X	Λ	Traffic Data & Recommendations	C	Х	
X	X		Geology & Soils Investigation Report	C	Х	
			· · · · · · · · · · · · · · · · · · ·		X X	
X v			Pavement Design Report			
<u>X</u>	X		Existing Bridge Condition Report	C	X	
X	X		Foundation Investigation Report		X	
X v	X		Engineering Geology Plan Sheet(s)		X	
Х	X		Preliminary Hydraulic Design Report		X	
	X		Preliminary Floodplain Report		X	
<u>X</u>	X	X	Preliminary Storm Water Management Plan		X	
X	X		Utility Relocation Recommendations		X	
X	X	X	Irrigation Ditch Structure Plans		Х	
			Right-of-way			
X	X		Memorandum of Ownership	C	X	
Х	X	X	Preliminary Ownership Map (include in FIR Plan set)		X	
Х	X		Structural Selection Report		X	
Х	X		Foundation Investigation Request		X	
Х	X		Final Materials Recommendations		Χ	
Х	X		Final Pavement Selection Report		X	
Х	Х		Intersection Traffic Report		Х	
Х	Х		Traffic Report		Х	

Hard Copy	Electronic Conv	ectronic Copy Work Tasks	CDOT (C)/ Other*	Consultant	Not Applicable	
	PDF	Orig.				1
Х	X		Preliminary Cost Estimate		Х	
Х	X	Х	FIR Plan Set		Х	
Х	X		List of deviations from Standard Design Criteria		X	
X	X	Х	Corrected FIR Plan Set		X	
	X		Final Floodplain Report		X	
			FINAL DESIGN			
Х	X	Х	ROW Authorization Plans		X	
Δ	X	Δ	Final Hydraulic Design Report		X	
X	X	Х	Final Utility Plan Set		X	
X	X	X	Final Railroad Plan Set		Х	
<u>л</u> Х	X	Λ	PUC Exhibit		Л	
<u>л</u> Х	Λ		Bound Final Geotechnical Report 2 copies		АХ	
<u>л</u> Х	X				л Х	
Λ	Λ		Correspondence with Agencies, Entities, and Public		Λ	
N 7	37		Right-of-way		37	
X	X	37	Area Calculations		X	
X	X	X	Authorization Plans		X	
X	X		Legal Descriptions		X	
X	X	X	Final Right-of-way Ownership Map		X	
Х	X	X	Stabilization Plans		X	
			Traffic Engineering			
Х	Х		Safety Assessment		Х	
Х	Х	Х	Signing/Pavement Marking Plans		X	
Х	Х		Signal Warrant Study		Х	
Х	Х	Х	Signalized Intersection Plans & Specifications		Х	
Х	Х	Х	Traffic Control Plan		Х	
			Roadside Planning			
Х	Х	Х	Landscape Plan & Specifications		Х	
Х	Х		Certification of Plant Availability		Х	
Х	X	Х	Irrigation Plans & Specifications		Х	
Х	Х	Х	Bike path Plans & Specifications		Х	
Х	X	Х	Sound Barrier Plans & Specifications		Х	
Х	X	Х	Truck Escape Ramp Plans & Specifications		X	
X	X	X	Rest Area Plans & Specifications		X	1
X	X	X	Lighting Plans & Specifications		X	
X	X	X	Structure Final Review Plans & Specifications		X	1
X	X	X	Construction Phasing Plan		X	1
X	X	X	Storm Water Management Plan		X	1
X	X		FOR Plans & Specifications		Х	
X	X		FOR Cost Estimate		X	
<u>л</u> Х	X	X	Final Review Revisions		АХ	
Λ	Λ	Λ	Construction Plan Package		Λ	
Х	Х	Х	Final Plans (11X17), Specifications (duplex) &		Х	
			Estimate Package for Ad.			
X	X	X	Final Cross Sections		X	
X	X		Schedule of Quantities		X	
Х	X		Design Decisions		Х	

SECTION - CONTRACT CONCLUSION (CHECKLIST)

Hard Copy	Electro	nic Copy	Work Tasks	CDOT (C)/ Other*	Consultant	Not Applicable
	PDF	Orig.				
Х	X		Findings In the Public Interest		Х	
		Х	Original Surface Digital Terrain		Х	
		Х	Final Surface Digital Terrain Model		Х	
		Х	Design Digital Terrain Model		Х	
Х		Х	Staking Data		Х	
Х	Х	Х	Earthwork Quantities		Х	
Х	Х	Х	Mass/Haul diagram		Х	
Х	Х		Project Calculations (2 copies)		Х	
Х	Х		Worksheets (2 copies)		Х	
Х	Х		Design Notes		Х	
Х	Х		Independent Design Review Reports		Х	
Х	Х		Roadway Design Data Submittal		Х	
Х	Х		Major Structure Design Final Submittal		Х	
Х	Х		Bridge Construction Pack		Х	
Х			Record Plan Sets		Х	
Х	Х		Final Hydraulic Design Report		Х	

APPENDIX A REFERENCES

1. <u>AMERICAN ASSOCIATON OF STATE HIGHWAY AND TRANSPORTATION</u> <u>OFFICIALS (AASHTO) PUBLICATIONS</u> (using latest approved versions):

- A. A Policy on Design Standards-Interstate System
- B. A Policy on Geometric Design of Highways and Streets
- C. Guide for Design of Pavement Structures
- D. Standard Specifications for Highway Bridges
- E. Guide for the Design of High Occupancy Vehicle and Public Transfer Facilities
- F. Guide for the Development of Bicycle Facilities
- G. Standard Specifications for Transportation Materials and Methods of Sampling and Testing Part 1, Specifications and Part II, Tests
- H. Highway Design and Operational Practices Related to Highway Safety
- I. Roadside Design Guide
- J. Load Resistance Factor Design (LRFD) Specifications

2. <u>COLORADO DEPARTMENT OF TRANSPORTATION PUBLICATIONS</u> (using latest approved versions):

- A. Design Guide (all volumes)
- B. Bridge Design Manual
- C. Bridge Detailing Manual
- D. Bridge Rating Manual
- E. Project Development Manual
- F. Erosion Control and Stormwater Quality Guide
- G. Field Log of Structures
- H. Cost Data Book
- I. Drainage Design Manual
- J. NEPA Manual
- K. Environmental Stewardship Guide
- L. Quality Manual
- M. Survey Manual
- N. Field Materials Manual
- O. Standard Plans, M & S Standards
- P. Standard Specifications for Road and Bridge Construction and Supplemental Specifications
- Q. Item Description and Abbreviations (with code number) compiled by Engineering Estimates and Market Analysis Unit ("Item Book")

- R. Right-of-Way Manual
- S. The State Highway Access Code
- T. Utility Manual
- U. TMOSS Generic Format
- V. Field TMOSS Topography Coding
- W. Topography Modeling Survey System User Manual
- X. Interactive Graphics System Symbol Table

3. <u>CDOT PROCEDURAL DIRECTIVES</u> (using latest approved versions):

- A. No. 27.1 Social Marketing Use of Web 2.0 and Similar Applications
- B. No. 31.1 Web Site Development
- C. No. 400.2 Monitoring Consultant Contracts
- D. No. 501.2 Cooperative Storm Drainage System
- E. No. 514.1 Field Inspection Review (FIR)
- F. No. 516.1 Final Office Review (FOR)
- G. No. 1217a Survey Request
- H. No. 1304.1 Right-of-Way Plan Revisions
- I. No. 1305.1 Land Surveys
- J. No. 1601 Interchange Approval Process
- K. No. 1700.1 Certification Acceptance (CA) Procedures for Location and Design Approval
- L. No. 1700.3 Plans, Specifications and Estimates (PS&E) and Authorization to Advertise for Bids under Certifications Acceptance (CA)
- M. No. 1700.5 Local Entity/State Contracts and Local Entity/Consultant

Contracts and Local Entity/R.R. Contracts under C.A

- N. No. 1700.6 Railroad/Highway Contracts (Under Certification Acceptance)
- O. No. 1905.1 Preparation of Plans and Specifications for Structures prepared by Staff Bridge Branch

4. <u>FEDERAL PUBLICATIONS</u> (using latest approved versions):

- A. Manual on Uniform Traffic Control Devices
- B. Highway Capacity Manual
- C. Urban Transportation Operations Training Design of Urban Streets, Student Workbook
- D. Reference Guide Outline Specifications for Aerial Surveys and Mapping by Photogrammetric Methods for Highways
- E. Executive Order 12898
- F. Executive Order 11988 & 13690 FHWA Federal-Aid Policy Guide
- G. FHWA NHI Hydraulic Circular (HEC) and Hydraulic Design Series (HDS) Reports

- H. Technical Advisory T6640.8A
- I. U.S. Department of Transportation Order 5610.1E
- J. Geometric Geodetic Accuracy Standards and Specifications for Using GPS Relative Positioning Techniques
- K. ADAAG Americans With Disabilities Act Accessibility Guidelines
- L. 23 CFR 771, the FHWA Technical Advisory T6640.8A
- M. 44 CFR 59-72, standards of the National Flood Insurance Program (NFIP)

5. <u>AREA:</u>

- A. Manual for Railway Engineering
- B. Urban Storm Drainage Criteria Manual (UDFCD)
- C. Any appropriate local agencies references as appropriate

APPENDIX B SPECIFIC DESIGN CRITERIA

Note: The following criteria will be developed by the consultant and coordinated with the CDOT/PM prior to starting the design. The Consultant shall develop the CDOT Form 463 and insert a copy upon completion.

1. <u>ROADWAY</u>

A. BASIC DESIGN

The basis for design will be the data in CDOT Form 463, Design Data. A copy of the latest applicable design Data form will be furnished to the consultant.

B. GEOMETRIC AND STRUCTURE STANDARDS:

- a Design Speed, horizontal alignment, curvature, vertical alignment, sight distance and superelevation is specified in Form 463.
- b Use of Spirals -
- c Passing Sight Distance -
- d Decision Sight Distance -
- e Frontage Roads, Separation Width -
- f CDOT Access Code -
- g Airway Highway Clearances Design Guide -
- h Bridges and Grade Separation Structures, Clearances to Structures and Obstructions, CDOT Design Guide -
- i Curb and Gutters, Type -
- C. GEOMETRIC CROSS SECTION are as specified in Form 463
- D. INTERSECTIONS AT GRADE:
 - a. Type –
 - b. Special Considerations -

E. TRAFFIC INTERCHANGES:

- a. Type –
- b. Ramp Type -
- c. Special Considerations -

F. DESIGN OF PAVEMENT STRUCTURE:

- a. Pavement Type & Percent Trucks are as specified in Form 463-
- b. Economic Analysis Period -
- c. Design Life –

G. MISCELLANEOUS DESIGN CONSIDERATIONS:

- a. Fence Type -
- b. FEMA Flood Zone -
- c. Design Flood Frequency -

H. ROADSIDE DEVELOPMENT

- a. Landscaping -
- b. Specifications for Revegetating Disturbed Areas to be provided by CDOT
- c. Noise Control -
- d. Type -
- e. Guardrail and End Treatments -
- I. LIGHTING:
 - a. Type -

APPENDIX C DEFINITIONS

Note: For other definitions and terms, refer to Section 101 of the CDOT Standard Specifications for Road and Bridge Construction and the CDOT Design Guide.

1	AASHTO	American Association of State Highway & Transportation Officials
2	ADT	Average two-way 24-hour Traffic in Number of Vehicles
3	AREA	American Railway Engineering Association
4	ATSSA	American Traffic Safety Services Association
5	AT&SF	Atchison, Topeka & Santa Fe Railway Company
6	ADAAG	Americans with Disabilities Accessibility Act Guidelines
7	BAMS	Bid Analysis and Management Systems
8	BFE	Base Flood Elevation
9	BLM	Bureau of Land Management
10	BNRR	Burlington Northern Railroad
11		CA Contract Administrator – The CDOT Manager responsible for the satisfactory completion of the contract by the consultant.
12	CAP	CDOT's Action Plan
13	CBC	Concrete Box Culvert
14	CDOT	Colorado Department of Transportation
15		CDOT/PM Colorado Department of Transportation Project Manager – The CDOT Engineer responsible for the day to day direction and CDOT Consultant coordination of the design effort (as defined in Section 2 of this document)
16		CDOT/STR Colorado Department of Transportation Structure Reviewer – The CDOT Engineer responsible for reviewing and coordinating major structural design
17	CDPHE	Colorado Department of Public Health and Environment
18	CEQ	Council on Environmental Quality
19	COG	Council of Governments
20	COGO	Coordinate Geometry Output
21	CONSULTANT	Consultant for the project
22	CONTRACT	

	ADMINISTRATOR	Typically a Region Engineer or Branch Head. The CDOT employee directly responsible for the satisfactory completion of the contract by the Consultant. The contract administration is usually delegated to a CDOT Project Manager (as defined in Section 2 of this document).
23		C/PM Consultant Project Manager – The Consultant Engineer responsible for combining the various inputs in the process of completing the project plans and managing the Consultant design effort.
24		CWCB Colorado Water Conservation Board
25	DEIS	Draft Environmental Impact Statement
26		DHV Future Design Hourly Volume (two-way unless specified otherwise)
27	DRCOG	Denver Regional Council of Governments
28	D&RGW	Denver & Rio Grande Western Railroad
29	EA	Environmental Assessment
30	EIS	Environmental Impact Statement
31	ESAL	Equivalent Single Axle Load
32	ESE	Economic, Social and Environmental
33	FEIS	Final Environmental Impact Statement
34	FEMA	Federal Emergency Management Agency
35	FHPG	Federal Aid Highway Policy Guide
36	FHWA	Federal Highway Administration
37	FIPI	Finding In Public Interest
38	FIR	Field Inspection Review
39	FONSI	Finding of No Significant Impact
40	FOR	Final Office Review
41	GPS	Global Positioning System
42	MAJOR STRUCTURES	Bridges and culverts with a total clear span length greater than twenty feet. This length is measured along the centerline of roadway for bridges and culverts, from abutment face to abutment face, Retaining structures are measured along the horizontal distance along the top of the wall. Structures with exposed heights at any section over five feet and total lengths greater than a hundred feet as well as overhead structures including (bridge signs, cantilevers and butterflies extending over traffic) are also considered major structures.

43		MPO Metropolitan Planning Organization (i.e. Denver Regional Council of Governments, Pikes Peak Area Council of Governments, Grand Junction MPO, Pueblo MPO, and North Front Range Council of Governments).
44	MS4	Municipal Separate Storm Sewer System
45	NEPA	National Environmental Policy Act
46	NFIP	National Flood Insurance Program
47	NGS	National Geodetic Survey
48	NICET	National Institute for Certification in Technology
49	NOAA	National Oceanic and Atmospheric Administration
50	PAPER SIZES	See Computer-Aided Drafting Manual (CDOT); Table 6-13 and Table 8-1
51		PE Professional Engineer registered in Colorado
52	PM	Program Manager
53		PLS Professional Land Surveyor registered in Colorado
54	PRT	Project Review Team
55	PS&E	Plans, Specifications and Estimate
56	PROJECT	The work defined by this scope
57	PWQ CM	Permanent Water Quality Control Measure
58	ROR	Region Office Review
59		ROW Right-of-Way: A general term denoting land, property, or interest therein, usually in a strip acquired for or devoted to a highway
60	ROWPR	Right-of-Way Plan Review
61	RTD	Regional Transportation Director
62	T/E	Threatened and/or Endangered Species
63	SFHA	Special Flood Hazard Area
64	SH	State Highway Numbers
65	TMOSS	Terrain Modeling Survey System
66		TOPOGRAPHY In the context of CDOT plans, topography normally refers to existing cultural or manmade details.
67	UDFCD	Urban Drainage and Flood Control District
68	USCOE	United States Army Corp of Engineers