



* INCREASE CONCRETE DEPTH WHEN USING PAVERS

SECTION VIEW FOR PARALLEL CURB RAMP TYPES
(LOOKING PERPENDICULAR TO TURNING SPACE)

THE TOP DIAMETER OF THE TRUNCATED DOMES SHALL BE 50% TO 65% OF THE BASE DIAMETER



ELEVATION VIEW OF SINGLE TRUNCATED DOME




* INCREASE CONCRETE DEPTH WHEN USING PAVERS


SECTION VIEW FOR PERPENDICULAR CURB RAMP TYPES
(LOOKING PERPENDICULAR TO RAMP RUN)

NOTES

- ① REFER TO STANDARD M-608-1 FOR CURB RAMP AND DETECTABLE WARNING SURFACE PLACEMENT REQUIREMENTS.
- ② USE OF TRUNCATED DOME DETECTABLE WARNING SURFACE PAVERS MUST BE APPROVED BY THE ENGINEER.
- ③ WHEN TRUNCATED DOME PAVERS ARE USED A DRAINAGE WEEP HOLE MUST BE PROVIDED. THE DRAINAGE WEEP HOLE SHALL BE LOCATED AT THE LOWEST POINT OF THE DETECTABLE WARNING WELL.



SECTION VIEW OF DETECTABLE WARNING SURFACE PAVERS
(LOOKING AT RAMP RUN FROM STREET)



PLAN VIEW OF DETECTABLE WARNING SURFACE PLATE OR PAVERS

DETECTABLE WARNING SURFACE PAVER DETAILS

Computer File Information		Sheet Revisions		Colorado Department of Transportation		As Constructed		CURB RAMPS		Project No./Code	
Creation Date: 07/31/19		(R-X)	mm/dd/yy	XXXXXXX	XXXXXX	Street Address		No Revisions: mm/dd/yy		XXXXX/XXXX	
Designer Initials: JBK		(R-X)	mm/dd/yy	XXXXXXX	XXXXXX	Office location				D-608-1	
Last Modification Date: 07/31/19		(R-X)	mm/dd/yy	XXXXXXX	XXXXXX	City, CO Zip code		Revised: mm/dd/yy		Sheet Number: 1 of 1	
Detailer Initials: LTA		(R-X)	mm/dd/yy	XXXXXXX	XXXXXX	Phone: XXX-XXX-XXXX Fax: XXX-XXX-XXXX		Void: mm/dd/yy		Project Sheet Number: XX	
CAD Ver.: MicroStation V8 Scale: Not to Scale Units: English		(R-X)	mm/dd/yy	XXXXXXX	XXXXXX	Region, Unit		Intials/Intials		Sheet Subset: XXXXXXXX Subset Sheets: XXX of XXX	