

**CHAPTER 1**

**FUNCTIONAL AND CONTEXTUAL HIGHWAY CLASSIFICATIONS**

1.0 INTRODUCTION ..... 1-1  
1.1 FUNCTIONAL CLASSIFICATIONS ..... 1-1  
1.2 CONTEXT CLASSIFICATIONS ..... 1-3  
1.3 ROADWAY USERS ..... 1-5  
1.4 PERFORMANCE BASED PRACTICAL DESIGN ..... 1-6  
REFERENCES ..... 1-7

**List of Tables**

Table 1-1 Context Category Descriptions..... 1-5

**List of Figures**

Figure 1-1 Federal Functional Classification Decision Tree ..... 1-3

**CHAPTER 2  
DESIGN CONTROLS AND CRITERIA**

2.0 INTRODUCTION ..... 2-1

2.1 DESIGN VEHICLES..... 2-1

    2.1.1 General Characteristics ..... 2-1

    2.1.2 Minimum Turning Paths of Design Vehicles ..... 2-2

2.2 TRAFFIC CHARACTERISTICS..... 2-2

    2.2.1 Volume..... 2-2

2.3 HIGHWAY CAPACITY ..... 2-2

    2.3.1 Levels of Service..... 2-2

2.4 ACCESS CONTROL AND ACCESS MANAGEMENT ..... 2-5

2.5 PEDESTRIANS ..... 2-5

2.6 SAFETY ..... 2-5

2.7 ENVIRONMENT ..... 2-5

REFERENCES ..... 2-6

**List of Tables**

Table 2-1 General Definitions of Level of Service..... 2-3

Table 2-2 Guidelines for Selection of Design Levels of Service Characteristics by  
Highway Type..... 2-3

**List of Figures**

Figure 2-1 Levels of Service..... 2-4

## CHAPTER 3 ELEMENTS OF DESIGN

3.0	INTRODUCTION .....	3-1
3.1	SIGHT DISTANCE .....	3-1
3.1.1	General Considerations .....	3-1
3.1.2	Stopping Sight Distance.....	3-1
	3.1.2.1 Effect of Grade on Stopping Sight Distance.....	3-3
3.1.3	Decision Sight Distance.....	3-3
3.1.4	Sight Distance on Horizontal Curves.....	3-4
3.1.5	Sight Distance on Horizontal .....	3-9
	3.1.5.1 Crest Vertical Curves.....	3-9
	3.1.5.2 Sag Vertical Curves .....	3-10
3.1.6	Passing Sight Distance.....	3-12
	3.1.6.1 Passing Sight Distance on Crest Vertical Curves .....	3-12
	3.1.6.2 Passing and Stopping Sight Distances at Undercrossings .....	3-12
3.2	HORIZONTAL ALIGNMENT .....	3-13
3.2.1	General Controls .....	3-13
3.2.2	Types and Properties of Horizontal Alignments.....	3-14
	3.2.2.1 Simple Curves.....	3-14
	3.2.2.2 Spiral Curves.....	3-14
	3.2.2.3 Reverse Curves .....	3-17
	3.2.2.4 Compound Curves .....	3-19
	3.2.2.5 Alignment on Bridges.....	3-20
	3.2.2.6 Curvature Zoning.....	3-21
3.2.3	Superelevation.....	3-22
	3.2.3.1 General.....	3-22
	3.2.3.2 Standards for Superelevation.....	3-22
	3.2.3.3 Superelevation Transition.....	3-23
	3.2.3.4 Design for All Rural Highways, Urban Freeways and High-Speed Urban Streets .....	3-23
	3.2.3.5 Design for Low-Speed Urban Streets .....	3-23
3.2.4	Widths for Turning Roadways at Intersections .....	3-24
3.2.5	Traveled Way Widening on Horizontal Curves.....	3-25
	3.2.5.1 Attainment of Widening on Curves.....	3-25
3.2.6	Pavement Transitions.....	3-27
	3.2.6.1 General.....	3-27
	3.2.6.2 Two Lanes to Multilane Divided.....	3-27
	3.2.6.3 Other Transitions .....	3-27
3.3	VERTICAL ALIGNMENT .....	3-27
3.3.1	General Controls .....	3-27
3.3.2	Position With Respect to Cross Section .....	3-28
3.3.3	Standards for Grades.....	3-30
3.3.4	Vertical Curves .....	3-31
3.3.5	Climbing Lanes.....	3-33
3.3.6	Passing Lanes.....	3-34
3.3.7	Turnouts .....	3-36
3.4	COMBINATION OF HORIZONTAL AND VERTICAL ALIGNMENT .....	3-36

3.5 GUIDELINES FOR DESIGNING DETOURS ..... 3-37

    3.5.1 Detour Design Speed ..... 3-37

    3.5.2 Detour Clear Zone..... 3-37

    3.5.3 Detour Typical Section ..... 3-37

    3.5.4 Detour Barrier ..... 3-38

    3.5.5 Detour Surfacing..... 3-38

    3.5.6 Detour Superelevation ..... 3-38

    3.5.7 Detour on Local Roads ..... 3-39

    3.5.8 Environmental Considerations for Detours ..... 3-40

    3.5.9 Detour Transverse Underdrains ..... 3-40

3.6 OTHER ELEMENTS AFFECTING GEOMETRIC DESIGN ..... 3-40

    3.6.1 Drainage and Erosion Control ..... 3-40

    3.6.2 Rest Areas ..... 3-40

3.7 LIGHTING ..... 3-41

3.8 UTILITIES..... 3-41

3.9 TRAFFIC CONTROL DEVICES ..... 3-41

3.10 NOISE BARRIERS ..... 3-41

REFERENCES ..... 3-42

**List of Tables**

Table 3-1 Sight Distance..... 3-2

Table 3-2 [Table 3-13b of the PGDHS (1)] Minimum Radii and Superelevation for Low-Speed Urban Streets..... 3-24

Table 3-3 Clearances to Structures and Obstructions ..... 3-29

Table 3-4 Relation of Maximum Grades to Design Speed..... 3-31

Table 3-5 [Table 3-31 of the PGDHS (1)]Optimal Passing Lane Lengths for Traffic Operations Efficiency ..... 3-35

**List of Figures**

Figure 3-1 General Case – Stopping Sight Distance on Horizontal Curves ..... 3-4

Figure 3-2 Design Controls for Stopping Sight Distance on Horizontal Curves..... 3-5

Figure 3-33 Example of Horizontal Stopping Sight Distance on a Two-Lane Roadway..... 3-6

Figure 3-4 Example of Horizontal Stopping Sight Distance on a Ramp ..... 3-7

Figure 3-5 Example of Horizontal Stopping Sight Distance on a Divided Highway ..... 3-8

Figure 3-6 Example of Crest Vertical Curve ..... 3-9

Figure 3-7 Example of Sag Vertical Curve..... 3-11

Figure 3-8 Simple Curve..... 3-14

Figure 3-9 Spiral Curve ..... 3-15

Figure 3-10 Reverse Curves..... 3-18

Figure 3-11 Compound Curve ..... 3-20

Figure 3-12 Widening on a Simple Curve ..... 3-25

Figure 3-13 Widening on a Spiral Curve..... 3-26

Figure 3-14 Vertical Curves..... 3-32

Figure 3-15 Superelevation on Detours ..... 3-39

## CHAPTER 4 CROSS SECTION ELEMENTS

4.1	PAVEMENT .....	4-1
	4.1.1 Surface Type .....	4-1
	4.1.2 Cross Slope .....	4-1
	4.1.3 Skid Resistance .....	4-1
	4.1.4 Traveled Lane Texturing.....	4-1
4.2	LANE WIDTHS .....	4-2
4.3	SHOULDERS .....	4-2
	4.3.1 General Characteristics .....	4-2
	4.3.2 Width of Shoulders .....	4-2
	4.3.3 Shoulder Cross Sections .....	4-2
	4.3.4 Shoulder Stability.....	4-2
	4.3.5 Shoulder Contrast.....	4-3
	4.3.6 Turnouts .....	4-3
4.4	TYPICAL SECTIONS.....	4-3
4.5	HORIZONTAL CLEARANCE TO OBSTRUCTIONS .....	4-10
4.6	CURBS .....	4-10
4.7	DRAINAGE CHANNELS AND SIDESLOPES .....	4-11
	4.7.1 General Considerations .....	4-11
	4.7.2 Drainage Channels .....	4-11
	4.7.3 Sideslopes .....	4-12
	4.7.4 Cut Slope Standards.....	4-12
	4.7.5 Fill Slope Standards .....	4-12
	4.7.6 Clearance from Slope to Right of Way Line.....	4-13
	4.7.7 Slope Benches.....	4-13
	4.7.8 Cut Slope Treatment .....	4-13
4.8	ILLUSTRATIVE GENERAL CROSS SECTIONS.....	4-14
	4.8.1 Normal Crown Sections .....	4-14
4.9	TRAFFIC BARRIERS .....	4-16
	4.9.1 General Considerations .....	4-16
	4.9.2 Longitudinal Barriers .....	4-17
	4.9.2.1 Roadside Barriers.....	4-17
	4.9.2.2 Median Barriers .....	4-17
	4.9.3 Bridge Railings .....	4-18
	4.9.4 Crash Cushions .....	4-18
4.10	MEDIANS .....	4-19
4.11	FRONTAGE ROADS.....	4-19
4.12	OUTER SEPARATIONS .....	4-20
4.13	NOISE CONTROL.....	4-21
	4.13.1 General Considerations .....	4-21
4.14	ROADSIDE CONTROL .....	4-21
	4.14.1 General Considerations .....	4-21
	4.14.2 Driveways .....	4-21
	4.14.3 Mailboxes.....	4-22
4.15	TUNNELS .....	4-22
	4.15.1 General Considerations.....	4-22

4.15.2 Types of Tunnels..... 4-22  
 4.15.3 General Design Considerations..... 4-22  
 4.15.4 Tunnel Sections..... 4-22  
 4.16 PEDESTRIAN FACILITIES..... 4-23  
     4.16.1 Sidewalks ..... 4-23  
     4.16.2 Sidewalk Curb Ramps..... 4-23  
 4.17 BICYCLE FACILITIES ..... 4-24  
 4.18 BUS TURNOUTS ..... 4-24  
     4.18.1 Freeways ..... 4-24  
     4.18.2 Arterials..... 4-24  
     4.18.3 Park-and-Ride Facilities..... 4-24  
 4.19 ON-STREET PARKING ..... 4-25  
 REFERENCES ..... 4-26

**List of Tables**

Table 4-1 Geometric Design Standards ..... 4-4  
 Table 4-2 Fill Slopes..... 4-13  
 Table 4-3 Width of Separation for Frontage Roads ..... 4-20

**List of Figures**

Figure 4-1 Typical Sections for Divided Bituminous Pavement ..... 4-5  
 Figure 4-2 Typical Sections for Divided Concrete Pavement..... 4-6  
 Figure 4-3 Typical Sections for Medians, Ramps, and Frontage Roads ..... 4-7  
 Figure 4-4 Typical Sections for Urban Bituminous or Concrete Pavement ..... 4-8  
 Figure 4-5 Typical Section for Crowned Bituminous Pavement ..... 4-9  
 Figure 4-6 General Cross Sectional Information ..... 4-15

**CHAPTER 5  
LOCAL ROADS AND STREETS**

5.0 INTRODUCTION ..... 5-1

5.1 LOCAL RURAL ROADS ..... 5-1

    5.1.1 General Design Considerations..... 5-1

        5.1.1.1 Design Speed ..... 5-1

        5.1.1.2 Grades ..... 5-1

        5.1.1.3 Vertical Curves ..... 5-1

    5.1.2 Intersection Design ..... 5-2

5.2 LOCAL URBAN STREETS ..... 5-2

    5.2.1 General Design Considerations..... 5-2

    5.2.2 Design Traffic Volume ..... 5-3

    5.2.3 Design Speed ..... 5-3

    5.2.4 Sight Distance ..... 5-3

    5.2.5 Grades ..... 5-3

    5.2.6 Alignment ..... 5-4

    5.2.7 Cross Slope ..... 5-4

    5.2.8 Superelevation..... 5-4

    5.2.9 Width of Roadway ..... 5-5

    5.2.10 Medians..... 5-5

    5.2.11 Drainage..... 5-5

    5.2.12 Cul-De-Sacs and Turnarounds..... 5-6

    5.2.13 Sidewalks ..... 5-6

    5.2.14 Sidewalk Curb Ramps..... 5-6

    5.2.15 Border Area..... 5-7

REFERENCES ..... 5-8

**List of Tables**

Table 5-1 Normal Traveled Way Cross Slopes ..... 5-4

**CHAPTER 6**  
**COLLECTOR ROADS AND STREETS**

6.0 INTRODUCTION ..... 6-1

6.1 RURAL COLLECTORS ..... 6-1

    6.1.1 General Design Considerations..... 6-1

        6.1.1.1 Design Speed ..... 6-2

        6.1.1.2 Grades ..... 6-2

        6.1.1.3 Vertical Curves ..... 6-2

6.2 URBAN COLLECTORS ..... 6-2

    6.2.1 General Design Considerations..... 6-2

    6.2.2 Parking Lanes..... 6-2

    6.2.3 Drainage..... 6-3

    6.2.4 Sidewalks ..... 6-3

    6.2.5 Sidewalk Curb Ramps..... 6-3

    6.2.6 Border Area..... 6-3

REFERENCES ..... 6-4



**CHAPTER 7  
RURAL AND URBAN ARTERIALS**

7.0	INTRODUCTION .....	7-1
7.1	RURAL ARTERIALS .....	7-1
7.1.1	General Design Considerations.....	7-1
	7.1.1.1 Design Speed .....	7-1
	7.1.1.2 Design Traffic Volume .....	7-1
	7.1.1.3 Levels of Service.....	7-1
	7.1.1.4 Sight Distance .....	7-2
	7.1.1.5 Grades .....	7-2
	7.1.1.6 Number of Lanes.....	7-2
	7.1.1.7 Superelevation.....	7-2
	7.1.1.8 Cross Slope .....	7-2
	7.1.1.9 Vertical Clearances .....	7-2
	7.1.1.10 Structures .....	7-3
	7.1.1.11 Widths .....	7-3
	7.1.1.12 Clear Zones .....	7-3
	7.1.1.13 Right of Way.....	7-4
	7.1.1.14 Ultimate Development of Four-Lane Divided Arterials .....	7-4
7.1.2	Multilane Undivided Arterials .....	7-4
7.1.3	Divided Arterials.....	7-5
	7.1.3.1 General Features .....	7-5
	7.1.3.2 Lane Widths, Cross Slope, and Shoulders .....	7-5
	7.1.3.3 Medians.....	7-5
	7.1.3.4 Climbing Lanes on Multilane Arterials .....	7-6
7.1.4	Access Management .....	7-6
7.2	URBAN ARTERIALS.....	7-6
7.2.1	General Considerations.....	7-6
	7.2.1.1 Design Speed .....	7-6
	7.2.1.2 Design Traffic Volume .....	7-6
	7.2.1.3 Levels of Service.....	7-6
	7.2.1.4 Sight Distance .....	7-7
	7.2.1.5 Grades .....	7-7
	7.2.1.6 Vertical Clearances .....	7-7
	7.2.1.7 Curbs and Shoulders .....	7-7
	7.2.1.8 Number of Lanes.....	7-7
	7.2.1.9 Width of Roadway .....	7-7
	7.2.1.10 Geometric Design Type .....	7-8
	7.2.1.11 Medians.....	7-8
	7.2.1.11.1 Median Considerations .....	7-8
	7.2.1.11.2 Width of Median .....	7-8
	7.2.1.11.3 Width of Median Lanes .....	7-9
	7.2.1.11.4 Cross Slope for Curbed Medians .....	7-9
	7.2.1.11.5 Median Contrast.....	7-9
	7.2.1.11.6 Median Configuration and Typical Design.....	7-10
	7.2.1.12 Drainage.....	7-10
	7.2.1.13 Parking Lanes.....	7-10

7.2.1.14 Borders and Sidewalks..... 7-10  
7.2.1.15 Roadway Width for Bridges ..... 7-10  
7.2.1.16 Clear Zones ..... 7-10  
7.2.1.17 Right of Way Width..... 7-10  
7.2.1.18 Intersection Design ..... 7-11  
7.2.1.19 Lighting..... 7-11  
REFERENCES ..... 7-12

**List of Tables**

Table 7-1 Minimum Width of Traveled Way and Shoulder ..... 7-3

**CHAPTER 8  
FREEWAYS**

8.0 INTRODUCTION ..... 8-1

8.1 GENERAL DESIGN CONSIDERATIONS..... 8-1

    8.1.1 Design Speed ..... 8-1

    8.1.2 Design Traffic Volumes..... 8-1

    8.1.3 Levels of Service..... 8-2

    8.1.4 Pavement and Shoulders ..... 8-2

    8.1.5 Curbs ..... 8-2

    8.1.6 Superelevation..... 8-2

    8.1.7 Grades ..... 8-2

    8.1.8 Structures ..... 8-2

    8.1.9 Vertical Clearance..... 8-2

    8.1.10 Horizontal Clearance to Obstructions ..... 8-3

    8.1.11 Outer Separations, Borders, and Frontage Roads ..... 8-3

8.2 RURAL FREEWAYS ..... 8-3

    8.2.1 Alignment and Profile..... 8-3

    8.2.2 Medians..... 8-3

    8.2.3 Sideslopes ..... 8-4

    8.2.4 Frontage Roads ..... 8-4

8.3 URBAN FREEWAYS ..... 8-4

    8.3.1 Medians..... 8-4

    8.3.2 Depressed Freeways..... 8-4

    8.3.3 Elevated Freeways ..... 8-5

    8.3.4 Ground-Level Freeways..... 8-5

    8.3.5 Combination-Type Freeways..... 8-5

    8.3.6 Special Freeway Designs ..... 8-5

    8.3.7 Accommodation of Transit and High-Occupancy Vehicle Facilities ..... 8-6

REFERENCES ..... 8-7

## CHAPTER 9 INTERSECTIONS

9.0	INTRODUCTION .....	9-1
9.1	GENERAL DESIGN CONSIDERATIONS AND OBJECTIVES .....	9-1
9.1.1	Intersection Functional Area.....	9-1
9.2	TYPES AND EXAMPLES OF INTERSECTIONS .....	9-3
9.2.1	General Considerations.....	9-3
9.3	CAPACITY ANALYSIS.....	9-3
9.4	ALIGNMENT AND PROFILE.....	9-3
9.4.1	General Considerations.....	9-3
9.4.2	Alignment .....	9-4
9.4.3	Profile.....	9-4
9.5	INTERSECTION CURVES .....	9-5
9.5.1	Widths for Turning Roadways at Intersections .....	9-5
9.5.1.1	Widths Outside Traveled Way.....	9-5
9.5.2	Minimum Designs for Sharpest Turns.....	9-6
9.5.2.1	Design Vehicles .....	9-11
9.5.2.2	Effect of Curb Radii on Turning Paths .....	9-11
9.6	TURNING ROADWAYS & CHANNELIZATION .....	9-12
9.6.1	Oblique-Angle Turns .....	9-12
9.6.2	Development of Superelevation at Turning Roadway Terminals.....	9-12
9.6.3	General Procedure.....	9-12
9.7	ISLANDS.....	9-13
9.7.1	General Characteristics .....	9-13
9.7.2	Island Size and Designation.....	9-14
9.7.3	Delineation.....	9-14
9.7.4	Approach Treatment .....	9-15
9.7.5	Right-Angle Turns With Corner Islands.....	9-15
9.7.6	Oblique-Angle Turns With Corner Islands.....	9-15
9.8	INTERSECTION SIGHT DISTANCE .....	9-17
9.8.1	General Considerations.....	9-17
9.8.2	Intersection Control .....	9-20
9.8.3	Effect of Skew.....	9-20
9.9	STOPPING SIGHT DISTANCE AT INTERSECTIONS FOR TURNING ROADWAYS .....	9-20
9.10	DESIGN TO DISCOURAGE WRONG-WAY ENTRY .....	9-20
9.11	SUPERELEVATION FOR CURVES AT INTERSECTIONS.....	9-21
9.11.1	General Design Considerations.....	9-21
9.12	CHANNELIZATION .....	9-21
9.13	MEDIAN OPENINGS.....	9-21
9.13.1	Control Radii for Minimum Turning Paths .....	9-21
9.13.2	Shape of Median End.....	9-22
9.13.3	Median Openings Based on Control Radii for Design Vehicles .....	9-22
9.13.4	Effect of Skew.....	9-22
9.14	ABOVE MINIMUM DESIGNS FOR DIRECT LEFT TURNS.....	9-22
9.15	INDIRECT LEFT TURNS AND U-TURNS .....	9-22
9.15.1	General Design Considerations.....	9-22

9.16 FLUSH OR TRAVERSABLE MEDIANS ..... 9-23

9.17 AUXILIARY (SPEED CHANGE) LANES ..... 9-24

    9.17.1 General Design Considerations..... 9-24

    9.17.2 Deceleration Length..... 9-26

    9.17.3 Storage Length..... 9-27

    9.17.4 Acceleration Length..... 9-28

    9.17.5 Speed Change Lane Width..... 9-29

    9.17.6 Shoulder Width Along Speed Change Lanes Where Curbs are not Present..... 9-29

    9.17.7 Taper ..... 9-29

        9.17.7.1 Elements of Left-Turn Design (Redirect Taper)..... 9-32

    9.17.8 Median Left-Turn Lanes ..... 9-32

        9.17.8.1 Median Left-Turn Lane Warrants ..... 9-35

    9.17.9 Median Double Left and Triple Left Turn Lanes ..... 9-35

    9.17.10 Median Lane Width ..... 9-36

    9.17.11 Median End Treatment ..... 9-40

9.18 RIGHT-TURN LANES ..... 9-40

    9.18.1 General..... 9-40

    9.18.2 Tapers..... 9-40

    9.18.3 Storage ..... 9-41

    9.18.4 Length ..... 9-41

    9.18.5 Width..... 9-41

    9.18.6 Shoulders..... 9-41

9.19 INTERSECTION DESIGN ELEMENTS WITH FRONTAGE ROADS ..... 9-41

9.20 BICYCLES AT INTERSECTIONS ..... 9-42

9.21 WHEELCHAIR RAMPS AT INTERSECTIONS ..... 9-42

9.22 LIGHTING AT INTERSECTIONS ..... 9-42

9.23 DRIVEWAYS..... 9-43

9.24 RAILROAD-HIGHWAY GRADE CROSSINGS ..... 9-43

REFERENCES ..... 9-44

**List of Tables**

Table 9-1 Design Widths of Pavements for Turning Roadways ..... 9-5

Table 9-2 Range of Usable Shoulder Widths or Equivalent Lateral Clearances  
    Outside Turning Roadways, Not on Structure ..... 9-6

Table 9-3 Intersection Design Vehicle..... 9-11

Table 9-4 Typical Designs for Turning Roadways ..... 9-16

Table 9-5 Lane Widths for Continuous Two-Way Left-Turn Lanes ..... 9-24

Table 9-6 Components of Speed Change Lane Length ..... 9-26

**List of Figures**

Figure 9-1 Physical and Functional Intersection Area..... 9-2

Figure 9-2 Elements of the Functional Area of an Intersection..... 9-2

Figure 9-3A Three-Centered Compound Curve (Symmetrical)..... 9-8

Figure 9-3B Three-Centered Compound Curve (Symmetrical) Greater than 180° ..... 9-9

Figure 9-4 Three-Centered Compound Curve (Asymmetrical) ..... 9-10

Figure 9-5A Sight Distance at Intersections, Minimum Sight Triangle ..... 9-18

Figure 9-5B Sight Distance at Intersections, Minimum Sight Triangle..... 9-19

Figure 9-6 Information Guide to Basic Auxiliary Lane Elements..... 9-25

Figure 9-7 Speed-Change Lane Taper for Continuously Curbed Medians ..... 9-30

Figure 9-8 (CDOT) Median Bay Taper ..... 9-31

Figure 9-9A Minimum Median Left-Turn Channelization, Four-Leg Intersection ..... 9-33

Figure 9-9B Minimum Median Left-Turn Channelization, Tee Intersection ..... 9-34

Figure 9-10A 14 to 16-Foot Median Left-Turn Design..... 9-37

Figure 9-10B 16 to 18-Foot Median Left-Turn Design ..... 9-38

Figure 9-10C Median Left Turn Design for Median Width Greater Than 18 Feet ..... 9-39

## CHAPTER 10

### GRADE SEPARATIONS AND INTERCHANGES

10.0	INTRODUCTION AND GENERAL TYPES OF INTERCHANGES .....	10-1
10.1	WARRANTS FOR INTERCHANGES AND GRADE SEPARATIONS .....	10-6
	10.1.1 Interchange and Grade Separation Warrants .....	10-6
10.2	ADAPTABILITY OF HIGHWAY GRADE SEPARATIONS AND INTER-CHANGES.....	10-7
10.3	GRADE SEPARATION STRUCTURES .....	10-8
10.4	INTERCHANGES.....	10-8
	10.4.1 General.....	10-8
10.5	GENERAL DESIGN CONSIDERATIONS.....	10-9
	10.5.1 Determination of Interchange Configuration.....	10-10
	10.5.2 Approaches to the Structure.....	10-11
	10.5.2.1 Alignment, Profile, and Cross Section .....	10-11
	10.5.2.2 Sight Distance .....	10-12
	10.5.3 Interchange Spacing.....	10-12
	10.5.4 Uniformity of Interchange Patterns .....	10-12
	10.5.5 Route Continuity.....	10-12
	10.5.6 Coordination of Lane Balance and Basic Number of Lanes.....	10-12
	10.5.7 Auxiliary Lanes.....	10-15
	10.5.8 Lane Reduction .....	10-15
	10.5.9 Weaving Sections.....	10-15
	10.5.10 Collector-Distributor Roads.....	10-21
	10.5.11 Two-Exit Versus Single-Exit Interchange Design.....	10-21
	10.5.12 Wrong-Way Entrances.....	10-21
10.6	RAMPS.....	10-21
	10.6.1 Types and Examples .....	10-21
	10.6.2 General Ramp Design Considerations .....	10-22
	10.6.2.1 Design Speed .....	10-22
	10.6.2.2 Curvature .....	10-23
	10.6.3 Stopping Sight Distance.....	10-23
	10.6.4 Ramp Profiles.....	10-23
	10.6.5 Superelevation and Cross Slope.....	10-25
10.7	INTERCHANGE DESIGN CRITERIA .....	10-26
	10.7.1 General.....	10-26
	10.7.2 Sight Distance .....	10-26
	10.7.3 Sight Distance to Exit Nose .....	10-26
	10.7.4 Gores.....	10-29
	10.7.5 Ramp Pavement Widths.....	10-32
	10.7.5.1 Width and Cross Section.....	10-32
	10.7.5.2 Shoulders and Lateral Clearances.....	10-32
	10.7.6 Ramp Terminals.....	10-32
	10.7.6.1 Right-Hand Entrances and Exits.....	10-33
	10.7.6.2 Left-Hand Entrances and Exits .....	10-33
	10.7.6.3 Terminal Location and Sight Distance .....	10-33
	10.7.6.4 Speed-Change Lanes.....	10-35
	10.7.7 Single Lane Free-Flow Terminals, Entrances.....	10-43

10.7.7.1 Taper Type Entrance.....	10-43
10.7.7.2 Parallel-Type Entrance .....	10-43
10.7.8 Single-Lane Free-Flow Terminals, Exits.....	10-43
10.7.8.1 Taper Type Exits.....	10-46
10.7.8.2 Parallel Type Exits.....	10-46
10.7.8.3 Free-Flow Terminals on Curves .....	10-47
10.7.8.4 At-Grade Terminals .....	10-47
10.7.9 Multilane Free-Flow Terminals .....	10-50
10.7.9.1 Two-Lane Entrances .....	10-50
10.7.9.2 Two-Lane Exits .....	10-50
10.7.9.3 Major Forks and Branch Connections and Freeway-to-Freeway Connections .....	10-53
10.8 PEDESTRIANS .....	10-53
10.9 RAMP METERING.....	10-54
REFERENCES .....	10-55

### List of Tables

Table 10-1 Guide Values for Ramp Design Speed as Related to Highway Design Speed.....	10-23
Table 10-2 Maximum Algebraic Difference in Pavement Cross Slope at Turning Roadway Terminals .....	10-25
Table 10-3 Minimum Deceleration Lengths for Exit Terminals With Flat Grades of 2 Percent or Less.....	10-36
Table 10-4 Minimum Acceleration Lengths for Entrance Terminals With Flat Grades of 2 Percent or Less .....	10-37
Table 10-5 Speed-Change Lane Adjustment Factors as a Function of Grade.....	10-38
Table 10-6 Minimum Length of Taper Beyond an Offset Nose.....	10-46

### List of Figures

Figure 10-1A Interchange Types .....	10-2
Figure 10-1B Interchange Types .....	10-3
Figure 10-1C Interchange Types .....	10-4
Figure 10-1D Interchange Types .....	10-5
Figure 10-1E Interchange Types.....	10-6
Figure 10-2 Typical Examples of Lane Balance.....	10-13
Figure 10-3 Coordination of Lane Balance and Basic Number of Lanes .....	10-14
Figure 10-4A Types of Weaving Sections.....	10-16
Figure 10-4B Types of Weaving Sections.....	10-17
Figure 10-5A Lane Configuration of Weaving Sections .....	10-19
Figure 10-5B Lane Configuration of Weaving Sections.....	10-20
Figure 10-6 Location of Ramp Intersections on the Cross Road .....	10-27
Figure 10-7 Measurement of Sight Distance at Ramp Terminals with Stop Controls .....	10-28
Figure 10-8 Typical Gore Area Characteristic.....	10-29
Figure 10-9 Traveled Way Narrowing on Entrance Ramps.....	10-31
Figure 10-10 Recommended Minimum Ramp Terminal Spacing .....	10-34
Figure 10-11A Typical Single-Lane Entrance Ramps (Tapered) .....	10-39
Figure 10-11B Typical Single-Lane Entrance Ramps (Parallel) (Preferred).....	10-40



Figure 10-12 Freeway Entrance Terminal – Taper Type..... 10-41  
Figure 10-13 Freeway Entrance Terminal – Parallel Type (Preferred) ..... 10-42  
Figure 10-14 Freeway Exit Terminal – Taper Type ..... 10-44  
Figure 10-15 Freeway Exit Terminal – Parallel Type ..... 10-45  
Figure 10-16A Single-Lane Ramp Exit Transition to Two Lanes (Alternate A)..... 10-48  
Figure 10-16B Single-Lane Ramp Exit Transition to Two Lanes (Alternate B) ..... 10-49  
Figure 10-17 Two-Lane Entrance or Branch Connection..... 10-51  
Figure 10-18 Two Lane Exit or Major Fork ..... 10-52

**CHAPTER 11**

**ACCESS CONTROL AND ACCESS MANAGEMENT**

11.0 INTRODUCTION ..... 11-1

11.1 FUNCTIONAL CHARACTERISTICS AND CATEGORY ASSIGNMENT  
CRITERIA ..... 11-1

11.2 ACCESS COORDINATION..... 11-3

11.3 DESIGN STANDARDS AND SPECIFICATIONS ..... 11-3

    11.3.1 Sight Distance ..... 11-3

    11.3.2 Access Spacing ..... 11-4

    11.3.3 Access Width ..... 11-4

    11.3.4 Access Radii..... 11-4

    11.3.5 Access Surfacing..... 11-5

11.4 SPEED CHANGE LANES..... 11-5

11.5 OTHER DESIGN ELEMENTS..... 11-5

11.6 EMERGENCY ACCESS..... 11-6

11.7 DRAINAGE..... 11-6

REFERENCES ..... 11-7

**List of Tables**

Table 11-1 Overview of the Access Category Classification Hierarchy ..... 11-2

Table 11-2 Design Vehicle Selection ..... 11-3

Table 11-3 Access Width..... 11-4

**List of Figures**

Figure 11-1 Conceptual Roadway Functional Hierarchy ..... 11-2

**CHAPTER 12**  
**ACCESSIBLE PEDESTRIAN DESIGN**

CHAPTER 12 ..... 12-1

ACCESSIBLE PEDESTRIAN DESIGN ..... 12-1

12.0 INTRODUCTION ..... 12-5

12.1 ADA ACCESSIBILITY REQUIREMENTS, STANDARDS & GUIDELINES..... 12-6

New Construction Project Requirements..... 12-6

Alteration Project Requirements..... 12-6

Non-Alteration Project Requirements..... 12-8

Technically Infeasible..... 12-9

Unaltered Existing Facilities & Transition Plan ..... 12-9

12.2 TECHNICAL REQUIREMENTS FOR ACCESSIBILITY..... 12-9

Pedestrian Access Route Technical Requirements ..... 12-10

12.3 CURB RAMP GENERAL INFORMATION..... 12-15

12.4 CURB RAMP TYPES ..... 12-16

12.4 CURB RAMP TECHNICAL REQUIREMENTS ..... 12-18

12.5 DETECTABLE WARNING SURFACES ..... 12-23

12.6 PEDESTRIAN CROSSING CONTROLS ..... 12-26

12.7 PEDESTRIAN RAMPS & LANDINGS ..... 12-28

**List of Figures**

Figure 12-1 - Passing Spaces ..... 12-10

Figure 12-2 - Pinch Points ..... 12-11

Figure 12-3 - Allowable Vertical Discontinuities..... 12-12

Figure 12-4 - Horizontal Openings in Grates ..... 12-12

Figure 12-5 - Protruding Objects ..... 12-13

Figure 12-6 - Protection from Stairways ..... 12-13

Figure 12-7 - Pedestrian Street Crossing Cross Slope..... 12-14

Figure 12-8 - Curb Ramp Elements ..... 12-15

Figure 12-9 - Preferred Curb Ramp Placement ..... 12-16

Figure 12-10 - Perpendicular Curb Ramp Examples..... 12-17

Figure 12-11 - Parallel Curb Ramp Example ..... 12-17

Figure 12-12 - Blended Transition/Depressed Corner Example..... 12-18

Figure 12-13 - Curb Ramp Grade Breaks ..... 12-19

Figure 12-14 - Curb Ramp Turning Spaces..... 12-20

Figure 15 - Transitioning Steep Roadway Slopes..... 12-20

Figure 12-16 - Perpendicular Curb Ramp Clear Spaces..... 12-21

Figure 12-17 - Flared Sides..... 12-22

Figure 12-18 - Curb Ramp Counter Slope Requirements..... 12-22

Figure 12-19 - Parallel Curb Ramp DWS Placement..... 12-24

Figure 12-20 - Perpendicular Curb Ramp DWS Placement..... 12-25

Figure 12-21 - Pedestrian Refuge DWS Placement..... 12-26

Figure 12-22 - Ped Push Button Reach Ranges..... 12-27

Figure 12-23 - Ped Push Button Placement..... 12-28

Figure 12-24 - Pedestrian Ramp Elements..... 12-29

Figure 12-25 - Pedestrian Ramp Turning Space Requirements..... 12-29

**CHAPTER 13**

**ALTERNATE STANDARDS (LOW VOLUME ROADS)**

13.0 INTRODUCTION ..... 13-1

13.1 DEFINITION AND CHARACTERISTICS..... 13-1

13.2 LOW-VOLUME FUNCTIONAL CLASSIFICATIONS..... 13-1

    13.2.1 Rural Major Access Roads..... 13-1

    13.2.2 Rural Minor Access Roads ..... 13-2

    13.2.3 Rural Industrial/Commercial Access Roads ..... 13-2

    13.2.4 Rural Agricultural Access Roads..... 13-2

    13.2.5 Rural Recreational and Scenic Roads ..... 13-2

    13.2.6 Rural Resource Recovery Roads ..... 13-3

    13.2.7 Urban Major Access Streets..... 13-3

    13.2.8 Urban Residential Streets..... 13-3

    13.2.9 Urban Industrial/Commercial Access Streets ..... 13-3

13.3 LOW VOLUME DESIGN APPLICATIONS ..... 13-3

    13.3.1 Design and Operation Speed..... 13-4

    13.3.2 Traffic Volumes ..... 13-4

13.4 CROSS SECTION DESIGN ..... 13-4

    13.4.1 Very Low-Volume Local Roads in Rural Areas Cross Section ..... 13-4

    13.4.2 Very Low-Volume Local Roads in Urban Areas Cross Section ..... 13-5

13.5 HORIZONTAL DESIGN ..... 13-5

    13.5.1 Horizontal Curve Design ..... 13-5

        13.5.1.1 Existing Roadways ..... 13-7

    13.5.2 Superelevation and Superelevation Transitions..... 13-7

    13.5.3 Stopping Sight Distance..... 13-7

        13.5.3.1 Sight Distance on Horizontal Curves..... 13-8

    13.5.4 Intersection Sight Distance ..... 13-10

        13.5.4.1 Intersections with No Control (Case A)..... 13-11

        13.5.4.2 Intersections with Stop Control on the Minor Road (Case B) ..... 13-11

        13.5.4.3 Intersections with Yield Control on the Minor Road (Case C) ..... 13-12

    13.5.5 Roadside Design ..... 13-12

        13.5.5.1 Clear Zone Width..... 13-12

        13.5.5.2 Traffic Barrier ..... 13-12

REFERENCES ..... 13-13

**List of Tables**

Table 13-1 Total Roadway Widths for Rural Conditions..... 13-4

Table 13-2 Total Roadway Widths for Urban Conditions..... 13-5

Table 13-3 Minimum Radius Using Limiting Values of e and f ..... 13-6

Table 13-4 Design Sight Distance Guidelines for New Construction of Very Low-Volume Local Roads ..... 13-8

Table 13-5 Design Guidelines for Sight Distance on Horizontal Curves for New Construction of Very Low-Volume Local Roads ..... 13-9

Table 13-6 Guidelines for Minimum Rate of Vertical Curvature to Provide Design Stopping Sight Distance on Crest Vertical Curves for New Construction of Very Low-Volume Local Roads ..... 13-10

Table 13-7 Recommended Sight Distance Guidelines for New Construction of  
Intersections with No Traffic Control..... 13-11

Table 13-8 Adjustment Factors for Sight Distance Based on Approach Grade ..... 13-11

## CHAPTER 14 BICYCLE AND PEDESTRIAN FACILITIES

<b>14.0</b>	<b>INTRODUCTION .....</b>	<b>2</b>
14.0.1	Intent of Chapter 14 - Design of Bicycle and Pedestrian Facilities .....	2
14.0.2	CDOT Bike and Pedestrian Policy Directive 1602.0.....	2
14.0.3	CDOT Bike and Pedestrian Procedural Directive 1602.1 .....	3
14.0.4	Design Exceptions .....	4
14.0.5	Federal Guidance Concerning Bicycle and Pedestrian Facilities .....	4
14.0.5.1	US DOT Policy Statement .....	4
14.0.5.2	Restrictions on Severing Bicycle and Pedestrian Facilities .....	5
14.0.6	Context Sensitive Design.....	5
14.0.7	User Counts.....	5
<b>14.1</b>	<b>BICYCLE FACILITIES.....</b>	<b>6</b>
14.1.1	Accommodating Bicycles .....	6
14.1.1.1	Sharing Roadway Space .....	6
14.1.1.2	Role of Design Factors .....	7
14.1.1.3	The Bicycle as a Design Vehicle.....	7
14.1.2	Bike Routes.....	8
14.1.2.1	General Bike Routes.....	8
14.1.2.2	Numerically Labeled Bike Routes .....	9
14.1.3	Shared lanes .....	10
14.1.3.1	Bicycle May Use Full Lane Sign (R4-11).....	10
14.1.3.2	SHARE THE ROAD Sign Assembly (W11-1 + W16-1P) .....	11
14.1.3.3	Shared Lane Markings.....	13
14.1.4	Wide Curb Lanes .....	13
14.1.5	Paved Shoulders.....	13
14.1.5.1	Additional Width.....	14
14.1.5.2	Shoulders on Steep Grades.....	16
14.1.5.3	Rumble Strips .....	16
14.1.5.4	Shoulders at Intersections.....	16
14.1.6	Bike Lanes .....	16

14.1.6.1	Bike Lane Width .....	17
14.1.6.2	Designating Bike Lanes.....	17
14.1.6.3	Buffered Bike Lanes.....	18
14.1.6.4	Bike Lanes at Driveways and Intersections .....	19
14.1.7	Detection of Bicycles at Signalized Intersections.....	32
14.1.7.1	Signal Detection Loops in Bike Lanes .....	33
14.1.7.2	Signal Timing for Bicycles.....	33
14.1.8	Cycle Tracks .....	34
14.1.9	Bicycle Boulevards .....	36
14.1.10	Alternative Routes .....	37
14.1.11	Other Roadway Considerations .....	38
14.1.11.1	Cross Slopes .....	38
14.1.11.2	Drainage Inlets and Utility Covers .....	38
14.1.11.3	Railroad Crossings .....	38
14.1.11.4	Bridges and Tunnels.....	39
<b>14.2</b>	<b>SHARED USE PATHS .....</b>	<b>39</b>
14.2.1	Surface Treatments .....	40
14.2.1.1	Paved Shared Use Path.....	40
14.2.1.2	Unpaved Shared Use Paths.....	40
14.2.2	Design Speed .....	40
14.2.3	Sight Distance .....	41
14.2.3.1	Stopping Sight Distance .....	41
14.2.3.2	Sight Distance on Horizontal curves .....	42
14.2.3.3	Sight Distance on Vertical curves .....	45
14.2.3.4	Sight Distance at Intersections .....	46
14.2.4	Shared Use Path Width .....	47
14.2.5	Cross Slope .....	50
14.2.6	Clearances .....	50
14.2.7	Horizontal Alignment of Shared Use Paths .....	51
14.2.8	Vertical Alignment of Shared Use Paths .....	52
14.2.9	Intersections with Shared Use Paths .....	53
14.2.9.1	Required Sight Triangles at Shared Use Path Intersections .....	55
14.2.9.2	Traffic Control at Intersections with Shared Use Paths .....	60
14.2.9.3	Reducing Speeds on the Approach to Intersections .....	62



14.2.9.4	Curb Ramps .....	63
14.2.9.5	Prevention of Motor Vehicle Encroachment onto Shared Use Paths .....	64
14.2.10	Underpass and Overpass Structures .....	66
14.2.10.1	Width and Clearance for Structures Serving Shared Use Paths ....	67
14.2.10.2	Grades on Structures Serving Shared Use Paths .....	67
14.2.10.3	Railings on Structures Serving Shared Use Paths .....	68
14.2.10.4	Railroad crossings .....	68
14.2.10.5	Utilities .....	69
14.2.10.6	Traffic Calming on Shared Use Paths .....	69
14.2.11	Wayfinding on Shared Use Paths .....	70
14.2.12	Shared Use Paths Adjacent to the Roadway (Sidepaths).....	70
14.2.13	Safety Considerations of Sidepaths .....	70
14.2.13.1	Potential Mitigation Measures to the Operational Challenges of Sidepaths .....	72
14.2.14	Sidepath Clearance to the Adjacent Roadway .....	74
14.2.15	Equestrian Facilities.....	74
14.2.15.1	Geometric Design of Equestrian Facilities.....	75
14.2.15.2	Signage of Equestrian Facilities .....	76
14.2.16	Other Considerations on Bicycle Facilities.....	76
14.2.16.1	Retrofit Projects.....	76
14.2.16.2	Shared Use Path Lighting.....	76
14.2.16.3	Maintenance of Traffic .....	77
14.2.16.4	Integration of Bicycles with Transit.....	77
14.2.16.5	Innovative Signage and Markings.....	80
14.2.16.6	Maintenance of Bicycle Facilities .....	82
<b>14.3</b>	<b>PEDESTRIAN FACILITIES .....</b>	<b>82</b>
14.3.1	General Pedestrian Considerations .....	83
14.3.1.1	Accommodating Pedestrians in the Right-of-Way.....	83
14.3.1.2	Operating Characteristics of Pedestrians.....	84
14.3.1.3	Americans with Disabilities Act Requirements .....	84
14.3.1.4	Curb Ramps and Blended Transitions.....	85
14.3.1.5	Vertical Changes in Grade .....	86
14.3.2	Sidewalks .....	86
14.3.2.1	Separation from Roadway .....	86

14.3.2.2	Sidewalk Width .....	87
14.3.2.3	Protruding Objects .....	87
14.3.3	Grade and Cross Slopes .....	88
14.3.4	Driveways .....	89
14.3.5	Sidewalk Lighting .....	89
14.3.6	Transit Stops .....	89
14.3.7	Pedestrian Crossings of Roadways .....	89
14.3.8	Pedestrian Crossings at Intersections .....	89
14.3.8.1	Pedestrian Crossings at Uncontrolled Approaches to Intersections .....	90
14.3.8.2	Pedestrian Crossings at Stop and Yield Control Intersections .....	90
14.3.8.3	Pedestrian Crossings at Signal Control Intersections .....	90
14.3.8.4	Pedestrian Crossings at Roundabouts .....	91
14.3.9	Pedestrian Crossings at Midblock Locations .....	92
14.3.9.1	Rapid Rectangular Flashing Beacons .....	93
14.3.9.2	Pedestrian Hybrid Signals .....	94
14.3.9.3	Guidance for Traffic Control Selection at Midblock Crossings .....	95
14.3.9.4	Signalized Pedestrian Crossings .....	98
14.3.9.5	Grade Separated Pedestrian Crossings .....	98
14.3.9.6	Additional Treatments at Midblock Crossings .....	99
14.3.9.7	Sidewalk Crossings of Rail Lines .....	100
14.3.10	Other Pedestrian Considerations .....	101
14.3.10.1	Traffic Calming .....	101
14.3.10.2	Pedestrian Amenities .....	102
14.3.10.3	Pedestrian Wayfinding Signage .....	102
14.3.10.4	On-street Parking .....	103
14.3.11	School Areas .....	103
14.3.12	Maintenance of Traffic (58) .....	104
14.3.12.1	Pedestrian Considerations in Temporary Traffic Control Zones .....	104
14.3.12.2	Accessibility Considerations .....	107
<b>REFERENCES</b>	.....	<b>108</b>

### List of Figures

Figure 14-1	Examples of BICYCLE GUIDE Signs .....	14-9
Figure 14-2	Examples of BIKE ROUTE Signs.....	14-9
Figure 14-3	U.S. BIKE ROUTE Sign.....	14-10
Figure 14-4	Bicycles May Use Full Lane Sign .....	14-11
Figure 14-5	SHARE THE ROAD Sign Assembly .....	14-12
Figure 14-6	Shared Lane Marking.....	14-13
Figure 14-7	Advance Warning Stripe for Rumble Strips .....	14-16
Figure 14-8	Detail of Bike Lane Designation.....	14-18
Figure 14-9	Detail of Buffered Bike Lane Designation .....	14-19
Figure 14-10	Typical Bike Lane - Major Intersection, No Right Turn Lane, Curb and Gutter .....	14-21
Figure 14-11	Typical Bike Lane - Major Intersection, Right Turn Lane, Curb and Gutter .....	14-22
Figure 14-12	Typical Bike Lane - Major Intersection, No Right Turn Lane, No Curb and Gutter.....	14-23
Figure 14-13	Typical Bike Lane - Major Intersection, Right Turn Lane, No Curb and Gutter .....	14-24
Figure 14-14	Typical Bike Lane - Major Intersection, No Right Turn Lane, On-Street Parking.....	14-25
Figure 14-15	Typical Bike Lane - Major Intersection, Right Turn Trap Lane, Bus Stop.....	14-26
Figure 14-16	Typical Bike Lane - Tee Intersection, Right Turn Must Turn Right Lane, Bus Stop.....	14-27
Figure 14-17	Typical Bike Lane - Tee Intersection, Right Turn Lane, Bus Bay .....	14-28
Figure 14-18	Typical Bike Lane - Compact Interchange .....	14-29
Figure 14-19	Typical Bike Lane - Rural Interchange.....	14-30
Figure 14-20	Typical Bike Lane - Continuous Flow Intersection .....	14-31
Figure 14-21	Bike Detection Symbol and Bicycle Signal Actuation Sign.....	14-32
Figure 14-22	Conflict Markings on Cycle Tracks .....	14-36
Figure 14-23	Bicycle Obstruction Marking in Advance of a Drop Inlet.....	14-38
Figure 14-24	Potential Treatments at a Skewed Railroad Crossing .....	14-39
Figure 14-25	Stopping Sight Distance on a Shared Use Path Horizontal Curves .....	14-43
Figure 14-26	Design Controls for.....	14-44
Figure 14-27	Sight Distance on Crest Vertical Curves.....	14-45
Figure 14-28	Path User Position Signs .....	14-48
Figure 14-29	Mode Specific Guide Signs.....	14-49
Figure 14-30	SELECTIVE EXCLUSION Signs .....	14-49
Figure 14-30	Conditions where Barriers to Embankments are Recommended.....	14-51
Figure 14-31	Bicycle HILL WARNING Sign.....	14-53
Figure 14-32	Functional Area of an Intersection.....	14-55
Figure 14-33	Illustration of Intersection Sight Triangle Dimensions .....	14-57
Figure 14-34	Illustration of Intersection Sight Triangle Dimensions .....	14-59
Figure 14-35	Illustration of Intersection Sight Triangle Dimensions.....	14-60
Figure 14-36	INTERSECTION WARNING (W2 Series) and ADVANCE TRAFFIC CONTROL (W3 Series) Signs .....	14-61

Figure 14-37 TRAIL CROSSING Assembly .....	14-62
Figure 14-38 Geometric Design to Slow Bicyclists on Intersection Approaches .....	14-63
Figure 14-39 Chicane on Approach to Intersection .....	14-63
Figure 14-40 NO MOTOR VEHICLES Sign (R5-3) .....	14-64
Figure 14-41 Example Schematic Path Entry .....	14-65
Figure 14-42 Obstruction Striping around Bollards on Shared Use Paths .....	14-66
Figure 14-43 Maximum Spacing of Resting Intervals on Shared Use Path Structure Ramps .....	14-67
Figure 14-44 Example Signage and Markings at a Shared Use Path Crossing of a Rail Road (49) .....	14-69
Figure 14-45 Example ADJACENT PATH Sign .....	14-73
Figure 14-46 TRAIL COURTESY sign .....	14-76
Figure 14-47 Bicycle Facility DETOUR Signs .....	14-77
Figure 14-48 Bicycle Channel (41) .....	14-78
Figure 14-49 Shared Bus-Buffered Bike Lane .....	14-79
Figure 14-50 Example Striping and Marking for a Bike Box .....	14-81
Figure 14-51 Protruding Objects .....	14-88
Figure 14-52 Locations of Pedestrian Crossings at Roundabouts (52) .....	14-91
Figure 14-53 Detectable Warning Placement in Median Refuge Islands .....	14-92
Figure 14-54 Angle Cut through a Median .....	14-93
Figure 14-55 Rapid Rectangular Flashing Beacon .....	14-94
Figure 14-56 Pedestrian Hybrid Signal Sequence (53) .....	14-95
Figure 14-57 Approach Slope Markings for Raised Pedestrian Crossings (55) .....	14-100
Figure 14-58 Example of Flashing-Light Signal Assembly for Pedestrian Crossings (56) .....	14-101
Figure 14-59 SCHOOL SPEED LIMIT Assembly .....	14-103
Figure 14-60 Pedestrian Facility DETOUR Sign .....	14-107

### List of Tables

Table 14-1 Maximum motor vehicle service volumes for given Bicycle LOS grades ..	14-15
Table 14-2 Stopping Sight Distance .....	14-42
Table 14-3 Minimum Length of Crest Vertical Curve Based on Stopping Sight Distance .....	14-46
Table 14-4 Minimum Radii and Superelevation for Shared Use Paths .....	14-52
Table 14-5 Intersection Sight Distance .....	14-57
Table 14-6 Required Sight Distance for Minor Leg of Yield Control .....	14-59
Table 14-7 Suggested tread width on shared use horse trails .....	14-75
Table 14-8 Suggested minimum turn radii for horse trails .....	14-75
Table 14-9 Suggested maximum cross slope for horse trails .....	14-75
Table 14-10 Referral Table for Midblock Crossing Treatments .....	14-95
Table 14-11 Roadway Volume less than 650 Vehicles per hour, vph (6,700 vehicles per day <sup>1</sup> , vpd) .....	14-96
Table 14-12 Roadway Volume greater than 650 vph <sup>1</sup> (6,700 vpd) and less than 1,150 (12,000 vpd) .....	14-97
Table 14-13 Roadway Volume Greater than 1,150 <sup>1</sup> vph (12,000 vpd) .....	14-98

**CHAPTER 15  
BRIDGE**

15.0	INTRODUCTION .....	15-1
15.1	SCOPE OF WORK DEVELOPMENT .....	15-1
15.2	DEFINITIONS.....	15-1
	15.2.1 Major Structures.....	15-1
	15.2.2 Minor Structures .....	15-2
	15.2.3 Special Inlet or Outlet .....	15-2
	15.2.4 Standard CBCs Vs. Non-Standard CBCs .....	15-2
	15.2.5 Walls .....	15-2
15.3	ROADWAY ELEMENTS OF DESIGN .....	15-2
	15.3.1 Bridge Roadway Width.....	15-2
	15.3.2 Cross Slope .....	15-3
	15.3.3 Median .....	15-3
	15.3.4 Horizontal Alignment .....	15-3
	15.3.5 Vertical Alignment.....	15-3
	15.3.6 Bridge Skew Angle.....	15-3
	15.3.7 Bridge Sidewalks and Bikeways.....	15-4
	15.3.8 Embankment Slopes at Bridge Approaches.....	15-4
	15.3.9 Clearance to Structures and Obstructions .....	15-4
15.4	ROADWAY DESIGN SUBMITTAL TO BRIDGE/STRUCTURE DESIGNER.....	15-4
	15.4.1 Purpose.....	15-4
	15.4.2 Project Scoping .....	15-5
	15.4.3 Survey Requests for Bridges.....	15-5
	15.4.4 Roadway Design Submittal to Project Structural Engineer .....	15-5
15.5	HYDRAULICS REPORTS .....	15-5
	15.5.1 Stream and River Crossings.....	15-5
	15.5.2 Roadside and Bridge Deck Drainage .....	15-6
15.6	SPECIAL REQUIREMENTS .....	15-6
	15.6.1 Permits .....	15-6
	15.6.2 Environmental.....	15-6
	15.6.2.1 Historic Requirements .....	15-7
	15.6.3 Aesthetics.....	15-7
	15.6.3.1 Structural Coatings.....	15-7
	15.6.4 Utilities.....	15-7
	15.6.5 Construction.....	15-7
	15.6.5.1 Detours and Staging.....	15-7
15.7	FOUNDATIONS AND STRUCTURES .....	15-8
15.8	STRUCTURAL DESIGN SUBMITTALS.....	15-8
	REFERENCES .....	15-10

## CHAPTER 16

### CONSTRUCTION SPECIFICATIONS

16.0	INTRODUCTION .....	16-3
16.1	SPECIFICATIONS - GENERAL.....	16-3
16.1.1	Definition.....	16-3
16.1.2	Importance and Characteristics of Well-Written Specifications .....	16-3
16.1.3	Basic Specification Policy .....	16-4
16.1.3.1	Standards and Specifications Unit .....	16-4
16.1.3.2	Liquidated Damages, Penalties, and Incentives.....	16-4
16.1.3.3	Uniformity.....	16-4
16.1.3.4	Warranties and Guaranties.....	16-5
16.1.3.5	Proprietary Items.....	16-5
16.1.3.6	Materials-Methods Vs. End-Result Specifications.....	16-6
16.1.3.7	Pay Items.....	16-6
16.1.3.8	Reference Specifications.....	16-6
16.1.3.9	Laws, Statutes, and Regulations .....	16-6
16.2	STANDARD SPECIFICATIONS .....	16-6
16.2.1	Organization and Format .....	16-7
16.2.1.1	Five-Part Format .....	16-7
16.2.1.2	Subsections .....	16-7
16.3	SUPPLEMENTAL SPECIFICATIONS.....	16-10
16.4	SPECIAL PROVISIONS.....	16-10
16.4.1	Organization of Text.....	16-10
16.4.2	Margins .....	16-10
16.4.3	Text .....	16-10
16.4.4	Standard Special Provisions.....	16-10
16.4.4.1	Fonts.....	16-11
16.4.5	Project Special Provisions.....	16-11
16.4.5.1	Criteria .....	16-11
16.4.5.2	Format and Style .....	16-12
16.4.5.3	Fonts.....	16-12
16.4.5.4	Titles .....	16-12
16.4.5.5	Types of Special Provisions.....	16-12
16.4.5.6	Revised or Added Specification Text .....	16-17
16.4.6	Use of New or Revised Project Special Provisions .....	16-17
16.4.7	Special Provision Package .....	16-17
16.5	CONSTRUCTION SPECIFICATIONS WEBSITE.....	16-18
16.5.1	Accessing the Website .....	16-18
16.5.2	Contents of the Website .....	16-18
16.5.2.1	Project Special Provision Work Sheets.....	16-18
16.5.3	Updates .....	16-18
16.6	USE OF METRIC AND ENGLISH UNITS .....	16-19
16.7	WRITING STYLE.....	16-19
	REFERENCES .....	16-22

**List of Tables**

Table 16-1 Spec Book Grammar, Syntax, and Format Protocol..... 16-20

**List of Figures**

Figure 16-1 Subsection Organization ..... 16-9

**CHAPTER 17**

This chapter is currently under development.



## **CHAPTER 18 NOISE GUIDE**

18.0	INTRODUCTION.....	18-1
18.1	NOISE FUNDAMENTALS.....	18-1
18.2	NOISE REGULATIONS AND ANALYSIS REQUIREMENTS.....	18-2
18.3	CDOT NOISE ANALYSIS AND ABATEMENT GUIDELINES.....	18-5
18.4	HIGHWAY TRAFFIC NOISE MITIGATION MEASURES.....	18-6
	18.4.1 Traffic Management Measures.....	18-6
	18.4.2 Alteration of Horizontal or Vertical Alignments.....	18-7
	18.4.3 Acquisition of Property or Property Rights.....	18-8
	18.4.4 Noise Insulation.....	18-9
18.5	NOISE BARRIERS.....	18-9
	18.5.1 Noise Barrier Walls.....	18-10
	18.5.2 Berms.....	18-11
	18.5.3 Combination Barriers.....	18-12
	18.5.4 General Design Guidelines.....	18-13
	18.5.5 General Aesthetic Guidelines.....	18-15
	18.5.5.1 Visual Analysis.....	18-16
	18.5.5.2 Visual Design Principles.....	18-17
	18.5.5.3 End Treatments.....	18-19
	18.5.5.4 Design Elements for Landscape Plantings.....	18-20
	18.5.6 General Maintenance Guidelines.....	18-21
18.6	General Materials Guidelines for Noise Barrier Walls.....	18-22
	18.6.1 Acoustic Testing Requirements.....	18-22
	18.6.2 Additional Considerations for Noise Barrier Materials.....	18-22
	18.6.2.1 Acoustic Properties.....	18-22
	18.6.2.2 Physical Properties.....	18-22
	18.6.2.3 Maintenance Requirements.....	18-23
18.7	CONSTRUCTION NOISE.....	18-23
	REFERENCES.....	18-25

**List of Tables**

Table 18-1: CDOT Noise Abatement Criteria for Receptor Activity Descriptions..... 18-4

**List of Illustrations**

Illustration 18-1: Cast-in-Place Masonry I-76 East of York Street..... 18-10

Illustration 18-2: Post-and-Panel Noise Barrier Mounted on Type 7 Barrier: US-6 in Lakewood..... 18-11

Illustration 18-6: Recycled Sand Berm: I-70 East of Vail..... 18-12

Illustration 18-7: Combination Barrier: I-25 @ Exit 188..... 18-13

Illustration 18-3: Artistically Treated Precast Concrete Noise Barrier: SH-47 in Pueblo..... 18-17

Illustration 18-4: I-70 Dillon Valley Noise Barrier..... 18-19

Illustration 18-5: Terraced Landscaping With Noise Barrier: US-287 Lafayette Bypass..... 18-21

Illustration 18-8: Masonry Noise Barrier Construction: I-270 West of York Street..... 18-24

**CHAPTER 19  
ROUNDBABOUTS**

19.0 INTRODUCTION ..... 19-1

19.1 ROUNDBABOUT CATEGORIES ..... 19-2

    19.1.1 Mini-Roundabout ..... 19-3

    19.1.2 Single-Lane Roundabout ..... 19-4

    19.1.3 Multilane Roundabout ..... 19-5

19.2 ROUNDBABOUT DESIGN PROCESS ..... 19-5

    19.2.1 Roundabout Design Process ..... 19-5

    19.2.2 General Design Considerations ..... 19-7

19.3 GEOMETRIC DESIGN ..... 19-7

    19.3.1 Identify Initial Design Elements ..... 19-7

        19.3.1.1 Roundabout Size ..... 19-7

        19.3.1.2 Alignment of Approaches ..... 19-8

        19.3.1.3 Design Vehicle ..... 19-10

19.4 SINGLE-LANE ROUNDBABOUTS ..... 19-10

    19.4.1 Splitter Islands ..... 19-10

    19.4.2 Entry Width ..... 19-12

    19.4.3 Circulatory Roadway Width ..... 19-13

    19.4.4 Central Island & Truck Apron ..... 19-13

    19.4.5 Entry Design ..... 19-14

    19.4.6 Exit Design ..... 19-15

    19.4.7 Right-Turn Bypass Lanes ..... 19-16

19.5 MULTILANE ROUNDBABOUTS ..... 19-17

    19.5.1 Entry Width ..... 19-17

    19.5.2 Circulatory Roadway Widths ..... 19-19

    19.5.3 Entry Geometry and Approach Alignment ..... 19-20

        19.5.3.1 Entry Geometry and Design Vehicle Considerations ..... 19-21

    19.5.4 Path Overlap ..... 19-22

    19.5.5 Exit Curves ..... 19-23

19.6 MINI-ROUNDBABOUTS ..... 19-24

    19.6.1 Splitter Islands ..... 19-25

    19.6.2 Pedestrian and Bicycle Treatments ..... 19-26

    19.6.3 Vertical Design ..... 19-26

19.7 PERFORMANCE CHECKS ..... 19-26

    19.7.1 Fastest Path ..... 19-26

    19.7.2 Path Alignment (Natural Path) Considerations ..... 19-29

    19.7.3 Sight Distance ..... 19-30

        19.7.3.1 Stopping Sight Distance ..... 19-30

        19.7.3.2 Intersection Sight Distance ..... 19-32

    19.7.4 Angles of Visibility ..... 19-34

19.8 DESIGN DETAILS ..... 19-35

    19.8.1 Sidewalk Considerations ..... 19-35

    19.8.2 Crosswalk Considerations ..... 19-36

    19.8.3 Bicycle Design Considerations ..... 19-37

    19.8.4 Parking and Bus Stop Considerations ..... 19-39

    19.8.5 High-Speed Approach Considerations ..... 19-39

19.8.6 Vertical Considerations..... 19-40  
 19.8.7 Cross Slope ..... 19-42  
 19.8.8 Truck Apron..... 19-42  
 19.8.9 Drainage..... 19-42  
 19.8.10 Concrete Jointing Patterns ..... 19-42  
 19.8.11 Access Management ..... 19-43  
 19.8.12 Illumination..... 19-43  
 REFERENCES ..... 19-44

**List of Tables**

Table 19-1 Roundabout Category Comparison ..... 19-3  
 Table 19-2 Typical Inscribed Diameter Ranges ..... 19-8  
 Table 19-3 Stopping Sight Distance ..... 19-31  
 Table 19-4 Computed Length of Conflicting Leg of Intersection Sight Triangle ..... 19-34

**List of Figures**

Figure 19-1 Roundabout Geometric Elements ..... 19-2  
 Figure 19-2 Typical Mini-Roundabout..... 19-4  
 Figure 19-3 Typical Single-Lane Roundabout ..... 19-4  
 Figure 19-4 Typical Multilane Roundabout ..... 19-5  
 Figure 19-5 General Roundabout Design Process ..... 19-6  
 Figure 19-6 Entry Alignment Alternatives ..... 19-9  
 Figure 19-7 Minimum Splitter Island Dimensions ..... 19-11  
 Figure 19-8 Typical Minimum Splitter Island Nose Radii and Offsets..... 19-12  
 Figure 19-9 Single-Lane Roundabout Entry Design ..... 19-13  
 Figure 19-10 Typical Swept Path of a Large Design Vehicle through a Single-Lane Roundabout..... 19-14  
 Figure 19-11 Roundabout Entry Angle..... 19-15  
 Figure 19-12 Single-Lane Roundabout Curvilinear Exit Design ..... 19-15  
 Figure 19-13 Single-Lane Roundabout Larger Radius Exit Design..... 19-16  
 Figure 19-14 Sample Layout of Right-Turn Bypass Lane with Acceleration Lane ..... 19-17  
 Figure 19-15 Approach Widening by Adding a Full Lane ..... 19-18  
 Figure 19-16 Approach Widening by Entry Flaring..... 19-18  
 Figure 19-17 Multilane Major Street with Single-Lane Minor Street ..... 19-19  
 Figure 19-18 Two-Lane Roundabout with Consecutive Double-Lefts ..... 19-20  
 Figure 19-19 Example Minor Approach Offset to Increase Entry Deflection..... 19-21  
 Figure 19-20 Truck Path with Gore Striping at Entry ..... 19-22  
 Figure 19-21 Entry Vehicle Path Overlap ..... 19-22  
 Figure 19-22 Desirable Vehicle Path Alignment..... 19-23  
 Figure 19-23 Exit-Circulating Conflict Caused by Large Separation between Legs ..... 19-24  
 Figure 19-24 Realignment to Resolve Exit-Circulating Conflicts..... 19-24  
 Figure 19-25 Fastest Path Radii..... 19-27  
 Figure 19-26 Fastest Path Radii..... 19-28  
 Figure 19-27 Speed-to-Radius Relationship..... 19-28  
 Figure 19-28 Vehicle Path Sketched through Roundabout..... 19-30  
 Figure 19-29 Stopping Sight Distance on Approach ..... 19-31  
 Figure 19-30 Stopping Sight Distance on Circulatory Roadway..... 19-32

Figure 19-31 Sight Distance to Crosswalk on Exit..... 19-32  
Figure 19-32 Intersection Sight Distance ..... 19-33  
Figure 19-33 Roundabout Example with Poor Angle of Visibility ..... 19-34  
Figure 19-34 Roundabout Example with Improved Angle of Visibility ..... 19-35  
Figure 19-35 Example Roundabout Sidewalk ..... 19-36  
Figure 19-36 Alternative Roundabout Sidewalk Treatment..... 19-36  
Figure 19-37 Possible Treatments for Bicycles at Roundabouts ..... 19-38  
Figure 19-38 Bicycle Ramp Design Options ..... 19-39  
Figure 19-39 Use of Successive Curves on High-Speed Approaches ..... 19-40  
Figure 19-40 Sample Central Island Profile ..... 19-41

**CHAPTER 20**  
**TRAFFIC AND SAFETY ENGINEERING**

20.0	INTRODUCTION .....	20-1
20.1	ROADWAY SAFETY .....	20-1
20.1.1	Bicycle and Pedestrian Safety .....	20-1
20.1.2	Railroad-Highway Grade Crossings .....	20-1
20.1.3	Roadway Geometry Considerations .....	20-3
20.1.4	Intersections .....	20-3
20.1.5	Interchanges .....	20-4
20.1.6	Context Sensitive Solutions .....	20-4
20.1.7	Work Zone Safety .....	20-5
20.1.8	Roadway Shoulders .....	20-5
20.2	REDUCING RUN-OFF-THE-ROAD CRASHES .....	20-5
20.2.1	Rumble Strips .....	20-6
20.2.1.1	General Criteria .....	20-6
20.2.1.2	Installation on Interstate Highways .....	20-7
20.2.1.3	Installation on Narrow Shoulders .....	20-7
20.3	ROADSIDE SAFETY .....	20-7
20.3.1	Unique Hazards .....	20-8
20.3.2	Guardrail .....	20-8
20.3.2.1	Review of Crash History .....	20-8
20.3.2.2	Maintaining Continuity .....	20-8
20.3.2.3	Determination of Length .....	20-9
20.3.2.4	Offset .....	20-9
20.3.2.5	Access Treatments .....	20-9
20.4	TRAFFIC ENGINEERING PLANS .....	20-9
20.4.1	Source Documents .....	20-9
20.5	CONSTRUCTION TRAFFIC CONTROL .....	20-10
20.5.1	Construction Traffic Control Plan .....	20-10
20.5.2	Construction Signing and Striping .....	20-11
20.5.3	Temporary Pavement Markings .....	20-11
20.5.4	Channelizing Devices .....	20-12
20.5.5	Special Devices .....	20-13
20.5.6	Construction Staging/Phasing .....	20-13
20.5.7	Construction at or Near Railroad-Highway Grade Crossings .....	20-13
20.6	PERMANENT SIGNING .....	20-14
20.6.1	Uniform Standard Regulatory and Warning Signs .....	20-14
20.6.2	Special Signs .....	20-14
20.6.3	Sign Classifications .....	20-15
20.6.4	Ground Sign Supports and Foundations (Class III) .....	20-15
20.6.5	Overhead Sign Structures .....	20-15
20.6.6	Cross Sections at Class III and Overhead Sign Structure Locations .....	20-16
20.7	SPECIFICATIONS .....	20-16
20.7.1	Standard Specifications .....	20-16
20.7.2	Standard Special Provisions .....	20-16
20.7.3	Traffic Project Special Provisions .....	20-16
20.8	SIGNALS .....	20-17

20.8.1	Signal Plans.....	20-17
20.8.2	Warrant Studies.....	20-17
20.9	PAVEMENT MARKINGS .....	20-17
20.9.1	Permanent .....	20-17
20.9.2	Temporary.....	20-18
20.10	RESEARCH.....	20-18
	REFERENCES .....	20-19