

MEMORANDUM

DEPARTMENT OF TRANSPORTATION

Project Development Branch, Standards and Specifications Unit
4201 East Arkansas Avenue
Denver, Colorado 80222
(303)757-9011
FAX (303)757-9820



DATE: September 29, 2011

TO: All Holders of Standard Special Provisions

FROM: Larry Brinck, Standards and Specifications Engineer

SUBJECT: Revision of Section 702, Hot Poured Joint and Crack Sealant

Effective this date, our unit is issuing a new standard special provision, Revision of Section 702, Hot Poured Joint and Crack Sealant. This new standard special provision is 1 page long. Use this special provision on projects having hot poured joint and crack sealant. The use of this new standard special provision is mandatory on appropriate projects advertised on or after October 27, 2011. Please feel free, however, to include it in projects advertised before this date.

This new standard special provision allows for the use of Type IV hot poured joint and crack sealant, in addition to Type II that is currently in use. Type I is no longer allowed.

Those of you who keep books of standard special provisions should add this new one to your file. For your reference, we are including a new Index of Standard Special Provisions, which is also effective this date. In addition, you will find this issuance letter and the new special provision along with other special provisions that have been issued today in one place on the CDOT Construction Specifications web site. Please visit:

<http://www.coloradodot.info/business/designsupport/construction-specifications/2011-Specs/recently-issued-special-provisions>

If you have any questions or comments, please contact this office.

LB/mrs
Attachments
Distribution: Per distribution list