

# INDEX

Page	Page
AASHTO LRFD Bridge Design Specifications .....	509-1
Abbreviations .....	101-1, 2
abutments .....	101-3; 105-36, 37; 601-30
Acceptance .....	105-29
Acceptance Criteria, Test Soil Nail	504-23
Final Acceptance .....	105-28
Final Landscape Acceptance .....	623-9
Final Smoothness Acceptance .....	105-31
Initial Smoothness Acceptance .....	105-25
Owner Acceptance .....	106-14
Partial Acceptance .....	105-40, 41; 208-30
Ultrasonic acceptance .....	509-6
Acceptance and Final Payment.....	109-13
Acceptance or Rejection of Recommendation .....	105-35
Accessible Pedestrian Signal .....	614-10, 11
ACM.....	See Asbestos Containing Material
ACPA...	See American Concrete Pipe Assoc.
ACS .....	See Asbestos Contaminated Soil
Acts of God .....	107-14; 108-10
AD.....	See Areas of Disturbance
Additional Responsibilities of the Standing Disputes Review Board.....	105-45
Adjust Structure .....	210-2
Admissibility of Recommendation.....	105-50
Admixtures.....	504-16; 601-13; 711-1
Air Entraining .....	412-1; 711-1
Chemical admixtures.....	412-1; 711-1
Corrosion inhibiting admixtures .....	711-1
Advertisement.....	101-2
AEP .....	See Asphalt Emulsion for Prime Coat
AFAD .	See Automated Flagging Assistance Devices
Affected Area .....	101-3
Aggregate	
Coarse Aggregate .....	703-1, 4
combined aggregate gradation	106-13, 14
Fine Aggregate .....	703-2
Fine Aggregate Sand Equivalent .....	105-9
industrial by-product aggregates....	206-2
segregation of aggregates .....	503-13
Aggregate Bag.....	208-8, 24;
.....	See Tables 208-11, 12, 13
Aggregate Base Course .....	304-1;
.....	See Tables 703-2, 3
Aggregate Base Course (RAP) .....	703-2, 4
Aggregate for Bases .....	703-2
Aggregate for Cover Coat Material.....	703-6
Aggregate Gradation.....	703-1;
.....	See Tables 208-11, 12, 13
Aggregate Gradation and Sand Equivalent .....	106-17
Aggregate for Median Cover ....	610-1; 703-10
aggregate spreader .....	409-1, 2
aggregate stockpiles.....	106-14; 601-26
air pollution emission notice.....	250-5, 8
Air Quality Control .....	107-17
ALT2 CSP. See Aluminized Corrugated Steel - Pipe Type 2	
ambient temperature .....	105-21
American Concrete Pipe Association .....	706-1
American Welding Society.....	502-8
Anti-Collusion Affidavit.....	102-3
APEN .....	See air pollution emission notice
Approval and Qualifications of MSE Wall Installer.....	504-8
appurtenances.....	105-35; 202-1
APS .....	See Accessible Pedestrian Signal
ARA.....	See Asphalt rejuvenating agent
Archaeological and Paleontological Discoveries.....	107-15
Areas of Disturbance .....	107-15; 208-12
Asbestos.....	203-5
Asbestos Contaminated Soil Statewide Management Plan.....	203-5
Asbestos-Contaminated Soil Guidance	203-5
Asbestos Containing Material .....	206-4, 250-6
Asphalt .....	401-1
Asphalt Emulsion .....	409-1
asphalt mastic .....	706-1, 707-3
asphalt mix design .....	401-1
asphalt pavers .....	401-5
Asphalt cement.....	105-10, 18; 401-3; 702-1
Asphalt cement binder .....	420-1
Asphalt Cement Cost Adjustments.....	109-13 -thr 16
Preparation of, in HMA .....	401-7
Asphalt Emulsion for Prime Coat .....	See Table - 702-5
Asphalt Mat (Planing) .....	Removal of Asphalt Mat (Planing).....
.....	109-12; 202-8
Asphalt materials .....	109-4; 407-1, 2; 411-1
Chip Seals .....	409-1; 702-3;
.....	See Table 702-3
Emulsified .....	307-4; 406-1; 409-1; 702-3
fog seal .....	409-1
Prime Coat .	307-10; 407-1; 412-13; 702-6
rejuvenating agent...	405-1; 407-1; 411-1
seal coat.....	411-1; 627-2
Tack Coat...	105-30; 401-7; 407-1; 411-1;
.....	609-2
Asphalt Mixing Plant.....	401-4
Asphalt Paver.....	401-5

# INDEX

Page	Page
Asphalt rejuvenating agent ..... 405-1; 407-1; ..... 409-1; 411-1; 702-9; See Table 702-8	
Assignment Of Antitrust Claims..... 103-1	
ATD ..... See average texture depth	
audit..... 105-41; 109- 11	
Automated Flagging Assistance Devices ..... 630-1, 14	
Authority and Duties of the Project Engineer ..... 105-37	
Authority of the Engineer ..... 105-1	
Automatic Controllers..... 623-1	
available source..... 106-2	
average texture depth..... 105-23, 30	
Award ..... 101-3	
Award and Execution ..... 103-1	
AWS ..... See American Welding Society	
Backflow Preventer..... 623-1 thr	
Balled ..... 214-3	
Balled and burlapped..... 214-3	
Bar List ..... 602-1	
barbed wire..... 607-1; 710-1	
Barricades ..... 614-2, 30; 622-2; 630-1	
Barricades and Signs..... 107-9	
Barrier..... 105-26	
cast-in-place..... 606-1 thr 4	
concrete..... 606-1; 630-6	
landscape weed ..... 420-3	
median..... 105-36; 601-19	
Non-Concrete ..... 630-6	
Permanent Concrete..... 606-2	
precast ..... 606-3	
sediment ..... 208-5, See Silt Dikes	
Temporary ..... 630-5	
Temporary Precast Type 7 Concrete..... 606-3	
Wood Noise ..... 607-2	
bars ..... 202-11; 412-7 thr 10, 22 thr 25; ..... 504-15, 18; 602-2 thr 4; 618-2; 709-1	
<b>BASES</b> ..... 304-1	
Stabilized Bases ..... 412-16	
Basis of Payment..... 101-3	
Beads .. 106-20; 627-1, 4 thr 7; 713-3 thr 5, 10	
beams ..... 106-15, 16; 509-12 thr 14; ..... 518-2; See Table 518-1	
Bearing Device ..... 512-1	
Type I ..... 512-1	
Type II ..... 512-2	
Type III ..... 512-2	
Bearing Materials ..... 601-5; 705-2; ..... See Table 705-1	
Bed course material .. 206-5, 7; 608-2; 703-9; ..... See Table 703-11	
for Sidewalks ..... 703-9	
for Slope protection or riprap filter	
blanket ..... 703-9	
Bending .... 509-11; 602-1, 2; See Table 602-1	
BFM ..... See Bonded Fiber Matrices	
Bidder..... 101-3	
Prequalification of..... 102-1	
Bidding Requirements ..... 102-1	
invitation for Bids ..... 101-5	
materially unbalanced ..... 102-3	
mathematically unbalanced..... 102-3	
bikeways ..... 608-1	
Bit. Co. CSP ..... See Bituminous Coated CSP	
Bituminous Coated Corrugated Steel Pipe and Pipe Arches ..... 707-1	
Bituminous Material..... 702-1	
Asphalt Cements ..... 702-1	
Emulsified Asphalts..... 702-3	
Hot Poured Joint and Crack Sealant..... 702-10	
recycling agent..... 406-3; 702-6	
rejuvenating agent ..... 407-1	
Blading ..... 203-10	
Blading and Dozing ..... 203-11	
BLM..... See Bureau of Land Management	
Blotter Material ..... 407-1, 2	
bluetops ..... 105-36	
Bolt..... 105-37; See Tables 509-2, 3, 4	
Bolt locations and patterns ..... 105-37	
bolts ..... 508-2	
Bonded Fiber Matrices..... 213-5, 8; ..... See Table 213-7	
bonding ..... 420-2; 512-3; 601-33, 44	
Bonding and Grounding..... 614-26	
Bonds Requirement of Contract ..... 103-1	
Borrow..... 203-1, 6	
material..... 106-2	
pits..... 106-1	
break-away..... 210-2; 614-1, 614-31	
breakpoint ..... 105-26	
Brick..... 622-2, 3	
Clay or Shale ..... 604-1; 704-1	
Concrete ..... 604-1; 704-1	
Concrete Masonry Blocks ..... 704-1	
Masonry ..... 604-2	
Sewer and Manhole ..... 704-1	
Bridge..... 101-3	
AASHTO LRFD Bridge Design Specifications ..... 206-10; 509-1	
Bridge Expansion Device ..... 518-1, 2, 11	
approach ..... 412-11	
deck ..... 105-20	
Length..... 101-3	
Roadway Width ..... 101-3	
prestressed concrete..... 618-1	
steel ..... 106-19, 20; 202-8	
Test Bridge ..... 412-4	

# INDEX

<b>Page</b>	<b>Page</b>
Bridge Deck	Chief Engineer Decision ..... 105-54
Curing ..... 601-31	Chip seal
Placing, Consolidating and Finishing 601-35	Weather Limitations ..... 409-1
Bureau of Land Management.....625-1; 629-1	CHIP SEAL..... 409-1
burlapped.....214-3	POLYMERIZED EMULSIONS FOR ..... 702-4
bus pad.....105-26	Chip sealing operations ..... 409-2
Buy America Requirements.....106-19 thr 21	Chloride ..... 203-3, 4; See Table 203-1
cabinet ..... 202-6, 614-6, 7; See Table 614-1	Chronic Finding ..... 208-27, 29
cableways ..... 105-35	circumferential ..... 510-2; 603-2
CAG..... See combined aggregate gradation	CJP ..... See Complete Joint Penetration
caissons.....107-6; 503-7	Cl..... See Chloride
Calcium Chloride.....601-6; 712-1	Claim Package Submission ..... 105-54
Calendar Day.....101-3, 108-7	Claims for Unresolved Disputes..... 105-38
caliper ..... 215-2; See Tables 215-1, 2, 3	Clarification and Reconsideration of
Camber Tolerance.....509-18	Recommendation..... 105-50
Cambering .....509-12, 14	Cleaning
CAP ..... See Corrugated Aluminium Pipe	Cleaning of Connections .....509-24
CAPWAP ..... See Case Pile Wave Analysis	Cleaning of Surfaces to be Painted.. 509-19
Program	Cleaning of Unpainted ASTM A709 Grade
Carpentry .....622-5; 717-3	50W Steel .....509-18
Case Pile Wave Analysis Program .....502-7	Field Cleaning and Painting of Steel 509-28
casing .....503-2 thr 9	Final Cleaning Up ..... 104-4
Cattle Guards.....611-1	CLEARING AND GRUBBING ..... 201-1
CBC..... See concrete box culvert	CMTRs ..... See Certified Mill Test Reports
CDOT Erosion Control and Stormwater	cobbles ..... 420-1
Quality Guide .....208-18	COC ..... See Certificate of Compliance
CDOT Project Engineer ..... 101-7	cold recycled ..... 406-1 thr 4
CDOT Resident Engineer..... 101-3	Cold Weather Concrete Paving ..... 412-11
CDOT's Regulated Asbestos-Contaminated	Cold Asphalt Pavement (recycle)
Soil Management Standard Operating	Weather Limitations 406-1; See Table 406-1
Procedure, dated October 18, 2016. 250-13	Colorado Contractors Association..... 105-44
CDPS-SCP ... See Colorado Discharge Permit	Colorado Discharge Permit System
System Stormwater Construction Permit	Stormwater Construction Permit .....
CDW ..... See Construction Dewatering	..... 107-20; 208-1
Cement	Colorado Water Quality Control Act .....
Asphalt ..... 401-3; 420-1; 702-1	..... 107-16, 19
Hydraulic..... 601-11; 618-2; 701-1	Comfort Station and Sanitary Station Signs
mortar lining .....716-2	..... 622-3
Slag ..... 601-5,7, 12; 701-2	Compaction ..... 106-4; 203-7 thr 10;
Ceramic Tile.....622-3; 717-2	..... 304-1; 307-3 thr 5; 401-11
Certificate of Compliance ..... 101-3; 208-2;	Compaction equipment.....203-7; 206-6
..... 106-21; 216-5	compaction pavement test section.....
Certifications, Calculations, and Testing	..... 401-12 thr 14
Reports .....504-6	Compensation for Altered Quantities .... 109-5
Certified Invoice ..... 101-3	Compensation for Changes and Force
Certified Mill Test Reports .....618-1, 7	Account Work..... 109-5
Certified Test Report ..... 101-3; 106-23	Compensation for Compensable Delays.....
certified welding inspector .....502-9	..... 109-18
Chain Link Fabric.....710-1	Competent Persons..... 107-5
Channel Application .....216-6	Complete Joint Penetration ..... 502-10, 11
Channelizing Device .....630-4, 13	Completion Date Contract ..... 108-9
Character of Workers; Methods and	Composition of Mixtures ..... 401-1
Equipment.....108-8	Compost ..... 208-4; 212-2; 214-5;
Charpy V-notch .....509-1	..... See Table 212-1
check testing program..... 106-6, 15	compressive strength..... 105-19; 106-14;
Chief Engineer ..... 101-5, 7; 105-37	..... 412-11, 20; 601-9, 18, 19, 24, 25,

# INDEX

Page	Page
<p>.....601-30, 31, 41 thr 45, 54; See Table 601-1  <b>COMPRESSIVE STRENGTH CRITERIA</b>.....            .....105-19; 106-16, See Tables 105-10; 106-3  <b>CONCRETE</b>              Acceptance and Pay Factors..... 601-40              <b>AGGREGATE GRADATION TABLE</b>..... ,                .. 703-1, See Tables 208-9; 518-4; 703-1              <b>AGGREGATES</b> ..... 601-12,26; 703-1              Air Content Adjustment..... 601-16              Batching ..... 412-1; 601-11; 618-21, 22              Bridge Decks ..... 601-38              box culvert ..... 104-4; 601-18,49              Cold Weather Concrete Paving..... 412-8              Construction by Form Method ..... 412-15              Construction by Slip Form Method. 412-16              Curing..... 307-10; 412-11;                .....601-31, 32, 38, 39, 54; 608-2;                ..... 618-25, 26; 641-3; 7111-1              Curing, water used..... 307-1; 712-1              Curing Materials ..... 711-1              Dowel Bar Retrofit ..... 412-9,24              Dowel Bars and Tie Bars ..... 412-1; 709-1              Epoxy ..... 712-6; 713-12 thr 14              Falsework ..... 101-5; 509-21, 23; 601-21              Finishing ..... 307-4; 412-5              Finishing Equipment ..... 412-2; 518-13              <b>HYDRAULIC CEMENT</b> 601-11; 618-2; 701-1              <b>JOINT</b> .... 412-6 thr 10, 14; 601-37; 705-1              Limitations of Placing ..... 412-4              Macro Fiber-Reinforced ..... 507-1; 601-6              maturity meters... 412-11, 12, 20; 601-18              Mixing ..... 412-2              Opening to Traffic ..... 412-19              Pay Factors..... 601-40; See Table 601-3              Placing..... 412-4; 601-25; 608-1              Portland Cement Concrete Pavement ....                ..... 106-10,; 412-17              Preparation of Subgrade ..... 307-1; 412-3              Pre-placement Conference .....                ..... 518-12; 601-25, 35              <b>PRESTRESSED</b> ..... 618-1; 714-1              Reinforcing Steel... 202-8; 503-4, 11, 12;                ..... 504-26; 602-1; 708-7; 709-1              Removing Forms..... 412-15              Repair of Defective Concrete Pavement                ..... 412-12              Setting Forms ..... 412-15              Slope and Ditch Paving ..... 507-1; 601-3              Splitting Tensile Strength of Cylindrical                Concrete Specimens..... 105-22              Water ..... 712-1              Concrete blockouts                Forms ..... 518-13              Concrete Curing Materials ..... 711-1</p>	<p>Concrete for Pretensioned and            Combination Tensioned Products 618-22  <b>CONCRETE PAVEMENT</b> ..... 105-18; 202-11;            ..... 412-1            Concrete Saw..... 412-3            Concrete slabs ..... 412-13; 601-29            Concrete Washout Structure ..... 208-7, 23              Prefabricated, Type 1..... 208-7, 23              prefabricated, type 2 ..... 208-7, 23            Conduit..... 603-1; See pipe              Bedding for Concrete or Clay ..... 603-2              Concrete or Clay ..... 603-2              Electrical... 613-5; 614-31; 713-11; 715-7              Fittings ..... 514-2; 601-27; 613-7;              . 614-28; 622-12; 623-3; 707-1, 2; 717-4, 5              Flashing at Flues, Breather Vents,                Vents, Roof Drains and Emergency                Light Conduit..... 622-4              Joining ..... 603-2              Metal ..... 603-3              Placing ..... 603-2              Plastic ..... 603-3            Conformity..... 101-4            Conformity to Roadway Smoothness Criteria              ..... 105-24            Conformity to the Contract..... 105-7            Conformity to the Contract of Hot Mix Asphalt              ..... 105-14            Conformity to the Contract of Portland              Cement Concrete Pavement ..... 105-18            Conformity to the Contract of Superpave              Performance Graded Binders..... 105-13            Connections Using High-Strength Bolts.....              ..... 509-18, 24            Consistent ground freeze ..... 212-5            Construction by Form Method ..... 412-15            Construction by Slip Form Method ..... 412-16            Construction Dewatering ..... 107-17            Construction Drawings ..... 101-4            Construction of Control Measures ..... 208-21            Construction Over and Adjacent to Navigable              Waters..... 107-9            Construction Requirements ..... 101-4            Construction Stakes, Lines and Grades .....              ..... 105-36            Construction Surveying ..... 625-1              accuracy tolerance ..... 625-3; 629-2              Changes ..... 625-4              Contractor Surveying..... 105-36; 625-2  <b>MATERIALS AND EQUIPMENT</b> ..... 625-1              Monuments and Stakes..... 625-4              Pay Quantities Measurements..... 625-4              Responsibility and Inspection ..... 625-3              Survey Records..... 625-4</p>

# INDEX

<b>Page</b>	<b>Page</b>
Construction Traffic Signs ..... 630-12, ..... See Table 630-7	Payment Bond ..... 101-4
Panel Size A ..... 630-16	Performance Bond ..... 101-4
Panel Size B ..... 630-16	Subletting of ..... 108-1
Panel Size C ..... 630-16	Termination of.....108-14
Special ..... 630-16	Time..... 101-4
Construction waste .....107-20	Contract Modification Order ..... 101-4
Construction Zone Traffic Control.....630-1	Contractor..... 101-4
Automated Flagging Assistance Devices .....630-1	Cooperation Between.....105-36
barricades ..... 614-2, 30; 622-2; 630-1	Cooperation by .....105-33
Channelizing Device..... 630-4, 13	Cooperation with Utilities .....105-35
Concrete Barrier .....630-6	Engineer ..... 101-5
delineators .....630-1	Responsibility for Work.....107-13
Electronic Advance Warning Signs .630-3; ..... See Table 630-2	Source..... 106-2; 107-15; 601-10; 701-2
Emergency Pull-Off Area (Temporary) ... .....630-14, 17	Contractor Submittals ... See Table 105-1
flagging .....630-1	Contractor Surveying..... 105-36; 625-2
Flagging and Pilot Car Operation.. 630-13	<b>CONTRACTORS PERFORMANCE</b>
flashing beacon (portable) ..... 630-6, 13	CAPABILITY STATEMENT ..... 103-1
masking and unmasking existing signs .....630-1	Control Measures .... 107-17; 208-1, 10 thr 17
mobile pavement marking zones..... ..... 630-1, 17; See Table 630-5	Construction of .....208-16
Non-Concrete Barrier .....630-6	Maintenance of .....208-20
pilot car operation .....630-1	for Stormwater .....208-18
Public Information..... 630-10	for Stormwater Pollution Prevention 101-5
Signs and Barricades .....630-1	<b>CONTROL OF MATERIALS ..... 106-1</b>
Temporary Barrier.....630-5	<b>CONTROL OF WORK ..... 105-1</b>
Temporary Channelizing Devices....630-4	Controller Cabinet Contents ..... 614-6, 7
Temporary Masking Signs ..... 630-12	Cooperation Between Contractors..... 105-36
Temporary Portable Rumble Strip .630-5, ..... 14 thr 16	Cooperation by Contractor..... 105-33
Temporary Traffic Signals .....630-3	Cooperation with Utilities ..... 105-35
Traffic Cones .....630-3	Coordination of Plans, Specifications, Supplemental Specifications, and Special Provisions..... 105-32
Traffic Control Management .... 630-1, 10	Copper Pipe ..... 716-2
Traffic Control Plan .....630-6	Core ..... 105-15, 30; 307-4; 401-10; ..... 412-17 thr 20; 601-42; 618-24, 31
Transportation Management Plan ...630-6	corrective action ..... 106-2; 208-26 thr 28
Transportation Operations Plan ... 630-10	Corrective work..... See Table 105-14
Consultant Project Engineer..... 101-7, 105-41	correlation curve ..... 105-22
Contaminated Groundwater Disposal...250-11	Corrosion resistant ..... 624-2
contaminated material.....106-2; 250-5	Steel.....710-1,2
Contract ..... 101-4	turf reinforcement mat ..... 216-3
Award of .....103-1	Corrugated ..... 203-3
Conformity to the ..... 105-57	aluminum..... 203-3
Conformity to the Contract of Hot Mix Asphalt ..... 105-14	metal..... 202-2; 603-4
Default of ..... 108-12	polypropylene .....630-12
Determination and Extension of Contract Time .....108-9	steel ..... 203-3; 603-1; 701-1
Execution and Approval of .....103-1	Steel Pipe and Pipe Arches ..... 707-1
Intent of .....104-1	costs..... 104-6 thr 8; 105-42, 56; 109-18
Item .....101-4	County..... 101-5
Modification Order ..... 101-4	Cover Coat Material..... 409-1
	Cross Stitching ..... 412-22
	Equipment.....412-22
	Crosshole Sonic Log ..... 503-14
	CSL ..... See Crosshole Sonic Log
	CSP ..... See Corrugated Steel Pipe
	CTP ..... See check testing program
	CTS... See compaction pavement test section

# INDEX

<b>Page</b>	<b>Page</b>
Culvert.....	101-5
and Sewers.....	603-1
Clean.....	202-9
concrete box.....	104-4; 601-18, 41
Repair of Damaged.....	603-4
Culverts and Sewers.....	603-1
Backfilling.....	603-3
Deflection Testing of Metal and Plastic Pipe .....	603-4
Elongation.....	603-3
Excavation .....	603-1
Joining Conduit.....	603-2
Placing Conduit.....	603-2
Curb	
Bituminous .....	609-2
fog coat.....	609-3
Type 2 Cast-in-Place Concrete.....	609-1
Type 4 Dowelled Concrete.....	609-1
Type 6 Sloping.....	609-1
Curb and Gutter.....	609-1
Backfilling.....	609-2
Bed Course Material .....	609-1
Bituminous .....	609-1
Cast-in-Place Concrete.....	609-1
Concrete .....	609-1
Curing.....	609-2
Excavation .....	609-1
Expansion Joints .....	609-2
Forms .....	609-1
Joint Filler .....	609-1
Machine.....	609-2
Mixing and Placing .....	609-1
Painting and Sealing .....	609-3
Reinforcing Steel.....	609-1
Sections .....	609-2
Surface Tolerance.....	609-2
Tack Coat .....	407-1; 609-2
Curb Ramp	
Bituminous .....	608-1
Concrete .....	608-1
Curb roll.....	208-9
Curb roll for Storm Drain Inlet Protection .....	208-9
curing	
accelerated .....	618-25, 26
Blanket Method.....	601-32, 39
Cold weather .....	507-3
Cold Weather Limitations.....	601-26
Concrete Other Than Bridge Decks.....	601-21
film.....	412-11, 641-3
Finishing and.....	307-4
Form Method.....	601-32
Hot Weather Limitations.....	601-26
initial .....	618-25
Membrane Forming Curing Compound Method.....	601-32, 38
moist .....	618-25
self-curing .....	614-27
temperature.....	601-32; 618-8,26
Water Method .....	601-31
Water used .....	307-1; 712-1
CVN .....	See Charpy V-notch
CWI.....	See certified welding inspector
Dampproofing.....	516-1
Day.....	101-5
De Novo Litigation .....	105-58
debris .....	202-4; 250-9, 10
deceleration lanes .....	105-25, 27; 412-10
Deck	
Concrete .....	515-1 thr 3
forms .....	601-16
overhang .....	601-24
Permanent Steel Bridge .....	601-19
precast panel.....	601-16, 19
steel .....	601-19
defects.....	504-13, 14;
.....	618-26 thr 28; See Table 504-3
Delay.....	108-10, 11
Delineators .....	612-1; 713-2
Flexible Posts .....	612-1
Steel Posts.....	612-1
Delineators and Reflectors .....	612-1
Department .....	101-5
Department Furnished Materials .....	106-18
Department Smoothness Verification Testing .....	105-31
Department Surveying.....	105-36
Design Heights and Supplied Reinforcing Material .....	504-4
Detectors	
Magnetic .....	614-8
Micro Loop.....	614-8
Determining Quality Level .....	105-15;
.....	106-4 thr 11
Detours .....	104-3; 202-/
dewatering.....	107-17, 18
Diamond Grinding .....	202-11; 412-6
Diamond Grinding Concrete Pavement.....	202-11
Differing Site Conditions.....	104-1; 109-5
Differing Site Conditions, Suspensions of Work, and Significant Changes in the Character of Work .....	104-1
Discharges .....	107-17
Allowable Non-Stormwater.....	107-20
Allowable Stormwater .....	107-20
Disclosure .....	105-45
Disincentive.....	106-15
Disincentive payment .....	105-16
Dispute Resolution .....	105-41

# INDEX

<b>Page</b>	<b>Page</b>		
Dispute Review Board.....	105-44	Embankment Material.....	203-2
Dispute Review Board Hearing .....	105-46, 48	Recycled concrete or asphalt .....	203-10
Dispute Review Board Recommendation. ....	105-56	Rock.....	203-2
.....	105-56	Rock Fill .....	203-2
Dispute Review Board Three Party		Soil .....	203-2
Agreement .....	105-52	Embankment Placement and Compaction	
.....	105-52	Requirements .....	203-7
Document Retention .....	105-42	emergency pull-off areas .....	630-1, 14, 17
Documents.....	105-32,47, 48, 54 thr 56	end sections .....	603-1; 624-1
Doors, Frames and Windows .....	622-3; 717-2	Engineer.....	101-5
Dozing .....	203-10	CDOT Project .....	101-7
Drain		Environmental .....	107-16
French.....	605-2	Preconstruction conference	107-16; 208-10
Geocomposite .....	605-1,712-7	Environmental Protection Agency .....	
Pipe Underdrain and Pipe Edge.....	605-1	.....	208-18; 217-1; 250-2, 12
Subsurface Outlet .....	605-2	<b>ENVIRONMENTAL, HEALTH AND SAFETY</b>	
Drawings		<b>MANAGEMENT.....</b>	250-1
Construction.....	101-4; 105-4	EPA .....	See Environmental Protection Agency
Shop .....	101-9; 105-1, 2	epoxy material	
Working .....	101-11; 105-3	curing .....	713-13
DRB.....	See Dispute Review Board	Erosion and Sediment Control Activities. ....	
Drilled Shafts .....	503-1	.....	208-11
Assembly and Placement of Reinforcing		Erosion Bales .....	208-2, 21
Steel .....	503-11	Erosion control.....	107-16, 21; 208-1
Casings .....	503-4	CDOT Erosion Control and Stormwater	
Concrete .....	503-2, 3	Quality Guide .....	208-17, 18, 25
Concrete Placement, Curing, and		Inspector (ECI).....	208-11, 13
Protection .....	503-18	Duties.....	208-13
Construction Tolerances.....	503-18	order of precedence inspections	208-14
Excavation .....	503-6	Erosion Control and Drainage.....	420-1
Excavation Inspection .....	503-11	Erosion Control Inspector .....	208-13
Foundation Testing.....	503-16	Erosion Control Management ...	208-10, 11, 31
Installation Plan.....	503-1, 3, 4, 8	Erosion Log	
Load Tests .....	503-16	Dimensions of .....	208-5; See Table 208-4
Drip Emitters .....	623-3	Type 1.....	208-4
Drip Systems .....	623-6	Type 2.....	208-4
DSHAFT See Drilled Shaft Foundation Testing		Type 3.....	208-4
ductile steel wire .....	216-4	Evidence.....	105-50, 56
Dust Palliative .....	209-1	Examination of Plans, Specifications, Special	
Duties of the Inspector .....	105-37	Provisions, and Site of Work.....	102-2
EARTHWORK.....	201-1	Excavation.....	203-1; 206-5
ECI.....	See Erosion Control Inspector	Borrow .....	203-6
ECM.....	See Erosion Control Management	Definitions.....	203-1
EDMI.....	See Electronic Distance Measuring	Potholing .....	203-6
Instruments		Removal of Unsuitable Material.....	203-1
elastomeric .....	512-1	Rock.....	203-5
Electrical Work622-10 thr 12; See Table 622-1		Stripping.....	203-1
Electronic Distance Measuring Instruments		Unclassified .....	203-5
.....	625-1; 629-1	<b>EXCAVATION AND BACKFILL .....</b>	206-1
elevations.....	105-26	<b>EXCAVATION AND EMBANKMENT .....</b>	203-1
Eliminated Items. ....	109-8	Expansion Devices	
elliptical .....	603-3; 706-1	Asphaltic.....	518-1
Embankment .....	203-1	Elastomeric .....	518-1
General Embankment Construction		Modular .....	518-2
Requirements .....	203-6	expansion joints..	412-11; 518-1; 608-1; 609-2
		Extra Work.....	101-5; 104-2

# INDEX

<b>Page</b>	<b>Page</b>
Failure to Complete Work on Time.....	108-12
Failure to Comply.....	107-6
Failure to Maintain Roadway.....	105-39
Falsework . 101-5; 504-26; 509-21, 23; 601-21	
Construction .....	601-24
design.....	601-22
Removal .....	601-24, 25
FAST TRACK PROCEDURES.....	105-51
FCAW .....	See Flux Core Arc Welding
FCM.....	See Fracture Critical Members
FCP .....	See Fracture Control Plan
Federal Aid Provisions .....	107-1
Fence .....	210-1; 607-1; 710-1
Barbed Wire.....	607-1; 710-1
Chain Link Fabric.....	607-1; 710-1
Plastic .....	607-1
Posts .....	210-1; 607-1; 710-2
Right-of-Way.....	210-1; 607-1
Silt .....	208-2, 3, 21
Snow .....	607-2; 710-1
Wood Noise Barrier .....	607-1; 710-2
Woven Wire .....	607-1; 710-1
Fences.....	607-1
Fences and Gates .....	210-1
Field Laboratories .....	620-1
Field Offices.....	620-1
Filter Material.....	206-5, 7; 605-1, 2;
.....	703-10; See Table 703-14
Class A .....	206-5
Class B .....	206-5
Class C .....	206-5
fitting.....	613-7
flagging.....	630-1
Nighttime flagging stations .....	630-13
personnel.....	630-13
Flagging and Pilot Car Operation.....	630-11
Flagpole.....	622-12
Flashing beacon .....	210-2; 614-2; 630-6, 13
flexural strength ..	105-19 thr 22, 106-11 thr 16
Flexural Strength Criteria ....	See Table 105-11
Float .....	
Finish on Horizontal Surfaces .....	601-30
Floating.....	412-6
Flow Sensor.....	623-3
Flux Core Arc Welding .....	509-15
fly ash.....	412-1; 601-7, 8, 12; 701-1; 703-7
fog seal .....	409-1; 507-3
footings.....	105-36; 202-6; 601-17
Force Account Work.....	101-5; 109-5 thr 8
Forest Protection .....	107-10
Form .....	601-16
Cast-in-Place Concrete Curb .....	609-1
Concrete Sidewalks and Bikeways..	608-1
Construction by Form Method.....	412-15
Construction by Slip Form Method.	412-16
Lumber .....	601-17
Metal .....	601-18
Permanent Steel Bridge Deck.....	601-19
Precast Panel Deck .....	601-16, 19
Re-use of.....	601-19
Setting.....	412-15
Form 605.....	See CONTRACTORS
PERFORMANCE CAPABILITY ...	103-1
STATEMENT	
Form 621.....	See ASSIGNMENT OF
ANTITRUST CLAIMS .....	103-1
Formation of Dispute Review Board ....	105-44
Formwork .....	101-5; 601-23, 24
foundation .....	202-1; 503-1; 504-9 thr 11;
.....	613-1 thr 5; 614-26, 27, 31; 715-1
Fracture Control Plan .....	509-28
Fracture Critical Members .....	509-28
friable .....	207-1
Fuel cost adjustment .....	109-11 thr 13;
.....	See Table 109-1
galvanized .....	509-18,23, 24; 710-2, 3; 716-2
Galvanized and Metallized Steel .....	509-2
gas lines.....	105-35
Gaskets.....	705-1
Gate .....	210-1; 607-1
Deer .....	607-3
Driveway .....	607-2
Walk .....	607-2
General Land Office .....	625-1; 629-1
geomembrane .420-1; 712-2; See Table 712-1	
Geomembrane and Joints .....	504-5
Geosynthetic .....	420-1; 504-3; 712-2
geotextile.....	420-1 thr 3; 712-3
Fabric Properties .....	
.....	208-8; See Tables 208-12, 14
Requirements .....	See Table 208-6
Separator .....	420-2
Girder.....	107-6, 7, 8; 509-8 thr 16;
.....	601-11,16,20; 618-20 thr 22
seats .....	105-37
Glass and Glazing.....	622-6; 712-3
Glass Beads for Pavement Marking ...	106-20;
.....	627-3, 6, 7; 713-3 thr 6, 10;
.....	See Tables 627-3; 713-2
glass cullet .....	See Recycled broken glass
GLO.....	See General Land Office
Global Positioning System.....	625-1; 629-1
GPS .....	See Global Positioning System
Grade stakes.....	105-36
grades .....	105-36
Grinding .....	105-30; 202-11, 12; 412-6
Ground Sign.....	210-2; 614-24
grounding .....	107-5; 613-8, 11; 614-26;
.....	622-11; 713-7; 715-8
groundwater .....	107-17, 18; 250-10,11

# INDEX

<b>Page</b>	<b>Page</b>
<p>grout .....412-22; 504-15 thr 20;            ..... 618-1,11,17 thr 21; See Table 618-1</p> <p>guardrail.....210-2; 606-1; 710-1                concrete .....606-2                Hardware .....710-3                Posts.....606-1                Type 3 Guardrail - Midwest Guardrail                System (MGS) W Beam 31 Inches ...606-1                Type 4 Precast Concrete Barrier ....606-1                Type 6 Guardrail - Thrie Beam .....606-1                Type 7 Guardrail - F-Shape Concrete                Barrier (Precast) (Temporary). 606-1, 3                Type 9 Guardrail - Single Slope Concrete                Barrier .....606-1</p> <p>gutter .....609-1            gutter pan.....105-26            Hand finishing .....412-5            hardness zones.....214-1            HASP..... See Health and Safety Plan            Hazardous Waste Disposal .....250-11            heads.....202-2            Health and Safety Officer .....250-2            Health and Safety Plan .....250-4            Heating and Scarifying.....405-1            Heating and Ventilation .....622-9            Heavy Metal Based Paint Management .250-8            heavy metals.....206-2; 250- 8            HERBICIDE TREATMENT .....217-1            HIGH MOLECULAR WEIGHT                METHACRYLATE                Properties..... See Table 518-3            High-Reactivity Pozzolans 601-7, 8, 12; 701-2            High Strength Bolt.....509-2            Highway .....101-5; 107-9            Highway Signs and Traffic Signals .....614-23            HMA..... See Hot mix asphalt            HMA Overlay.....105-30            HMA Removal and Replacement .....105-29            HMWM..... See High Molecular-weight            Methacrylate            holes .....412-22; 502-5; 508-2;            .....509-14 thr 18; 601-29, 30            Holidays .....101-6            Hopper Scale .....109-3            horizontal .....104-5; 108-3            hot mix asphalt..... 105-14 thr 16; 106-3, 7;            .... 401-2, 14; 403-1; 406- 3; See Table 401-1                minimum temperature.....401-8,                ..... See Table 401-5                Pavement Samples ..... 401-14                Periods Requiring Overlay of Treated                Surfaces .....401-4, See Table 401-4                Placement Temperature Limitations                in °F .....401-4, See Table 401-3                Weather Limitations and Placement                Temperatures .....401-3</p>	<p>HRP..... See High-Reactivity Pozzolans            HSO ..... See Health and Safety Officer            Hybrid or Smaller Panel MSE Wall Systems.            .....504-7            hydrated lime..... 307-2; 401-3, 7; 712-1;            ..... See Tables 105-3, 4            Hydraulic Cement..... 601-11; 701-1            Hydraulic seeding equipment.....212-6            hydrologic..... 107-18; 208-1            I/DP See Incentive and Disincentive Payments            IAT..... See Independent Assurance Testing            Impermeable Synthetic Liner Requirements            ..... See Table 208-8            Impervious Lining .....420-2            Imported Structure Backfill for Pipes.....206-3            Incentive ..... 105-19;            ..... See Tables 105-10, 11, 12, 13            Incentive and Disincentive Payments ..412-21            Independent Assurance Testing ..... 106-16            Index Values for Natural Fiber Netting .....            ..... 208-5, See Table 208-5            Indian tribal rights ..... 107-19            Inertial Profiler and Operator..... 105-24            Initial Dispute Resolution ..... 105-43            Initiation of Dispute Review Board ..... 105-44            inlets..... See Table 604-1            inspect..... 105-37; 208-13            Inspection and Testing of Work..... 105-37            Inspection of Pretensioned, Post-tensioned            and Combination Tensioned Members... 618-5            Inspector..... 101-6; 105-37            Interior Insulation ..... 622-6; 717-3            International Roughness Index ..... 105-27            Interpretation of Plans &amp; Specifications . 102-1            Interruption of Irrigation Water Flow. .... 107-11            intersection ..... 104-2; 401-5; 412-16, 17            Invitation for Bids ..... 101-6            IRI..... See International Roughness Index            Irrigation 107-11; 623-1, 5, 7; See Table 623-2            Irrigation Scheduling ..... 623-9            irrigation system ..... 214-9; 623-7 thr 9            Joint and Crack Sealant..... 408-1; 702-10            Joint Fillers ..... 705-1            Joint sealant ..... 412-14; 705-1            Joints..... 401-9 thr 14; 412-6 thr 14; 518-1                Abutting .....509-18                Butt ..... 509-8                Construction .... 307-4; 412-7; 601-30, 35                Cross Stitching.....412-22                Expansion..412-11;518-1;See Table 518-1                Longitudinal Construction..... 412-7                Longitudinal Weakened Plane ..... 412-8                sawed..... 412-3                sealing .....412-14                Shiplap ..... 504-2                Transverse Construction412-7; 601-21, 29</p>

# INDEX

<b>Page</b>	<b>Page</b>
Transverse Weakened Plane.....	412-8
Vertical slip .....	504-5
Weakened Plane .....	412-8
Kick Blocks .....	623-6
laboratory.....	101-6, 106-6, 21 thr 23; 108-5
land monuments .....	107-10; 625-1, 3; 629-1
Landscape .....	214-1
Landscape Establishment .....	623-8law
Landscape Maintenance.....	105-42
Landscape Weed Barrier .....	420-3
Landscaping .....	209-2
lane.....	105-23 thr 27; 401-8 thr 10; 713-9
Lawn Grass Seeding .....	212-5
Laws to be Observed.....	107-1
layout.....	105-36; 209-1
LDA .....	See Limits of Disturbance
Leveling Pad .....	504-12
Light Standard .....	210-1; 613-1 thr 4;
.....	715-1,2
transformer bases.....	See Table 715-1
Light Standards, Metal.....	715-1
lighting .....	613-1, 8, 9; 715-1
Lime Treated Subgrade .....	307-1
<b>SCHEDULE FOR MINIMUM SAMPLING</b>	
AND TESTING .....	307-4, See Table 307-1
Limitation of Operations .....	108-8
Limits of Construction .....	107-15; 208-27
limits of disturbance .....	107-15,19; 208-12, 26
liquid limit.....	See Table 703-2
Liquidated Damages.....	See Table 108-2
Liquidated Damages and Stop Work Orders .....	208-27
Load and Resistance Factor Design ...	601-23
Load Restrictions .....	105-38
LOC .....	See Limits of Construction
Long Term Design Strength of Reinforcement .....	504-2 thru 4
longitudinal surface smoothness.....	105-25; 405-2; 406-4
LRFD.....	See Load and Resistance Factor
.....	Design
<i>LTDS</i> .....	See Long Term Design Strength
Magnesium chloride... 209-1; See Table 209-1	
Magnetic Detector Amplifiers .....	614-8
Connector Circuitry.....	See Table 614-2
Magnetic Detectors.....	614-8
Mailbox .....	210-2
Maintaining Traffic.....	104-2
Maintaining Traffic During Free Time .....	104-3
Maintaining Traffic During Suspension of Work .....	104-3
Maintenance Directed by the Engineer ..	104-3
Maintenance During Construction.....	105-39
Major structures .....	105-36
manhole.....	604-1
Manholes, Inlets, and Meter Vaults.....	604-1
Manual on Uniform Traffic Control Devices .....	107-9, 614-1; 627-1; 630-1
marks .....	105-36; 107-10; 509-19; 627-2
MARV.....	See Minimum Average Roll Value
Masonry .....	622-1
“T” anchors.....	622-3
Concrete .....	622-2
Brick .....	604-2
Cleaning.....	622-3
Installation of Masonry.....	622-2
Masonry and Masonry Wall Reinforcement....	717-1
Masonry Work in Cold Weather .....	622-3
Material Guaranty.....	102-3
Material Handling .....	250-10
Material Inspection at Plant .....	106-18
Material Sources .....	106-1
Materials .....	104-3; 105-7,14,18, 19;
.....	106-1, 18, 20
Materials Details.....	701-1
Materials Handling and Spill Prevention .....	208-25
Mean Roughness Index.....	105-24 thr 29; See Tables 105-12, 13, 14
<b>MEASUREMENT AND PAYMENT</b> .....	
Measurement Not Required .....	102-1
Measurement of Quantities .....	109-1
Measurement required .....	102-1
mechanical earth anchor .....	216-5
Mechanically Stabilized Earth.....	504-1
median barrier .....	105-25; 601-19
Median Barrier Reflector.....	612-1;
.....	See Table 713-3
Median Cover Material .....	610-1
Bituminous.....	610-1
Concrete .....	610-1
Patterned Concrete .....	610-1
Stone .....	610-1
medians .....	105-25
metal landscape border .....	213-3,7; 420-3
Metal Specialties .....	622-3;717-1
meter.....	109-3, 4; 412-11, 12, 20;
.....	601-18, 25, 44; 604-1; 613-8; 641-3, 4; 715-8
Methamphetamine Lab Sites.....	250-14
Method for Handling Traffic. 105-25; 630-7, 10	
Method of Measurement.....	101-6; 109-4
MFBM ....	See Thousand Feet Board Measure
MGS.....	See Midwest Guardrail System
MHT .....	See Method for Handling Traffic
Micro Loop Detectors .....	614-8
Midwest Guardrail System.....	606-1
Milling.....	406-1
Mineral filler.....	401-3; 703-7

# INDEX

<b>Page</b>	<b>Page</b>
Mineral slurry .....503-5	OG..... See Optimized Gradation
Requirements .....503-5; See Table 503-1	On Demand DRB..... 105-44 thr 46
Mineral Survey .....625-1; 629-1	Opening Sections of Project to Traffic.. 107-13
Minimum Average Roll Value.....504-1;712-2	Optimized Gradation..... 106-13; 601-3, 9
Minor structures .....105-36	Ordinary High Water Mark ..... 101-6
MISCELLANEOUS CONSTRUCTION...601-1	Original Contract Amount..... 101-7
Mix Design .....401-1	Other Submittals..... 105-1 thr 4
Mixing .....307-2, 3; 401-4, 8; 412-2;	Overhead Sign Structures ..... 210-3; 614-22
.....601-12 thr 15	Butterfly .....614-30
Mobilization.....626-1	Cantilever .....614-30
Modified Epoxy Pavement Marking.....	Sign Bridge .....614-30
..... 105-10, 11; 627-4; 713-12, 13;	Sign Bridge Cantilever .....614-30
..... See Tables 105-5; 627-2; 713-2, 10	Owner Acceptance ..... 106-14; 601-40, 43
Moisture and Density Control.....209-1	PA.....See Project Acceptance
Monitoring Technician .....250-3	paint ..... 105-10; 202-7; 250-8, 9;
monuments ....107-10; 625-1 thr 4; 629-1 thr 6	..... 508-2; 509-19; 614-28; 622-6, 7;
MRI ..... See Mean Roughness Index	..... 627-2, 3; 708-1 thr 6; 717-3
MS ..... See Mineral Survey	Paint Removal and Waste Disposal..... 250-8
MS4s ... See Municipal Separate Storm Sewer	Paints ..... 708-1
System	pan ..... 105-26
MSE..... See Mechanically Stabilized Earth	Panel ..... 504-1 thr 4, 6 thr 11
MSE Wall .....504-7	Parshall measuring flumes ..... 615-1
MT ..... See Monitoring Technician	Partial Acceptance..... 105-40; 208-30
Mulch	Partial Joint Penetration..... 502-9
Hay or Straw.....213-6	Partial Payments ..... 109-8
Hydraulic.....213-6	patching..... 105-14; 106-3; 403-1;
Spray-on Mulch Blanket (Type 1)....213-3	..... 412-23 thr 25; 601-19
Spray-on Mulch Blanket (Type 2)....213-4	Patented Devices, Materials, and Processes
wood cellulose fiber, specifications 213-2	..... 107-1
mulch tackifier .....213-3 thr 7	patterns
MULCHING.....213-1	roller ..... 401-12
Municipal Separate Storm Sewer System .....	pavement marking ..... 105-10; 106-20; 202-7;
.....101-2; 208-16	..... 627-1 thr 9; 708-2; 713-9 thr 14;
MUTCD..... See Manual on Uniform Traffic	..... See Tables 202-1; 627-1, 2, 3; 713-8
Control Devices	Pavement Structure..... 101-7
National Geodetic Survey .....625-1; 629-4	pavement surface texture ..... 105-23
National Oceanic and Atmospheric	Pavements ..... 202-3; 401-1
Administration/ National Geodetic Survey	PLANT MIX..... 401-1, 4
.....625-1	Pavements, Sidewalks, Curbs ..... 202-8
Native Seeding.....212-6	paving..... 401-5, 9; 412-4, 11; 420-1
NDT ..... See Nondestructive Testing	pay factor..... 105-10 thr 20; 401-3;
NGS..... See National Geodetic Survey	..... 601-40 thr 44; See Table 105-9
No Waiver of Legal Rights.....107-14	Pay Item .....101-4; See Contract Item
NOAA / NGS ..... See National Oceanic and	Payment Schedule ..... 108-7, 8
Atmospheric Administration/ National	PBA..... See Push Button Assembly
Geodetic Survey	PC ..... See Process Control
Nominal Driving Resistance .....502-5	PC Manager ..... 618-5 thr 8
Dynamic Testing .....502-6	PC/OA ..... See Process Control/Owner
of Production Piles .....502-7	..... Acceptance
Wave Equation Analysis.....502-5	PCC..... See Portland Cement Concrete
nondestructive testing .....509-6	PCCP ..... See Portland Cement Concrete
Notice of Intent to File a Claim .....105-54	Pavement
Notice to Proceed .....101-6; 108-1	PCP..... See Process Control Plan
Notification of Fabrication for Pretensioned	PCU..... See Power Control Unit
and Combination Tensioned Members...618-5	PDA..... See Pile Driving Analyzer
OA ..... See Owner Acceptance	

# INDEX

<b>Page</b>	<b>Page</b>
PE..... See Polyethylene, See Professional Engineer	
pedestal..... 202-6; 613-2,8; 614-25 thr 28; 715-8,9	
PEDESTRIAN AND BIKEWAY RAILING 514-1	
Pedestrian Push Buttons ..... 614-9	
Performance Graded Binder Limits..... 105-13, 14; See Table 105-7	
Permanent Water Quality..... 208-31	
Permits, Licenses, and Taxes. .... 107-1	
Personal Liability/Public Employees..... 107-14	
personal protective equipment..... 107-2, 5; 250-3,4, 6; 630-13	
petroleum, oils, and lubricants ..... 208-25	
PF..... See Pay Factors	
pH..... 203-3 thr 5; See Tables 203-1, 2	
PHOTODEGRADABLE OR BIODEGRADABLE BLANKETS	
Performance Requirements .... See Table 216-2	
Physical Requirements ... See Table 216-1	
pick-up machine..... 406-4	
pier cap..... 105-36; 601-24, 33, 35	
piers..... 105-36, 37; 601-30	
Pile Driving Analyzer..... 502-6	
pile head..... 508-2	
pile tips ..... 502-10	
Piles	
Determination of Nominal Driving Resistance..... 502-7	
Driving ..... 502-4	
Extensions and Splices ..... 502-8	
Filling and Capping ..... 502-5	
Hammer Cushion ..... 502-4	
Hammer efficiencies .... See Table 502-1	
Hammers ..... 502-3	
HP Piles sizes ..... See Table 502-2	
Jetting..... 502-4	
Length ..... 502-3, 5	
Pile Driving Equipment..... 502-1	
Predrilling to Facilitate Pile Driving 502-5	
Protective Coatings..... 502-1	
Rolled Structural Steel ..... 502-1	
Static Load Test..... 502-7	
Steel Pipe ..... 502-1	
Piling..... 105-37, 501-1; 502-1	
Defective..... 502-7	
pilot car operation ..... 630-1, 11, 13, 17	
pins and rollers ..... 509-2	
Pipe	
Aluminized Corrugated Steel Pipe Ty 2... 624-1, 3; 707-3	
aluminum alloy..... 601-26; 624-2; 713-1; 715-2	
aramid fiber bonded corrugated steel 203-3; 206-3; 624-1; 707-2	
arch..... 509-17; 510-1; 603-2, 4; 706-1	
bell-and-spigot ..... 603-2; 716-2	
bituminous coated corrugated steel ..... 206-3; 605-1; 707-1, 2	
Bituminous Coated Corrugated Steel Pipe for Underdrains..... 707-2	
Carrying Non-Potable Water ..... 716-1; See Table 716-2	
CARRYING POTABLE WATER ..... 716-1; See Table 716-1	
Cast Iron ..... 619-1; 716-1; 717-4	
cast iron soil..... 717-3, 4	
Coated Concrete ..... 706-1	
Concrete and Clay..... 706-1	
copper..... 619-1; 716- 2	
corrugated aluminum ..... 203-3; 206-3; 603-1; 707-2	
Corrugated Aluminum Pipe for Underdrains 707-2	
corrugated metal ..... 202-2; 603-4	
corrugated steel ..... 603-1; 707-1	
Corrugated Steel Pipe and Pipe Arches 707-1	
Corrugated Steel Pipe for Underdrains 707-2	
Corrugated Steel Pipe Nestable .... 603-1	
culvert.... 101-5; 202-1, 9; 206-5; 603-4; 712-7	
Deflection Testing of Metal and Plastic .. 603-4	
Drain Tile ..... 605-1; 706-1	
Drainage ... 206-9; 504-4, 7, 25; 601-29; 605-1; 622-7, 8; 624-1	
Ductile Iron..... 603-1; 707-1	
edge drain ..... 605-1	
Elliptical shaped ..... 603-3; 706-1	
full circle ..... 510-1	
Galvanized..... 716-2	
irrigation .107-11; 623-4; See Table 623-2	
Jacked..... 619-1	
line owners ..... 105-35	
MATERIALS ALLOWED FOR CLASS OF 624-2; See Table 624-1	
METAL..... 707-1	
nestable..... 603-1	
non-reinforced concrete..... 203-3; 601-5	
Perforated ..... 605-1; 616-1; 706-1; 707-, 2; 712-6	
Perforated Concrete ..... 706-1	
Pipe Class ..... See Tables 203-1; 206-1	

# INDEX

<b>Page</b>	<b>Page</b>
<p>plastic ..... 203-3; 206-3; 603-4; 623-3;                      ..... 712-7; 716-2                      Plastic Pipe and Fittings .....623-3                      Plastic Pipe for Underdrains .....712-6                      Polymer Precoated Corrugated Steel Pipe                      .....707-3                      Polyvinyl Chloride ..... 518-1; 623-3;                      ..... 624-1; 705-8; 712-1,6, 8                      Porous Concrete .....706-1                      pre-coated corrugated steel .....203-3                      pressure ..... 623-2 thr 5                      PVC .....See Polyvinyl Chloride                      Reinforced Concrete ..... 203-3; 706-1                      Relaid ..... 210-1; 603-3  <b>RESISTIVITY REQUIREMENTS FOR</b>                          <b>METAL PIPES....624-3, See Table 624-2</b>                      Rotational Molded Pipe .....712-7                      Vitrified Clay .....603-1; 605-1; 706-1                      Welded Steel ..... 619-1;716-1                      PJP ..... See Partial Joint Penetration                      Planned Force Account .....101-7                      Plans..... 101-7; 102-1; 104-7; 105-1, 32                      Plans, Shop Drawings, Working Drawings,                      Other submittals, and Construction Drawings                      ..... 105-1                      Plant Mix Pavements .....401-1  <b>PLANTING</b> .....214-1                      Planting pits .....214-5, 6                      Planting Seasons .....214-5                      plates .. 504-15; 509-1; 510-11 thr 16; 512-3, 6                      Platform Scales .....109-1 thr 3                      platforms ..... 105-37; 601-37                      PLS ..... See Professional Land Surveyor, See                      ..... pure live seed                      PLSS ..... See Public Land Survey System                      Plumbing and Drainage .....622-7                      pneumatic tire .....203-10; 406-2, 4; 409-1                      pneumatically applied concrete .....641-1                      POL ..... See petroleum, oils, and lubricants                      poles .....202-6; 210-2; 613-4, 9;                      ..... 614-12, 25 thr 31; 715-1, 2                      Pollutant byproducts of highway construction                      ..... 107-19; 208-13, 16                      Polyester Concrete                          Aggregate for .....518-6                          Aggregate Gradation ..... See Table 518-4                          Composite System Properties.. See Table                          .....518-5                      Polyester Concrete End Dam .....518-3, 12                          Pre-placement Conference .....518-3, 12  <b>POLYESTER RESIN BINDER</b>                          Properties .....518-5; See Table 518-2                      Polyethylene .....504-3; 601-38; 624-1                      Polymer Slurry ..... 503-5; See Tables 503-2                      Polypropylene .....216-1; 504-3; 624-1;                      .....641-1; 712-8</p>	<p>polytetrafluoroethylene ..... 512-1; 705-4;                      ..... See Tables 705-3, 4                      Polyvinyl Chloride ..... 518-1; 623-3; 624-1;                      ..... 705-8; 712-1,6, 8                      Portions of Structures .....202-8                      Portland Cement..... 412-1                      Portland Cement Concrete ..... 518-1                      Portland Cement Concrete Pavement .....                      ..... 105-18; 106-10; 412-17                          Classification..... 412-1                          Coarse Aggregate... 412-1; 601-2 thr 10;                          ..... 703-1; See Table 703-1                          Fine Aggregate.....412-1; 703- 2                          Fly Ash ..... 412-1; 701-1                          Portland Cement ..... 412-1; 701-1;                          ..... See Tables 106-2, 3                      posts..... 208-3; 210-1 thr 3; 614-1; 710-1, 2                      post-tensioning ..... 618-1, 10-16; 714-1;                      ..... See Table 618-1                      Potholing ..... 203-2, 6, 11                      Power Control Unit ..... 614-11                      PP ..... See Polypropylene                      PPE ..... See personal protective equipment                      PQR ..... See Procedure Qualification Record                      Pre-Cast Concrete Panel ..... 504-6                      Pre-Cast Concrete Panel Facing Unit and                          Panel Joint Material ..... 504-6                      Pre-construction Conference ..... 101-5                          Environmental ..... 218-12, 13                      Pre-erection Conference..... 107-8;                      ..... 509-20 thr 25; 618-29, 30                      Pre-Fabricated Concrete Washout Structure                          Type 1..... 208-7, 23                          Type 2..... 208-7, 23                      Pre-Hearing Phone Conference..... 105-48                      Preliminary Hearing ..... 105-45, 53                      Prestressed Concrete ..... 618-1                      Prestressed Unit Materials..... 714-1                      prestressing ..... 618-1; 714-1                      Presurvey Conference ..... 625-2; 629-2                      Prewetting ..... 209-1  <b>PRICE REDUCTION FACTORS</b> ..... 105-9;                      ..... See Table 105-2                      Price Reductions                          Multiplier for HMA105-10; See Table 105-4                          Multiplier for Misc Items ..... 105-10;                          ..... See Table 105-3                          Reflectivity ..... 105-11; See Table 105-5                      Primary Control surveys ..... 625-3; 629-5                      Prime Coat ..... 407-1                      Prime Coat, Tack Coat, and Rejuvenating                      Agent ..... 407-1                      Procedure Qualification Record .... 509-15, 20;                      ..... 614-23</p>

# INDEX

<b>Page</b>	<b>Page</b>
Process Control ..... 105-23, 106- 4 thr 9; ..... See Table 106-1 Contractor Process Control .... 203-5; See ..... Tables 106-1, 2 Contractor’s Process Control Representative .....203-6 thr 9	Public Land Surveyor ..... 625-1; 629-1 pure live seed ..... 212-1 Push Button Assembly ..... 614-10, 12 PVC ..... See Polyvinyl Chloride PWQ ..... See Permanent Water Quality QA ..... See Quality Assurance QA inspector ..... 509-3 thr 9 QL ..... See Quality Levels Qualification of Testing Personnel and Laboratories ..... 106-3 Quality Assurance ..... 509-3 Quality Level 105-15, 35; 106-4 thr 11; 401-13 RACS See Regulated Asbestos Contaminated ..... Soils radiographic ..... 509-9
Profile Grade ..... 101-7 profile grade line ..... 105-26 Project ..... 101-7 Project Acceptance ..... 108-7; 412-17, 18 project control staking ..... 105-37 Project Engineer ..... 101-7; 105-37 thr 46 Project Engineer Review ..... 105-43 Project Environmental Permits ..... 208-17 Project Review, Schedule, and Erosion Control Management ..... 208-10 Project Safety & Health Requirements... 107-5 Project Safety Management Plan ..... 107-2, 3 Project Safety Manager ..... 107-2 thr 6 Project Schedule ..... 108-1 thr 12 Project Special Provisions ..... 101-7 Project Termini ..... 101-7 Proof Rolling ..... 203-10, 12; 307-2 Proposal ..... 101-8 Combination or Conditional ..... 102-3 Consideration of ..... 103-1 Form ..... 101-8 Guaranty ..... 101-8 Interpretation of Quantities in ..... 102-1 Irregular ..... 102-2 Preparation of ..... 102-2 Submittal of Conceptual ..... 104-5 Submittal of Full Value Engineering ..... Change 104-5	Railing Combination ..... 514-1 Pedestrian and Bikeway ..... 514-1 Pipe ..... 514-1 Steel Tube ..... 514-1 Timber ..... 514-1 railroad crossing ..... 105-26 Railroad-Highway Provisions ..... 107-9 ramps ..... 608-1 RAP ..... See recycled asphalt pavement Recalcitrant Finding ..... 208-17, 28 Reconditioning ..... 306-1 Record Set ..... 101-8 recycled asphalt pavement ..... 703-2 Recycled broken glass ..... 206-2 recycled concrete ..... 203-10 Recycled crushed concrete ..... 208-7 Recycling Train ..... 406-3 reflectors .... 612-1; 713-3; See Tables 713-3,4 Region Transportation Director. 101-8; 105-54 Region Transportation Director Decision ..... ..... 105-57 Region Water Pollution Control Manager ..... ..... 107-21; 208-9, 26, 30 Regional Planning Environmental Manager ..... 107-16 Regular Finding ..... 208-26 thr 29 Regulated Asbestos Contaminated Soils ..... ..... 250-12 Regulated Asbestos Contaminated Soils Management ..... 250-13 Regulatory Enforcement Actions ..... 107-6 Regulatory Mechanism/Water Quality 208-26 Reinforcing steel ..... 202-8; 503-4, 11, 12; ..... 504-26; 602-1; 709-1; See Table 503-4 Reinforcing Steel and ..... 709-1 Reinforcement Length ..... 504-2, 4, 9 Rejuvenating Agent .... 407-1; See Table 702-8 relocation ..... 105-35 Remote Control ..... 623-1
PROSECUTION AND PROGRESS ..... 108-1 Protection and Restoration of Property and Landscape ..... 107-10 Protection of Existing Structures and Drilled Holes ..... 503-10 Protective Coatings ..... 502-1 Pruning ..... 214-7 PTFE ..... See polytetrafluoroethylene Public Convenience and Safety ..... 107-9 Public Information ..... 630-6, 10 Public information requirements ..... 630-108 Public Land Survey System ..... 625-1; 629-1	

# INDEX

<b>Page</b>	<b>Page</b>
Removability Modulus.....206-2, 3	Safety Stand-Down..... 107-5
removal..... 105-38; 107-6; 202-1 thr 8; 203-1	Safety, Health, & Sanitation Provisions.. 107-2
Removal of Asphalt Mat (Planing) .....202-8	Salvable Material ..... 101-9; 202-1, 2, 6
REMOVAL OF STRUCTURES AND	salvaging and stockpiling topsoil..... 207-1
OBSTRUCTIONS.....202-1	Samples, Tests, Cited Specifications ..... 106-3
Removal of Unacceptable Work and	Sampling & Testing of Hot Mix Asphalt 106-3;
Unauthorized Work..... 105-38	..... See Table 106-1
Reset Monuments and Stakes .....625-4	Sampling and Testing of Portland Cement
RESET STRUCTURES.....210-1	Concrete Paving ..... 106-10
Resident Engineer ..... 101-3	Sand Equivalence..... 105-23; 601-10; 703-2;
Resident Engineer Review ..... 105-43	..... See Table 106-2, Table 106-3
residue..... 105-9; 107-15; 208-6, 7, 21	Sanitary Facilities. .... 620-2
Resistance .....208-8, 9; 502-2 thr 8; 518-7	Sanitary Napkin Disposal..... 622-3; 717-1
Resistivity.....203-5; 206-3; 624-3;	Sanitary Sewer, Septic Tank, Leaching Field,
..... See Table 624-2	Sewage Lift Station & Sanitary Station 622-11
RESISTIVITY AND PH OF IMPORTED	SAW ..... See Submerged Arc Welding
MATERIAL .... See Table 203-2; Table 206-2	scarifying ..... See Table 109-1; 405-1
Responsibility for Damage Claims, Insurance	Scope of Payment. .... 109-4
Types and Coverage Limits..... 107-11	scope of work ..... 104-1
REST AREAS AND BUILDINGS .....622-1	screed ..... 401-5, 6
Restoration/Surfaces Opened by Permit 107-1	Sealant..... 408-1; 412-14; 622-5; 702-10
retaining wall.....504-1, 12	Secondary Control surveys..... 625-3 thr 5
Retroreflective.....614-2; 630-2;	Sediment Trap ..... 208-4, 22
.....627-7, 9; 713-2, 6	Seed, Soil Conditioners, Fertilizers, and Sod
CDOT Retroreflective Sheeting Materials	..... 212-1
Guide.....630-1	Seeding Seasons ..... 212-4; See Table 212-2
RETROREFLECTIVE SHEETING TYPES	SEEDING, FERTILIZER, SOIL
.....630-2; See Table 630-1	CONDITIONER, AND SODDING... 212-1, 6
Right of Way ..... 101-2, 8; 107-14; 208-18	Seeding, Mulching, Sodding, Soil Retention
Rights in and Use of Materials ..... 104-3	Blanket ..... 208-21
Riprap .....506-1	service connections ..... 105-35
Abrasion Resistance ..... 506-1	service interruptions ..... 105-35
Compressive Strength ..... 507-1	Severe Finding ..... 208-27 thr 29
Gradation ..... See Tables 506-1, 506-2	Sewer ..... 208-12; 603-1
Riprap (Gabions) And Slope Mattress ....506-3	Storm..... 624-1
RL..... See reinforcement length	Shielded Metal Arc Welding ..... 509-15, 21
RM..... See Removability Modulus	Shop drawings..... 101-9; 105-1 thr 4; 107-11;
Road ..... 101-6	..... 504-1 thr 4; 509-4; 618-3 thr 10; 622-1
Roadbed ..... 101-6	Shop drawings, Working Drawings, and Other
Roadside..... 101-6	Submittals..... 105-1; See Table 105-1
Roadside Development..... 101-6	Shoring..... 101-9; 202-3; 206-9 thr 11
Roadway..... 101-6	Shotcrete .... 504-14, 17 thr 20, 25, 26; 601-5;
Roadway Prism..... 101-6	..... 641-1; See Table 504-6
Rock Check Dam .....208-4, 21	Shotcrete Application Method Statement .....
Roofing, Flashing and Roof Insulation...622-4;	..... 641-1
..... 717-2	Shoulder.. 101-9; 105-19, 23, 25; 630-9 thr 14
ROW ..... See Right of way	sidewalk ..... 101-9; 202-8
RPEM See Regional Planning Environmental	sidewalks..... 202-8; 601-38; 608-1
..... Manager	Sidewalks and Bikeways ..... 608-1
RTD ..... See Region Transportation Director	Bituminous ..... 608-2
rumble strips ..... 614-30; 630-5, 14, 15	Concrete..... 608-1
RWPCM.. See Region Water Pollution Control	sign..... 105-36; 202-6; 630-8;
..... Manager	..... 614-23, 24; 713-1,2
SA..... See Smoothness Acceptance	Sign Illumination and Illuminated Signs. 614-2
safety..... 107-1 thr 6; 250-1	Sign Structure..... 210-2; 509-21; 614-1
Safety Critical Work..... 101-9; 107-2, 6 thr 9	

# INDEX

<b>Page</b>	<b>Page</b>
Signal	
Programmed Visibility Vehicle Signal	
Faces ..... 614-13	
Traffic Signal Faces..... 614-12	
Traffic Signal Poles ..... 614-12	
signal ..... 202-2; 614-12; 630-3	
Significant Changes in the Character of Work	
..... 104-1	
Signs and Traffic Signals ..... 614-23	
Silica Fume..... 601-12; 702-2	
Silt Berm..... 208-3; See Table 208-3	
Silt Dike Segment Requirements	
..... 208-6; See Table 208-7	
Silt Dikes..... 208-5; See Table 208-7	
Silt Fence..... 208-3; See Table 208-2	
Silt Fence (Reinforced)..... 208-3	
Siphons ..... 616-1	
Drain Valves and Valve Boxes ..... 616-1	
Trash Guards..... 616-1	
slip form..... 412-4, 5, 16; 601-3	
slip joints..... 504-5, 8, 9	
SLOPE AND DITCH PAVING..... 507-1, 601-3	
Asphalt ..... 507-2, 3	
Concrete ..... 507-1, 2	
Dry Rubble ..... 507-1, 3	
Grouted Riprap ..... 507-1, 3	
Grouted Rubble ..... 507-1, 3	
Slope Application ..... 216-6; See Table 216-2	
slope mattresses..... 506-3, 4; 712-5, 6	
slopes ..... 105-36; 203-5 thr 10; 207-1; 212-6;	
..... 213-1; 216-4; 420-2; 504-19	
Slot Stitching..... 412-23	
Slot Formation..... 412-23	
slurry..... 107-15; 503-2 thr 10	
Mineral..... 503-5, 10, See Table 503-1	
Polymer.... 503-5, 6, 10, See Table 503-2	
Sampling and Testing..... 503-10	
Water ..... 503-6, See Table 503-3	
SMA..... See Stone Matrix Asphalt	
SMAW ..... See Shielded Metal Arc Welding	
Smoking ..... 250-5	
Smoothness Acceptance ..... 105-25, 31	
Smoothness Criteria ..... 105-24	
Smoothness Process Control..... 105-24	
Smoothness Verification Testing ..... 105-26	
Snow Fence..... 210-1; 710-1	
SO <sub>4</sub> ..... See Sulfate	
Sodding ..... 212-6	
Soil Conditioners and Fertilizer ..... 212-1 thr 6	
soil embankment..... 203-2	
placing..... 203-7	
Soil Reinforcement ..... 504-1 thr 5	
Soil Reinforcement Length..... 504-2	
Soil Reinforcement Material ..... 504-1	
Soil Retention Blanket ..... 216-1;	
..... See Table 216-1, Table 216-2	
Soil retention covering ..... 216-1	
Solid Waste Disposal..... 250-11	
Source of Supply and Quality Requirements	
..... 106-1	
SPC..... See Smoothness Process Control	
SPCC ..... See Spill Prevention, Control and	
Countermeasure Plan	
Special Provisions ..... 101-9	
Specifications .. 101-9 thr 11; 102-1, 2; 105-32;	
..... 106-2	
Specified Completion Date ..... 101-10; 108-10	
Spill prevention and containment measures	
..... 107-19	
Spill Prevention, Control and Countermeasure	
Plan..... 107-17	
Spill Response Plan ..... 107-17; 208-16, 25	
Spray-on mulch blanket 208-19, 34; 213-3,4,8	
Spreading and Finishing..... 401-8, 9	
Spring thaw ..... 212-4, 5	
Sprinkler Heads..... 623-2	
SRPE ..... See Steel Reinforced Polyethylene	
stabilization ..... 208-1, 19, 20, 29	
Staging areas ..... 107-20; 208-12, 26	
stainless-steel . 512-1 thr 4; 623-2 thr 5; 705-5;	
..... 715-2, 8, 9; 717-1	
stakes..... 105-36, 208-2 thr 5; 214-3 thr 8	
Staking ..... 105-36, 37; 214-4, 9; 625-1 thr 3	
CDOT Survey Manual Chap. 6 . 625-2 thr 5	
Standard Special Provisions... 101-10; 105-32	
Standard Specifications..... 101-9; 105-32	
Standing DRB ..... 105-44 thr 46	
State..... 101-9	
State waters ..... 101-10; 107-15 thr 20;	
..... 208-1, 12, 14, 23, 24	
static load test ..... 502-7; 503-16	
Stationing ..... 412-6; 625-3, 4	
Steel Reinforced Polyethylene.... 624-1; 712-6	
Steel Sheet Piling ..... 501-1	
Type I..... 501-1	
Type II..... 501-1	
Steel Structures..... 509-1, 15, 19, 21	
steel wheel ..... 401-11; 405-1; 406-2, 4	
Stockpile Management..... 208-26	
stockpiled ..... 107-19; 109-16, 17; 250-10, 11	
Stockpiled Material ..... 109-16	
stone matrix asphalt ..... 105-10; 109-12;	
..... 703-5 thr 8; See Table 703-5	
Storm Drain Inlet Protection ..... 208-8, 22;	
..... See Table 208-13, Table 208-14	
I, II, III - Properties ..... 208-9	
Type I..... 208-9	
Type II..... 208-9	
Type III ..... 208-9	

# INDEX

<b>Page</b>	<b>Page</b>
Stormwater	boundary ..... 625-1; 629-1
CDOT Erosion Control and Stormwater	CDOT Survey Manual ..... 625-1
Quality Guide .....208-13, 16	land monuments..... 625-1
Control Measures ..... 101-5; 107-18;	Mineral Survey (MS) monuments .... 625-1
..... 208-10 thr 14, 18 thr 22	MONUMENTATION ..... 629-1 thr 4
Construction Permit.....105-15; 107-20	Public Land Survey System..... 625-1;
Stormwater Management Plan.....101-10;	..... 629-1 thr 6
.....107-15 thr 20; 208-1, 10	Survey Monumentation..... 629-1
runoff..... 101-10; 107-18; 208-1	Installing Monuments ..... 629-5
Plan sheets ..... 208-15	Locating Monuments ..... 629-3
Site map ..... 208-10 thr 18	Monument Box..... 629-6
Street.....101-10	Preserving and Referencing Monuments ..
structural.....109-17	..... 629-3
Structural Concrete Coating .....601-1, 17, 18;	Surveying .....625-1
.....601-33, 34; 708-5	CONSTRUCTION SURVEYING 105-36; 625-1
Classes of Finish ..... 601-33	Contractor.....105-36
Structural Plate Structures .....510-1	Contractor surveying..... 625-2
Structure Backfill .....206-1, 4; 504-5, 9, 10;	Department .....105-36
623-5; 703-9; See Table 703-12, Table 703-13	equipment..... 625-1; 629-1
Class 1.....206-1, 5	Suspensions of Work Ordered by the
Class 2..... 206-1, 6	Engineer ..... 104-1
Class 3.....206-1	SV ..... See Smoothness Verification Testing
Flow-Fill..... 206-1, 65	SWMP ..... See Stormwater Management Plan
Structure Excavation and Structure Backfill	Tack Coat ..... 401-7, 407-1
.....206-5	Tailgate meetings..... 107-2
Structure Number.....508-3; 509-29	tapers ..... 105-25
Structures 101-10; 202-1, 8; 206-1, 6; 208-25;	TCP ..... See Traffic Control Plan
..... 210-1, 2; 501-1; 503-10; 508-1; 509-1	TCLP ..... See Toxicity Characteristic Leaching
studs.....504-16; 509-2, 16; 601-16	..... Procedure
Subcontractor ..... 101-10; 108-8; 109-9 thr 11	Technical Representative of Wall Product
subgrade.... 101-11; 105-36; 203-5, 10; 306-1;	Supplier ..... 504-8
.....307-1	TECS..... See Transportation Erosion Control
Submerged Arc Welding .....509-11	Supervisory Certificate Training
Submittal of Conceptual Proposal ..... 104-5	Temporary Berms ..... 208-3, 21
Submittal of Full Value Engineering Change	Temporary channelizing devices..... 630-4
Proposal.....104-5	Stackable Tubular Markers..... 630-5
Substructure ..... 101-11	Stackable Vertical Panels ..... 630-4
Subsurface Drains .....605-1, 2	Temporary Portable Rumble Strips . 630-5
Sulfate ...203-4; See Table 203-1; Table 206-1	Temporary Masking Signs ..... 630-12
Water soluble..... 203-3; 206-3,307-5	Temporary Pavement Marking202-7; 627-1, 2;
Sulfate, Chloride And pH Of	..... See Table 202-1
Imported Material ..... See Table 203-1	Temporary Slope Drains ..... 208-3, 21
Sulfate, Chloride And pH Of	Test Methods for Examining of Composting
Imported Material ..... See Table 206-1	and Compost ..... 212-2, 3
Superintendent..... 101-11	texturing ..... 105-23; 202-11; 412-6; 601-37;
Superpave Performance Graded Binders.....	..... 708-5, 6
..... 105-13; 702-1; See Table 702-1	The Ultimate tensile strength ..... 504-1 thr 6
Superstructure .....101-8	Thermoplastic Pavement Marking 627-4 thr 9;
Supplemental Specifications .....101-7, 8	..... 713-4, 5, 9, 10
Surety . 101-4, 11; 107-1; 108-12 thr 14; 109-8	Third Party Beneficiary ..... 107-15
Surface Conditioning.....401-7	Thousand Feet Board Measure .. 109-4; 508-3
Surface roughening.....208-19, 24	Timber ..... 109-4
Surface Smoothness.. 105-25; 401-14; 412-14	TIMBER STRUCTURES..... 109-4; 508-1
All Bridge Deck Surfaces..... 601-37	TL ..... See Tolerance Limit
surface texture ..... 105-23, 30; 202-12	TMECC ... See Test Methods for Examining of
Survey .....625-1	..... Composting and Compost

# INDEX

<b>Page</b>	<b>Page</b>
TMP.... See Transportation Management Plan	
TO requirements..... See Transportation Operations Plan	
Tolerances for Hot Mix Asphalt..... ..... See Table 401-1	
Tolerance Limit ..... 105-8, 14 thr 16, 20 thr 23; ..... 106-4 thr 10; 412-17, 19; 712-6	
Toolbox ..... 107-2	
Topsoil ... 101-3; 106-2; 203-11; 207-1;208-19; .....214-6 thr 8	
Wetland topsoil material .. 203-11; 207-1	
Toxicity Characteristic Leaching Procedure .....206-2; 250-9; 701-2	
traffic circle ..... 105-25	
traffic cones .....630-3	
traffic control devices ..... ... 107-9, 13; 202-1; 614-1, 23; 630-1, 6 thr 15	
Traffic Control Management..... 630-1, 10, 16	
Traffic Control Plan ..... 101-11; 104-2; .....630-6 thr 16	
traffic signal .. 105-39; 202-6; 210-2; 614-2, 23	
traffic signal controller .....202-6; 614-3 thr 5; ..... See Table 614-1	
Traffic Signal Electrical Conductors and Control Cable ..... 614-13, 25	
Traffic Signal Faces ..... 614-12	
Traffic Signal Poles ..... 614-12	
Traffic Signal Systems ..... 614-25 Bonding and Grounding ..... 614-26	
Traffic Signal Vehicle Detector Amplifier..... .....614-15	
TRANSPLANTING.....215-1 thr 4; ..... See Table 215-3	
Transportation Erosion Control Supervisory Certificate Training ..... 208-11	
Transportation Management Plan ..... 630-6	
Transportation Operations Plan ..... 630-10	
Trash Receptacles ..... 622-6; 712-3	
Traveled Way..... 101-11	
treatment, storage and disposal..... ..... 250-2, 5 thr, 11	
TRM..... See Turf reinforcement mat	
TSD ..... See treatment, storage and disposal	
Tubular markers..... 630-2 thr 5; 713-6; ..... See Table 630-4	
TULT..... See the Ultimate tensile strength	
Turf reinforcement mat..... 208-3; 216-3, 4 Performance Requirements ..... ..... See Table 216-4 Physical Requirements ... See Table 216-3	
turn slots ..... 105-25, 27	
U.S. Coast and Geodetic ..... 629-4	
U.S. Geological Survey..... 629-4	
U-Channel ..... 630-1	
Ultrasonic Testing ..... 502-11	
Extent and Acceptance Criteria of Ultrasonic Testing.....509-6	
ultrasonically tested..... 502-9; 509-6	
Unacceptable work..... 105-38	
Unauthorized work ..... 105-38	
underdrains ..... 101-10; 504-14, 25; 605-1; ..... 707-2; 712-6	
US Army Corps of Engineers..... 208-17, 18	
USACE..... See US Army Corps of Engineers	
USCG..... See U.S. Coast and Geodetic	
Use of Explosives..... 107-5, 10	
USGS..... See U.S. Geological Survey	
UT ..... See Ultrasonically Tested	
utility ..... 105-35	
Utility Company ..... 107-21	
utility facilities ..... 105-35	
utility owners ..... 105-35	
VAC..... See Volts Alternating Current	
Value Engineering Change Proposal... 101-11 Basis of Payment.....104-8 by the Contractor.....104-4 Contractor Appeal Process .....104-9 Evaluation .....104-6 VECP (Category A)..... 104-4 VECP (Category B) ..... 104-4	
valve boxes ..... 105-35; 210-2; 616-1; ..... 623-4, 7; 716-2	
vaults..... 604-1	
VECP ..... See Value Engineering Change Proposal	
Vehicle detector amplifier ..... 614-15	
Vehicle Tracking Pad ..... 208-5 Min. dimensions of the modular system .... 208-7; See Table 208-9, Table 208-10	
Vertical Slip Joints ..... 504-5, 8, 9	
Vertical tracking..... 208-19, 24, 33	
vibrations per minute ..... 412-2	
vibratory rollers.....203-8, 9; 401-11, 12, 13	
Violation of Working Time Limitation... 105-12; ..... See Table 105-6	
VOC ..... See Volatile Organic Compound	
Voids ..... 106-6 thr 8; 412-13; 504-19	
Volatile Organic Compound. 412-11; 601-32, ..... 601-38, 708-1	
Volts Alternating Current.....613-1; 614-11	
VPM ..... See Vibrations per minute	
VTP..... See vehicle tracking pad	
V-type heating ..... 509-12	
"W" Beam Rail..... 710-1	
Walls ..... 504-1 Design Heights .....504-4 Elevations.....504-1 Layouts.....504-1 Leveling Pad..... 504-12 Panel and Reinforcement Locations 504-1	

# INDEX

	<b>Page</b>		<b>Page</b>
Placement Schedule.....	504-5	Waterstops and Expansion Joints.....	518-1
Soil Reinforcement .....	504-1	Watertight Joint Systems .....	603-3; 624-3;
Tiered .....	504-4	.....	705-1
WAQTC .....	See Western Alliance for Quality	web.....	502-1, 6; 509-1, 6, 12 thr 17
Transportation Construction		Welded Stud Shear Connectors .....	509-2
Wastewater ....	107-19; 208-7; 250-11 412-4, 5	welded wire fabric.....	208-3; 504-16, 602-1;
Water Control Devices .....	615-1	.....	709-1
Water lines .....	105-35; 619-1; 622-9; 717-4	Western Alliance for Quality Transportation	
Water Quality .....	107-15	Construction .....	203-6
Items to Be Completed Before		Wetland areas .....	107-19
Requesting Partial Acceptance	208-30	Wetland plugs.....	215-3
List and Evaluation of Potential		Wetland Topsoil .....	203-11; 207-1
Pollutants .....	208-16	Wheel Path.....	101-11
Permanent.....	208-30	wheel paths .....	105-27; 401-9
Permanent Water Quality Plan Sheets		wire lines .....	105-35
.....	208-17	Wood cellulose fiber mulch.....	213-2
Water Quality Control	107-15; 208-11, 26 -30	.....	See Table 213-1
Construction Requirements .....	107-11	Wood chip mulch .....	213-3
Water Slurry .....	503-6, See Table 503-3	Wood Noise Barrier .....	607-1; 710-2
WATERING AND DUST PALLIATIVES .....		Work.....	101-8; 104-1; 105-1
.....	209-1	Work zone .....	630-2, 6
Waterproofing .....	517-1; 705-1,	Working Day.....	101-11
.....	See Table 705-7	Working Drawings .....	101-11
waterproofing membrane .....	401-8; 515-1	Workplace Violence .....	101-12, 108-9
Waterstops.....	518-1, See Expansion Devices	Woven wire.....	710-1
		Wrapping material .....	214-3



