

CHEMICAL UNIT-15

Colorado Procedures – Laboratory:

Determining the Sulfate Ion Content in Water or Water-Soluble Sulfate Ion Content in Soil	CP-L 2103
Determining the Chloride Ion Content in Water or Water-Soluble Chloride Ion Content in Soil	CP-L 2104

Standard Test Procedures: AASHTO / ASTM

	<u>AASHTO</u>	<u>ASTM</u>
Air Content of Hydraulic Cement Mortar		C 185
Autoclave Expansion of Portland Cement.....		C 151
Chemical Analysis of Limestone, Quicklime, and Hydrated Lime		C 25
Chemical Analysis of Hydraulic Cement		C 114
Chloride Ion in Water.....		D 512
Compressive Strength of Hydraulic Cement Mortars.....		C 109
Density of Hydraulic Cement.....		C 188
Determination of Organic Content in Soils by Loss on Ignition	T 267	
Determining Water-Soluble Chloride Ion Content in Soils	T 291	
Early Stiffening of Hydraulic Cement (Paste Method)		C 451
Expansion of Hydraulic Cement Mortar Bars Stored in Water.....		C 1038
Fineness of Hydraulic Cement by Air Permeability Apparatus		C 204
Fineness of Hydraulic Cement by the 45-µm (No. 325) Sieve		C 430
Normal Consistency of Hydraulic Cement.....		C 187
pH of Peat Materials		D 2976
pH of Soils		D 4972
pH of Soil for Corrosion Testing		G 51
Sampling and Testing Fly Ash or Natural Pozzolans for Use In Portland Cement Concrete.....		C 311
Sampling and Testing for Chloride Ion in Concrete and Concrete Raw Materials	T 260	

BITUMINOUS INDEX - 15

Colorado Procedures – Laboratory:

Test of Protective Covering for Bridge Deck Waterproofing Membrane.....	CP-L 2202
Pliability and Thickness of Prefabricated Reinforced Membrane.....	CP-L 2203
Determining Toughness and Tenacity of Rubberized Asphaltic Materials.....	CP-L 2210
Elastic Recovery.....	CP-L 2211
Residue by Evaporation of Asphalt Emulsion	CP-L 2212
Coating of Bitumen-Aggregate Mixtures	CP-L 2213
Verification of Binder Acidity.....	CP-L 2214
Effect of Heat and Air on a Moving Film of Asphalt (replaced Subsection only).....	CP-L 2215

Standard Test Procedures: AASHTO / ASTM

	<u>AASHTO</u>	<u>ASTM</u>
Loss on Heating of Oil and Asphaltic Compounds.....		D 6
Relative Density of Solid Pitch and Asphalt (Displacement Method)		D 71
Crack Filler, Hot-Applied, for Asphalt Concrete and PCCP		D 5078
Joint and Crack Sealants, Hot Applied, for Asphalt Concrete and PCCP (Type I and Type II).....		D 6690
Performance-Graded Asphalt Binder.....	M 320	
Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV).....	R 28	
Grading or Verifying the Performance Grade (PG) of an Asphalt Binder	R 29	
Penetration of Bituminous Materials.....	T 49	
Float Test for Bituminous Materials.....	T 50	
█ Ductility of Asphalt Materials	T 51	
Softening Point of Bitumen (Ring-and-Ball Apparatus)	T 53	
█ Emulsified Asphalts.....	T 59	
Saybolt Viscosity	T 72	
█ Specific Gravity of Semi-Solid Asphalt Materials	T 228	

Effect of Heat and Air on a Moving Film of Asphalt Binder
(Rolling Thin-Film Oven Test) T 240

Determining the Flexural Creep Stiffness of Asphalt Binder Using the
Bending Beam Rheometer (BBR) T 313

Determining the Fracture Properties of Asphalt Binder in
Direct Tension (DT)..... T 314

Determining the Rheological Properties of Asphalt Binder Using a
Dynamic Shear Rheometer (DSR)..... T 315

Viscosity Determination of Asphalt Binder Using Rotational Viscometer T 316

	<u>AASHTO</u>	<u>ASTM</u>
Time of Setting of Hydraulic Cement by Vicat Needle		C 191
Quality of Water to Be Used in Concrete	T 26	
Rapid Identification of Alkali-Silica Reaction Products in Concrete.....	T 299	
Length Change of Hardened Hydraulic Cement Mortar and Concrete.....	T 160.....	C 157
Accelerated Detection of Potentially Deleterious Expansion of Mortar Bars Due to Alkali-Silica Reaction.....	T 303.....	C 1260
Estimating the Cracking Tendency of Concrete.....	T 334	
Wenner Four-Electrode.....		G 57

SOIL INDEX - 14

Colorado Procedures – Laboratory:

Resistance R- Value and Expansion Pressure of Compacted Soils or Aggregates by Means of Hveem Stabilometer [printed in color]	CP-L 3101
Deleted 6-01-2013.....	CP-L 3102
Specific Gravity of Soils.....	CP-L 3103
{AASHTO T 100, Primary Procedure, (this CP-L modifies select Subsections)}	
Determining the Durability of Shales for Use as Embankments	CP-L 3104
Grain Size Analysis of Soil for AASHTO Classification	CP-L 3105
Grain Size Analysis of Soil for Unified Soil Classification System.....	CP-L 3106

Standard Test Procedures: AASHTO / ASTM

	<u>AASHTO</u>	<u>ASTM</u>
Liquid Limit of Soils, Determining the	T 89	
Plastic Limit and Plasticity Index of Soils, Determining the	T 90	
Moisture-Density Relations of Soils Using 2.5-kg Rammer & 305-mm Drop.....	T 99	
Specific Gravity of Soils.....	T 100	
Moisture-Density Relations of Soils Using 4.54-kg Rammer & 457-mm Drop...T	180	
Resistance R-Value and Expansion Pressure of Compacted Soils.....	T 190	
Unconfined Compressive Strength of Cohesive Soil	T 208	
Permeability of Granular Soils (Constant Head)	T 215.....	D 2434
One-Dimensional Consolidation Properties of Soils	T 216	
Density of Soil-in-Place by Block, Chunk, or Core Sampling	T 233	
Direct Shear Test of Soils Under Consolidated Drained Conditions	T 236	
Slake Durability of Shales and Similar Weak Rocks.....		D 4644

{This page was intentionally left blank.}

GEOLOGY INDEX - 15

Colorado Procedures – Laboratory:

Continuous Penetration Test..... CP-L 3201

Geology Forms – Examples:

Penetrometer Log..... # 334

Inspector’s Report of Caisson Installation..... # 1333

Geological Boring Log..... # 1334

Standard Test Procedures: AASHTO / ASTM

	<u>AASHTO</u>	<u>ASTM</u>
Guide to Site Characterization for Engineering Design and Construction Purposes.....		D 420
Practice for Soil Investigation and Sampling by Auger Borings		D 1452
Penetration Test and Split-Barrel Sampling of Soils.....		D 1586
Thin-Walled Tube Sampling of Soils for Geotechnical Purposes.....		D 1587
Rock Core Drilling and Sampling of Rock for Site Investigation		D 2113
Thick Wall, Ring-Lined, Split Barrel, Drive Sampling of Soils		D 3550
Using Hollow-Stem Augers for Geotechnical Exploration and Soil Sampling		D 6151

{This page was intentionally left blank.}

CONCRETE INDEX - 15

Colorado Procedures – Laboratory

Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks.....	CP-L 4101
{ASTM D 1985, Primary Procedure, (this CP-L modifies select Subsections)}	
Specific Gravity and Absorption of Fine Aggregate [printed in color]	CP-L 4102
{AASHTO T 84, Primary Procedure, (this CP-L modifies select Subsections)}	
RESERVED FOR PROCEDURE UNDER DEVELOPMENT	CP-L 4103

Standard Test Procedures: AASHTO / ASTM

	<u>AASHTO</u>	<u>ASTM</u>
Molds for Forming Concrete Test Cylinders Vertically	M 205.....	C 470
Compressive Strength of Cylindrical Concrete Specimens.....	T 22.....	C 39
Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders		C 1231
Making and Curing Concrete Test Specimens in the Field.....	T 23.....	C 31
Obtaining and Testing Drilled Cores and Sawed Beams of Concrete	T 24.....	C 42
Specific Gravity and Absorption of Fine Aggregate.....	T 84.....	C 128
Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	T 97.....	C 78
Slump of Hydraulic Cement Concrete.....	T 119.....	C 143
Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete.....	T 121.....	C 138
Making and Curing Concrete Test Specimens in the Laboratory.....		C 192
Sampling Freshly Mixed Concrete	T 141.....	C 172
Measuring Length of Drilled Concrete Cores	T 148.....	C 174
Air Content of Freshly Mixed Concrete by the Pressure Method.....	T 152.....	C 231
Air Content of Freshly Mixed Concrete by the Volumetric Method	T 196.....	C 173

	<u>AASHTO</u>	<u>ASTM</u>
Splitting Tensile Strength of Cylindrical Concrete Specimens.....	T 198.....	C 496
Capping Cylindrical Concrete Specimens	T 231.....	C 617
Temperature of Freshly Mixed Portland Cement Concrete.....		C 1064
Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks.....		D 1985

PHYSICAL PROPERTIES INDEX - 15

Colorado Procedures – Laboratory

Physical Testing of Quicklime, Hydrated Lime, and Limestone.....	CP-L 4209
{ASTM C 110, Primary Procedure, (this CP-L modifies select Subsections)}	
Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus.....	CP-L 4211
Determination of Percent Moisture in Rock Salt	CP-L 4215
Determination of Salt Content of Sanding Materials	CP-L 4216

Note:

CP-L 4201 has been deleted. The test is replaced in its entirety by ASTM C 1260.

CP-L 4202 has been deleted. The test is replaced in its entirety by ASTM C 1567.

Standard Test Procedures: AASHTO / ASTM

	<u>AASHTO</u>	<u>ASTM</u>
Steel Strand, Uncoated Seven-Wire for Concrete Reinforcement.....	M 203.....	A 416
Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	T 11.....	C 117
Bulk Density (“Unit Weight”) and Voids in Aggregate.....	T 19.....	C 29
Organic Impurities in Fine Aggregate for Concrete.....	T 21.....	C 40
Sieve Analysis of Fine and Coarse Aggregates.....	T 27.....	C 136
Sieve Analysis of Mineral Filler for Hot Mix Asphalt (HMA).....	T 37.....	D 546
Preformed Expansion Joint Fillers for Concrete Construction.....	T 42.....	D 545
Tension Testing of Metallic Materials.....	T 68.....	E 8
Rockwell Hardness and Rockwell Superficial Hardness of Metallic Materials.....	T 80.....	E 18
Specific Gravity and Absorption of Fine Aggregate.....	T 84.....	C 128
Specific Gravity and Absorption of Coarse Aggregate.....	T 85.....	C 127
Determining the Liquid Limit of Soils.....	T 89	
Determining the Plastic Limit and Plasticity Index of Soils.....	T 90	
Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine.....	T 96.....	C 131

	<u>AASHTO</u>	<u>ASTM</u>
Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate.....	T 104.....	C 88
Clay Lumps and Friable Particles in Aggregates.....	T 112.....	C 142
Lightweight Pieces in Aggregate.....	T 113.....	C 123
Moisture-Density Relations of Soils Using a 4.54-kg [10-lb] Rammer and a 457-mm [18-in.] Drop.....	T 180	
Mechanical Testing of Steel Products.....	T 244.....	A 370
Reducing Samples of Aggregate to Testing Size.....	T 248.....	C 702
Total Evaporable Moisture Content of Aggregate by Drying.....	T 255.....	C 566
Uncompacted Void Content of Fine Aggregate.....	T 304.....	C 1252
Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus.....	T 327.....	D 6928
Physical Testing of Quicklime, Hydrated Lime, and Limestone.....		C 110
Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine.....		C 535
Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate.....		D 4791
Determining the Percentage of Fractured Particles in Coarse Aggregate.....		D 5821

FLEXIBLE PAVEMENT INDEX - 15

Colorado Procedures – Laboratory:

HMA Testing Troubleshooting Guide	CP-L 5100
Verification of Laboratory Equipment Used to Test Bituminous Mixtures	CP-L 5101
Resistance to Deformation of Bituminous Mixtures by Means of Hveem Apparatus	CP-L 5106
Resistance of Compacted Bituminous Mixture to Moisture Induced Damage	CP-L 5109
Resilient Modulus Test (M_R)	CP-L 5110
Determining the Percent of Recycling Agent to Use for Cold Recycling of Asphalt Concrete	CP-L 5111
Hamburg Wheel-Track Testing of Compacted Bituminous Mixtures	CP-L 5112
French Rut Testing of Compacted Bituminous Mixtures	CP-L 5114
Preparing and Determining the Density of Bituminous Mixture Test Specimens Compacted by the Superpave Gyrotory Compactor	CP-L 5115
Linear Kneading Compaction of Bituminous Mixtures	CP-L 5116
Superpave Design for Hot Mix Asphalt	CP-L 5117
Determination of the Asphalt Binder Content of Bituminous Mixtures by the Ignition Method	CP-L 5120
Mix Design for Hot In-Place Recycling of Asphalt Pavements	CP-L 5140
Contractor Asphalt Mix Design Approval Procedures Utilizing RAP Millings from the Same Project	CP-L 5145
Adjusting Moisture Requirement to Hydrate Lime in Asphalt Mixes	CP-L 5150

Standard Test Procedures: AASHTO

Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	T 11
Mechanical Analysis of Extracted Aggregate	T 30
Specific Gravity and Absorption of Fine Aggregate	T 84
Specific Gravity and Absorption of Coarse Aggregate	T 85
Quantitative Extraction of Asphalt Binder from Hot Mix Asphalt (HMA)	T 164
Theoretical Maximum Specific Gravity (G _{mm}) and Density of Hot Mix Asphalt (HMA)	T 209
Uncompacted Void Content of Fine Aggregate	T 304

Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by
Means of the Superpave Gyratory Compactor.....T 312

NUCLEAR INDEX - 15

Colorado Procedures – Laboratory:

Leak Wipe Procedure for Nuclear Gauges	CP-L 5301
Calibration of CDOT Nuclear Moisture / Density Gauges	CP-L 5302
Calibration Check of CDOT Nuclear Moisture / Density Gauges.....	CP-L 5303
Calibration of CDOT Nuclear Thin Layer Density Gauges	CP-L 5304
Leak Wipe Analysis for Nuclear Gauges.....	CP-L 5305
Certification of Consultant Nuclear Moisture / Density and Thin Layer Density Gauges	CP-L 5306

{This page was intentionally left blank.}