TABLE OF CONTENTS

INTRODUCTION ……...……1
ACKNOWLEDGEMENTS …… 4
PAVEMENT DESIGN CONTRIBUTORS ……4
TABLE OF CONTENTS …….……6
LIST OF FIGURES ……18
LIST OF TABLES ……..……27
ACRONYMS COMMON TO CDOT ……...……31
DESIGN OF PAVEMENT STRUCTURE DEFINITIONS …… 35
MECHANIXTIC-EMPIRICAL (M-E) PAVEMENT DESIGN BASIC DEFINITIONS.....52
ESTIMATING FORMULAS, CALCULATIONS, AND CONVERSION FACTORS…….55

CHAPTER 1: INTRODUCTION ……...……..……57
1.1 Introduction …….....57
1.2 Scope and Limitations ……...57
1.2.1 Limitations …… 57
1.2.2 Scope ……58
1.3 Overview of AASHTO Pavement Mechanistic-Empirical Design Procedure ……..58
1.4 Overview of AASHTOWare Pavement M-E Design Software ……60
1.4.1 Installing M-E Design Software ……60
1.4.2 Uninstalling M-E Design Software ……... 61
1.4.3 Running M-E Design Software …….……62
1.5 Working with the M-E Design Database ……...66
1.5.1 Saving to the M-E Design Database ……..…….. 68
1.5.2 Retrieving or Importing from M-E Design Database …… 75

CHAPTER 2: PAVEMENT DESIGN INFORMATION ……81
2.1 Introduction ……..…81
2.2 Site and Project Identification ……..……81
2.3 Project Files/Records Collection and Review ……81
2.3.1 Project Data Collection …….……81
2.3.2 Field Survey ……81
2.3.3 Initial Selection ……...……81
2.3.4 Physical Testing ……..……81
2.3.5 Evaluation and Selection ……82
2.3.6 Historic M-E Design Software Files ……..……82
2.3.7 Records Review ……..……82
2.4 Site Investigation …….……83
2.4.1 Abutting Land Usage ……...……83
2.4.2 Existing/Proposed Project Geometrics ……83
2.4.3 Geotechnical Investigations ……84
2.4.4 Conditions Survey ……..84
2.4.5 Drainage Characteristics …….....84
2.5 Construction and Maintenance Experience ……85

2.6 Pavement Management System (PMS) Condition Data 85
2.7 Design Performance Criteria and Reliability (Risk) 87
2.8 Defining Input Hierarchy 94
2.9 Drainage 95
2.9.1 Subdrainage Design 96

CHAPTER 3: TRAFFIC AND CLIMATE 98
3.1 Traffic....98
3.1.1 CDOT Traffic Data 99
3.1.2 Traffic Inputs Hierarchy 100
3.1.3 Volume Counts 101
3.1.4 Lane and Directional Distributions 102
3.1.5 Growth Factors for Trucks 102
3.1.6 Vehicle Classification 104
3.1.6.1 Level 1 Vehicle Class Inputs 108
3.1.6.2 Level 2 Vehicle Class Inputs 108
3.1.6.3 Level 3 Vehicle Class Inputs 109
3.1.7 Number of Axles Per Truck 111
3.1.7.1 Level 1 Number of Axles Per Truck 111
3.1.7.2 Level 2 Number of Axles Per Truck 111
3.1.7.3 Level 3 Number of Axles Per Truck 111
3.1.8 Monthly Adjustment Factors (Trucks) 112
3.1.8.1 Level 1 Monthly Adjustment Factors 113
3.1.8.2 Level 2 Monthly Adjustment Factors 113
3.1.8.3 Level 3 Monthly Adjustment Factors 113
3.1.9 Hourly Distribution Factors (Trucks) 114
3.1.9.1 Level 1 Hourly Distribution Factors 114
3.1.9.2 Level 2 Hourly Distribution Factors 114
3.1.9.3 Level 3 Hourly Distribution Factors 115
3.1.10 Axle Load Distribution 116
3.1.10.1 Level 1 Axle Load Distribution Factors 116
3.1.10.2 Level 2 Axle Load Distribution Factors 116
3.1.10.3 Level 3 Axle Load Distribution Factors 116
3.1.11 Vehicle Operational Speed (Trucks) 123
3.1.11.1 Lateral Wander of Axle Loads 123
3.1.12 Axle Configuration and Wheelbase 124
3.1.13 Tire Pressure 126
3.1.14 Traffic Files in Electronic Format for M-E Design Software 126
3.2 Climate 126
3.2.1 Creating Project Specific Climate Input Files 126

CHAPTER 4: SUBGRADE 137
4.1 Introduction 137
4.2 Soil Survey Investigation 137
4.3 Subgrade and Embankment 139
4.4 Subgrade Characterization for the M-E Design 140

4.4.1 General Characterization ……...140
4.4.2 Modeling Subgrade Layers in M-E Design Software ……..……..145
4.4.3 Recommended Inputs for Subgrade/Embankment Materials ……146
4.4.3.1 Inputs for New HMA and JPCP …….…..156
4.4.3.2 Inputs for HMA Overlay of Existing Flexible Pavements …….…..150
4.4.3.3 Inputs for Overlays of Existing Rigid Pavements …….……151
4.5 Rigid Layer …….……155
4.6 Rock Fill …….……156
4.7 Frost Susceptible Soils ……...……156
4.8 Sulfate Subgrade Soils ……160
4.9 Expansive Subgrade Soils ……..……161
4.10 Stabilizing Agents ……165
4.10.1 Lime Treated Subgrade ……...……166
4.10.2 Cement Treated Subgrade ……...……167
4.10.3 Fly ash and Lime/Fly Ash Treated Subgrade ……...168
4.11 Geosynthetic Fabrics and Mats …….……169
4.11.1 Introduction …….……....…169
4.11.2 Separator Layer ……...……170
4.12 Material Sampling and Testing …….……171

CHAPTER 5: GRANULAR AND TREATED BASE MATERIALS ……175
5.1 Bases ……..175
5.2 Sampling Base Materials During a Soil Survey Investigation ……..……..175
5.3 Aggregate Base Course (ABC) …….……..175
5.3.1 Unbound Layer Characterization in M-E Design ……..177
5.3.2 Modeling Unbound Aggregate Base Layers in M-E Design Software….……..181
5.4 Treated Base Course ……..…….……182
5.4.1 Characterization of Treated Base in M-E Design ……..183
5.4.2 Modeling Treated Base in M-E Design …….…..……..186
5.5 Permeable Bases ……...……..187
5.6 Reclaimed Asphalt and Concrete Pavement …….……..188
5.6.1 Reclaimed Asphalt Pavement Base …….……..188
5.6.1.1 Reclaimed Asphalt Pavement (RAP) Base …….……..189
5.6.1.2 Full Depth Asphalt Reclaimed Base (FDR) ……..190
5.6.2 Reclaimed Concrete Pavement Base (RCP) ……..191
5.7 Base Layer Made of Rubblized Rigid Pavement …….……..191
5.8 Material Sampling and Testing …….…..192

CHAPTER 6: PRINCIPLES OF DESIGN FOR FLEXIBLE PAVEMENT ……...196
6.1 Introduction ……..……..196
6.2 M-E Design Methodology for Flexible Pavement ……..196
6.3 Select a Trial Design Strategy ……..……..197
6.3.1 Flexible Pavement Design Types ……..197
6.3.2 Concept of Perpetual Pavements …….……..199
6.3.3 Establish Trial Design Structure …….…..……..200
6.4 Select the Appropriate Performance Indicator Criteria for the Project ……...……201

6.5 Select the Appropriate Reliability Level for the Project 206
6.6 Assemble M-E Design Software Inputs. 206
6.6.1 General Information 206
6.6.1.1 Design Period 206
6.6.1.2 Construction Dates and Timeline 206
6.6.1.3 Identifiers 206
6.6.2 Traffic 207
6.6.3 Climate 207
6.6.4 Pavement Layer Characterization 207
6.6.4.1 Asphalt Concrete Characterization 207
6.6.4.2 Unbound Layers and Subgrade Characterization 209
6.7 Run M-E Design Software 210
6.8 Evaluate the Adequacy of the Trial Design 211
6.9 Modifying Trial Designs 212
6.10 HMA Thickness with ABC 225
6.11 Required Minimum Thickness of Pavement Layer 225
6.12 Asphalt Materials Selection 226
6.12.1 Aggregate Gradation 226
6.12.2 Selection of SuperPave™ Gyratory Design 228
6.12.3 Binder Selection 230
6.12.3.1 Example 233
6.12.4 Asphalt Binder Characterization for M-E Design 239
6.13 Asphalt Mix Design Criteria 240
6.13.1 Fractured Face Criteria 240
6.13.2 Air Void Criteria 240
6.13.3 Criteria for Stability 241
6.13.4 Moisture Damage Criteria 241
6.14 Effective Binder Content (By Volume) 242
6.15 Rumble Strips 242

CHAPTER 7: PRINCIPLES OF DESIGN FOR RIGID PAVEMENT 244
7.1 Introduction 244
7.2 M-E Design Methodology for Rigid Pavement 244
7.3 Select Trial Design Strategy 246
7.3.1 Rigid Pavement Layers 246
7.3.2 Establish Trial Design Structure 246
7.4 Select the Appropriate Performance Indicator Criteria for the Project 247
7.5 Select the Appropriate Reliability Level for the Project 248
7.6 Assemble the M-E Design Inputs 248
7.6.1 General Information 248
7.6.1.1 Design Period 248
7.6.1.2 Project Timeline 249
7.6.1.3 Identifiers 249
7.6.1.4 Traffic 249
7.6.1.5 Climate 249
7.6.1.6 Pavement Layer Characterization 249

7.6.1.7 Portland Cement Concrete ……...249
7.6.1.8 Asphalt Treated Base Characterization ……251
7.6.1.9 Chemically Stabilized Base Characterization ……..252
7.6.1.10 Unbound Material Layers and Subgrade Characterization ……252
7.6.2 JPCP Design Features ……...252
7.7 Run M-E Design ……...252
7.8 Evaluate the Adequacy of the Trial Design ……...254
7.9 Modifying Trial Designs ……...255
7.10 Joint Spacing (L) ……...263
7.11 Slab/Base Friction ……...263
7.12 Effective Temperature Differential (°F) ……...264
7.13 Dowel Bar (Load Transfer Devices) and Tie Bars ……265
7.14 Lane Edge Support Condition (E) ……...267
7.15 Base Erodibility ……...267
7.16 Sealant Type ……...268
7.17 Concrete Pavement Minimum Thickness ……...269
7.18 Concrete Pavement Texturing, Stationing, and Rumble Strips ……269
7.19 Concrete Pavement Materials Selection ……...269
7.19.1 Understanding pH in Concrete Mixes ……...270
7.19.2 Alkali Aggregate Reactivity ……...270
7.19.3 Sulfate Resistant Concrete Pavement ……...271

CHAPTER 8: PRINCIPLES OF DESIGN FOR PAVEMENT REHABILITATION WITH FLEXIBLE OVERLAYS ……...277
8.1 Introduction ……277
8.1.1 Structural Versus Functional Overlays ……278
8.1.2 Guidelines ……278
8.2 Determine Existing Pavement Condition ……..279
8.2.1 Records Review ……279
8.2.2 Field Evaluation ……280
8.2.3 Visual Distress ……280
8.2.4 Drainage Survey ……280
8.2.5 Non-Destructive Testing, Coring, and Material Testing Program ……281
8.3 Determine Cause and Mechanism of Distress ……281
8.4 Define Problems and Inadequacies of Existing Pavement ……283
8.5 Identify Possible Constraints ……284
8.6 Select Feasible Strategy for Flexible Pavement Rehabilitation Trial Designs ……285
8.6.1 Feasible AC Overlay Alternatives ……285
8.6.2 Structural HMA Overlays ……287
8.7 Proper Pre-Overlay Treatments and Other Design Considerations ……288
8.7.1 Distress Types that Require Pre-Overlay Treatments ……..288
8.7.2 Pre-Overlay Treatments and Additional Considerations ……..290
8.7.3 Recycling the Existing Pavement ……291
8.7.3.1 Cold Planing or Milling ……291
8.7.3.2 Types of Hot In-Place Recycling ……..293
8.7.3.2.1 Surface Recycling (Heating and Scarifying Treatment) ……295

8.7.3.2.2 Remixing (Heating and Remixing Treatment) ……297
8.7.3.2.3 Repaving (Heating and Repaving Treatment) ……300
8.7.3.3 Selecting the Appropriate Hot-In-Place Recycling Process ……302
8.7.4 Reflection Crack Control ……303
8.7.5 Pavement Widening ……304
8.7.6 Preventive Maintenance ……305
8.8 Conventional Overlay ……306
8.9 Existing Portland Cement Concrete Slab ……308
8.9.1 Flexible Overlay on Rigid Pavement ……308
8.10 Overlay Using Micro-Surfacing ……309
8.11 Full Depth Reclamation (FDR) ……311
8.12 Rubblization and Flexible Pavement Overlay ……312
8.13 Stone Matrix Asphalt Project and Material Selection Guidelines ……314
8.13.1 Recommended Minimum Thickness Layers ……315
8.14 Characterizing Existing Pavement Condition for AC Overlay Design ……315
8.15 Low Volume Road Rehabilitation ……317
8.15.1 General Information ……317
8.15.2 Rehabilitation Techniques ……317
8.16 Assemble M-E Design Software Inputs ……329
8.16.1 General Information ……329
8.16.1.1 Design Period ……329
8.16.1.2 Construction Dates and Timeline ……329
8.16.1.3 Identifiers ……329
8.16.2 Traffic ……329
8.16.3 Climate ……329
8.16.4 Pavement Layer Characterization ……329
8.16.4.1 Characterization of HMA Overlay Layer ……330
8.16.4.2 Characterization of Existing HMA Layer ……330
8.16.4.3 Characterization of Existing PCC Layer (Fractured) ……332
8.16.4.4 Characterization of Unbound Base Layers and Subgrade……334
8.17 Run M-E Design Software ……334
8.18 Evaluate the Adequacy of the Trial Design ……334
8.19 Modifying Trial Designs ……335

CHAPTER 9: PRINCIPLES OF DESIGN FOR PAVEMENT REHABILITATION WITH RIGID OVERLAY ……337
9.1 M-E Introduction ……337
9.1.1 CDOT Required Procedure for Rigid Overlays ……338
9.2 Determining Existing Pavement Condition ……339
9.2.1 Records Review ……339
9.2.2 Field Evolution ……339
9.2.3 Visual Distress ……339
9.2.4 Non-Destructive Testing ……342
9.2.5 Coring and Material Testing Program ……343
9.2.6 Lane Condition Uniformity ……343
9.3 Determine Cause and Mechanism of Distress ……344

9.4 Define Problems and Inadequacies of Existing Pavement ……..……..…..344
9.5 Identify Possible Constraints ……..346
9.6 Selecting a Feasible Strategy for Rigid Pavement Rehabilitation Trial Designs …...…..346
9.6.1 Bonded Concrete Overlays ……346
9.6.1.1 PCC Over PCC ……346
9.6.1.2 PCC Over HMA ……...347
9.6.2 Feasibility of Alternatives for Bonded Concrete Overlays ……347
9.6.3 The CDOT Thin Concrete Overlay Thickness Design …….……348
9.6.4 Development of Design Equation …….……..…350
9.6.4.1 Corner Loading (1998) ……351
9.6.4.2 Mid-Joint Loading (1998) ……351
9.6.4.3 Determination of Critical Load Location (1988) …….……..……351
9.6.4.4 Interface Bond on Load-Induced Concrete Stress ……351
9.6.4.5 Interface Bond on Load-Induced Asphalt Strain …….……352
9.6.4.6 Temperature Restraint Stress …….……...352
9.6.4.7 Development of Prediction Equations for Design Stresses and Strains …....353
9.6.4.8 PCCP and HMA Pavement Fatigue …….……354
9.6.4.9 Converting Estimated ESALs to Concrete Overlay ESALs ……355
9.6.5 Example Project CDOT Thin Concrete Overlay Design …….……..356

CHAPTER 10: REHABILITATION OF PORTLAND CEMENT CONCRETE PAVEMENT ……..360
10.1 Introduction ……..360
10.2 Scope and Limitations ……..360
10.3 Colorado Documented Design Methods ……...361
10.4 Project Information ……..365
10.5 Pavement Evaluation ……366
10.5.1 Functional and Structural Condition ……367
10.5.2 Structural Condition ……367
10.5.2.1 Functional Condition …….…367
10.5.2.2 Problem Classifications Between Structural and Functional Condition ….368
10.5.2.3 Material Condition and Properties …….……368
10.5.2.4 Non-Destructive Testing ……368
10.5.2.5 Destructive Testing ……370
10.5.3 Drainage Condition ……372
10.5.4 Lane Condition Uniformity……..373
10.6 Pavement Rehabilitation Techniques ……...373
10.6.1 Diamond Grinding ……..374
10.6.2 Concrete Crack Sealing ……...378
10.6.3 Concrete Joint Resealing ……380
10.6.4 Partial Depth Repair ……383
10.6.5 Full Depth Concrete Pavement Repair ……385
10.6.6 Dowel Bar Retrofit …….……391
10.6.7 Cross Stitching ……394
10.6.8 Slab Stabilization and Slabjacking ……..397
10.7 Selecting the Appropriate Pavement Rehabilitation Techniques ……..400

CHAPTER 11: PRINCIPLES OF DESIGN FOR FLEXIBLE PAVEMENT INTERSECTIONS 406
11.1 Introduction 406
11.2 Design Considerations 406
11.3 Design Period 407
11.4 Traffic Analysis 407
11.5 Design Methodology 407
11.6 Assessing Problems with Existing Intersection 408
11.7 Performance Characteristics of Existing Intersections 408
11.8 Utilities 410

CHAPTER 12: PRINCIPLES OF DESIGN FOR RIGIG PAVEMENT INTERSECTIONS 411
12.1 Introduction 411
12.2 Design Consideration 411
12.3 Design Period 411
12.4 Traffic Analysis 412
12.5 Design Methodology 412
12.6 Rigid Pavement Joint Design for Intersections 412
12.7 Assessing Problems with Existing Intersections 418
12.8 Detail for Abutting Asphalt and Concrete 418
12.9 Roundabout Pavement Design 419
12.9.1 Roundabout Geometry 420
12.9.1.1 Minimum Radius 420
12.9.1.2 Inscribed Circle Diameter 421
12.9.1.3 Circulatory Roadway Width 421
12.9.1.4 Central Island 421
12.9.2 General Joint Layout 422
12.9.3 Details of PCCP Joints 424
12.9.4 Typical Section 425

CHAPTER 13: PAVEMENT TYPE SELECTION AND LIFE CYCLE COST ANALYSIS 427
13.1 Introduction 427
13.2 Implementation of a LCCA 428
13.2.1 Analysis Period 428
13.2.2 Performance Life 428
13.2.3 Rehabilitation Selection Process 429
13.3 Examples of the Rehabilitation Selection Process 430
13.3.1 Core Data Matches Historical Data 430
13.3.2 No Core Data and No Historical Data 431
13.3.3 Portland Cement Concrete Pavement 432
13.3.4 Restoration, Rehabilitation, and Resurfacing Treatments 432
13.4 Discount Rate 433
13.5 Life Cycle Cost Factors 435
13.5.1 Initial Construction Costs 435

13.5.2 Asphalt Cement Adjustment ……436
13.5.3 Maintenance Cost ……436
13.5.4 Design Cost ……436
13.5.5 Pavement Construction Engineering Costs ……437
13.5.6 Traffic Control Costs ……437
13.5.7 Serviceable Life ……437
13.5.8 User Costs ……437
13.5.8.1 Introduction ……438
13.5.8.2 Using the User Cost Software ……438
13.6 Probabilistic Life Cycle Cost Analysis……447
13.7 FHWA RealCost Software……447
13.7.1 Real Cost Switchboard ……448
13.7.2 Real Word Example Using the RealCost Software ……449
13.7.3 Project Details Options ……449
13.7.4 Analysis Options ……450
13.7.5 Traffic Data Options ……452
13.7.6 Value of User Time ……454
13.7.7 Traffic Hourly Distribution ……455
13.7.8 Added Time and Vehicle Cost Options ……457
13.7.9 Saving and Opening Project-Level Inputs ……458
13.7.10 Alternative Level Data Input Forms ……484
13.7.11 Executing the Simulation ……487
13.7.12 Analyzing Probabilistic Agency Costs ……489
13.7.13 Analyzing Probabilistic User Cost ……489
13.8 Comparing Probabilistic Results ……491
13.9 Pavement Type Selection Committee (PTSC) ……492
13.9.1 Purpose ……493
13.9.2 Scope ……493
13.9.3 Membership ……493
13.9.4 Roles of Membership ……493

CHAPTER 14: PAVEMENT JUSTIFICTION REPORTS ……496
14.1 Introduction ……496
14.2 Pavement Justification Report ……496
14.2.1 General Information ……496
14.2.2 Site Conditions ……497
14.2.3 Subgrade Materials ……497
14.2.4 Design Traffic ……497
14.2.5 Pavement Materials Characteristics ……497
14.2.6 Pavement Design and Selection Process ……498
14.3 Guidelines for Data on Plan Sheets ……498

APPENDIX A: PROCEDURS FOR FORENSIC STUDY OF DISTRESS OF HOT MIX ASPHALT AND PORTLAND CEMENT CONCRETE ……500
A.1 Introduction …… 500
A.2 Formation of and Evaluation Team …… 500

A.3 Levels of Investigation ……500
A.3.1 Level 1 (CDOT Region) ……500
A.3.2 Level II (CDOT Statewide) ……501
A.3.3 Level III (National Effort) ……501
A.4 Site Investigation ……501
A.4.1 Visual Analysis ……501
A.4.2 Review of Construction Documents ……505
A.4.3 Investigational Requirements ……505
A.4.4 Required Core Samples and Testing ……505
A.4.5 Core Samples from Hot Mix Asphalt and PCCP……505
A.4.6 Base and Subgrade Samples ……505
A.5 Final Report ……506
A.6 Funding Sources ……507

APPENDIX B: FORMS ……509

APPENDIX C: DEFLECTION TESTING AND BACKCALCULATION ……512
C.1 Introduction……512
C.2 FWD Testing: Flexible Pavements ……513
C.2.1 FWD Testing Pattern: Flexible Pavement ……513
C.2.2 FWD Drop Sequence: Flexible Pavement ……516
C.2.3 FWD Sensor Spacing: Flexible Pavement ……516
C.2.4 Surface Temperature Measurement: Flexible Pavement ……516
C.3 FWD Testing: Rigid Jointed Plain Concrete Pavements ……517
C.3.1 FWD Testing Pattern: Rigid Pavement ……517
C.3.2 FWD Sensor Spacing: Rigid Pavement …… 519
C.3.3 Surface Temperature Measurement: Rigid Pavement ……520
C.3.4 Surface Temperature Measurement: Rigid Pavement ……521
C.4 FWD Testing: Composite Pavement ……522
C.4.1 FWD Drop Sequence: Composite Pavement ……524
C.4.2 FWD Sensor Spacing: Composite Pavement ……525
C.4.3 Pavement Temperature Readings: Composite Pavement …… 525
C.5 Field Test Report ……526
C.6 FWD Data Processing ……526
C.6.1 Pre-Analysis ……528
C.6.2 Pavement Surface Condition Survey ……528
C.6.3 Pavement Coring and Subgrade Boring ……528
C.6.4 Full Data Processing ……529
C.6.5 Data Analysis, Interpretation and Reporting ……529
C.6.6 Results Reporting: Flexible Pavements ……530
C.6.7 Results Reporting: Jointed and Composite Pavements ……530
C.6.8 Data Analysis and Interpretation: Jointed and Composite Pavements ……530

APPENDIX D: LOW VOLUME ROAD PAVEMENT MAINTENANCE……532
D.1 Introduction ……532
D.2 White Paper: The New Economy ……532

APPENDIX E: PAVEMENT TREATMENT GUIDE FOR HIGHWAY CATEGORIES..539
E.1 Introduction ……539
E.2 Definitions ……539
E.2.1 Highway Categories ……539
E.2.2 Treatment Categories ……539
E.3 Policy and Process ……540

APPENDIX F: HMA MATERIALS INPUT LIBRARY ……542
F.1 Introduction ……542
F.2 Mix Types and Properties ……542
F.2.1 Dynamic Modulus ……542
F.2.2 Asphalt Binder ……542
F.2.3 Creep Compliance and Indirect Tensile Strength ……542

APPENDIX G: PCC MATERIALS INPUT LIBRARY ……548
G.1 Introduction ……548
G.2 Mix Types ……548
G.2.1 Compressive and Flexural Strength ……548
G.2.2 Static Elastic Modulus and Poisson's Ratio ……548
G.2.3 Coefficient of Thermal Expansion ……549

APPENDIX H: HISTORICAL CDOT 18,000 POUND EQUIVALENT AXLE LOAD CALCULATIONS ……551
H.1 Introduction ……551
H.2 Traffic Projections ……551
H.2.1 Volume Counts ……551
H.2.2 Lane and Directional Distributions ……551
H.2.3 Vehicle Classification ……552
H.2.4 Growth Factors ……555
H.2.5 Vehicle or Truck Weights ……555
H.2.6 Traffic Equivalence Load Factors ……555
H.2.7 Discussion and Calculation of Traffic Load for Pavement Design ……555
H.2.8 Traffic Projections ……557

SUPPLEMENT: MATERIAL PROPERTIES OF SUBGRADE, SUBBASE, BASE, FLEXIBLE AND RIGID LAYERS ……560
S.1 Introduction ……560
S.1.1 Soil Consistency ……560
S.1.2 Sieve Analysis ……561
S.1.3 Unit Weight, Water Content, and Specific Gravity ……562
S.1.4 Pavement Materials Chemistry ……564
S.1.5 Elastic Modulus ……565
S.1.6 Binder Complex Shear Modulus ……573
S.1.7 Poisson's Ratio ……574
S.1.8 Coefficient of Lateral Pressure ……575

S.1.9 Unconfined Compressive Strength ……...576
S.1.10 Modulus of Rupture ……576
S.1.11 Tensile Creep and Strength for Hot Mix Asphalt ……577
S.2 Resilient Modulus of Conventional Unbound Aggregate Base, Subbase, Subgrade, and Rigid Layer ……578
S.2.1 Laboratory M_r Testing ……580
S.2.2 Field M_r Testing ……583
S.3 Resistance Value (R-value) ……584
S.4 Modulus of Subgrade Reaction (k-value) ……586
S.4.1 Static Elastic k-value ……588
S.4.2 Dynamic k-value ……588
S.5 Bedrock ……589
S.6 Unbound Subgrade, Granular, and Subbase Materials ……590
S.7 Chemically Stabilized Subgrades and Bases ……590
S.7.1 Top of Layer Properties for Stabilized Materials ……593
S.7.2 Bottom of Layer Properties for Stabilized Materials ……594
S.7.3 Other Properties of Stabilized Layers ……595
S.7.3.1 Coefficient of Thermal Expansion of Aggregate……595
S.7.3.2 Saturated Hydraulic Conductivity……597
S.8 Reclaimed Asphalt and Recycled Concrete Base Layer……598
S.9 Fractured Rigid Pavement ……599
S.10 Pavement Deicers ……600
S.10.1 Magnesium Chloride ……600

LIST OF FIGURES

Figure 1.1 M-E Design Process 59
Figure 1.2 Location of M-E Design Software HELP Document 61
Figure 1.3 M-E Design Software Default Window 61
Figure 1.4 M-E Design Software HELP Document 62
Figure 1.5 M-E Design Software Splash Screen 63
Figure 1.6 Open M-E Design Projects 64
Figure 1.7 M-E Design Software Main Window 64
Figure 1.8 M-E Design Software Project Tab 65
Figure 1.9 M-E Design Software Color-Coded Inputs to Assist User Input Accuracy 65
Figure 1.10 M-E Design Software Splash Screen Showing Database Login Location 67
Figure 1.11 M-E Software Splash Screen Showing Database Login Information 67
Figure 1.12 Saving an Entire Project to the M-E Design Database (Option 1) 68
Figure 1.13 Saving an Entire Project to the M-E Design Database (Option 2) 69
Figure 1.14 Window Showing Successful Project Save 69
Figure 1.15 Changing the Project Display Name/Identifier 70
Figure 1.16 Saving Traffic Data 71
Figure 1.17 Saving Specific Traffic Elements 72
Figure 1.18 Saving Axle Load Distribution Elements 72
Figure 1.19 Window Showing Successful Axle Load Distribution Save 73
Figure 1.20 Error Saving Axle Load Distribution 73
Figure 1.21 Defining Identifiers for Axle Load Distribution 74
Figure 1.22 Editing Display Name/Identifiers for Axle Load Distribution 74
Figure 1.23 Importing an Entire Project from the M-E Design Database 75
Figure 1.24 Selecting a Project to Import from the M-E Design Database 76
Figure 1.25 Getting an Element from the M-E Design Database 77
Figure 1.26 Advanced Search Blank Window in the M-E Design Database 77
Figure 1.27 Advanced Search Window with Information 78
Figure 1.28 Selecting a Project Using Advanced Search Tool 79
Figure 2.1 Performance Criteria and Reliability in the M-E Design Software for a Sample Flexible Pavement Design 92
Figure 2.2 Performance Criteria and Reliability in the M-E Design Software for a Sample JPCP Design 92
Figure 2.3 Function Classification Map 93
Figure 3.1 Traffic Inputs in the M-E Design Software 99
Figure 3.2 M-E Design Software Screenshot of AADT 102
Figure 3.3 M-E Design Software Screenshot of Growth Rate 103
Figure 3.4 CDOT Vehicle Classifications 107
Figure 3.5 M-E Design Software Screenshot of Vehicle Class Distribution 109
Figure 3.6 Vehicle Class Distribution Factors for CDOT Clusters 110
Figure 3.7 Truck Traffic Classification Groups 111
Figure 3.8 M-E Design Screenshot of Number of Axles Per Truck 112
Figure 3.9 M-E Design Screenshot of Monthly Adjustment Factors 114
Figure 3.10 Level 2 Hourly Distribution Factors 115
Figure 3.11 Single Axle Distribution in the M-E Design Software 117

Figure 3.12 CDOT Averages of Single Axle Load Distribution (Classes 5 and 9 only) 122
Figure 3.13 CDOT Averages of Tandem Axle Load Distribution (Classes 5 and 9 only) 122
Figure 3.14 M-E Design Software Screenshot of Traffic Lateral Wander 123
Figure 3.15 Schematic of Mean Wheel Location 124
Figure 3.16 Schematic of Design Lane Width 124
Figure 3.17 Axle Configuration and Wheelbase in the M-E Design Software 125
Figure 3.18 Schematic of Axle Configuration and Wheelbase 125
Figure 3.19 Climate Tab in the M-E Design Software 128
Figure 3.20 Location of Colorado Weather Stations 129
Figure 3.21 Region 1 Weather Stations and Highway Surface Type Map 131
Figure 3.22 Region 2 Weather Stations and Highway Surface Type Map 132
Figure 3.23 Region 3 Weather Stations and Highway Surface Type Map 133
Figure 3.24 Region 4 Weather Stations and Highway Surface Type Map 134
Figure 3.25 Region 5 Weather Stations and Highway Surface Type Map 135
Figure 4.1 Subgrade Preparation 139
Figure 4.2 Special Cases of Embankment Fill 141
Figure 4.3 Subgrade Material Properties in the M-E Design 141
Figure 4.4 M-E Design Software Screenshot for Other Engineering/Physical Properties of Subgrade 142
Figure 4.5 M-E Design Software Screenshot for Level 2 Resilient Modulus Input 148
Figure 4.6 M-E Design Software Screenshot for Level 3 Resilient Modulus Input 149
Figure 4.7 k-value vs. Soil Classification 153
Figure 4.8 k-value vs. Degree of Saturation for A-4 Through A-7 Soils 154
Figure 4.9 Colorado Annual Freezing Index (Degrees-Fahrenheit Days) 157
Figure 4.10 Frost Depth to Annual Freezing Index 158
Figure 4.11 Frost Susceptible Soil Classifications 159
Figure 4.12 Subexcavated Subgrade Layers 162
Figure 4.13 Effective Depth of Moisture Treatment 164
Figure 4.14 Recommended Depth of Moisture Treatment 164
Figure 4.15 Lime/Cement-Stabilization Flow Chart 165
Figure 4.16 Lime Treated Structural Subgrade Layer 167
Figure 4.17 Cross Section of Lime Treated Cut Section Subgrade 167
Figure 4.18 Cement Treated Structural Subgrade Layer 168
Figure 4.19 Fly Ash Treated Structural Subgrade Layer 169
Figure 5.1 Unbound Aggregate Base Course Layers 176
Figure 5.2 Limiting Modulus Criteria of Unbound Aggregate Base Layers 179
Figure 5.3 Limiting Modulus Criteria of Unbound Subbase Layers 180
Figure 5.4 Stabilized Treated Structural Base Layers 183
Figure 5.5 M-E Design Software Screenshot for Treated Base Inputs 184
Figure 5.6 Structural Permeable Aggregate Base Course Layers 188
Figure 5.7 Reclaimed Asphalt and Concrete Pavement Base Layers 189
Figure 5.8 Photos of Reclaimed Asphalt Pavement Base 189
Figure 5.9 Photos of Full Depth Asphalt Reclaimed Base 191
Figure 5.10 Rubblized Base Course 192
Figure 5.11 Photo of Rigid Pavement Being Rubblized 192
Figure 6.1 Asphalt Concrete Pavement Layer Systems 198

Figure 6.2 Structural Layers 199
Figure 6.3 Perpetual Pavement Design Concept 200
Figure 6.4 M-E Design Software Screenshot of Flexible Pavement Trial Design Structure 201
Figure 6.5 M-E Design Software Screenshot Showing General Information (left), Performance Criteria and Reliability (right) 202
Figure 6.6 Performance Prediction Model Coefficients for Flexible Pavement Designs (Marshall Mix) 203
Figure 6.7 Performance Prediction Model Coefficients for Flexible Pavement Designs (Superpave Mix) 204
Figure 6.8 Performance Prediction Model Coefficients for Flexible Pavement Designs 205
Figure 6.9 Asphalt Concrete Layer and Material Properties in M-E Design 208
Figure 6.10 Sample Flexible Pavement Trial Design PDF Output Report 210
Figure 6.11 Sensitivity of HMA Alligator Cracking to Truck Volume 214
Figure 6.12 Sensitivity of HMA Alligator Cracking to AC Thickness 215
Figure 6.13 Sensitivity of HMA Alligator Cracking to Asphalt Binder Content 215
Figure 6.14 Sensitivity of HMA Alligator Cracking to Air Voids 216
Figure 6.15 Sensitivity to HMA Alligator Cracking to Base Type 216
Figure 6.16 Sensitivity of HMA Alligator Cracking to Base Thickness 217
Figure 6.17 Sensitivity of HMA Alligator Cracking to Climate 217
Figure 6.18 Sensitivity of Total Rutting to Truck Volume 218
Figure 6.19 Sensitivity of Total Rutting to AC Thickness 218
Figure 6.20 Sensitivity of Total Rutting to Asphalt Binder Grade 219
Figure 6.21 Sensitivity of Total Rutting to Air Voids 219
Figure 6.22 Sensitivity of Total Rutting to Base Type 220
Figure 6.23 Sensitivity of Total Rutting to Climate 220
Figure 6.24 Sensitivity of HMA Transverse Cracking to Thickness 221
Figure 6.25 Sensitivity of HMA Transverse Cracking to Asphalt Binder Grade 221
Figure 6.26 Sensitivity of HMA Transverse Cracking to Asphalt Binder Content 222
Figure 6.27 Sensitivity of HMA Transverse Cracking to Base Type 222
Figure 6.28 Sensitivity of HMA Transverse Cracking to Climate 223
Figure 6.29 Sensitivity of HMA IRI to Truck Volume 223
Figure 6.30 Sensitivity of HMA IRI to AC Thickness 224
Figure 6.31 Sensitivity of HMA IRI to Asphalt Binder Grade 224
Figure 6.32 Sensitivity of HMA IRI to Base Thickness 225
Figure 6.33 PG Binder Grades 232
Figure 6.34 Colorado 98 Percent Reliability LTPP High Pavement Temperature Weather Station Models 235
Figure 6.35 Colorado 98 Percent Reliability LTPP Low Pavement Temperature Weather Station Models 236
Figure 6.36 LTPP Interface Form for Weather Station Selection (Version 3.1) 237
Figure 6.37 LTPP Weather Station Output Data (Version 3.1) 237
Figure 7.1 Rigid Pavement Layers 246
Figure 7.2 M-E Design Screenshot Showing General Information, Performance Criteria, and Reliability 247
Figure 7.3 M-E Design Screenshot of Rigid Pavement Trial Design Structure 247
Figure 7.4 Performance Prediction Model Coefficients for Rigid Pavement Designs 248

Figure 7.5 PCC Layer and Material Properties in M-E Design 250
Figure 7.6 M-E Design Screenshot of JPCP Design Features 253
Figure 7.7 Sample Rigid Pavement Design PDF Output Report 254
Figure 7.8 Sensitivity of JPCP Transverse Cracking to PCC Thickness 257
Figure 7.9 Sensitivity of JPCP Transverse Crackling to PCC Coefficient of Thermal Expansion 257
Figure 7.10 Sensitivity of JPCP Transverse Cracking to Traffic Volume 258
Figure 7.11 Sensitivity of JPCP Transverse Cracking to Design Reliability 258
Figure 7.12 Sensitivity of JPCP Faulting to PCC Thickness 259
Figure 7.13 Sensitivity of JPCP Faulting to PCC Coefficient of Thermal Expansion 259
Figure 7.14 Sensitivity of JPCP Faulting to Traffic Volume 260
Figure 7.15 Sensitivity of JPCP Faulting to Design Reliability 260
Figure 7.16 Sensitivity of JPCP IRI to PCC Thickness 261
Figure 7.17 Sensitivity of JPCP Faulting to PCC Coefficient of Thermal Expansion 261
Figure 7.18 Sensitivity of JPCP IRI to Traffic Volume 262
Figure 7.19 Sensitivity of JPCP IRI to Design Reliability 262
Figure 7.20 Curling and Warping 264
Figure 7.21 Details of Dowel Bar Placement 266
Figure 7.22 Idealized Sketch of Cracking Pattern in Concrete Mass 271
Figure 7.23 Sulfate Attack 272
Figure 8.1 Rehabilitation Alternative Selection Process 277
Figure 8.2 Condition Evaluation Checklist (Flexible) 282
Figure 8.3 Photos of Alligator (Fatigue) Cracking 288
Figure 8.4 Photos of Longitudinal and Transverse Cracking 289
Figure 8.5 Photos of Rutting 289
Figure 8.6 Photos of Irregularities 290
Figure 8.7 Photo of Milling of Old Asphalt 292
Figure 8.8 Photo of Asphalt After Milling 292
Figure 8.9 Cold Planing of Existing Flexible Pavement 294
Figure 8.10 Schematic of Cold Planing Equipment 294
Figure 8.11 Photo Showing Equipment Used for Cold Planing 294
Figure 8.12 Surface Recycling Layers 296
Figure 8.13 Schematic of Surface Recycling Equipment 296
Figure 8.14 Photo of Heating Scarifying Equipment (Initial Operation) 297
Figure 8.15 Photo of Heater Section of the Equipment Train 297
Figure 8.16 Remixing Layers 299
Figure 8.17 Schematic of Remixing Equipment 299
Figure 8.18 Photos of Heating and Remixing Equipment 300
Figure 8.19 Repaving Layers 301
Figure 8.20 Hot Mix Paving (Single Operation Continued) 302
Figure 8.21 Photo of Hot Mix Paving (Single Operation) Equipment 302
Figure 8.22 Thin Wearing Course Treatment Layer 306
Figure 8.23 Schematic of Thin Wearing Course Equipment 306
Figure 8.24 Conventional Hot Mix Asphalt (HMA) Layer 307
Figure 8.25 Photo of a Conventional HMA Overlay 307
Figure 8.26 Schematic of Conventional HMA Paving Equipment 307

Figure 8.27 Photos of Typical HMA Overlay Equipment (Truck with Spreader and Roller)... 308
Figure 8.28 Photo Showing Micro-Surfacing ... 310
Figure 8.29 Photo Showing Micro-Surfacing Equipment ... 310
Figure 8.30 Full Depth Reclamation (FDR) Layers ... 311
Figure 8.31 Schematic of FDR Equipment ... 312
Figure 8.32 Photos of FDR Equipment ... 312
Figure 8.33 Rubblization and Overlay Layers ... 313
Figure 8.34 Schematic of Rubblization and Overlay Equipment ... 313
Figure 8.35 Photos of the Rubbilization Initial Operation ... 314
Figure 8.36 Photos Showing the Emulsion Spraying and Placing Chips ... 317
Figure 8.37 Photos Showing the Rolling and Sweeping After Chip Placement ... 319
Figure 8.38 Diagram of a Double Chip Seal ... 319
Figure 8.39 Photos Show a Cape Seal Where a Chip Seal is Applied, Cures, and After a Month a Slurry Seal is Applied ... 320
Figure 8.40 Photo Showing the Placing of a Slurry Seal ... 320
Figure 8.41 Photo Showing a Slurry Seal 1.5 Hours After Placement ... 321
Figure 8.42 Photos Showing Crack Sealing ... 321
Figure 8.43 Photos of Cold Mix Paving ... 322
Figure 8.44 Photos Showing the Placing of a Fog Coat and the Final Result ... 322
Figure 8.45 Photos Showing Various Stages of Full Depth Replacement Patching ... 323
Figure 8.46 Photo Showing A Cold In-Place Recycling Operation ... 324
Figure 8.47 Photos of Ultra-Thin Asphalt Overlays ... 324
Figure 8.48 Photo Showing a Stress Absorbing Membrane ... 325
Figure 8.49 Photo of Manual Skin Patching ... 325
Figure 9.1 Rehabilitation Alternative Selection Process ... 337
Figure 9.2 Pavement Condition Evaluation Checklist (Rigid) ... 341
Figure 9.3 Sample TWT Project Location Map ... 357
Figure 9.4 Input and Required Thickness Form for Thin Concrete Overlay Design ... 358
Figure 10.1 CPR Sequencing ... 374
Figure 10.2 Photos of Diamond Grinding and Grooving ... 375
Figure 10.3 Dimensions for Grinding and Grooving ... 377
Figure 10.4 Dimensional Grinding Texture for Hard and Soft Aggregate ... 378
Figure 10.5 Photos of Crack Sealing ... 380
Figure 10.6 Photos of Concrete Joint Resealing ... 381
Figure 10.7 Photos of Partial Depth Concrete Repair ... 383
Figure 10.8 Photos of Full Depth Concrete Repair ... 385
Figure 10.9 Photos of Concrete Slab Removal ... 388
Figure 10.10 Compaction of Subbase and Flowfill Placement ... 388
Figure 10.11 Grout Retention Disk ... 389
Figure 10.12 Photos of Tie bar Installation During Concrete Repair ... 390
Figure 10.13 Photos of Precast Concrete Panel Repair ... 391
Figure 10.14 Typical Dowel Bar Retrofit Installation ... 393
Figure 10.15 Typical Dowel Bar Retrofit Sequencing of the Installation ... 393
Figure 10.16 Photos of Dowel Bar Retrofit Processes ... 394
Figure 10.17 Photos of Cross Stitching ... 395
Figure 10.18 Photos of Slot Stitching ... 396

Figure 10.19 Typical Slab Stabilization Hole Layout 398
Figure 10.20 Typical Slab Raising in Slabjacking..... 399
Figure 10.21 Typical Slabjacking Hole Layout..... 399
Figure 10.22 Photos of Slabjacking..... 400
Figure 11.1 Rutting in Subgrade or Base..... 408
Figure 11.2 Plastic Flow 409
Figure 11.3 Rutting in Asphalt Layer 409
Figure 12.1 Typical Joint Layout for a Rigid Pavement Intersection..... 415
Figure 12.2 Typical Joint Layout for a Rigid Pavement Intersection..... 415
Figure 12.3 Typical Joint Layout for a Rigid Pavement Intersection..... 416
Figure 12.4 Typical Joint Layout for a Rigid Pavement Intersection..... 416
Figure 12.5 Typical Joint Layout for a Rigid Pavement Intersection..... 417
Figure 12.6 Typical Joint Layout for a Rigid Pavement Intersection..... 417
Figure 12.7 Typical Joint Layout for a Rigid Pavement Intersection..... 418
Figure 12.8 Detail of Asphalt and Concrete Slab Joint 419
Figure 12.9 Basic Geometric Elements of a Roundabout..... 420
Figure 12.10 Isolating the Circle 422
Figure 12.11 Pave-Through Layout..... 422
Figure 12.12 Six Step Jointing Layout 423
Figure 12.13 Basic Joints and Zones of a Roundabout..... 424
Figure 12.14 Typical Section of an Urban Double-Lane Roundabout 425
Figure 13.1 Pavement Selection Process Flow Chart 427
Figure 13.2 Unmodified HMA Cash Flow Diagram 431
Figure 13.3 Cold Plaining and Overlay with Polymer Modified HMA Cash Flow Diagram ... 431
Figure 13.4 PCCP Cash Flow Diagram 432
Figure 13.5 User Cost Website 438
Figure 13.6 Single Lane Closure Screenshot..... 439
Figure 13.7 Single Lane Closure Highlighting Pilot Car Operations 439
Figure 13.8 Example of Input for a Cross Over..... 440
Figure 13.9 Screenshot Showing Type of Work Menu 441
Figure 13.10 Screenshot of the Function Class Menu 442
Figure 13.11 Successfully Analyzed Menu Bar 442
Figure 13.12 Analysis Error Message..... 443
Figure 13.13 Editing Input Buttons 443
Figure 13.14 Hourly Distribution Edit Screen..... 444
Figure 13.15 Edit Parameters Screen..... 445
Figure 13.16 Edit Costs Screen..... 445
Figure 13.17 Saving a File 446
Figure 13.18 The Real Cost Switchboard..... 449
Figure 13.19 Project Details Input Screen 450
Figure 13.20 Analysis Option Screen 451
Figure 13.21 Traffic Data Option Screen 453
Figure 13.22 Value of User Option Screen..... 455
Figure 13.23 Traffic Hourly Distribution Screen 456
Figure 13.24 PCCP Normalized Dollar Amount per Year 467
Figure 13.25 PCCP Normalized Dollar Amount per Thickness..... 467

Figure 13.26 PCCP Normalized Dollar Amount per Thickness 468
Figure 13.27 PCCP Normalized Dollar Amount per Total Square Yards for Projects Less Than 10,000 Square Yards 468
Figure 13.28 PCCP Normalized Dollar Amount for Projects of 6 Inches or Less in Thickness and Less Than 10,000 Square Yards in Size 469
Figure 13.29 Normalized Dollar Amount for Projects of 8 to 9 Inches in Thickness and Less Than 10,000 Square Yards in Size 469
Figure 13.30 Normalized Dollar Amount for Projects of 9 to 10 Inches in Thickness and Less Than 10,000 Square Yards in Size 469
Figure 13.31 PCCP Normalized Dollar Amount for Projects of 10 to 11 Inches in Thickness and Less Than 10,000 Square Yards in Size 470
Figure 13.32 PCCP Normalized Dollar Amount for Projects of 11 to 12 Inches in Thickness and Less Than 10,000 Square Yards in Size 470
Figure 13.33 PCCP Normalized Dollar Amount for Projects of 12 Inches or Greater in Thickness and Less Than 10,000 Square Yards in Size 470
Figure 13.34 PCCP Normalized Dollar Amount per Total Square Yards for Projects Greater Than 10,000 Square Yards 471
Figure 13.35 PCCP Normalized Dollar Amount for Projects of 8 to 9 Inches in Thickness and Greater Than 10,000 Square Yards in Size 471
Figure 13.36 PCCP Normalized Dollar Amount for Projects of 9 to 10 Inches in Thickness and Greater Than 10,000 Square Yards in Size 471
Figure 13.37 Normalized Dollar Amount for Projects of 10 to 11 Inches in Thickness and Greater Than 10,000 Square Yards in Size 472
Figure 13.38 PCCP Normalized Dollar Amount for Projects of 11 to 12 Inches in Thickness and Greater Than 10,000 Square Yards in Size 472
Figure 13.39 PCCP Normalized Dollar Amount for Projects of 12 Inches or Greater in Thickness and Greater Than 10,000 Square Yards in Size 472
Figure 13.40 HMA Overlay Normalized Dollar per Year and Project Size 473
Figure 13.41 HMA Overlay Normalized Dollar per Product Type and Project Size 473
Figure 13.42 HMA Overlay Normalized Dollar per Product Type and Project Size 474
Figure 13.43 HMA Overlay Normalized Dollar Amount for Projects Less Than 10,000 Tons 474
Figure 13.44 HMA Overlay Normalized Unit Costs for SX(100) PG 64-28 on Projects Less Than 10,000 Tons 475
Figure 13.45 HMA Overlay Normalized Unit Costs for SX(100) PG 64-22 on Projects Less Than 10,000 Tons 475
Figure 13.46 HMA Overlay Normalized Unit Costs for SX(100) PG 58-28 on Projects Less Than 10,000 Tons 475
Figure 13.47 HMA Overlay Normalized Unit Costs for SX(100) PG 76-28 on Projects Less Than 10,000 Tons 476
Figure 13.48 HMA Overlay Normalized Unit Costs for Furnish HMA on Projects Less Than 10,000 Tons 476
Figure 13.49 HMA Overlay Normalized Unit Costs for Projects with Greater than 10,000 Tons 476
Figure 13.50 HMA Overlay Normalized Unit Costs for SX(100) PG 64-22 on Projects Greater than 10,000 Tons 477

Figure 13.51 HMA Overlay Normalized Unit Costs for SX(75) on Projects Greater than 10,000 Tons 477
Figure 13.52 HMA Overlay Normalized Unit Costs for SX(100) PG 58-28 on Projects Greater than 10,000 Tons 477
Figure 13.53 HMA Overlay Normalized Unit Costs for SX(100) PG 64-28 on Projects Greater than 10,000 Tons 478
Figure 13.54 HMA Overlay Normalized Unit Costs for SX(100) PG 76-28 on Projects Greater than 10,000 Tons 478
Figure 13.55 HMA Mill and Fill Normalized Dollar per Year and Project Size 479
Figure 13.56 HMA Mill and Fill Normalized Dollar per Product Type 479
Figure 13.57 HMA Mill and Fill Normalized Dollar per Product Type 480
Figure 13.58 HMA Mill and Fill Normalized Unit Costs for Projects Less than 10,000 Tons . 480
Figure 13.59 HMA Mill and Fill Normalized Unit Costs for SX(100) PG 64-22 on Projects Less than 10,000 Tons 481
Figure 13.60 HMA Mill and Fill Normalized Unit Costs for SX(100) PG 76-28 on Projects Less Than 10,000 Tons 481
Figure 13.61 HMA Mill and Fill Normalized Unit Costs for SX(100) PG 58-28 on Projects Less Than 10,000 Tons 481
Figure 13.62 HMA Mill and Fill Normalized Unit Costs for Projects Greater Than 10,000 Tons 482
Figure 13.63 HMA Mill and Fill Normalized Unit Costs for SX(100) PG 76-28 on Projects Greater Than 10,000 Tons 482
Figure 13.64 HMA Mill and Fill Normalized Unit Costs for SX(100) PG 64-22 on Projects Greater Than 10,000 Tons 482
Figure 13.65 HMA Mill and Fill Normalized Unit Costs for SMA on Projects Greater Than 10,000 Tons 483
Figure 13.66 HMA Mill and Fill Normalized Unit Costs for SX(100) PG 64-22 on Projects Greater Than 10,000 Tons 483
Figure 13.67 HMA Mill and Fill Normalized Unit Costs for SX(100) PG 58-34 on Projects Greater than 10,000 Tons 483
Figure 13.68 Alternative 1 (HMA) Screen 486
Figure 13.69 Alternative 2 (PCCP) Screen 487
Figure 13.70 Simulation Screen 488
Figure 13.71 Probabilistic Results Screen 489
Figure 13.72 Agency Cost Results Screen 490
Figure 13.73 User Cost Results Screen 491

Appendices and Supplements

Figure A.1 Pavement Condition Evaluation Checklist (Rigid) 503
Figure A.2 Pavement Condition Evaluation Checklist (Flexible) 504
Figure B.1 Design Data (Page 1 of 2) (CDOT Form 463 12/03) 509
Figure B.2 Design Data (Page 2 of 2) (CDOT Form 463 12/03) 510
Figure B.3 Maintenance Project – Request Form (CDOT Form 463M Rev. 4/10) 511
Figure C.1 Depiction of FWD Load Distribution Through Pavement 514
Figure C.2 Flexible Pavement Staggered Testing Pattern 515
Figure C.3 JPCP Testing Pattern 519

Figure C.4 Joint Transfer Testing Sensor Spacing……521
Figure C.5 Corner Testing Sensor Location……521
Figure C.6 Staggered Testing Pattern……523
Figure C.7 Joint Load Transfer Testing Sensor Spacing……525
Figure C.8 Field Test Report……527
Figure C.9 Coring Log Example……529
Figure H.1 CDOT Vehicle Classifications……554
Figure S.1 Atterberg Limits……561
Figure S.2 Gradation Plot……561
Figure S.3 Soil Sample Constituents……562
Figure S.4 Plot of Maximum Dry Unit Weight and Optimum Water Content……564
Figure S.5 Periodic Table……565
Figure S.6 Dissociation of Water……566
Figure S.7 pH Scale……566
Figure S.8 Elastic Modulus……567
Figure S.9 Dynamic Modulus Stress-Strain Cycles……569
Figure S.10 Shifting of Various Mixture Plots ……572
Figure S.11 Dynamic Modulus |E*| Master Curve……572
Figure S.12 Shift Factor Plot……572
Figure S.13 Binder Complex Shear Modulus Specimen Loading……573
Figure S.14 Binder Complex Shear Modulus Shear-Strain Cycles……574
Figure S.15 Poisson's Ratio……575
Figure S.16 Unconfined Compressive Strength……576
Figure S.17 3-Point Beam Loading for Flexural Strength……577
Figure S.18 Indirect Tensile Strength……578
Figure S.19 Distribution of wheel Load of Subgrade Soil (M_r) ……579
Figure S.20 Critical Stress/Strain Locations for Bases, Subbases, Subgrade, and Rigid Layer…580
Figure S.21 Subgrade Material Element at Critical Location……581
Figure S.22 Resilient Modulus Test Specimen Stress State……582
Figure S.23 Resilient Modulus Test Specimen Loading……582
Figure S.24 Resilient Modulus Seasonal Variation……583
Figure S.25 Resistance R-value Test Specimen Loading State……584
Figure S.26 Correlation Plot between Resilient Modulus and R-value……585
Figure S.27 Distribution of Wheel Load to Subgrade Reaction (k-value) ……586
Figure S.28 Field Plate Load Test for k-value……588
Figure S.29 Critical Stress Locations for Stabilized Subgrade……591
Figure S.30 Critical Stress Locations for Recycled Pavement Bases……597
Figure S.31 Critical Stress Location for Rubblized Base……599

LIST OF TABLES

Table 1.1 Recommended Pavement Design Procedures 58
Table 2.1 Moisture-Related Distress in Flexible Pavements 86
Table 2.2 Moisture-Related Distress in Rigid Pavements 87
Table 2.3 Reliability (Risk) 88
Table 2.4 Recommended Threshold Values of Performance Criteria for New Construction of Flexible Pavement 89
Table 2.5 Recommended Threshold Values of Performance Criteria for Rehabilitation of Flexible Pavement Projects 90
Table 2.6 Recommended Threshold Values of Performance Criteria for New Construction of Rigid Pavement 91
Table 2.7 Recommended Threshold Values of Performance Criteria for Rehabilitation of Rigid Pavement Projects 91
Table 2.8 Selection of Input Hierarchial Level 95
Table 3.1 Hierarchy of Traffic Inputs 100
Table 3.2 Recommendations of Traffic Inputs at Each Hierarchical Level 101
Table 3.3 Design Lane Factor 102
Table 3.4 Growth Rate Determined Using OTIS 20-Year Growth Factor 104
Table 3.5 Class 5 and Class 9 Distribution Per Cluster Type 108
Table 3.6 Level 2 CDOT Vehicle Class Distribution Factors 110
Table 3.7 Level 2 Number of Axles Per Truck 112
Table 3.8 Level 2 Monthly Adjustment Factors 113
Table 3.9 Hourly Distribution Factors 115
Table 3.10 Level 2 Single Axle Load Distribution Factors (Percentages) 118
Table 3.11 Level 2 Tandem Axle Load Distribution Factors (Percentages) 119
Table 3.12 Level 2 Tridem Axle Load Distribution Factors (Percentages) 120
Table 3.13 Level 2 Quad Axle Load Distribution Factors (Percentages) 121
Table 3.14 Recommendations for Climatic Inputs 127
Table 3.15 Geographic Coordinates and Data Availability of Colorado Weather Stations 130
Table 4.1 M-E Design Major Subgrade Categories 137
Table 4.2 Recommended Subgrade Inputs for New Flexible and JPCP Designs 143
Table 4.3 Recommended Subgrade Inputs for HMA Overlays of Existing Flexible Pavement 144
Table 4.4 Recommended Subgrade Inputs for Overlays of Existing Rigid Pavement 145
Table 4.5 Level 3 Resilient Modulus For Embankments and Subgrade 149
Table 4.6 Average Backcalculated to Laboratory Determined Elastic Modulus Ratios 150
Table 4.7 k-value Ranges for Various Soil Types 155
Table 4.8 Treatment of Expansive Soils 162
Table 4.9 Probable Swell Damage Risk 163
Table 4.10 Application and Associated Functions of Geosynthetics in Roadway Systems 170
Table 5.1 CDOT Classification for Aggregate Base Course 177
Table 5.2 Characterization of Treated Bases in M-E Design 184
Table 5.3 Level 1 Input Requirement and Corresponding Testing Protocols for Characterization of Treated Bases in M-E Design 185
Table 5.4 Level 2 Correlations for Elastic Modulus of Treated Bases 185
Table 5.5 Level 2 Correlations for Flexural Strength of Treated Base 186

Table 5.6 Level 3 Default Elastic Modulus and Flexural Strength of Treated Bases 186
Table 5.7 DOT Classification for Reclaimed Asphalt Pavement 190
Table 6.1 Layered Rut Distribution 208
Table 6.2 Input Properties and Recommendations for HMA Material Characterization 209
Table 6.3 Modifying Flexible Pavement Trial Designs 213
Table 6.4 Master Range Table for Stone Matrix Asphalt 227
Table 6.5 HMA Grading Size and Location Application 227
Table 6.6 HMA Grading Size and Layer Thickness 228
Table 6.7 Environmental Categories 229
Table 6.8 Recommended SuperPave™ Gyratory Design Revolution (N_{DES}) 229
Table 6.9 Available Asphalt Cement Grades in Colorado 230
Table 6.10 SuperPave™ Weather Data Summary 238
Table 6.11 Environmental Categories (restated) 238
Table 6.12 Recommended SuperPave™ Gyratory Design Revolution (N_{DES}) (restated) 238
Table 6.13 Recommended Sources of Inputs for Asphalt Binder Characterization 239
Table 6.14 Fractured Face Criteria 240
Table 6.15 Minimum VMA Requirements 241
Table 6.16 Criteria for Stability and Voids Filled with Asphalt (VFA) 241
Table 6.17 Moisture Damage Criteria 241
Table 7.1 PCC Material Inputs and Recommendations for New JPCP Design 251
Table 7.2 Modifying Rigid Pavement Trial Designs 256
Table 7.3 Reinforcing Size Table 266
Table 7.4 Dowel Bar Target Placement Tolerances 267
Table 7.5 Material Types and Erodibility Class 268
Table 7.6 Minimum Thicknesses for Highways, Roadways, and Bicycle Paths 269
Table 7.7 Concrete Classification 270
Table 7.8 Requirements to Protect Against Damage to Concrete by Sulfate attack from External Sources of Sulfates 273
Table 8.1 Common Distress Causes of Flexible Pavements and Associated Problem Types ... 284
Table 8.2 List of Recommended Overlay Solutions to Functional Problems 286
Table 8.3 Selection Guidelines for HIR Process Distress-Related Considerations 303
Table 8.4 SMA Functional and Structural Recommended Minimum Thickness Layers 315
Table 8.5 Characterization of Existing Flexible Pavement for M-E Design 316
Table 8.6 Characterization of Existing Rigid Pavement for M-E Design 316
Table 8.7 Rehabilitation Techniques Versus Observed Distresses 318
Table 8.8 Rehabilitation Techniques Benefits and Applications 326
Table 8.9 Characterization of Existing Flexible and Semi-Rigid Pavement for M-E Design ... 331
Table 8.10 Characterization of Existing JPCP for M-E Design 332
Table 8.11 Characterization of Fractured Concrete Pavement for M-E Design 333
Table 8.12 Recommended Fractured Slab Design Modulus Values for Level 1 Characterization 333
Table 8.13 Recommended Fractured Slab Design Modulus Values for Level 3 Characterization 333
Table 8.14 Recommendations for Modifying Trial Design to Reduce Distress/Smoothness for HMA Overlays of JPCP 335
Table 9.1 Required Concrete Overlay Procedure 339

Table 9.2 Distress Levels for Assessing Drainage Adequacy of JPCP 340
Table 9.3 Load Transfer Efficiency Quality 343
Table 9.4 Common Distress Causes of Rigid Pavements and Associated Problem Types 345
Table 9.5 Design Factors for Rigid Pavement 350
Table 10.1 Structural Adequacy for JPCP 367
Table 10.2 Functional Adequacy for JPCP 368
Table 10.3 Load Transfer Efficiency Quality 369
Table 10.4 Distress Levels for Durability of JPCP 371
Table 10.5 Strength Correlation Formulas 372
Table 10.6 Distress Levels for Assessing Drainage Adequacy of JPCP 373
Table 10.7 Trigger Values for Diamond Grinding 376
Table 10.8 Limit Values for Diamond Grinding 377
Table 10.9 Hot Poured Crack Sealant Estimated Quantities 380
Table 10.10 Sealant Severity Level 382
Table 10.11 Sealant Survey Sampling Frequency 382
Table 10.12 Minimum Cost Effective Distance Between Two Patches 387
Table 10.13 Guidelines for PCC Treatment Selection 401
Table 12.1 Recommended Inscribed Circle Diameters 421
Table 13.1 Default Input Values for Treatment Periods to be Used in a LCCA 430
Table 13.2 Present Worth Factors for Discount Rates 434
Table 13.3 Discount Factors for Discrete Compounding 435
Table 13.4 Annual Maintenance Costs 436
Table 13.5 Range of Capacity Values per Type of Work 441
Table 13.6 Analysis Data Inputs and Analysis Options 451
Table 13.7 Traffic Data Options 452
Table 13.8 Value of User Time Data Options 455
Table 13.9 Traffic Hourly Distribution Data Options 456
Table 13.10 Added Time and Vehicle Costs Data Options 457
Table 13.11 Added Time and Vehicle Stopping Costs Screen 458
Table 13.12 Saving and Opening Project Level Inputs 459
Table 13.13 Number of Projects in the Study 460
Table 13.14 Results of Heater Remixing 461
Table 13.15 Results of Heater Scarifying 461
Table 13.16 Results of Full Depth Reclamation 461
Table 13.17 Cold In-Place Recycling 462
Table 13.18 PCCP Projects Less Than 10,000 Square Yards 462
Table 13.19 PCCP Projects Greater Than 10,000 Square Yards 463
Table 13.20 HMA Overlay Projects Less Than 10,000 Tons 464
Table 13.21 HMA Overlay Projects Greater Than 10,000 Tons 464
Table 13.22 HMA Mill and Fill for Projects Greater Than 10,000 Tons 465
Table 13.23 HMA Mill and Fill for Projects Greater Than 10,000 Tons 466
Table 13.24 Alternative Level Data Options 484
Table 13.25 Simulation Data Options 488
Table 13.26 Possible Elements for Pavement Type Selection Process 494
Table 14.1 Pavement Data on Plan Sheets 499

Appendices and Supplements

Table C.1 Flexible Pavement Test Spacing Guidelines……515
Table C.2 Jointed Plain Concrete Pavement Test Spacing Guidelines……519
Table C.3 Composite Pavement Test Spacing Guidelines……523
Table F.1 Asphalt Binder Complex Shear Modulus (G*) and Phase Angle (δ) Values of Typical CDOT HMA Mixtures……543
Table F.2 Properties of Typical CDOT HMA Mixtures……544
Table F.3 Dynamic Modulus Values of Typical CDOT HMA Mixtures……545
Table F.4 Creep Compliance Values of Typical CDOT HMA Mixtures……546
Table F.5 Indirect Tensile Strength Values of Typical CDOT HMA Mixtures……547
Table G.1 Properties of Typical CDOT PCC Mixtures……549
Table G.2 Materials and Sources Used in Typical CDOT PCC Mixtures……549
Table G.3 Compressive Strength of Typical CDOT PCC Mixtures……549
Table G.4 Flexural Strength of Typical CDOT PCC Mixtures……550
Table G.5 Static Elastic Modulus and Poisson's Ratio of Typical CDOT PCC Mixtures……550
Table G.6 CTE Values of Typical CDOT PCC Mixtures……550
Table H.1 Design Lane Factor……552
Table H.2 Colorado Equivalency Factors……555
Table S.1 Nominal Dimensions of Common Sieves……562
Table S.2 Recommended Testing Temperatures and Loading Frequencies……568
Table S.3 Comparisons of M_r Suggested NCHRP 1-40D and Colorado Soils with R-values……587
Table S.4 Poisson's Ratio for Bedrock……589
Table S.5 Elastic Modulus for Bedrock……589
Table S.6 Poisson's Ratios for Subgrade, Unbound Granular and Subbase Materials……590
Table S.7 Coefficient of Lateral Pressure……590
Table S.8 Poisson's Ratios for Chemically Stabilized Materials……592
Table S.9 Poisson's Ratios for Asphalt Treated Permeable Base……592
Table S.10 Poisson's Ratios for Cold Mixed asphalt and Cold Mixed Recycled Asphalt Materials ……592
Table S.11 Minimum Unconfined Compressive Strengths for Stabilized Layers……593
Table S.12 Typical E, E*, or M_r Values for Stabilized Materials……594
Table S.13 Typical M_r Values for Deteriorated Stabilized Materials……594
Table S.14 Typical Modulus of Rupture (M_r) Values for Stabilized Materials……595
Table S.15 Recommended Values of PCC Coefficient of Thermal Expansion……595
Table S.16 Unbound Compacted Material Dry Thermal Conductivity and Heat Capacity……596
Table S.17 Chemically Stabilized Material Dry Thermal Conductivity and Heat Capacity……596
Table S.18 Asphalt Concrete and PCC Dry Thermal Conductivity and Heat Capacity……597
Table S.19 Cold Mixed Asphalt and Cold Mixed Recycled Asphalt Poisson's Ratios……598
Table S.20 Typical E, E*, or M_r Values for stabilized Materials……598
Table S.21 Poisson's Ratio for PCC Materials……599
Table S.22 Typical M_r Values for Fractured PCC Layers……600