

DRAINAGE DESIGN MANUAL



Colorado Department of Transportation
2019

Brian Varrella	Manual review and co-author
Samer AlHaj	Manual review and contributor
Jeff Kloska	Manual review and contributor
Justin Werdel	Manual review and contributor
Daniel Lyons	Manual review and contributor
Andrew Stecklein	Manual review and contributor
Dennis Cress	Manual review and contributor
Long Phan	Manual review and contributor
<u>Staff Bridge</u>	
Behrooz Far	Manual review and contributor
Andrew Pott	Manual review and contributor
Lynn Crowell	Manual review and contributor
Mohamed Zaina	Manual review and contributor
Man (Steve) Yip	Manual review and contributor
<u>Staff Environmental-Water Quality</u>	
Jean Cordova	Manual review and contributor
Amber Williams-formerly CDOT	Manual review and contributor
Rachel Hansgen	Manual review and contributor
Jeremiah Unger	Manual review and contributor
<u>R1 Landscape</u>	
Susie Hagie	Manual review and contributor
<u>Staff Geo-Tech</u>	
David Thomas	Manual review and contributor
<u>Research</u>	
Amanullah Mommandi	Manual review and contributor

Other Individuals

Bruce Naylor Hydrau-Tech, Inc.	Overall manual editing
Molly E. Sullivan Hydrau-Tech, Inc.	Manual editing and co-author
Tyler Liebman Hydrau-Tech, Inc.	Manual editing
Jessica Nolle, RESPEC, Inc.	Manual review and co-author

Jennifer Winters RESPEC, Inc.	Manual review and co-author
Rob Naeser RESPEC, Inc.	Manual review and co-author
Matt Greer FHWA, Colorado Division	Manual review and contributor
Scott Hogan FHWA, Colorado Division	Manual review and contributor
Veronica Ghelardi FHWA, Colorado Division	Manual review and contributor
Kevin Houck Colorado Water Conservancy Board	Manual review and contributor
Jason Strawski Denver Urban Drainage Flood Control District	Manual review and contributor

TABLE OF CONTENTS

Chapter 1 - Introduction

1.1 INTRODUCTION 1-2

- 1.1.1 Background 1-2
- 1.1.2 References and Computer Programs 1-3
- 1.1.3 Updates 1-3

Chapter 2 - Legal Aspects

2.1 OVERVIEW 2-3

- 2.1.1 Introduction 2-3
- 2.1.2 Order of Authority 2-3
- 2.1.3 Related Publications 2-3

2.2 FEDERAL LAWS 2-4

- 2.2.1 General 2-4
- 2.2.2 Significant Federal Law 2-4
- 2.2.3 Navigable Waters Regulations 2-4

2.3 FISH AND WILDLIFE SERVICE 2-4

- 2.3.1 Requirements 2-4
- 2.3.2 Service's Role 2-5

2.4 NATIONAL FLOOD INSURANCE PROGRAM 2-5

- 2.4.1 Flood Disaster Protection 2-5
- 2.4.2 Flood Insurance 2-5
- 2.4.3 Local Community 2-5
- 2.4.4 NFIP Maps 2-6
- 2.4.5 Coordination with FEMA 2-6
- 2.4.6 Levee Systems 2-9
- 2.4.7 Revisions to NFIP Maps 2-9

2.5 EXECUTIVE ORDERS 2-9

- 2.5.1 Background 2-9
- 2.5.2 EO 11988 2-9
- 2.5.3 EO 11990 2-10

2.6 COLORADO DRAINAGE LAW 2-10

- 2.6.1 Derivation of State Drainage Law 2-10
- 2.6.2 The Natural Flow Rule 2-10
- 2.6.3 Basic Water Rules 2-10
- 2.6.4 Classification of Waters 2-11
- 2.6.5 Surface Waters 2-11
- 2.6.6 Stream Waters 2-12
- 2.6.7 Flood Waters 2-12
- 2.6.8 Ground Water 2-12
- 2.6.9 C.R.S. § 33-6-101 to 107 2-13
- 2.6.10 Clean Water Act 2-13

2.7 STATUTORY LAW 2-14

- 2.7.1 Introduction 2-14
- 2.7.2 Eminent Domain 2-14
- 2.7.3 Water Rights 2-14
- 2.7.4 Urban Drainage and Flood Control District 2-15
- 2.7.5 The Colorado Department of Transportation Access Code 2-15
- 2.7.6 Colorado Statutes 2-15

2.8 LOCAL LAWS AND APPLICATIONS 2-16

- 2.8.1 Local Laws 2-16
- 2.8.2 Municipal Liability 2-16
- 2.8.3 Acts of Others 2-16
- 2.8.4 Acts of Developers 2-16
- 2.8.5 Personal Liability 2-17
- 2.8.6 Drainage Improvements 2-17
- 2.8.7 Special Matters 2-17

2.9 NATIONAL PERMITS/CERTIFICATIONS 2-17

- 2.9.1 Section 401 of the *Clean Water Act* 2-17
- 2.9.2 Section 402 of the *Clean Water Act* 2-18
- 2.9.3 Section 404 of the *Clean Water Act* 2-18
- 2.9.4 Section 10 of the Rivers and Harbors Appropriation Act of 1899 2-24
- 2.9.5 Section 9 of the Rivers and Harbors Appropriation Act of 1899 2-24
- 2.9.6 State/County/City Permits and Certifications 2-25

2.10 ROLE OF THE DESIGNER 2-26

- 2.10.1 Responsibility 2-26
- 2.10.2 Investigating a Complaint 2-26

- 2.10.3 Legal Matters 2-28
- 2.10.4 As a Witness 2-28
- 2.10.5 Witness Conduct 2-28

REFERENCES 2-30

APPENDIX A - TYPICAL SECTION 404 APPLICATION PROCEDURE 2-31

Chapter 3 - Policy

3.1 OVERVIEW 3-2

- 3.1.1 Introduction 3-2
- 3.1.2 Policy Versus Criteria 3-2

3.2 GENERAL HYDRAULIC DESIGN POLICIES 3-2

- 3.2.1 General Policies 3-2

3.3 FEDERAL POLICIES 3-3

- 3.3.1 Introduction 3-3
- 3.3.2 Abbreviations 3-3
- 3.3.3 Environmental Policies 3-4
- 3.3.4 Health Policies 3-6
- 3.3.5 Land and Water Usage 3-6

3.4 STATE POLICIES 3-10

- 3.4.1 Access Control Code 3-10
- 3.4.2 CDOT Hydraulic Design 3-10
- 3.4.3 Hydraulic Design Responsibility 3-10

3.5 MUNICIPAL POLICIES 3-12

Chapter 4 - Documentation

4.1 OVERVIEW 4-2

- 4.1.1 Introduction 4-2
- 4.1.2 Purpose 4-2
- 4.1.3 Scheduling 4-3
- 4.1.4 Responsibility 4-4

4.2 PROCEDURE 4-4

- 4.2.1 Practices 4-4

4.2.2 Storage of Design Documentation 4-5

4.3 DOCUMENTATION PROCEDURES 4-5

4.3.1 Introduction 4-5

4.3.2 Hydrology 4-5

4.3.3 Hydraulic Data for Bridges 4-6

4.3.4 Hydraulic Data for Culverts 4-7

4.3.5 Open Channels 4-9

4.3.6 Storm Drains 4-11

4.3.7 Pump Stations 4-11

4.3.8 Detention and Water Quality Ponds 4-11

4.3.9 Design Computations 4-11

APPENDIX A – HYDRAULIC DESIGN REPORT OUTLINE 4-13

APPENDIX B – EXAMPLE PROJECT CHECKLIST FOR HYDRAULIC DESIGN 4-15

Chapter 5 - Planning and Location

5.1 INTRODUCTION 5-2

5.1.1 Preliminary Planning 5-2

5.1.2 Flood Hazards 5-2

5.1.3 Construction Problems 5-2

5.1.4 Maintenance Problems 5-3

5.2 CRITERIA 5-3

5.2.1 Interagency Coordination 5-3

5.2.2 Intra-agency Coordination 5-3

5.2.3 Legal Aspects 5-4

5.2.4 Environmental Considerations 5-4

5.2.5 Permits 5-4

5.2.6 Location Considerations 5-5

5.3 STORMWATER QUALITY AND QUANTITY CONCERNS 5-6

5.3.1 Introduction 5-6

5.3.2 Quality 5-6

5.3.3 Quantity 5-7

5.4 PRELIMINARY DATA GATHERING 5-9

5.4.1 Drainage Surveys 5-9

5.4.2 Data Collection 5-9

5.4.3 Types of Data 5-9

5.5 PRELIMINARY HYDRAULIC REPORTS 5-13

5.5.1 Introduction 5-13

5.5.2 Report 5-13

REFERENCES 5-14

Chapter 6 - Data Collection

6.1 OVERVIEW 6-3

6.1.1 Introduction 6-3

6.1.2 Data Requirements 6-3

6.1.3 Survey Methods / Computation Accuracy 6-3

6.2 SOURCES OF DATA 6-4

6.2.1 Objectives 6-4

6.2.2 Sources 6-4

6.3 TYPES OF DATA NEEDED 6-5

6.3.1 General 6-5

6.3.2 Drainage Surveys 6-5

6.3.3 Watershed Characteristics 6-6

6.3.4 Site Characteristics 6-8

6.4 SURVEY INFORMATION 6-11

6.4.1 General 6-11

6.4.2 CDOT Requirements 6-12

6.5 DATA COLLECTION 6-12

6.5.1 Digital and Satellite Data Models 6-12

6.5.2 Data Merging 6-14

6.5.3 Accuracy of Data 6-14

6.6 FIELD REVIEWS 6-15

6.6.1 Onsite Inspection 6-15

6.6.2 Preparation of Preliminary Drainage Data 6-16

6.6.3 Conducting the On-Site Inspection 6-17

6.6.4 Checklist 6-17

6.7 DRAINAGE SURVEY INFORMATION 6-17

6.7.1 General 6-17

- 6.7.2 Survey Locations 6-18
- 6.7.3 Drainage Survey Needs 6-18
- 6.7.4 Survey Data Files 6-19
- 6.8 DATA RELIABILITY 6-19**
 - 6.8.1 Objective 6-19
 - 6.8.2 Reliability 6-19
 - 6.8.3 Sensitivity 6-20
- REFERENCES 6-21**
- APPENDIX A – SOURCES OF DATA 6-22**
- APPENDIX B – HYDRAULIC SURVEY INSTRUCTIONS 6-26**
- APPENDIX C – FIELD INVESTIGATION FORMS 6-29**

Chapter 7 - Hydrology

- 7.1 OVERVIEW 7-3**
 - 7.1.1 Introduction 7-3
- 7.2 DEFINITION OF CONCEPTS 7-4**
 - 7.2.1 Overview 7-4
- 7.3 GENERAL CONSIDERATIONS 7-6**
 - 7.3.1 Factors Affecting Floods 7-6
 - 7.3.2 Sources of Information 7-6
 - 7.3.3 Site Data 7-7
 - 7.3.4 Flood History 7-7
 - 7.3.5 Design Frequency 7-7
 - 7.3.6 Review Frequency 7-9
 - 7.3.7 500-Year Multipliers 7-10
 - 7.3.8 Rainfall vs. Flood Frequency 7-10
 - 7.3.9 Precipitation 7-10
 - 7.3.10 Discharge Determination 7-10
- 7.4 HYDROLOGIC PROCEDURE SELECTION 7-11**
 - 7.4.1 Overview 7-11
 - 7.4.2 Gaged Sites 7-11
 - 7.4.3 Ungaged Sites 7-12

- 7.4.4 Peak-Flow Rates or Hydrographs 7-12
- 7.4.5 Time of Concentration 7-12
- 7.5 HYDROLOGIC METHODS 7-14**
 - 7.5.1 Hydrologic Peak Prediction and Hydrograph Procedures 7-14
 - 7.5.2 Flood Insurance Studies 7-15
 - 7.5.3 Statistical Analysis of Streamgauge Data 7-15
 - 7.5.4 Regression Equations 7-15
 - 7.5.5 Rational and Modified Rational Methods 7-15
 - 7.5.6 Natural Resources Conservation Service Technical Release No. 55 7-16
 - 7.5.7 Additional Hydrograph Methods 7-16
- 7.6 CALIBRATION 7-19**
 - 7.6.1 Definition 7-19
 - 7.6.2 Calibration with Flood History 7-20
 - 7.6.3 Calibration Without Flood History 7-20
- 7.7 RISK ANALYSIS 7-20**
 - 7.7.1 Definition 7-20
 - 7.7.2 Usage 7-20
 - 7.7.3 Factors 7-20
- 7.8 SOFTWARE FOR CONDUCTING HYDROLOGIC ANALYSES 7-21**
 - 7.8.1 Gauged Watersheds 7-21
 - 7.8.2 Ungauged Watersheds 7-22
- REFERENCES 7-25**

Chapter 8 - Channels

- 8.1 INTRODUCTION 8-2**
- 8.2 OPEN-CHANNEL FLOW DEFINITIONS 8-3**
- 8.3 OPEN-CHANNEL FLOW EQUATIONS 8-4**
- 8.4 DESIGN CRITERIA AND GUIDELINES 8-9**
- 8.5 HYDRAULIC ANALYSIS 8-11**
- 8.6 SOFTWARE FOR MODELING CHANNELS AND FLOODPLAINS 8-12**
- REFERENCES 8-14**

Chapter 9 - Culverts

9.1 INTRODUCTION	9-3
9.1.1 Definition	9-3
9.1.2 Purpose	9-3
9.1.3 Concepts and Definitions	9-4
9.1.4 Symbols	9-6
9.1.5 Classification	9-8
9.1.6 Geometry	9-8
9.1.7 Culvert Construction Materials	9-9
9.1.8 Types of Flow Control	9-11
9.1.9 Roadway Overtopping	9-13
9.2 DESIGN CRITERIA	9-15
9.2.1 Site and Structure-Selection Criteria	9-15
9.2.2 Design Limitations	9-18
9.2.3 Design Features	9-20
9.2.4 Related Designs	9-26
9.3 MISCELLANEOUS GUIDELINES	9-29
9.3.1 Alternatives to Pipe Arches	9-29
9.3.2 Jacking Welded Steel and Reinforced Concrete Pipe	9-31
9.4 ALTERNATIVE ANALYSIS AND DESIGN METHODS	9-31
9.4.1 Alternative Analysis	9-31
9.4.2 Design Methods	9-32
9.5 HYDRAULIC DESIGN	9-33
9.5.1 General	9-33
9.5.2 Standard Practice	9-33
9.5.3 Inlet Control	9-34
9.5.4 Outlet Control	9-37
9.5.5 Outlet Velocity	9-40
9.5.6 Roadway Overtopping	9-41
9.5.7 Performance Curves	9-42
9.5.8 Culvert Design Form	9-43
9.6 DESIGN EQUATIONS	9-34
9.6.1 General	9-34

- 9.6.2 Approach 9-34
- 9.6.3 Inlet Control 9-34
- 9.6.4 Outlet Control 9-36
- 9.6.5 Outlet Velocity 9-40
- 9.6 DESIGN PROCEDURE 9-45**
- 9.7 FLOOD ROUTING FOR CULVERT DESIGN 9-49**
 - 9.7.1 Introduction 9-49
 - 9.7.2 Routing Equations 9-50
 - 9.7.3 Design Procedure 9-50
- 9.8 TAPERED INLETS 9-53**
 - 9.8.1 General 9-53
 - 9.8.2 Side-Tapered 9-53
 - 9.8.3 Slope-Tapered Inlets 9-54
 - 9.8.4 Hydraulic Design 9-55
 - 9.8.5 Design Methods 9-57
- 9.9 BROKEN-BACK CULVERTS 9-58**
 - 9.9.1 Introduction 9-58
 - 9.9.2 Guidelines 9-58
 - 9.9.3 Design Procedure 9-59
- 9.10 CULVERT PROTECTION, REPAIR, REHABILITATION AND REPLACEMENT 9-59**
 - 9.10.1 Coatings, Linings, and Paving 9-60
 - 9.10.2 Rehabilitation and Repair Practices 9-61
 - 9.10.3 Pipe Replacement 9-63
- 9.11 SOFTWARE FOR DESIGNING CULVERTS 9-64**
- REFERENCES 9-66**
- APPENDIX A – DESIGN CHARTS 9-67**
- APPENDIX B – JACKING WELDED STEEL AND REINFORCED CONCRETE PIPE 9-82**
- APPENDIX C- CDOT PIPE MATERIAL SELECTION GUIDE 9-85**

Chapter 10 - Bridges

- 10.1 INTRODUCTION 10-3**
 - 10.1.1 Design Goals 10-3
 - 10.1.2 Data Collection 10-3

- 10.2 DESIGN CRITERIA** 10-3
 - 10.2.1 General Criteria 10-3
 - 10.2.2 Specific Criteria 10-6
- 10.3 HYDRAULIC ANALYSIS OF STREAM CHANNEL CROSSINGS** 10-9
 - 10.3.1 Hydraulic Nature of Stream Flow 10-9
 - 10.3.2 Bridge Waterway Opening Analysis 10-11
- 10.4 HYDRAULIC DESIGN** 10-12
 - 10.4.1 Design Sequence 10-12
 - 10.4.2 Parallel Bridges 10-16
- 10.5 DESIGN CONSIDERATIONS** 10-16
 - 10.5.1 Introduction 10-16
 - 10.5.2 Location of Stream Crossing 10-16
 - 10.5.3 Coordination Permits/Approvals 10-16
 - 10.5.4 Deck Drainage 10-17
 - 10.5.5 Auxiliary/Relief Opening 10-17
 - 10.5.6 Bridge Rehabilitation 10-18
- 10.6 BRIDGE SCOUR** 10-18
 - 10.6.1 Introduction 10-18
 - 10.6.2 Scour Types 10-19
 - 10.6.3 Scour Design Flood Philosophy and Concepts 10-21
 - 10.6.4 Assessing and Plotting Scour 10-22
 - 10.6.5 Natural Armoring 10-22
 - 10.6.6 Scour-Resistant Materials 10-22
 - 10.6.7 Preventive/Protection Measures 10-23
 - 10.6.8 The Countermeasure Matrix 10-23
- 10.7 SOFTWARE FOR ANALYZING BRIDGE HYDRAULICS** 10-24
- REFERENCES** 10-27

Chapter 11 - Energy Dissipators

- 11.1 INTRODUCTION** 11-2
- 11.2 DESIGN CRITERIA AND GUIDELINES** 11-3

- 11.2.1 Design Frequency 11-3
- 11.2.2 Selection of Outlet Protection Measures 11-3
- 11.2.3 Design Philosophy 11-3
- 11.2.4 Alternative Analysis 11-4
- 11.2.5 Additional Design Considerations 11-4
- 11.3 EROSION HAZARDS 11-6**
 - 11.3.1 Local Scour 11-6
 - 11.3.2 Long-Term Channel Degradation 11-6
- 11.4 DESIGN PROCEDURE 11-6**
- 11.5 RECOMMENDED DESIGN SOFTWARE 11-9**
- REFERENCES 11-10**

Chapter 12 - Storage Facilities

- 12.1 INTRODUCTION 12-3**
 - 12.1.1 Overview 12-3
 - 12.1.2 Location Considerations 12-4
 - 12.1.3 Detention and Retention 12-5
 - 12.1.4 Computer Programs 12-6
- 12.2 USES 12-6**
 - 12.2.1 Introduction 12-6
 - 12.2.2 Quality 12-6
 - 12.2.3 Quantity 12-7
 - 12.2.4 Objectives 12-7
- 12.3 SYMBOLS AND DEFINITIONS 12-7**
- 12.4 DESIGN CRITERIA 12.7**
 - 12.4.1 General Criteria 12-7
 - 12.4.2 Release Rate 12-8
 - 12.4.3 Storage Volume 12-9
 - 12.4.4 Grading and Depth 12-19
 - 12.4.5 Outlet Works 12-10
 - 12.4.6 Location 12-10
- 12.5 NATIONAL DAM SAFETY PROGRAM 12-11**
- 12.6 CONSTRUCTION AND MAINTENANCE CONSIDERATIONS 12-11**

12.6.1	General	12-11
12.6.2	Sediment Basins	12-12
12.6.3	Design Considerations for Pedestrians	12-12
12.7	GENERAL DESIGN PROCEDURE	12-12
12.7.1	Data Needs	12-12
12.7.2	Stage-Storage Curve	12-14
12.7.3	Stage-Discharge Curve	12-15
12.7.4	Routing Procedure	12-15
12.7.5	Preliminary Detention Calculations	12-17
12.7.6	Step-by-Step Routing Procedure	12-18
12.8	OUTLET WORK HYDRAULICS	12-23
12.9	PRELIMINARY DETENTION CALCULATIONS	12-23
12.9.1	Alternative Method	12-23
12.9.2	Peak-Flow Reduction	12-23
12.10	ROUTING CALCULATIONS	12-24
12.11	DRY POND (DETENTION BASIN)	12-25
12.12	WET POND (RETENTION BASIN)	12-25
12.13	INFILTRATION CONTROLS	12-26
12.13.1	Introduction	12-26
12.13.2	Infiltration Trench	12-27
12.13.3	Infiltration Basin	12-27
12.13.4	Vegetated Filter Strip	12-28
12.13.5	Grassed Swale	12-30
12.13.6	Wetlands	12-32
12.13.7	Porous Pavement	12-32
12.14	LAND-LOCKED RETENTION	12-32
12.14.1	Introduction	12-32
12.14.2	Mass Routing	12-33
12.14.3	Water Budget	12-34
12.15	SOFTWARE FOR DESIGNING STORAGE FACILITIES	12-35
REFERENCES		12-37

Chapter 13 - Storm Drains

- 13.1 OVERVIEW** 13-2
 - 13.1.1 Introduction 13-2
 - 13.1.2 Concept Definitions 13-3
- 13.2 DESIGN FREQUENCY AND SPREAD WIDTH** 13-5
 - 13.2.1 Selection Considerations 13-5
 - 13.2.2 Major Storm and Street Capacity 13-6
- 13.3 GENERAL DESIGN CRITERIA** 13-7
 - 13.3.1 Introduction 13-7
 - 13.3.2 Hydrology 13-7
 - 13.3.3 Bridge Decks 13-7
 - 13.3.4 Inlets 13-7
 - 13.3.5 Inlet Capacities 13-9
 - 13.3.6 Storm Drains 13-9
 - 13.3.7 Maintenance Access (Manholes) 13-9
 - 13.3.8 Concrete Median Barrier 13-10
- 13.4 SOFTWARE FOR DESIGNING STORM DRAINAGE SYSTEMS** 13-11
- REFERENCES** 13-13
- APPENDIX A - DESIGN NOMOGRAPHS** 13-14

Chapter 14 - Pump Stations

- 14.1 INTRODUCTION** 14-2
 - 14.1.1 Policy 14-2
- 14.2 DESIGN CONSIDERATIONS** 14-2
 - 14.2.1 Location 14-3
 - 14.2.2 Hydrology 14-3
 - 14.2.3 Collection Systems 14-3
 - 14.2.4 Station Types 14-4
 - 14.2.5 Pump Types 14-5
 - 14.2.6 Submergence 14-6
 - 14.2.7 Water-Level Sensors 14-6
 - 14.2.8 Power 14-6

- 14.2.9 Discharge System 14-6
- 14.2.10 Flap Gates and Valves 14-7
- 14.2.11 Trash Racks and Grit Chambers 14-7
- 14.2.12 Ventilation 14-7
- 14.2.13 Roof Hatches and Monorails 14-8
- 14.2.14 Equipment Certification and Testing 14-8
- 14.2.15 Monitoring 14-8
- 14.2.16 Hazardous Spills 14-8
- 14.3 CONSTRUCTION AND OPERATION CONSIDERATIONS 14-9**
 - 14.3.1 Construction 14-9
 - 14.3.2 Maintenance 14-9
- 14.4 RECOMMENDED DESIGN CRITERIA 14-9**
 - 14.4.1 Station Type and Depth 14-9
 - 14.4.2 Power 14-9
 - 14.4.3 Discharge Head 14-9
 - 14.4.4 Main Pumps 14-10
 - 14.4.5 Spare Pumps 14-10
 - 14.4.6 Pump ON/OFF Settings 14-10

REFERENCES 14-13

Chapter 15 - Surface Water Environment

- 15.1 OVERVIEW 15-3**
 - 15.1.1 Introduction 15-3
 - 15.1.2 Purpose 15-4
 - 15.1.3 Surface Waters 15-4
 - 15.1.4 CDOT Phase I Municipal Separate Storm Sewer System (MS4) Discharge Permit 15-4
- 15.2 POLICY 15-5**
 - 15.2.1 Introduction 15-5
 - 15.2.2 Federal Rules and Regulations 15-5
 - 15.2.3 State Rules and Regulations 15-5
 - 15.2.4 State Memorandums of Understanding and Agreement (MOUs and MOAs) 15-6
 - 15.2.5 Cost-Effectiveness 15-7
 - 15.2.6 Enhancing Functional Values 15-7
 - 15.2.7 Environmental Evaluation Complexity 15-7
 - 15.2.8 Surface-Water Assessment 15-7

- 15.2.9 Surface-Water Analysis 15-8
- 15.2.10 Stormwater Management Plan (SWMP) 15-8
- 15.2.11 Stormwater Quality Management 15-8
- 15.3 DESIGN CRITERIA 15-8**
 - 15.3.1 General Criteria 15-8
 - 15.3.2 Mitigation Alternatives 15-8
 - 15.3.3 Best Management Practices 15-9
 - 15.3.4 Functional Values 15-9
 - 15.3.5 Design Criteria 15-10
 - 15.3.6 Water Quality and Quantity 15-10
 - 15.3.7 Channels 15-10
 - 15.3.8 Wetlands 15-12
- 15.4 CHANNEL MITIGATION GEOMETRIES 15-13**
 - 15.4.1 Grade-Control Structures 15-13
 - 15.4.2 Fish Habitat Structures 15-13
 - 15.4.3 Aquatic Organism Passage Structures 15-13
 - 15.4.4 Non-Structural Bendway Bank Protection 15-14
- 15.5 FLOODPLAINS 15-14**
 - 15.5.1 Introduction 15-14
 - 15.5.2 Floodplain Benefits 15-14
 - 15.5.3 Flood Control 15-14
 - 15.5.4 Floodplain Regulations 15-14
- 15.6 FISH PASSAGE CRITERIA 15-17**
 - 15.6.1 Introduction 15-17
 - 15.6.2 Channels 15-17
 - 15.6.3 Bridges 15-17
 - 15.6.4 Culverts 15-17
 - 15.6.5 Structure Type 15-18
 - 15.6.6 Fish Swimming Speed 15-18
 - 15.6.7 Design Flow Depths 15-18
 - 15.6.8 Culvert Geometric Elements 15-19
 - 15.6.9 Inlet Geometry 15-19
 - 15.6.10 Outlet Geometry 15-19
 - 15.6.11 Barrel Geometry 15-20
 - 15.6.12 Maintenance of Fishways 15-20
- 15.7 LOW WATER CROSSING 15-24**

NOTES 15-25

REFERENCES 15-26

Chapter 16 - Permanent Water Quality

16.1 INTRODUCTION 16-4

- 16.1.1 Organization 16-4
- 16.1.2 Additional Guidance 16-5
- 16.1.3 Roles and Responsibilities 16-5

16.2 DESIGN CONSIDERATIONS AND LEGAL REQUIREMENTS 16-6

- 16.2.1 General Design Considerations 16-7
 - 16.2.1.1 Soils 16-7
 - 16.2.1.2 Stability of Drainage Area 16-7
 - 16.2.1.3 Rainfall and Climate 16-7
 - 16.2.1.4 Wetlands 16-8
 - 16.2.1.5 Watershed Size 16-8
 - 16.2.1.6 Groundwater 16-8
 - 16.2.1.7 Space Constraints 16-9
 - 16.2.1.8 Maintenance 16-9
 - 16.2.1.9 Safety 16-10
- 16.2.2 Legal Requirements 16-10
 - 16.2.2.1 Online Versus Offline PWQ Control Measures 16-10
 - 16.2.2.2 Floodplains 16-11
 - 16.2.2.3 Surface Water Rights 16-11
 - 16.2.2.4 MS4 Permit Requirements 16-12
 - 16.2.2.4.1 MS4 Permit Design Standards 16-12
 - 16.2.2.4.2 MS4 Permit Triggers and Area Treated 16-13
 - 16.2.2.4.3 Equivalent Benefit 16-14
 - 16.2.2.4.4 PWQ Treatment Not Required by the MS4 Permit 16-15
 - 16.2.2.4.5 PWQ Only Projects 16-15

16.3 CDOT PWQ DESIGN CRITERIA 16-15

- 16.3.1 Extended Detention Basins 16-16
 - 16.3.1.1 *WQCV* 16-17
 - 16.3.1.2 Facility Design 16-18
 - 16.3.1.2.1 Basin Configuration 16-18
 - 16.3.1.2.2 Inflow Points 16-19

- 16.3.1.2.3 Trickle Channels 16-20
- 16.3.1.2.4 Outlets 16-20
- 16.3.1.2.5 Micropools 16-20
- 16.3.1.2.6 Spillways 16-20
- 16.3.1.3 Maintenance Requirements and Cost 16-22
- 16.3.2 Sand Filters 16-22
 - 16.3.2.1 Basin Layout, Volume, And Geometry 16-22
 - 16.3.2.2 Underdrain System 16-23
 - 16.3.2.2.1 No-Infiltration Sand Filter 16-23
 - 16.3.2.2.2 Partial Infiltration Sand Filter 16-24
 - 16.3.2.2.3 Full Infiltration Sand Filter 16-25
 - 16.3.2.3 Inlets, Outlet, And Spillway 16-25
 - 16.3.2.4 Maintenance Requirements and Cost 16-25
- 16.3.3 Media Filter Drains 16-25
- 16.3.4 Complementary Components and Practices 16-26
 - 16.3.4.1 Dispersion Berms / Level Spreaders 16-27
 - 16.3.4.2 Soil Amendments 16-27
 - 16.3.4.3 Treatment Swales 16-28
 - 16.3.4.4 Filter Strips 16-28
- 16.3.5 Design for Maintenance 16-28
- 16.4. CONTROL MEASURES REQUIRING APPROVAL 16-30**
 - 16.4.1 Proprietary Structures 16-30
 - 16.4.1.1 Approved Testing Protocols 16-31
 - 16.4.1.2 Design Flow Rate 16-32
 - 16.4.1.3 Maintenance Requirements and Cost 16-32
 - 16.4.2 Treatment Swales 16-32
 - 16.4.3 Bioretention/PLD/Bioslopes/Biofiltration Swales 16-32
 - 16.4.4 Constructed Wetlands 16-33
 - 16.4.5 Permeable Pavement Systems 16-33
 - 16.4.6 Retention Ponds 16-33
 - 16.4.7 New and Innovative Technologies 16-33
 - 16.4.8 Treatment Trains 16-34
- 16.5 REQUIRED DOCUMENTATION 16-34**
 - 16.5.1 PWQ Evaluation And Tracking Form 16-35
 - 16.5.2 PWQ Funding Application 16-35
 - 16.5.3 Water Quality Report 16-35
 - 16.5.4 Checklists 16-35

- 16.5.5 As-Built Plans 16-36
- 16.5.6 Operations And Maintenance Manual 16-36
- 16.5.7 GIS Information 16-36
- 16.5.8 Water Rights Reporting 16-36
- 16.6 DESIGN EXAMPLES 16-36**
 - 16.6.1 Extended Detention Basin 16-37
 - 16.6.2 Sand Filter 16-39
 - 16.6.3 Media Filter Drain 16-41
- REFERENCES 16-44**
- APPENDIX A – ACRONYMS AND DEFINITIONS 16-45**
- LIST OF TABLES**
 - Table 1 SAP Categories and Associated PWQ Control Measures Characteristics 16-16
 - Table 2 Drain Time Coefficients for *WQCV* Calculations 16-17
 - Table 3 General EDB Design Criteria 16-21
 - Table 4 Underdrain Pipe Dimensions 16-24
 - Table 5 Control Measures Requiring Approval 16-31
 - Table 6 Project Data 16-37
 - Table 7 Area Treated by the EDB 16-38
 - Table 8 Area Treated by the Sand Filter 16-39

Chapter 17 - Channel Revetment

- 17.1 OVERVIEW AND PURPOSE 17-2**
- 17.2 REVETMENT TYPES 17-3**
- 17.3 DESIGN CRITERIA 17-5**
- 17.4 ROCK RIPRAP DESIGN GUIDELINES 17-5**
 - 17.4.1 Riprap Size, Shape and Gradation 17-5
 - 17.4.2 Riprap Design Calculations 17-8
 - 17.4.3 Design Thickness, Toe Depth and Longitudinal Extents 17-9
 - 17.4.4 Vertical Freeboard 17-9
 - 17.4.5 Edge and End Treatments 17-9
 - 17.4.6 Riprap Placement 17-11
 - 17.4.7 Ice Damage 17-11
- 17.5 RIPRAP FILTER DESIGN GUIDELINES 17-11**

- 17.5.1 Granular Filter Designs 17-11
- 17.5.2 Geotextile Filter Designs 17-12
- 17.5.3 Geotextile Installation Procedures 17-13

17.6 SOFTWARE FOR DESIGNING BANK PROTECTION 17-14

REFERENCES 17-15

APPENDIX A 17-16

Chapter 18 - Groundwater and Seepage

18.1 INTRODUCTION 18-3

- 18.1.1 Purpose 18-3
- 18.1.2 Sources of Groundwater 18-3
- 18.1.3 Impacts of Groundwater on Highway Projects 18-4

18.2 PRELIMINARY INVESTIGATION 18-5

- 18.2.1 Identification of Subsurface Water 18-5
- 18.2.2 Field Investigations 18-6

18.3 ANALYSIS OF GROUNDWATER PROBLEMS 18-6

- 18.3.1 Introduction 18-6
- 18.3.2 Darcy's Law 18-6
- 18.3.3 Determination of the Coefficient of Permeability 18-7
- 18.3.4 Flow Rate Determination 18-7

18.4 UNDERDRAINS 18-8

- 18.4.1 Introduction 18-8
- 18.4.2 Filter Design 18-10
- 18.4.3 Drainage Layer Design 18-13
- 18.4.4 Collector Pipe Design 18-14
- 18.4.5 Outlet Design 18-14
- 18.4.6 Appurtenances 18-15

18.5 DRAINABLE PAVEMENT SYSTEMS 18-15

- 18.5.1 Introduction 18-15
- 18.5.2 Permeable Base and Edgedrains 18-16
- 18.5.3 Design Approach 18-16
- 18.5.4 Design Criteria 18-17
- 18.5.5 Criteria for Using Pavement Drainage Systems 18-18
- 18.5.6 Stabilized Permeable Base 18-18

18.5.7	Retrofit Edgedrains	18-19
18.5.8	Frost Action	18-19
18.6	SLOPE STABILIZATION WITH DRAINAGE	18-20
18.6.1	Introduction	18-20
18.6.2	Interceptor Drains	18-20
18.6.3	Blanket Drains	18-21
18.6.4	Horizontal Drains	18-21
18.7	STRUCTURE AND FOUNDATION DRAINAGE	18-22
18.7.1	Retaining Wall and Slope Paving Drains	18-22
18.7.2	Wick Drains	18-22
18.7.3	Drop Structures and Culverts	18-22
18.8	CONSTRUCTION CONSIDERATIONS	18-23
18.9	WATER QUALITY CONSIDERATIONS	18-23
18.10	MAINTENANCE AND INSPECTION	18-23
REFERENCES		18-24

