Slide 1 - TSM&O Evaluation Operations Analysis



TSM&O Evaluation Operations Analysis

REGION TRAFFIC REPRESENTATIVE TRAINING

JUNE 2016

Slide 2 - Topics



Topics

- Purpose and Goals of training
- Review of TSM&O Evaluation purpose and goals
- Overview of Operational Analysis
 - Review sections of operational analysis
 - Case study applications
- Available Resources and Training
- Discussion

Slide 3 - Introduction



Introduction


- Reminder of what TSMO is/why we are here
- Context of this training
 - Not the be-all and end-all training for operational analysis
 - Each segment of the TSM&O Operational Analysis may require more detailed training
 - TSM&O career progression mapping

Slide 4 - Goals of Training



- Demonstrate the capability to complete each section of the TSMO
 Evaluation Operations Analysis.
- Determine when it is okay to bypass lines of the evaluation.
- Recognize internal and external resources that may be called upon for assistance in completing the TSMO operational analysis.

Slide 5 - Perform Level 1 Operations Analysis



Slide 6 - Level 1 Operational Analysis




Level 1 Operational Analysis

Purpose of Analysis

Evaluate operating conditions within a project area including:

- Integrating operational improvements within the context of a project (that may not be focused on operational improvement).
- Providing a standardized process and documentation via the TSM&O Evaluation tool.
- Noting the issues considered to support recommendations.



Slide 7 - Operational Analysis Process



Operational Analysis Process

Level 1 Analysis

- Answer each question with "Yes", "No", or "N/A"
- TSM&O Evaluation Folder Used to save relevant supporting traffic data (INRIX, OTIS, etc.)
- Comments column Used to add relevant information supporting the decision-making process
 - o Highlight key issues, data or background information
- Recommendations column Used to add specific recommendations
 - o Recommendations should only be made in the recommendations column
 - Carried forward into the Recommendations Tab

Slide 8 - Evaluation - When to Bypass



Evaluation – When to Bypass

When Can Evaluation Topics be Bypassed?

- Data and Modelling Traffic data, travel pattern or type of modelling are not applicable to the project area.
- Operational Conditions and Strategies:
 - Condition or strategy is not applicable to the type of roadway being reviewed (e.g. freeway, urban arterial, rural highway)
 - Certain types of road users may not be present in the project area (e.g. transit, heavy vehicles, trains/railroad crossing), pedestrian, cyclist).
 - Must still comply with CDOT policies, e.g. pedestrian and cyclist policy
- Coordination/Collaboration Stakeholder groups that are not applicable to area or scope of project.

Slide 9 - Data and Modeling



Data and Modeling

Section 1: Data and Modeling

- Purpose:
 - Documenting existing known data sets or existing traffic models (e.g. traffic models developed for prior projects)
 - o Identify data that was considered as part of the Level 1 Operational Analysis
 - o Identify key operational issues (e.g. traffic patterns, time periods, etc.)
- Example CDOT R2 US 24 overlay project
 - Resurfacing and intersection reconstruction project

Slide 10 - Data and Modeling Example




Data and Modeling Example

- Example CDOT R2 US 24 Project
 - Project scope
 - Resurfacing westbound lanes of US
 24
 - Reconstruction of US 24/Garrett Rd intersection, including signal modification.
 - Suburban commuter route northeast of Colorado Springs
 - A bottleneck was identified at the US 24 / Garrett Rd signalized intersection.



Slide 11 - Travel Time Index in Project Area



Slide 12 - Data and Modeling Example



Data and Modeling Example

Data and Modeling						i i	10	
				Begin MP	End MP	Comments	Recommendations	Check box to include in Level 2 analysis
Are there any count stations in the area that highlight specific peak traffic times?	∀es	() No	O N/A	314.59	319.64	Highway functions as suburban commuter route. Weekday morning peak (6-9 am) Weekday evening peak (3-6 pm)		
Were any traffic design issues that may impact operations identified in Form 463?	() Yes	€ No						г
If Yes, list here and identify if they were addressed (describe in comments column and/or add recommendations in recommendations column). Use + to add rows or - to remove extra rows.								
Review existing and future projected traffic data using OTIS, 9								r
COGNOS, and INRIX ⁹⁸ . Are there: Identifiable bottlenecks in the project area?	⊕ Yes	() No	○N/A	318.44		Signalized intersection at US 24 & Garrett	Implement Florida-T operation previously designed with project 19682.	
Recurring, daily congestion patterns?	◆ Yes	○ No	○N/A	318.44		Signalized intersection at US 24 & Garrett	Implement Florida-T operation previously designed with project 19682.	
Recurring, seasonal congestion patterns?	O Yes	No No No	O N/A					
Non-recurring or special event congestion?	○ Yes	⊕ No	O N/A					
Operational issues related to heavy vehicles (e.g. turning path conflicts)? Issues with specific turning movements?	○ Yes	● No	○ N/A					
	() Yes	⊕ No	O N/A					

Slide 13 - Data and Modeling Example (cont.)



Data and Modeling Example (cont.)

				Begin MP	End MP	Comments	Recommendations	Check box to include in Level 2 analysis
Directional peak hour traffic volumes that reciprocate one another?	∀es	O No	O N/A	314.59	319.64	70% directional distribution favoring southbound during weekday morning, 78% directional distribution favoring northbound during weekday evening		
Significant Bicycle and Pedestrian users present or known issues?	() Yes	⊕ No	ONA			No known issues.		
Planning Time Index values higher than expected compared to similar facilities?	() Yes	No	O N/A			Peak hour near 1.5		
Travel Time Index values higher than expected compared to similar facilities?	() Yes	● No	ON/A			Peak hour near 1.2		
Other (describe in comments column and/or add recommendations in recommendations column). Use + to add rows or - to remove extra rows.								
Does the scope and complexity of the project warrant further analysis of traffic, queuing, delay, and LOS with any of the	○ Yes	⊕ No	O N/A			Analysis conducted as part of previous project 19682		
If so, indicate here:	_							
Traffic Analysis (Synchro, Tru-Traffic, HCM)	O Yes	Q No	⊕ N/A					
Microsimulation (VISSIM, CORSIM, SimTraffic)	○ Yes	O No	⊕ N/A					
Travel demand data (origin-destination data)	O Yes	O No	⊕ N/A					
Other (describe in comments column and/or add recommendations in recommendations column). Use + to add rows or - to remove extra rows.	() Yes	O No	⊕ N/A					r
Have any of these tools been initiated? If so, which ones?	O Yes	O No	⊕ N/A					

Slide 16 - Operational Conditions & Strategies



Operational Conditions & Strategies

Operational, Geometric, and Road User Conditions Operational Strategies

Purpose of Sections 2 and 3

 Review a range of potential Operational Conditions and Strategies that the project may consider

Example - Plum Creek Parkway and I-25 Interchange

Slide 17 - Plum Creek Parkway/I-25 Example



Context:

- Plum Creek Pkwy/I-25 Interchange in Castle Rock
- Local agency initiated project
- Key Issues: heavy directional traffic
- Towards I-25 northbound in AM Peak
- Away from I-25 southbound in the PM Peak Period




Slide 18 - Plum Creek Parkway Example




Plum Creek Parkway Example

Original Proposal: Plum Creek Parkway Interchange with I-25



- SB off-ramp in PM Peak period
 - Movement near failure in PM Peak Period

Slide 19 -Travel Time Index in Project Area



Slide 20 - Key Considerations for L1 Analysis



Key Considerations for L1 Analysis

Section	Consideration	Response	Comments	Recommendations
d Road	Can improvements to lane geometry be made to better serve existing and future traffic demand?	Yes	Challenging to balance the needs of AM and PM Peak	Consider options to improve land geometry
Operational, Geometric and Road User Conditions	Can the current project incorporate signing and striping improvements to improve positive guidance?	Yes	Signing and striping improvements may be required to support lane assignment changes	Consider signing and striping improvements to support improved lane geometry
	Can improvements to how the roadway connects/integrates into the existing roadway, i.e., lane utilization/demand and lane merge/diverge with existing upstream and downstream traffic be incorporated into the project?	Yes	Unbalanced lane utilization due to traffic movements to I 25 northbound in the AM peak and from I-25 southbound affects traffic upstream of the project area	
nal Strategies	Lane Assignment	Yes	Merits considering adjuusting lane assignment by time of day	Consider options for developing dynamic lane assignment
	Active Traffic Management	Yes	Explore ATM approaches to lane assignment	Consider ATM approachs to dynamic lane assignment
	Traffic Signal Detection	Yes	May need to modiffy traffic signal detection at the Wilcox St signal	Consider detection needs of dynamic lane assignment
	Signing Improvements	Yes		Consider signing improvements to support dynamic lane assignment
	Alternative Intersection Treatments	Yes		Consider time of day changes to approach lanes at Wilcox St signal

Slide 21 - Bypassed Items



Bypassed Items

It is likely that not all operational strategies will apply to a project area

Some may be bypassed if they aren't applicable to a project

Considerations

- What type of roadway is being reviewed
 - e.g. Freeway, urban arterial, rural highway)?
- What types of road users are present?
- · Types of intersections present?

Slide 22 - Bypassed Items



Bypassed Items

Not applicable to Plum Creek Pkwy project area:

- Ramp metering strategies
- Peak period shoulder lanes
- Managed access lanes
- Continuous flow metering
- Railroad crossing improvements
- Transit improvements
- On-street parking modifications

Requires further review:

Not bypassed, policy implications

- Bicycle, Pedestrian and ADA Improvements
- Work Zone Safety and Mobility

Slide 23 - Plum Creek Parkway Example



Plum Creek Parkway Example

Dynamic Lane Assignment Permits PM Peak Period Improvements



Slide 27 - Coordination/Collaboration



Coordination/Collaboration

Purpose

- Provides a checklist of stakeholders for the RTR to identify where coordination/collaboration are needed.
- List is passed on as information to the PM.
 - PM's responsibilities are to consider recommendations over the course of the project.
- Although coordination/collaboration is included in the operational analysis, it may apply to Safety and ITS.

Example

Coordination/Collaboration for a small scale project in rural area

Slide 28 - Example - Coordination/Collaboration



Example-Coordination/Collaboration

				Begin MP	End MP	Ramp	Comments	Recommendations	to include in Level 2 analysis
Has input from applicable internal CDOT stakeholders relate	dto								
capacity, safety, mobility, and maintenance on the project									Е
corridor been requested and documented?					_	_		Obtain insuct on the assistat from	_
Incident Manager in Project Area	Yes	○ No	O N/A					Obtain input on the project from incident manager in project area	
Corridor/Area Operations Manager	18900	1122000	VE28765		-			Obtain input from the Corridor/Area	
Corridor/Area Operations Manager	Yes	O No	O N/A					Operations Manager	
Region Access Manager	Yes	O No	O N/A					Obtain input on the project from the	
*		0.10	0.64					Region Access Manager	
CTMC (or other operations centers, if applicable)	O Yes	O No	N/A						
Maintenance Supervisor	Yes	O No	O N/A					Obtain input on the project from the	
		0,10	V.45	-				Maintenance Supervisor	
Public Information Offices	○Yes	○ No							
Project Managers of Adjacent Projects	○Yes	○ No	⊕ N/A						1
Special Events	○ Yes	O No	⊕ N/A						
Venues	O Yes	O No	⊕ N/A						1
Region Bike & Pedestrian Representatives (4)	○ Yes	○ No	⊕ N/A						
Other (describe in comments column and/or add									
recommendations in recommendations column). Use	a to								_

Slide 29 - Example



Example

				Begin MP	End MP	Ramp	Comments	Recommendations	to include in Level 2 analysis
Considering the scope and complexity of the project, has input from applicable external stakeholders been requested and documented?									г
City and County Agencies	Yes	○ No	○ N/A				Pitkin County	Obtain input from Pitkin County on the project,	
Transit Agencies	○ Yes		O N/A						
MPO and TPR	○ Yes	No No No	ONA						
School Districts	○ Yes	No No	O N/A						
Law Enforcement	○ Yes	No	O N/A						
Local Businesses	○ Yes	⊕ No	○ N/A						
Special Events	O Yes	● No	O N/A						
Venues	○ Yes	No	O N/A						
Other (describe in comments column and/or add recommendations in recommendations column). Use + to add rows or - to remove extra rows.									г
Is there a current IGA for maintenance responsibilities in the project area?	○ Yes	No No	O N/A						
Is a new or modified IGA required to address maintenance responsibilities following project completion?	O Yes	No	O N/A						п

Slide 30 - Available Resources and Training



Available Resources and Training

Resources

- TSM&O Evaluation Message Board
- Contact CDOT HQ
 - Dot tsmoeval@state.co.us
- Other resources are noted at the bottom of the Operational Analysis Section

TSM & O Evaluation Message Board

Training

- INRIX Training
- Future training for specific topics in the Operational Analysis Section
- TSM&O career progression map

Slide 31 - Optional File Download



Optional File Download

Would you like a copy of this file to reference?

Slide 33 - End of Training



End of Training

Thank You for Participating



Thank you to Regions 1 and 2 for assistance with developing the examples include in the training.