

TABULATION OF UTILITY CONFLICTS								
SHEET	ID NO.	LOCATION DESCRIPTION	UTILITY OWNER	EFFECTED UTILITY	TYPE	CONTRACTOR'S ACTION	UTILITY'S ACTION	ADDITIONAL COMMENTS
UT-01 to UT-14					UNDERGROUND ELECTRIC, EXISTING STREET LIGHT FEED			SEE STREET LIGHTING PLANS FOR REMOVAL AND INSTALLATION OF STREET LIGHTS. REMOVAL OF EXISTING STREET LIGHT POWER FEEDS IS SHOWN ON THE UTILITY PLANS FOR CLARITY. REMOVAL OF THESE POWER LINES & CONDUIT WILL NOT BE PAID FOR SEPARATELY, BUT SHALL BE INCLUDED IN THE WORK CLEARING & GRUBBING.
UT-01		5060+94.57	XCEL ENERGY		HIGH PRESSURE GAS	PROTECT IN PLACE		
UT-01		5060+78.16	XCEL ENERGY		HIGH PRESSURE GAS	PROTECT IN PLACE		
UT-01		5060+76.11	XCEL ENERGY		ELECTRICAL LINE	PROTECT IN PLACE		
UT-02 to UT-03	ITS02-01	5072+00.00, 84.57' R to 5075+71.38, 90.81' R	CDOT/DOUGLAS COUNTY ITS		ITS FIBER LINE	EXPOSE THE EXISTING ITS FIBER OPTIC LINE AND RELOCATE TO A NEW TRENCH OUT SIDE OF THE CONFLICT AREA. THIS WORK SHALL BE PAID FOR BY FORCE ACCOUNT.		ITS LINE IS UNDER PROPOSED GUARDRAIL AND POTENTIALLY CONFLICTS WITH PROPOSED STORM SEWER LINE AND INLETS AS WELL
UT-02	ST02-01	5073+98.12, 80.23' R	CDOT	CDOT/DOUGLAS COUNTY ITS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER INLET CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-02	ST02-02	5074+22.19, 81.08' R to 5075+43.71, 85.36' R	CDOT	CDOT/DOUGLAS COUNTY ITS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-02	ST02-03	5075+48.12, 85.51' R	CDOT	CDOT/DOUGLAS COUNTY ITS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER INLET CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-02		5076+52.47, 107.58' R	CDOT/DOUGLAS COUNTY ITS		ITS FIBER LINE	PROTECT IN PLACE		ITS LINE CROSSES INTO AN AREA OF FILL. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-02	ITS02-02	5078+58.57, 122.96' R	CDOT/DOUGLAS COUNTY ITS		ITS Manhole	PROTECT IN PLACE		
UT-02 to UT-03		5078+95.84, 125.18' R	CDOT/DOUGLAS COUNTY ITS		ITS FIBER LINE	PROTECT IN PLACE - POTHOLE AS NEEDED		ITS LINE CROSSES INTO AN AREA OF CUT. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-02	FO02-01	5080+98.72, 133.33' R	AT&T		TELECOM MANHOLE	PROTECT IN PLACE		
UT-02 to UT-03		5081+19.83, 132.33' R	AT&T		TELECOM	PROTECT IN PLACE - POTHOLE AS NEEDED		FIBER LINE CROSSES INTO AN AREA OF CUT. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-03		5084+45.89, 93.23' R	CDOT/DOUGLAS COUNTY ITS		ITS FIBER LINE			FIBER LINE CROSSES OUT OF AN AREA OF CUT. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-03	EL03-01	1119+79.70, 42.14' R RAMP D	CDOT		ELECTRICAL PULL-BOX	PROTECT IN PLACE	ADJUST PULLBOX TO FINAL GRADE	DETERMINE OWNERSHIP AND VERIFY IF THIS IS A PULL-BOX. PULL-BOX IS LOCATED WITHIN AN AREA OF PROPOSED CUT. VERIFY IF ADEQUATE COVER IS PROVIDED OVER LINES IN/OUT OF BOX. THIS IS MOST LIKELY A CDOT OWNED POWER LINE. THIS LINE CAN REMAIN IN PLACE.
UT-03	ST03-01	1120+49.81, 42.56' R RAMP D	CDOT	QWEST	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-03	EL03-02	1120+55.85, 32.69' R	CDOT	CDOT	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH ELECTRICAL LINES AND PULLBOX	MOVE PULLBOX AWAY FROM PROPOSED EDGE OF PAVEMENT	DETERMINE OWNERSHIP AND VERIFY IF THIS IS A PULL-BOX. PULL-BOX IS LOCATED AT THE EDGE OF PROPOSED PAVEMENT IN AN AREA OF CUT. VERIFY IF ADEQUATE COVER IS PROVIDED OVER LINES IN/OUT OF BOX. THIS IS MOST LIKELY A CDOT OWNED POWER LINE. THIS LINE CAN REMAIN IN PLACE.
UT-03		5085+46.01, 165.21' R	AT&T		TELECOM	PROTECT IN PLACE - POTHOLE AS NEEDED		FIBER LINE CROSSES INTO AN AREA OF CUT. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-03	ST03-02	5085+56.52, 166.21' R	CDOT/DOUGLAS COUNTY ITS	AT&T	ITS FIBER LINE	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-03		1121+00.85, 23.48' L RAMP D	CDOT/DOUGLAS COUNTY ITS	LEVEL3	ITS FIBER LINE	POTHOLE FIBER OPTIC LINE. EXPOSE THE FIBER OPTIC AND LOWER THE LINE SO THAT THERE WILL BE 3 FOOT OF COVER REMAINING. THIS WORK SHALL BE PAID FOR BY FORCE ACCOUNT.		FIBER LINE CROSSES OUT OF AN AREA OF CUT. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.

Print Date: 9/26/2011
File Name: 16602UTIL_ConflictTable01.dgn
Horiz. Scale: 1:1 Vert. Scale: As Noted
Unit Information Unit Leader Initials

0000

Sheet Revisions		
Date:	Comments	Init.

Colorado Department of Transportation
7328 S. Revere Parkway
Suite 204A
Centennial, CO 80112
Phone: 303-365-7234 FAX: 303-790-1037
Region 1 DRG

As Constructed
No Revisions:
Revised:
Void:

I-25 LINCOLN TO COUNTY LINE
TABULATION OF
UTILITY CONFLICTS

Designer: MEA Structure Numbers
Detailer: MEA
Sheet Subset: UTILITY Subset Sheets: UCT-01 of 8

Project No./Code
C 0252-399
16602
Sheet Number