

TABULATION OF UTILITY CONFLICTS								
SHEET	ID NO.	LOCATION DESCRIPTION	UTILITY OWNER	EFFECTED UTILITY	TYPE	CONTRACTOR'S ACTION	UTILITY'S ACTION	ADDITIONAL COMMENTS
UT-03	EL03-03	1121+55.51, 34.13' R RAMP D	CDOT		ELECTRICAL PULLBOX	PROTECT IN PLACE		DETERMINE OWNERSHIP AND VERIFY IF THIS IS A PULL-BOX. PULL-BOX IS LOCATED AT THE EDGE OF PROPOSED PAVEMENT IN AN AREA OF CUT. VERIFY IF ADEQUATE COVER IS PROVIDED OVER LINES IN/OUT OF BOX. THIS IS MOST LIKELY A CDOT OWNED POWER LINE. THIS LINE CAN REMAIN IN PLACE.
UT-03		5086+25.03 (I-25) 1121+46.12 (RAMP D) 1612+93.62 (RAMP I)	XCEL ENERGY		ELECTRICAL LINE	PROTECT IN PLACE		
UT-03	EL03-04	1123+84.20, 55.88' R RAMP D	CDOT		ELECTRICAL PULLBOX	PROTECT IN PLACE		DETERMINE OWNERSHIP AND VERIFY IF THIS IS A PULL-BOX. PULL-BOX IS LOCATED AT IN AN AREA OF CUT. VERIFY IF ADEQUATE COVER IS PROVIDED OVER LINES IN/OUT OF BOX. THIS IS MOST LIKELY A CDOT OWNED POWER LINE. THIS LINE CAN REMAIN IN PLACE.
UT-03	FO03-01	1125+05.00, 63.07' R RAMP D	QWEST		TELECOM MANHOLE	PROTECT IN PLACE	ADJUST MANHOLE TO FINAL GRADE	
UT-03	FO03-02	1125+62.67, 66.71' R RAMP D	QWEST		TELECOM MANHOLES (3) & TELECOM RISER	PROTECT IN PLACE	ADJUST MANHOLE TO FINAL GRADE	VERIFY THAT MANHOLES AND RISER ARE NOT IMPACTED BY DESIGN
UT-03	ST03-03	5087+77.27, 97.69' R	CDOT	CDOT/DOUGLAS COUNTY ITS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER OUTFALL CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-03		1202+80.95	LEVEL3		TELECOM	PROTECT IN PLACE - POTHOLE AS NEEDED		FIBER LINE CROSSES OUT OF AN AREA OF CUT. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-03		1203+19.17	AT&T		TELECOM	PROTECT IN PLACE - POTHOLE AS NEEDED		FIBER LINE CROSSES OUT OF AN AREA OF CUT. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-03		5089+78.14, 100.44' R	CDOT/DOUGLAS COUNTY ITS		ITS FIBER LINE	PROTECT IN PLACE - POTHOLE AS NEEDED		ITS LINE CROSSES INTO AN AREA OF CUT UNDER RAMP E. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-04	FO04-01	5093+29.62	DOUGLAS COUNTY ITS		ITS FIBER LINE	PROTECT IN PLACE - POTHOLE AS NEEDED		FIBER LINE CROSSES INTO AN AREA OF CUT AND UNDER I-25. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-04		5095+31.85	XCEL ENERGY		ELECTRICAL LINE	PROTECT IN PLACE - POTHOLE AS NEEDED		ELECTRICAL LINE CROSSES INTO AN AREA OF CUT AND UNDER I-25. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-04		5095+54.57	TW TELECOM		TELECOM	PROTECT IN PLACE - POTHOLE AS NEEDED		FIBER LINE CROSSES INTO AN AREA OF CUT AND UNDER I-25. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-04	ITS04-01	5095+62.92, 100.92' R	CDOT		ITS PULL BOX	ADJUST PULL BOX TO FINAL GRADE		
UT-04		5095+76.22	QWEST		TELECOM	PROTECT IN PLACE - POTHOLE AS NEEDED		FIBER LINE CROSSES INTO AN AREA OF CUT AND UNDER I-25. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-04		5095+76.23	COMCAST		CABLE LINE	PROTECT IN PLACE - POTHOLE AS NEEDED		CABLE LINE CROSSES INTO AN AREA OF CUT AND UNDER I-25. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-04	FO04-02	5095+84.59, 85.22' L	QWEST		PULL BOX		RELOCATE PULL BOX AWAY FROM PROPOSED EDGE OF PAVEMENT	
UT-04	ITS04-02	5096+01.77, 98.69' R	CDOT		CLOSED CIRCUIT TV		INSTALL CLOSED CIRCUIT TV POLE	
UT-04	ITS04-03	5096+05.63, 89.33' R	CDOT		TRAFFIC COUNTER		RESET TRAFFIC COUNTER TO PROPOSED CLOSED CIRCUIT TV POLE	
UT-04		5096+10.53	CDOT		ITS FIBER LINE	PROTECT IN PLACE - POTHOLE AS NEEDED		FIBER LINE CROSSES INTO AN AREA OF CUT AND UNDER I-25. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-04	ITS04-04	5096+09.81, 76.58' L	CDOT		TRAFFIC COUNTER		RESET TRAFFIC COUNTER TO PROPOSED CLOSED CIRCUIT TV POLE	
UT-04	ITS04-05	5096+19.30, 97.99' L	CDOT		CLOSED CIRCUIT TV		INSTALL CLOSED CIRCUIT TV POLE	

Print Date: 9/26/2011

File Name: 16602UTIL_ConflictTable02.dgn

Horiz. Scale: 1:1

Vert. Scale: As Noted

Unit Information

Unit Leader Initials

0000

Sheet Revisions

Date:	Comments	Init.

Colorado Department of Transportation



7328 S. Revere Parkway
Suite 204A
Centennial, CO 80112
Phone: 303-365-7234 FAX: 303-790-1037

Region 1

DRG

As Constructed

No Revisions:

Revised:

Void:

I-25 LINCOLN TO COUNTY LINE
TABULATION OF
UTILITY CONFLICTS

Designer: MEA
Detailer: MEA
Sheet Subset: UTILITY

Structure Numbers
Subset Sheets: UCT-02 of 8

Project No./Code

C 0252-399

16602

Sheet Number