

TABULATION OF UTILITY CONFLICTS								
SHEET	ID NO.	LOCATION DESCRIPTION	UTILITY OWNER	EFFECTED UTILITY	TYPE	CONTRACTOR'S ACTION	UTILITY'S ACTION	ADDITIONAL COMMENTS
UT-04	FO04-03	5096+85.32	XO COMMUNICATIONS		TELECOM	PROTECT IN PLACE - POT HOLE AS NEEDED		FIBER LINE CROSSES INTO AN AREA OF CUT AND UNDER I-25. VERIFY IF LINE IS DEEP ENOUGH TO PROVIDE ADEQUATE COVER.
UT-04	FO04-04	1299+80.96, 176.48' R RAMP F	QWEST		TELECOM MANHOLE	PROTECT IN PLACE		
UT-04	FO04-05	1300+49.24, 82.22' R RAMP F	LEVEL3		TELECOM MANHOLE	PROTECT IN PLACE		
UT-04	FO04-06	1302+08.04, 45.55' R	QWEST		TELECOM	VERIFY IF PROPOSED RETAINING WALL CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE AROUND THE PROPOSED RETAINING	PROPOSED RETAINING WALL CROSSES OVER FIBER LINES
UT-04	FO04-07	1302+26.84, 49.06' R	QWEST		TELECOM	VERIFY IF PROPOSED RETAINING WALL CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE AROUND THE PROPOSED RETAINING	PROPOSED RETAINING WALL CROSSES OVER FIBER LINES
UT-04 to UT-05		1303+05.96, 66.35' R to 1304+73.81, 70.65' R	MERIDIAN WATER DISTRICT		WATER LINE	PROTECT IN PLACE - POT HOLE AS NEEDED		WATER LINE RUNS PARALLEL TO PROPOSED RETAINING WALL. PROTECT DURING CONSTRUCTION.
UT-04	FO04-08	1303+40.73, 13.48' L	XO COMMUNICATIONS		TELECOM MANHOLE	PROTECT IN PLACE	ADJUST MANHOLE TO FINAL GRADE	
UT-04	ST04-01	1304+00.01, 12.92' L	XO COMMUNICATIONS		TELECOM	VERIFY IF PROPOSED STORM SEWER OUTFALL CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES
UT-05	ST05-01	1306+38.69, 27.70' R RAMP F	CDOT	AT&T	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-05	ST05-02	1307+56.97, 3.62' R RAMP F	CDOT	XO COMMUNICATIONS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-05	ST05-03	1307+72.68, 4.29' R RAMP F	CDOT	ADESTA/LEVEL3/CDOT ITS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-05	ST05-04	1307+75.24, 33.35' L RAMP F	CDOT	XO COMMUNICATIONS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-05	FO05-01	1308+33.26, 52.23' R RAMP F	QWEST		TELECOM MANHOLE	PROTECT IN PLACE	ADJUST MANHOLE TO FINAL GRADE	EXISTING MANHOLE IS IN AN AREA OF PROPOSED CUT.
UT-05	ST05-05	1308+86.78, 20.77' L RAMP F	CDOT	ADESTA/LEVEL3/CDOT ITS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-05	ST05-06	1308+86.81, 15.22' L RAMP F	CDOT	ADESTA/LEVEL3/CDOT ITS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES FIBER LINES.
UT-05	ST05-07	1309+00.36, 13.96' L RAMP F	CDOT	ADESTA/LEVEL3/CDOT ITS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER HEADWALL CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW OR THROUGH THE PROPOSED STORM SEWER HEADWALL	EXISTING FIBER LINE CONFLICTS WITH PROPOSED STORM SEWER HEADWALL
UT-05	ST05-08	1309+00.82, 19.02' L RAMP F	CDOT	ADESTA/LEVEL3/CDOT ITS	STORM SEWER	VERIFY IF PROPOSED STORM SEWER HEADWALL CONFLICTS WITH FIBER LINES AND FACILITIES	IF THERE IS A CONFLICT WITH THE FIBER LINES AND FACILITIES, THEN RELOCATE BELOW OR THROUGH THE PROPOSED STORM SEWER HEADWALL	EXISTING FIBER LINE CONFLICTS WITH PROPOSED STORM SEWER HEADWALL
UT-05	ST05-09	1308+87.99, 108.20' R RAMP F	CDOT	XCEL ENERGY	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH BURRIED ELECTRICAL LINE AND FACILITIES	IF THERE IS A CONFLICT WITH THE ELECTRICAL LINES AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES BURRIED ELECTRICAL LINE. EXISTING BURRIED ELECTRICAL LINE MAY BE ABANDONED.
UT-05	WA05-01	1308+91.01, 120.81' R RAMP F	CDOT	MERIDIAN WATER DISTRICT	STORM SEWER	VERIFY IF PROPOSED STORM SEWER CONFLICTS WITH SPRINKLER TRUNKLINE AND FACILITIES	IF THERE IS A CONFLICT WITH THE SPRINKLER TRUNKLINE AND FACILITIES, THEN RELOCATE BELOW THE PROPOSED STORM SEWER	PROPOSED STORM SEWER CROSSES SPRINKLER TRANSMISSION LINE. SPRINKLER TRUNKLINE CROSSING LOCATED OFF AS-BUILTS PROVIDED BY MERIDIAN WATER DISTRICT, NOT BY FIELD SURVEY.
UT-05	WA05-02	1309+28.53 RAMP F	MERIDIAN WATER DISTRICT		SPRINKLER TRUNKLINE	PROTECT IN PLACE - POT HOLE AS NEEDED		EXISTING SPRINKLER TRANSMISSION LINE CROSSES UNDER RAMP F. DETERMINE IF ADEQUATE COVER IS PROVIDED. SPRINKLER TRUNKLINE CROSSING LOCATED OFF AS-BUILTS PROVIDED BY MERIDIAN WATER DISTRICT, NOT BY FIELD SURVEY.

Print Date: 9/26/2011
File Name: 16602UTIL_ConflictTable03.dgn
Horiz. Scale: 1:1 Vert. Scale: As Noted
Unit Information Unit Leader Initials

0000

Sheet Revisions		
Date:	Comments	Init.

Colorado Department of Transportation
7328 S. Revere Parkway
Suite 204A
Centennial, CO 80112
Phone: 303-365-7234 FAX: 303-790-1037
Region 1 DRG

As Constructed
No Revisions:
Revised:
Void:

I-25 LINCOLN TO COUNTY LINE
TABULATION OF
UTILITY CONFLICTS

Designer: MEA Structure Numbers
Detailer: MEA
Sheet Subset: UTILITY Subset Sheets: UCT-03 of 8

Project No./Code
C 0252-399
16602
Sheet Number