

ENVIRONMENTAL MITIGATION SUMMARY TABLE

BRIDGE	LOCATION	MITIGATION REQUIREMENTS
Santa Fe K-18-R	US 50C bridge over the Arkansas River	<ol style="list-style-type: none"> 1. Special handling of asbestos, lead base paint (LBP) and lead containing paint (LCP) as per Revision to Standard Specification, Subsection 250.03. <ul style="list-style-type: none"> - <i>The green paint located on the overhead bridge components and southbound side-walk guardrail contains LCP. Special handling required.</i> 2. Avoidance of violating the Migratory Bird Treaty as per Revision to Standard Specification, Subsection 240.02(a). <ul style="list-style-type: none"> - <i>Work restricted between April 1 and August 31 if nest will be disturbed.</i> 3. Special handling of 107.23 historical, archaeological and paleontological discoveries per Subsection 107. <ul style="list-style-type: none"> - <i>Work must stop when these resources are discovered, until CDOT Specialist can evaluate.</i> - <i>Final Project Plans will be provided to CDOT Paleontologist showing excavation and drilling depths.</i> 4. <i>No work will occur within the Arkansas River Channel without a 404 permit and revisions to the Environmental clearances completed prior to this work.</i>
US50 K-18-AX & K-18-AY	I-25 bridges (2) over US 50C	<ol style="list-style-type: none"> 1. Special handling of asbestos, lead base paint (LBP) and lead containing paint (LCP) as per Revision to Standard Specification, Subsection 250.03. <ul style="list-style-type: none"> - <i>The yellow median strips and green pain on the I-beams is LCP. Special handling required.</i> 2. Avoidance of violating the Migratory Bird Treaty as per Revision to Standard Specification, Subsection 240.02(a). <ul style="list-style-type: none"> - <i>Work restricted between April 1 and August 31 if nest will be disturbed.</i> 3. Special handling of 107.23 historical, archaeological and paleontological discoveries per Subsection 107. <ul style="list-style-type: none"> - <i>Work must stop when these resources are discovered, until CDOT Specialist can evaluate.</i> - <i>Final Project Plans will be provided to CDOT Paleontologist showing excavation and drilling depths.</i>

BRIDGE	LOCATION	MITIGATION REQUIREMENTS
Mesa Ave. L-18-AU	Mesa Ave. bridge over I-25	<ol style="list-style-type: none"> 1. Special handling of asbestos, lead base paint (LBP) and lead containing paint (LCP) as per Revision to Standard Specification, Subsection 250.03. <ul style="list-style-type: none"> - <i>The red paint located on the I-beams is LBP and the silver paint on I-beams, guardrails and yellow centerline are LCP. Special handing required.</i> 2. Avoidance of violating the Migratory Bird Treaty as per Revision to Standard Specification, Subsection 240.02(a). <ul style="list-style-type: none"> - <i>Work restricted between April 1 and August 31 if nest will be disturbed.</i> 3. Special handling of 107.23 historical, archaeological and paleontological discoveries per Subsection 107. <ul style="list-style-type: none"> - <i>Work must stop when these resources are discovered, until CDOT Specialist can evaluate.</i> - <i>Final Project Plans will be provided to CDOT Paleontologist showing excavation and drilling depths.</i> 4. <i>No night work allowed on the Mesa Ave. Bridge.</i> 5. <i>Do not block access to Bennett Park.</i>
Northern Ave. L-18-AQ	Northern Ave bridge over I-25	<ol style="list-style-type: none"> 1. Special handling of asbestos, lead base paint (LBP) and lead containing paint (LCP) as per Revision to Standard Specification, Subsection 250.03. <ul style="list-style-type: none"> - <i>The red paint located on the guardrails is LBP and the silver paint on I-beams, guardrails and white lines are LCP. Special handing required.</i> 2. Avoidance of violating the Migratory Bird Treaty as per Revision to Standard Specification, Subsection 240.02(a). <ul style="list-style-type: none"> - <i>Work restricted between April 1 and August 31 if nest will be disturbed.</i> 3. Special handling of 107.23 historical, archaeological and paleontological discoveries per Subsection 107. <ul style="list-style-type: none"> - <i>Work must stop when these resources are discovered, until CDOT Specialist can evaluate.</i> - <i>Final Project Plans will be provided to CDOT Paleontologist showing excavation and drilling depths.</i> - <i>The contractor and subcontractors will not access the vacant lot on the northeast corner of East Northern Avenue and Taylor Avenue</i> 4. <i>No night work allowed on the East Northern Ave. Bridge.</i>

BRIDGE	LOCATION	MITIGATION REQUIREMENTS
Indiana Ave. L-18-M & L-18-W	I-25 bridges (2) over Indiana Ave.	<ol style="list-style-type: none">1. Special handling of asbestos, lead base paint (LBP) and lead containing paint (LCP) as per Revision to Standard Specification, Subsection 250.03. <i>- The silver and red paint on the I-beams contains LCP. Special handling required.</i>2. Avoidance of violating the Migratory Bird Treaty as per Revision to Standard Specification, Subsection 240.02(a). <i>- Work restricted between April 1 and August 31 if nest will be disturbed.</i>3. Special handling of 107.23 historical, archaeological and paleontological discoveries per Subsection 107. <i>- Work must stop when these resources are discovered, until CDOT Specialist can evaluate.</i> <i>- Final Project Plans will be provided to CDOT Paleontologist showing excavation and drilling depths.</i>