

PERMANENT CHANGES TO PROJECT DATED SPECIAL PROVISIONS

REVISION OF SECTION 202 SANDBLASTING REINFORCING STEEL

<u>DATE</u>	<u>AUTHOR</u>	<u>DESCRIPTION OF CHANGE</u>
9/19/90	SHAMU	IN PAGE 2 SUBSECTION 202.06 CORRECTED LINE 2 REPLACED DECK W/CONCRETE, REMOVED ADDED AND CORRECTED LINE 3 - REPLACED DECK AREA W/CONCRETE SURFACE
2/18/92	M. HASAN	<p>Subsection 202.06 deleted because it is included in the 1991 Standard Specifications.</p> <p>Subsection 202.07 is renumbered 202.12 per 1991 Standard Specifications.</p>
9/20/1999	M.Nord	<p>Converted to Microsoft Word 97 SR-2</p> <p>Revised the specification references to conform with the <i>1999 Colorado DOT Standard Specifications for Road and Bridge Construction</i> as follows:</p> <p>On page one, changed "Subsection 202.02 shall include the following:" To "Subsection 202.08 paragraph 3 shall include the following:" This change was made because 202.08 already partially references sandblasting reinforcing steel.</p> <p>On page one, deleted "(a) General" because the outline levels are not being used in Section 202.</p> <p>On page one, deleted the paragraph that begins with "Following the removal..." because the wording appears in 202.08 paragraph 2.</p> <p>On page one, deleted the paragraph that begins with "A protective device..." because the wording appears in 202.08 paragraph 4.</p> <p>On page two, deleted "(b) Equipment" because the outline levels are not being used in Section 202.</p>

9/20/1999 M.Nord

(Continued)

On page two, deleted the paragraph that begins with "Sandblasting equipment..." because the requirement is implicitly defined in 202.08 Paragraph 2.

On page two, deleted the sentence "Payment will only be made once for any one portion of the deck." because it is addressed in 202.11 paragraph 5.

On page two, deleted: "Payment will be made under:"; "Pay Item"; "Pay Unit"; "Sandblasting Reinforcing Steel"; and "Square Yard" because they appear in 202.12.

REVISION OF SECTION 202
SANDBLASTING REINFORCING STEEL

Section 202 of the Standard Specifications is hereby revised for this project as follows:

DESCRIPTION

Subsection 202.01 shall include the following:

Sandblasting Reinforcing Steel shall consist of cleaning exposed reinforcing steel designated to remain in place following the removal of adjacent concrete and prior to placing new concrete in accordance with the applicable portions of Section 202 of the Standard Specifications or as amended by these Special Provisions or as directed.

CONSTRUCTION REQUIREMENTS

Subsection 202.08 paragraph 3 shall include the following:

Rust which may form on the reinforcing steel within seven calendar days following the accepted sandblasting, will not be cause for rejection of the steel.

When acceptable reinforcing steel is exposed to the elements for more than seven calendar days prior to encasement in concrete, adequate measures shall be taken by the Contractor, as approved by the Engineer, to protect the steel from contamination or corrosion. Reinforcing steel contaminated as a result of the Contractor's failure to provide adequate protection as stipulated herein, shall be re-sandblasted at the Contractor's expense with no allowance for contract time extension.

BASIS OF PAYMENT

Subsection 202.12 shall include the following:

Payment shall be made at the contract unit price per square yard for the quantity completed and accepted. Equipment and materials incidental to the work, including abrasive material, will not be paid for separately but will be included in the work.