


Revision Dates			
09-16	10-24		

INITIALS	DESIGN	DATE	DETAIL	DATE	QUANTITY	DATE
By						
Checked By						



Designer/Detailer: Show applicable top loading conditions and use appropriate references.

NOTES:

1. Temporary shoring is required.
2. The Contractor may provide alternate shoring pattern.
3. The Contractor will provide working drawings for shoring per table 105-1.
4. Shoring needs to be in place prior to any excavation.
5. Drainage behind shoring shall be designed and provided by the Contractor.
6. Pre-drilling may be required for sheet/soldier piles.
7. Shoring, except soil nail as shoring wall, shall be removed when backfill reaches membrane elevation as approved by the Engineer.
8. Pay limits of Structural Backfill (Class 1) shall be bound by top of DH (design height), Shoring line and face of wall.

SECTION VIEW

\$PLOT_INFO\$

All seals for this set of drawings are applied to the cover page(s)	Print Date: \$DATE\$	<div></div> <div></div> <div></div> <div></div> <div></div>	Sheet Revisions			<div>Colorado Department of Transportation</div> <div><div><div><div></div><div></div></div><div><div></div><div></div></div></div><div>2829 West Howard Place, 3rd Floor Denver, CO 80204 Phone: 303-512-4079 FAX: 303-757-9197</div><div>Staff Bridge Branch</div><div>Initials</div></div>	As Constructed	MSE/GRS WALL WITH SHORING FOR CONSTRUCTION			Project No./Code
	File Name: Sheet_B-504-S1.dgn		Date:	Comments	Init.		No Revisions:				
	Horiz. Scale: Vert. Scale: As Noted						Revised:	Designer: XXXXXXXX	Structure	XXXXXXXXXXXXXXXX	
	Unit Information Unit Leader Initials							Detailer: XXXXXXXX	Numbers	XXXXXXXXXXXXXXXX	
							Void:	Sheet Subset: WALL	Subset Sheets: WXX	of XXX	Sheet Number