


PRECAST COPING QUANTITIES
FOR INFORMATION ONLY

ITEM NO.	DESCRIPTION (Based on block + rustication depth of 8", D=1'-1")	UNIT	QUANTITY
601	Concrete Class D	CY/LF	0.074
602	Reinforcing Steel(Epoxy Coated)	LB/LF	11.4


NOTES:

- Shop drawings including collector and down pipe are required for Engineer's review.
- Contractor may provide alternative connection between precast segments, however coping dimensions shall conform to plan. All hardware shall be galvanized.


☆: All materials or coating will be corrosion resistant (e.g. galvanized). Contractor may submit alternate design of collector and down pipe for Engineer approval.



CONE BLOCKOUT DETAIL



COPING PLAN VIEW WITH DRAIN




COPING ELEVATION WITH DRAIN


* Contractor shall verify panel and rustication dimensions prior to submitting shop drawings and fabrication. "D" dimension shall be based on the actual panel thickness.

Revision Dates
09-16
10-24

INITIALS	DESIGN	DATE	DETAIL	DATE	QUANTITY	DATE
By						
Checked By						



SECTION B



SECTION A

All seals for this set of drawings are applied to the cover page(s)

Print Date: \$DATE\$
File Name: Sheet_B-504-U2.dgn
Horiz. Scale: Vert. Scale: As Noted
Unit Information Unit Leader Initials

Sheet Revisions

Date:	Comments	Init.

Colorado Department of Transportation



2829 West Howard Place, 3rd Floor
Denver, CO 80204
Phone: 303-512-4079
FAX: 303-757-9197

Staff Bridge Branch

Initials

As Constructed

No Revisions:

Revised:

Void:

PRECAST COPING, ROADWAY
PAVEMENT OR CLAY PLUG
DETAILS FOR PANEL FACING

Designer: XXXXXXXX	Structure Numbers XXXXXXXXXXXXX
Detailer: XXXXXXXX	XXXXXXXXXXXXXX
Sheet Subset: WALL	Subset Sheets: WXX of XXX

Project No./Code

Sheet Number