

601 Concrete Class D CY/Ft 0.33 53.00 602 Reinforcing Steel (Epoxy Coated) Lb/Ft 518 Waterstop (6 Inch) LF/Ft

Optional gutter


plans

#4 Dowelx_

DETAIL

(optional gutter)

doweled to sidewalk as called for in the



Item No.	Description		Unit	w/o Gutter	w/ Gutter
601	Concrete Class D		CY/Ft	0.24	0.28
602	Reinforcing Steel (Epoxy Coated)	fy = 60 ksi	Lb/Ft	14.00	15.20
518	Waterstop (6 Inch)		LF/Ft	1	1

LEGEND

- * 1/2" Drip Groove
- ** Continuous 6" neoprene waterstop with 3" minimum projection above slab for rail by flow line

B-504-V1

♦ Seal construction joint per M-412-1 for Roadway concrete payment only

Print Date: \$DATE\$					Sheet Revisions	;	T
File Name: Sheet_B-:	504-V1.dgn			Date:	Comments	Init.	İ
Horiz. Scale:	Vert. Scale: As	Noted	\Box				1
Unit Information	Unit Leader	Initials					1
							١.
			$\overline{}$				19

Lb/Ft

LF/Ft

51.00

Colorado Department of Transportation 2829 West Howard Place, 3rd Floor Denver, CO 80204 Phone: 303-512-4079 FAX: 303-757-9197 Staff Bridge Branch Initials

As Constructed		ANCHOR SLAB DETAILS				Project No./Code	
	No Revisions:	ANCHUR SLAB DETAILS					
	Revised:		XXXXXXXX	Structure Numbers			
s	Void:	Detailer: Sheet Subset:	^^^^		eets: WXX of XXX	Sheet Number	

602

518

All seals for this set of

drawings are applied to the cover page(s)

Reinforcing Steel (Epoxy Coated)

Waterstop (6 Inch)