


NOTES:

- 1. Rail and rail anchor slab shall be a minimum length of 30'-0".


09-16	10-24
-------	-------



RAIL ANCHOR SLAB WITH CONCRETE ROADWAY AND QUANTITIES

Soil reinforcement not shown for clarity
(For information only)

Item No.	Description	Unit	Quantity
601	Concrete Class D	CY/Ft	0.31
602	Reinforcing Steel (Epoxy Coated)	Lb/Ft	51.00
518	Waterstop (6 Inch)	LF/Ft	1




RAIL ANCHOR SLAB WITH ASPHALT ROADWAY AND QUANTITIES


Soil reinforcement not shown for clarity
(For information only)

Item No.	Description	Unit	Quantity
601	Concrete Class D	CY/Ft	0.33
602	Reinforcing Steel (Epoxy Coated)	Lb/Ft	53.00
518	Waterstop (6 Inch)	LF/Ft	1

INITIALS	DESIGN	DATE	DETAIL	DATE	QUANTITY	DATE
By						
Checked By						



Item No.	Description	Unit	w/o Gutter	w/ Gutter
601	Concrete Class D	CY/Ft	0.24	0.28
602	Reinforcing Steel (Epoxy Coated) fy = 60 ksi	Lb/Ft	14.00	15.20
518	Waterstop (6 Inch)	LF/Ft	1	1



LEGEND

- * 1/2" Drip Groove
- ** Continuous 6" neoprene waterstop with 3" minimum projection above slab for rail by flow line
- ◆ Seal construction joint per M-412-1 for Roadway concrete payment only

\$PLOT_INFD\$

All seals for this set of drawings are applied to the cover page(s)	Print Date: \$DATE\$	Sheet Revisions		Colorado Department of Transportation 2829 West Howard Place, 3rd Floor Denver, CO 80204 Phone: 303-512-4079 FAX: 303-757-9197 Staff Bridge Branch	As Constructed	ANCHOR SLAB DETAILS			Project No./Code		
	File Name: Sheet_B-504-V1.dgn	Date:	Comments			Init.	No Revisions:				
	Horiz. Scale: Vert. Scale: As Noted						Revised:	Designer: XXXXXXXX		Structure Numbers	XXXXXXXXXXXXXX
	Unit Information Unit Leader Initials						Void:	Detailer: XXXXXXXX		Subset Sheets: WXX of XXX	Sheet Number