


Revision Dates	(Preliminary Stage Only)
3/94	3/07
3/99	2/06
11/99	4/02
10/13	10/13
12/20	12/20


INITIALS	DESIGN	DATE	DETAIL	DATE	QUANTITY	DATE
By						
Checked By						




EXTERIOR GIRDER

CONCRETE GIRDER HAUNCH DETAIL


SECTION



SECTION AT ABUTMENT



SECTION AT PIER



SECTION THRU TRANSVERSE PANEL JOINTS

LEGEND:

- ▲ Panel support strip shall be High Density Styrofoam insulation boards with a minimum width dimension of 2". An approved adhesive is required for gluing the panel support strip to the girder and the deck panel. The Contractor is responsible for the design of the panel support strip, and the stability of the deck panels during installation and deck pour. Alternate supports that maintain stability may be submitted for acceptance.
- ★ The minimum required dimensions to ensure concrete flow under panel for complete bearing.

Print Date: 12/9/2020
 File Name: Sheet_B-601-5C.dgn
 Horiz. Scale: 1:1 Vert. Scale: As Noted
 Unit Information Unit Leader Initials

Sheet Revisions		
Date:	Comments	Init.

Colorado Department of Transportation

2829 West Howard Place, 3rd Floor
 Denver, CO 80204
 Phone: 303-512-4079
 FAX: 303-757-9197

Staff Bridge Branch **Initials**

As Constructed	PRECAST PANEL DECK FORM				Project No./Code
	No Revisions:				Project Number
	Revised:	Designer: XXXXXXXX	Structure Numbers	X-XX-XX	Code
Void:	Detailer: XXXXXXXX	Sheet Subset: BRIDGE	Subset Sheets: BXX of XXX	X-XX-XX	Sheet Number