





Revision Dates	(Preliminary Stage Only)	3/23
3/99	11/99	4/02
2/06	3/07	10/13
12/20		

INITIALS	DESIGN	DATE	DETAIL	DATE	QUANTITY	DATE
By						
Checked By						



**LEGEND:**

▲ Panel support strip shall be High Density Styrofoam insulation boards with a minimum width dimension of 2 inches. An approved adhesive is required for gluing the panel support strip to the girder and the deck panel. The Contractor is responsible for the design of the panel support strip, and the stability of the deck panels during installation and deck pour. Alternate supports that maintain stability may be submitted for acceptance.

★ The minimum required dimensions to ensure concrete flow under panel for complete bearing.

All seals for this set of drawings are applied to the cover page(s)	Print Date: \$DATE\$	Sheet Revisions			Colorado Department of Transportation				As Constructed		Project No./Code				
	File Name: Sheet_B-601-5C.dgn	Date:	Comments	Init.	2829 West Howard Place, 3rd Floor Denver, CO 80204 Phone: 303-512-4079 FAX: 303-757-9197				No Revisions:		PRECAST PANEL DECK FORM				
	Horiz. Scale: Not to Scale Vert. Scale: As Noted								Revised:		Designer: XXXXXXXX	Structure Numbers	X-XX-XX	Project Number	
	Unit Information Unit Leader Initials								Void:		Detailer: XXXXXXXX		X-XX-XX	Code	
					Staff Bridge Branch				Initials		Sheet Number				
									Void:		Sheet Subset: BRIDGE		Subset Sheets: BXX of XXX		