


Revision Dates	11/99	4/02	2/06	3/07	10/13	12/20	3/23	9/24


INITIALS	DESIGN	DATE	DETAIL	DATE	QUANTITY	DATE
By						
Checked By						

\$PLOT\_INFO\$


B-601-5C  
(Use with B-601-4)




SECTION



SECTION AT PIER



SECTION AT ABUTMENT



SECTION THRU TRANSVERSE  
PANEL JOINTS

LEGEND:

- ▲ Panel support strip shall be High Density Styrofoam insulation boards with a minimum width dimension of 2 inches. An approved adhesive is required for gluing the panel support strip to the girder and the deck panel. The Contractor is responsible for the design of the panel support strip, and the stability of the deck panels during installation and deck pour. Alternate supports that maintain stability may be submitted for acceptance. When precast panels are used as a pay item, they will be paid as plan quantities and will not be adjusted for actual quantities.
- ★ The minimum required dimensions to ensure concrete flow under panel for complete bearing.

All seals for this set of drawings are applied to the cover page(s)	Print Date: \$DATE\$	<div><div></div><div></div><div></div><div></div></div>	Sheet Revisions			Colorado Department of Transportation			As Constructed	PRECAST PANEL DECK FORM				Project No./Code	
	File Name: Sheet_B-601-5C.dgn		Date:	Comments	Init.	<div><div></div><div></div><div></div><div></div></div>	2829 West Howard Place, 3rd Floor Denver, CO 80204 Phone: 303-512-4079 FAX: 303-757-9197		No Revisions:		Designer: XXXXXXXX Detailer: XXXXXXXX Structure Numbers X-XX-XX X-XX-XX		Project Number		
	Horiz. Scale: None      Vert. Scale: As Noted						Staff Bridge Branch		Code						
	Unit Information      Unit Leader Initials						Initials		Revised:		Sheet Number				
									Void:		Sheet Subset:    BRIDGE       Subset Sheets: BXX of XXX				