



Revision Dates	(Preliminary Stage Only)	DATE	QUANTITY	DATE
4/93		3/99		10/13
		11/99		3/07
		5/00		4/02
		3/07		3/23

INITIALS	DESIGN	DATE	DETAIL	DATE	QUANTITY	DATE
By						
Checked By						

END PANEL

INTERMEDIATE PANEL

PANEL AT EXPANSION DEVICE

TYPICAL SECTION

Standard Color Vinyl Coatings over Galvanized Wire	Munsell Color System No. (as per ASTM)
Galvanized Only	None
Brown	7YR 2.4/1.75
Green	8.8G 2.63/5.8
Black	1.8PB 1.26/0.5

Special Color Vinyl Coatings over Galvanized Wire	Federal Color No	Munsell Color System No

If the specific color of coating is not marked and the Federal Color No or the Munsell Color System No is not given, vinyl coating is not required.

NOTES

- Fence assembly shall be galvanized after fabrication. If vinyl coating is specified, the fence assembly shall be galvanized and vinyl coated after fabrication. Anchorages shall only be galvanized after fabrication.
- Truss rods shall have turnbuckles.
- Posts shall be vertical. Horizontal pipes shall be bent if radius is 100' or less and may be on chords between posts if radius is greater than 100'.
- Pipe shall conform to ASTM A53 Type E or S, Grade B fy = 35,000 psi.
- Alternative details may be submitted by Contractor for Engineer's approval.

All seals for this set of drawings are applied to the cover page(s)	Print Date: \$DATE\$	Sheet Revisions			Colorado Department of Transportation		As Constructed		FENCE CHAIN LINK (SPECIAL) (68 INCH)		Project No./Code	
	File Name: Sheet_B-607-6B.dgn	Date:	Comments	Init.	2829 West Howard Place, 3rd Floor Denver, CO 80204 Phone: 303-512-4079 FAX: 303-757-9197		No Revisions:		Project Number		Project Number	
	Horiz. Scale: Not to Scale Vert. Scale: As Noted						Revised:		Designer: XXXXXXXX	Structure: X-XX-XX	Code	
	Unit Information Unit Leader Initials						Void:		Detailer: XXXXXXXX	Numbers: X-XX-XX	Sheet Number	
					Staff Bridge Branch		Sheet Subset: BRIDGE		Subset Sheets: BXX of XXX		Sheet Number	