

---



---

**TABLE OF CONTENTS**
**POLICIES AND PROCEDURES**

<b>A. GENERAL POLICY</b>	<b>1</b>
<b>B. BRIDGE DESIGN MANUAL DISTRIBUTION AND MAINTENANCE</b>	<b>2</b>
<b>C. REVISIONS</b>	<b>2</b>
<b>D. DEFINITIONS</b>	<b>2</b>
<b>E. STRUCTURES PROCESS</b>	<b>5</b>
1. Project Scoping for Major Structures, Walls, and Tunnels	6
2. Preliminary Design	6
3. Final Design	9
4. Final Design Submittal	10
5. Construction	13
6. Archiving	13
<b>F. CDOT STAFF BRIDGE PUBLICATIONS</b>	<b>14</b>
1. CDOT Bridge Detail Manual	14
2. CDOT Staff Bridge Worksheets	14
3. Bridge Rating Manual	16
4. Project Special Provisions	16
5. Deck Geometry Manual	17
6. Staff Bridge Records	17
7. Retaining & Noise Wall Inspection & Asset Management Manual	18
<b>G. CDOT STANDARDS PUBLISHED OUTSIDE STAFF BRIDGE</b>	<b>18</b>
1. CDOT Standard Specifications and Special Provisions	18
2. CDOT Design and Construction Manuals	18
3. CDOT M & S Standard Drawings	19
<b>H. STANDARDS PUBLISHED OUTSIDE CDOT</b>	<b>19</b>
<b>I. EXCEPTIONS</b>	<b>19</b>
<b>J. LOCAL AGENCY PROJECTS, DEVELOPER PROJECTS, AND ACCESS PERMITS WITHIN CDOT ROW</b>	<b>20</b>
1. General Services for All Local Agency Projects, Developer Projects, and Access Permits Within CDOT ROW	20
2. Requirements for Local Agency Projects	21
3. Requirements for Utility and Special Use Permits	21

---

**SECTION 1  
INTRODUCTION**

<b>1.1 GENERAL REQUIREMENTS</b>	<b>1-1</b>
<b>1.2 DEFINITIONS</b>	<b>1-1</b>
1.2.1 Load and Resistance Factor Design (LRFD)	1-1
1.2.2 Culvert Definition	1-1
1.2.3 Glossary of Terms	1-1
1.2.4 Limit States	1-4
<b>1.3 DESIGN SPECIFICATIONS</b>	<b>1-5</b>
1.3.1 Load and Resistance Factor Design (LRFD)	1-5
1.3.2 Load Factor Design (LFD)	1-5
1.3.3 Allowable Stress Design (ASD)	1-5

**SECTION 2  
GENERAL DESIGN AND LOCATION FEATURES**

<b>2.1 GENERAL</b>	<b>2-1</b>
<b>2.2 LOCATION FEATURES</b>	<b>2-1</b>
2.2.1 Alignment	2-1
2.2.2 Vertical Clearances	2-2
2.2.3 Horizontal Clearances	2-2
2.2.4 Criteria for Deflection	2-4
2.2.5 Sidewalks	2-4
2.2.6 Environmental Considerations	2-5
<b>2.3 AESTHETIC</b>	<b>2-6</b>
2.3.1 General Requirements	2-6
2.3.2 Lighting	2-7
2.3.3 Form Liners and Veneers	2-7
<b>2.4 RAILING AND FENCING</b>	<b>2-8</b>
2.4.1 Railing	2-8
2.4.2 Fencing	2-10
<b>2.5 RAILROAD REQUIREMENTS</b>	<b>2-13</b>
2.5.1 General Requirements	2-13
2.5.2 Vertical Clearance	2-13
2.5.3 Horizontal Clearance	2-13
2.5.4 Construction Clearance	2-13
2.5.5 Protection and Screening	2-14
2.5.6 Collision	2-14

---

---

<b>2.6 INSPECTION ACCESS</b>	<b>2-14</b>
<b>2.7 FORMWORK</b>	<b>2-16</b>
<b>2.8 UTILITIES</b>	<b>2-16</b>
<b>2.9 FOUNDATION INVESTIGATION</b>	<b>2-17</b>
2.9.1 General	2-17
2.9.2 Geotechnical Report Requirements	2-17
2.9.3 Code	2-17
2.9.4 Global Stability	2-17
2.9.5 Deliverable	2-18
<b>2.10 STRUCTURE SELECTION REPORT</b>	<b>2-18</b>
2.10.1 General Requirements	2-18
2.10.2 Major Structures	2-19
2.10.3 Minor Structures	2-20
2.10.4 Wall Structures	2-20
2.10.5 Overhead Sign Structures	2-21
2.10.6 Tunnels	2-21
2.10.7 Accelerated Bridge Construction	2-22
2.10.8 Life Cycle Cost Analysis	2-22
2.10.9 Aesthetics	2-22
<b>2.11 HYDROLOGY AND HYDRAULICS</b>	<b>2-22</b>
2.11.1 Drainage Report Requirements	2-22
2.11.2 Scour	2-23
2.11.3 Deck Drainage Requirements	2-23
<b>2.12 BRIDGE SECURITY</b>	<b>2-24</b>
<b>2.13 APPROACH SLABS</b>	<b>2-24</b>
<b>2.14 PIGEON PROOFING</b>	<b>2-25</b>
<b>2.15 SPREAD FOOTING EMBEDMENT</b>	<b>2-25</b>
<b>2.16 DAMAGE AVOIDANCE DETAILS</b>	<b>2-25</b>
<b>2.17 DISSIMILAR METALS</b>	<b>2-26</b>
<b>SECTION 3</b>	
<b>LOADS AND LOAD FACTORS</b>	
<b>3.1 GENERAL REQUIREMENTS</b>	<b>3-1</b>
<b>3.2 CODE REQUIREMENTS</b>	<b>3-1</b>
<b>3.3 CONSTRUCTION LOADING</b>	<b>3-1</b>

---

---

<b>3.4 DEAD LOADS</b>	<b>3-1</b>
3.4.1 Stay-in-Place Metal Deck Forms	3-1
3.4.2 Wearing Surface	3-1
3.4.3 Utilities	3-2
3.4.4 Girder Concrete	3-2
<b>3.5 COLLISION LOAD</b>	<b>3-2</b>
3.5.1 Policy	3-2
3.5.2 New Bridges	3-2
3.5.3 Existing Structures	3-3
3.5.4 Temporary Works	3-3
<b>3.6 VEHICULAR LIVE LOAD</b>	<b>3-4</b>
<b>3.7 VEHICULAR LIVE LOAD ON CULVERTS</b>	<b>3-4</b>
<b>3.8 DECK OVERHANG LOAD</b>	<b>3-5</b>
<b>3.9 CENTRIFUGAL FORCES</b>	<b>3-5</b>
<b>3.10 BRAKING FORCE</b>	<b>3-5</b>
<b>3.11 FATIGUE LOAD</b>	<b>3-6</b>
<b>3.12 STREAM FORCES AND SCOUR EFFECTS</b>	<b>3-6</b>
<b>3.13 SEISMIC LOADING</b>	<b>3-6</b>
<b>3.14 TEMPERATURE / THERMAL FORCES</b>	<b>3-6</b>
<b>3.15 EARTH PRESSURES AND SETTLEMENT EFFECTS</b>	<b>3-6</b>
<b>3.16 PEDESTRIAN LOADING</b>	<b>3-7</b>
<b>3.17 BLAST LOADING</b>	<b>3-7</b>
<b>3.18 WIND LOADS</b>	<b>3-7</b>
<b>3.19 FENCE LOADS</b>	<b>3-7</b>
<b>3.20 REFERENCES</b>	<b>3-8</b>
<b>SECTION 4</b>	
<b>STRUCTURAL ANALYSIS AND EVALUATION</b>	
<b>4.1 GENERAL REQUIREMENTS</b>	<b>4-1</b>
<b>4.2 CODE REQUIREMENTS</b>	<b>4-1</b>
<b>4.3 MODELING METHODS</b>	<b>4-1</b>
<b>4.4 DEAD LOAD DISTRIBUTION</b>	<b>4-2</b>
<b>4.5 LIVE LOAD DISTRIBUTION</b>	<b>4-2</b>
4.5.1 Exterior Girder Live Load Distribution	4-3
<b>4.6 SKEW EFFECTS ON BRIDGES</b>	<b>4-3</b>
<b>4.7 FOUNDATION STIFFNESS AND SOIL-PILE INTERACTION</b>	<b>4-4</b>

---

---

**SECTION 5  
CONCRETE STRUCTURES**

<b>5.1 GENERAL REQUIREMENTS</b>	<b>5-1</b>
<b>5.2 CODE REQUIREMENTS</b>	<b>5-1</b>
<b>5.3 MATERIAL PROPERTIES</b>	<b>5-1</b>
5.3.1 Concrete Classes	5-1
5.3.2 Modulus of Elasticity	5-2
5.3.3 Relative Humidity	5-2
5.3.4 Reinforcement	5-2
5.3.5 Prestressing Strand and Bars	5-3
5.3.6 Concrete Inserts	5-4
<b>5.4 REINFORCED CONCRETE</b>	<b>5-4</b>
5.4.1 Bar Size Availability	5-4
5.4.2 Development and Splice Lengths	5-4
5.4.3 Clear Cover	5-4
5.4.4 Spacing	5-5
5.4.5 Corrosion Protection Requirements	5-5
5.4.6 Splash Zone Definition	5-6
5.4.7 Crack Control Factors	5-6
5.4.8 Mass Concrete	5-6
5.4.9 Seismic Detailing	5-7
5.4.10 Drilled Shaft and Round Column Shear Reinforcing	5-7
5.4.11 Pier Cap Reinforcing Details	5-7
5.4.12 Combination of Flexural and Axial Effects	5-9
5.4.13 Box Culverts	5-9
<b>5.5 PRESTRESSING</b>	<b>5-9</b>
5.5.1 General	5-9
5.5.2 Pretensioned Concrete	5-13
5.5.3 Post-Tensioned Concrete	5-17
<b>5.6 LONGITUDINAL REINFORCEMENT FOR SHEAR</b>	<b>5-20</b>
5.6.1 General	5-20
5.6.2 Direct Loading and Supports	5-20
5.6.3 Indirect Loading and Supports	5-21
5.6.4 Simply Supported Girder Ends	5-22

<b>5.7 SIMPLE SPAN PRESTRESSED MADE CONTINUOUS</b>	<b>5-22</b>
5.7.1 General	5-22
5.7.2 Age of Girder When Continuity Is Established	5-23
5.7.3 Degree of Continuity at Various Limit States	5-23
<b>5.8 PRECAST SPLICED BRIDGES</b>	<b>5-23</b>
5.8.1 General	5-23
5.8.2 Girder Age Restrictions	5-23
5.8.3 Joints Between Segments	5-24
5.8.4 Details of Closure Joints	5-24
5.8.5 Segment Design	5-24
5.8.6 Consideration of Future Deck Replacement	5-24
5.8.7 Girder Camber, Haunch, and Dead Load Deflections	5-24
<b>5.9 CAST-IN-PLACE CONCRETE GIRDERS</b>	<b>5-25</b>
5.9.1 General	5-25
5.9.2 Box Girder Bottom Slab Slope	5-25
5.9.3 Box Girder Formwork Load	5-25
5.9.4 Web Reinforcement	5-25
<b>5.10 SEGMENTAL BOX GIRDERS</b>	<b>5-25</b>
5.10.1 General	5-25
5.10.2 Provision for Future Dead Load or Deflection Adjustment	5-25
<b>SECTION 6</b>	
<b>STEEL STRUCTURES</b>	
<b>6.1 GENERAL REQUIREMENTS</b>	<b>6-1</b>
<b>6.2 CODE REQUIREMENTS</b>	<b>6-1</b>
<b>6.3 MATERIAL PROPERTIES</b>	<b>6-1</b>
6.3.1 Steel Components	6-1
<b>6.4 FATIGUE AND FRACTURE CONSIDERATIONS</b>	<b>6-2</b>
6.4.1 Fatigue	6-2
6.4.2 Fracture	6-2
<b>6.5 GENERAL DIMENSION AND DETAIL REQUIREMENTS</b>	<b>6-3</b>
6.5.1 General	6-3
6.5.2 Dead Load Camber	6-3
6.5.3 Minimum Thickness of Steel	6-5
6.5.4 Diaphragms and Cross-Frames	6-5

<b>6.6 I-SECTION FLEXURAL MEMBERS</b>	<b>6-5</b>
6.6.1 Composite Sections	6-6
6.6.2 Minimum Negative Flexure Concrete Deck Reinforcement	6-6
6.6.3 Non-composite Sections	6-6
6.6.4 Constructability	6-6
6.6.5 Longitudinal Stiffeners and Cover Plates	6-8
6.6.6 Simple Made Continuous	6-8
<b>6.7 TUB/BOX-SECTION FLEXURAL MEMBERS</b>	<b>6-8</b>
6.7.1 General	6-8
6.7.2 Bearings	6-8
6.7.3 Cross-Section Proportion Limits	6-8
<b>6.8 CONNECTIONS AND SPLICES</b>	<b>6-9</b>
6.8.1 Bolted Connections	6-9
6.8.2 Flange Splices	6-9
6.8.3 Welded Connections	6-9
<b>6.9 REFERENCES</b>	<b>6-10</b>
<b>SECTION 7</b>	
<b>ALUMINUM STRUCTURES</b>	
<b>7.1 GENERAL REQUIREMENTS</b>	<b>7-1</b>
<b>7.2 CODE REQUIREMENTS</b>	<b>7-1</b>
<b>SECTION 8</b>	
<b>WOOD STRUCTURES</b>	
<b>8.1 GENERAL REQUIREMENTS</b>	<b>8-1</b>
<b>8.2 CODE REQUIREMENTS</b>	<b>8-1</b>
<b>SECTION 9</b>	
<b>DECK AND DECK SYSTEMS</b>	
<b>9.1 GENERAL REQUIREMENTS</b>	<b>9-1</b>
<b>9.2 CODE REQUIREMENTS</b>	<b>9-1</b>
<b>9.3 PERFORMANCE REQUIREMENTS</b>	<b>9-1</b>
9.3.1 Service Life	9-1
9.3.2 Maintenance Requirements	9-2
<b>9.4 ANALYSIS METHOD</b>	<b>9-2</b>
9.4.1 General	9-2
9.4.2 Deck Design Tables	9-3

<b>9.5 DECK THICKNESS</b>	<b>9-9</b>
<b>9.6 LONGITUDINAL REINFORCEMENT</b>	<b>9-9</b>
9.6.1 Minimum Required Reinforcing	9-9
9.6.2 Negative Moment Reinforcing	9-9
<b>9.7 DECK OVERHANG DESIGN</b>	<b>9-10</b>
9.7.1 Overhang Requirements	9-10
9.7.2 Deck Overhang Loading and Design	9-10
<b>9.8 SKEWED DECK LIMITS</b>	<b>9-11</b>
9.8.1 Transverse Reinforcement	9-11
9.8.2 Reinforced End Zones	9-11
<b>9.9 OVERLAYS</b>	<b>9-12</b>
<b>9.10 WATERPROOFING</b>	<b>9-13</b>
9.10.1 Membranes	9-13
9.10.2 Sealer	9-13
<b>9.11 DECK POURING SEQUENCE</b>	<b>9-13</b>
9.11.1 Rate of Pour and Direction	9-13
9.11.2 Deck Pour Sequence Details	9-13
9.11.3 Diaphragms	9-14
<b>9.12 DECK JOINTS</b>	<b>9-14</b>
9.12.1 Transverse Joints	9-14
9.12.2 Longitudinal Joints	9-14
<b>9.13 STAY-IN-PLACE FORMS</b>	<b>9-14</b>
9.13.1 General	9-14
9.13.2 Concrete Stay-in-Place Forms	9-15
9.13.3 Metal Stay-in-Place Forms	9-15
9.13.4 Transparent Stay-in-Place Forms	9-15
<b>9.14 FULL DEPTH PRECAST CONCRETE DECK PANELS</b>	<b>9-16</b>
<b>9.15 DECK DRAINS</b>	<b>9-16</b>
<b>9.16 LIGHTS AND SIGNS ON DECK</b>	<b>9-16</b>
<b>9.17 CONDUIT IN DECK</b>	<b>9-16</b>
<b>9.18 ANTI-ICING SYSTEMS</b>	<b>9-17</b>
<b>SECTION 10</b>	
<b>FOUNDATIONS</b>	
<b>10.1 GENERAL SCOPE</b>	<b>10-1</b>
<b>10.2 GEOTECHNICAL INVESTIGATIONS</b>	<b>10-1</b>
10.2.1 Ring-Lined Split Barrel Sampler	10-1



<b>10.3</b>	Energy Measurements for Sampling Hammers	10-1
<b>10.4</b>	<b>LIMIT STATES AND RESISTANCE FACTORS</b>	<b>10-2</b>
10.4.1	Service Limit State	10-2
10.4.2	Strength Limit State	10-2
10.4.3	Extreme Event Limit State	10-2
<b>10.5</b>	<b>SPREAD FOOTINGS</b>	<b>10-2</b>
10.5.1	General	10-2
10.5.2	Footing Embedment	10-2
10.5.3	Tolerable Movements	10-2
<b>10.6</b>	<b>DRIVEN PILES</b>	<b>10-3</b>
10.6.1	General	10-3
10.6.2	Geotechnical Design and Analysis	10-5
10.6.3	Top of Pile Fixity	10-6
10.6.4	Field Splice	10-7
10.6.5	Dynamic Testing	10-8
10.6.6	Plan Requirements	10-8
10.6.7	Load Testing	10-8
<b>10.7</b>	<b>DRILLED SHAFTS</b>	<b>10-9</b>
10.7.1	General	10-9
10.7.2	Geotechnical Design and Analysis	10-9
10.7.3	Non-destructive Integrity Testing	10-10
10.7.4	Load Testing	10-11
10.7.5	Plan Requirements	10-11
<b>10.8</b>	<b>REFERENCES</b>	<b>10-12</b>
<b>SECTION 11</b>		
<b>ABUTMENT, PIERS, AND RETAINING WALLS</b>		
<b>11.1</b>	<b>GENERAL REQUIREMENTS</b>	<b>11-1</b>
<b>11.2</b>	<b>CODE REQUIREMENTS</b>	<b>11-1</b>
<b>11.3</b>	<b>ABUTMENTS</b>	<b>11-1</b>
11.3.1	Integral Abutments	11-2
11.3.2	Semi-integral Abutments	11-7
11.3.3	Seat Type Abutments	11-9
11.3.4	Tall Wall Abutments	11-13
11.3.5	Geosynthetic Reinforced Soil Abutments	11-14
11.3.6	Wingwalls	11-24
11.3.7	Approach Slabs	11-25

<b>11.4 PIERS</b>	<b>11-25</b>
11.4.1 IMulti-Column Piers	11-29
11.4.2 Single Column (Hammerhead) Piers	11-29
11.4.3 Solid Wall Piers	11-29
11.4.4 Straddle Bent Piers	11-29
11.4.5 Aesthetics	11-30
11.4.6 Details	11-30
<b>11.5 RETAINING WALLS</b>	<b>11-31</b>
11.5.1 Cantilever Retaining Wall	11-32
11.5.2 Counterfort Retaining Wall	11-34
11.5.3 Mechanically Stabilized Earth Wall	11-34
11.5.4 Drilled Shaft Walls	11-37
11.5.5 Anchored Walls	11-37
11.5.6 Soil Nail Walls	11-37
11.5.7 Gravity Walls	11-38
11.5.8 Landscape Walls	11-38
11.5.9 Load Combinations	11-38
11.5.10 Resistance Factors	11-39
11.5.11 Collision with a Wall	11-39
11.5.12 Global and Compound Stability	11-41
11.5.13 Designer Responsibility for Walls	11-42
11.5.14 Designer Responsibility for Using MSE Wall Worksheets	11-42
11.5.15 Designer Responsibility for Using Soil Nail Wall Worksheets	11-43
11.5.16 Seismic Design Requirements	11-43
<b>11.6 DRAINAGE REQUIREMENTS</b>	<b>11-43</b>
<b>11.7 SHORING</b>	<b>11-43</b>
<b>11.8 REFERENCES</b>	<b>11-44</b>
 <b>SECTION 12</b>	
<b>BURIED STRUCTURES AND TUNNEL LINERS</b>	
<b>12.1 GENERAL REQUIREMENTS</b>	<b>12-1</b>
<b>12.2 CODE REQUIREMENTS</b>	<b>12-1</b>
<b>12.3 GEOTECHNICAL REQUIREMENTS</b>	<b>12-1</b>
<b>12.4 CONCRETE BOX CULVERTS</b>	<b>12-1</b>
12.4.1 Design Criteria	12-1
12.4.2 Loading	12-1

---

12.4.3	Replacement	12-2
12.4.4	Stream Crossing	12-2
12.4.5	Pedestrian Crossing	12-2
<b>12.5</b>	<b>WILDLIFE CROSSING</b>	<b>12-2</b>
<b>12.6</b>	<b>TUNNELS</b>	<b>12-4</b>
<b>12.7</b>	<b>PIPES</b>	<b>12-4</b>
<b>SECTION 13</b>		
<b>RAILINGS</b>		
<b>13.1</b>	<b>GENERAL REQUIREMENTS</b>	<b>13-1</b>
<b>13.2</b>	<b>CODE REQUIREMENTS</b>	<b>13-2</b>
13.2.1	AASHTO LRFD	13-2
13.2.2	AASHTO Manual for Assessing Safety Hardware (MASH)	13-2
13.2.3	FHWA Bridge Rail Requirements	13-3
<b>13.3</b>	<b>CDOT BRIDGE RAILS</b>	<b>13-4</b>
13.3.1	Type 3 (Retired)	13-4
13.3.2	Type 4 (Retired)	13-4
13.3.3	Type 7 (Retired)	13-4
13.3.4	Type 8 (Retired)	13-4
13.3.5	Type 8R MASH	13-5
13.3.6	Type 10 (Retired)	13-5
13.3.7	Type 9	13-5
13.3.8	Type 10 MASH	13-5
<b>13.4</b>	<b>COMBINATION VEHICULAR PEDESTRIAN RAILS</b>	<b>13-5</b>
<b>13.5</b>	<b>PIER AND RETAINING WALL PROTECTION</b>	<b>13-6</b>
13.5.1	Pier Protection	13-6
13.5.2	Retaining Wall Protection	13-6
13.5.3	Sound Barriers	13-6
13.5.4	Rail Anchor Slabs	13-6
<b>13.6</b>	<b>ATTACHMENTS TO BRIDGE RAIL SYSTEMS</b>	<b>13-7</b>
<b>13.7</b>	<b>AESTHETIC TREATMENTS TO BRIDGE RAIL SYSTEMS</b>	<b>13-7</b>
<b>13.8</b>	<b>RAILING ATTACHMENT TO HEADWALLS</b>	<b>13-7</b>
<b>SECTION 14</b>		
<b>JOINTS AND BEARINGS</b>		
<b>14.1</b>	<b>GENERAL REQUIREMENTS</b>	<b>14-1</b>
<b>14.2</b>	<b>CODE REQUIREMENTS</b>	<b>14-1</b>

---

---

<b>14.3 UNIFORM TEMPERATURE MOVEMENT</b>	<b>14-1</b>
<b>14.4 EXPANSION JOINTS</b>	<b>14-1</b>
14.4.1 General	14-1
14.4.2 Design Guidelines and Selection	14-2
14.4.3 Small Movement Joints	14-3
14.4.4 Strip Seals	14-5
14.4.5 Modular Joints	14-6
14.4.6 Finger Joints	14-6
14.4.7 Cover Plates	14-6
14.4.8 Joint Headers	14-7
14.4.9 Expansion Joint Details	14-8
<b>14.5 BEARINGS</b>	<b>14-8</b>
14.5.1 General	14-8
14.5.2 Design Guidelines and Selection	14-8
14.5.3 Thermal Movement	14-9
14.5.4 Additional Rotation Requirements	14-9
14.5.5 Design Coefficient of Friction Requirements	14-9
14.5.6 Bearing Inspection and Removal	14-9
14.5.7 Leveling Pads	14-10
14.5.8 Type I Bearings	14-10
14.5.9 Type II Bearings	14-10
14.5.10 Type III Bearings	14-11
14.5.11 Type IV and V Bearings	14-11
14.5.12 Bearing Details	14-11
<b>14.6 SHOP DRAWINGS</b>	<b>14-12</b>
<b>SECTION 15</b>	
<b>DESIGN OF SOUND BARRIERS</b>	
<b>15.1 GENERAL REQUIREMENTS</b>	<b>15-1</b>
<b>15.2 CODE REQUIREMENTS</b>	<b>15-1</b>
<b>15.3 AESTHETICS</b>	<b>15-1</b>
<b>15.4 LOADS</b>	<b>15-1</b>
<b>SECTION 16 THROUGH SECTION 30</b>	

---

<b>SECTION 31</b>		
<b>PEDESTRIAN STRUCTURES</b>		
<b>31.1</b>	<b>GENERAL REQUIREMENTS</b>	<b>31-1</b>
<b>31.2</b>	<b>CODE REQUIREMENTS</b>	<b>31-1</b>
<b>31.3</b>	<b>PERFORMANCE REQUIREMENTS</b>	<b>31-1</b>
31.3.1	Service Life	31-1
31.3.2	Maintenance Requirements	31-1
31.3.3	Aesthetic Goals	31-1
<b>31.4</b>	<b>GEOMETRY AND CLEARANCES</b>	<b>31-1</b>
31.4.1	Geometry	31-1
31.4.2	Vertical Clearances	31-2
31.4.3	Horizontal Clearances	31-2
<b>31.5</b>	<b>LOADS AND DEFLECTIONS</b>	<b>31-3</b>
31.5.1	Live Loads	31-3
31.5.2	Collision	31-4
31.5.3	Deflection Limits	31-4
31.5.4	Vibration Limits	31-4
<b>31.6</b>	<b>FRACTURE CRITICAL DESIGNATION</b>	<b>31-4</b>
<b>31.7</b>	<b>RAILING AND FENCING REQUIREMENTS</b>	<b>31-4</b>
<b>31.8</b>	<b>COVERED/ENCLOSED STRUCTURES</b>	<b>31-4</b>
<b>31.9</b>	<b>DECK</b>	<b>31-5</b>
<b>31.10</b>	<b>LIGHTING</b>	<b>31-5</b>
<b>31.11</b>	<b>DRAINAGE</b>	<b>31-5</b>
<b>SECTION 32</b>		
<b>SIGNS, LUMINARIES, AND TRAFFIC SIGNALS</b>		
<b>32.1</b>	<b>GENERAL REQUIREMENTS</b>	<b>32-1</b>
<b>32.2</b>	<b>CODE REQUIREMENTS</b>	<b>32-1</b>
<b>32.3</b>	<b>DESIGN CRITERIA</b>	<b>32-2</b>
32.3.1	Loads	32-2
<b>32.4</b>	<b>BRIDGE MOUNTED STRUCTURES</b>	<b>32-5</b>
<b>SECTION 33</b>		
<b>PRESERVATION AND REHABILITATION OF STRUCTURES</b>		
<b>33.1</b>	<b>GENERAL REQUIREMENTS</b>	<b>33-1</b>
33.1.1	Definitions of Preservation and Rehabilitation	33-1
33.1.2	Rehabilitation vs. Replacement Selection Guidelines	33-1
33.1.3	Required Inspection and Testing	33-3

---

<b>33.2</b>	<b>CODE AND PERFORMANCE REQUIREMENTS</b>	<b>33-4</b>
33.2.1	Existing Structure Evaluation and Preservation Projects	33-4
33.2.2	Rehabilitation Projects	33-5
<b>33.3</b>	<b>REHABILITATION</b>	<b>33-7</b>
33.3.1	General Requirements	33-7
33.3.2	Added Service Life	33-7
33.3.3	Acceptable Methods	33-9
33.3.4	Timber Structures	33-10
33.3.5	Concrete for Repairs	33-10
<b>33.4</b>	<b>BRIDGE WIDENING</b>	<b>33-10</b>
33.4.1	General Widening Requirements	33-11
33.4.2	Design Considerations	33-11
<b>33.5</b>	<b>BRIDGE DECK REPAIR AND REHABILITATION</b>	<b>33-13</b>
33.5.1	Chloride Induced Corrosion	33-13
33.5.2	Susceptibility Index	33-14
33.5.3	Selection of Corrosion Control Alternatives	33-15
<b>33.6</b>	<b>CONCRETE REHABILITATION – EXCLUDING BRIDGE DECKS</b>	<b>33-17</b>
<b>33.7</b>	<b>DECK REPLACEMENT</b>	<b>33-17</b>
<b>33.8</b>	<b>EXPANSION JOINT ELIMINATION</b>	<b>33-18</b>
33.8.1	Expansion Joints at Abutments	33-18
33.8.2	Expansion Joints at Piers	33-19
<b>33.9</b>	<b>BEARING REPLACEMENT</b>	<b>33-19</b>
33.9.1	Structure Jacking Requirements	33-20
<b>33.10</b>	<b>BRIDGE RAIL REPLACEMENT</b>	<b>33-21</b>
<b>33.11</b>	<b>FATIGUE</b>	<b>33-21</b>
33.11.1	Load Induced Fatigue	33-21
33.11.2	Distortion Induced Fatigue	33-21
<b>33.12</b>	<b>CULVERTS</b>	<b>33-23</b>
<b>33.13</b>	<b>SCOUR CRITICAL STRUCTURES</b>	<b>33-23</b>
33.13.1	Evaluation of Existing Structures for Criticality	33-23
33.13.2	Rehabilitation of Scour Critical Structures	33-23
33.13.3	Structural Countermeasure Requirements	33-23
<b>33.14</b>	<b>PAINTING OF STEEL STRUCTURES</b>	<b>33-23</b>
33.14.1	Zinc Rich Paint Systems	33-24

---

<b>33.15 BRIDGE PREVENTATIVE MAINTENANCE</b>	<b>33-25</b>
33.15.1 Program Objectives	33-25
33.15.2 Bridge Preventative Maintenance Resources	33-26
33.15.3 Bridge Preventative Maintenance Project Delivery	33-28
<b>33.16 REFERENCES</b>	<b>33-30</b>
<b>SECTION 34</b>	
<b>PLANS</b>	
<b>34.1 GENERAL REQUIREMENTS</b>	<b>34-1</b>
<b>SECTION 35</b>	
<b>COST ESTIMATING AND QUANTITIES</b>	
<b>35.1 GENERAL REQUIREMENTS</b>	<b>35-1</b>
<b>35.2 BID ITEMS</b>	<b>35-1</b>
<b>35.3 PLANNING/CONCEPTUAL</b>	<b>35-1</b>
<b>35.4 SCOPING</b>	<b>35-2</b>
<b>35.5 PRELIMINARY / FIELD INSPECTION REVIEW (FIR)</b>	<b>35-2</b>
<b>35.6 FINAL / FINAL OFFICE REVIEW (FOR)</b>	<b>35-2</b>
<b>35.7 QUANTITY CALCULATIONS</b>	<b>35-2</b>
<b>35.8 ACCURACY AND FORMAT</b>	<b>35-3</b>
<b>SECTION 36</b>	
<b>CONSTRUCTION</b>	
<b>36.1 GENERAL REQUIREMENTS</b>	<b>36-1</b>
<b>36.2 CONSTRUCTION SUPPORT</b>	<b>36-1</b>
<b>36.3 INQUIRIES DURING ADVERTISEMENT</b>	<b>36-1</b>
<b>36.4 CONTRACTOR DRAWING SUBMITTALS</b>	<b>36-2</b>
36.4.1 Shop Drawings	36-2
36.4.2 Working Drawings	36-3
36.4.3 Demolition and Girder Erection	36-3
<b>36.5 REQUESTS FOR INFORMATION (RFI)/REQUESTS FOR REVISION (RFR)</b>	<b>36-3</b>
36.1.1 As-Constructed Plans	36-4
<b>36.6 BRIDGE CONSTRUCTION REVIEWS, FINAL INSPECTION</b>	<b>36-4</b>
<b>36.7 ARCHIVING</b>	<b>36-5</b>

---

---

<b>SECTION 37</b>	
<b>QUALITY ASSURANCE AND QUALITY CONTROL</b>	
37.1	<b>GENERAL REQUIREMENTS 37-1</b>
37.2	<b>PURPOSE 37-1</b>
37.3	<b>DEFINITIONS 37-1</b>
37.4	<b>QUALITY MANAGEMENT PLAN 37-4</b>
37.5	<b>QUALITY CONTROL/QUALITY ASSURANCE PROCEDURES 37-4</b>
<b>SECTION 38</b>	
<b>ALTERNATIVE DELIVERY</b>	
38.1	<b>GENERAL REQUIREMENTS 38-1</b>
38.1.1	Delivery Method Evaluation 38-1
38.2	<b>DESIGN-BID-BUILD 38-1</b>
38.3	<b>CONSTRUCTION MANAGER/GENERAL CONTRACTOR 38-1</b>
38.4	<b>DESIGN-BUILD AND STREAMLINED DESIGN-BUILD 38-2</b>
38.4.1	Owner Representation – Preliminary Design 38-3
38.4.2	Owner Representation – Delivery 38-3
38.4.3	Contractor’s Designer 38-3
38.5	<b>ALTERNATIVE BRIDGE DESIGN SPECIFICATION 38-4</b>
<b>SECTION 39</b>	
<b>ACCELERATED BRIDGE CONSTRUCTION</b>	
39.1	<b>GENERAL INFORMATION 39-1</b>
39.2	<b>ABC EVALUATION OVERVIEW 39-1</b>
39.2.1	Background 39-1
39.2.2	ABC Evaluation Process 39-1
39.3	<b>ABC MATERIALS AND RESOURCE GUIDANCE 39-2</b>
39.3.1	ABC Evaluation and Decision Matrix Workflow - Attachment A 39-2
39.3.2	Pre-scoping ABC Rating – Attachment B 39-4
39.3.3	ABC Matrix – Attachment C 39-6
39.3.4	ABC AHP Decision Tool Software 39-6
39.4	<b>OTHER RESOURCES 39-6</b>

---



## LIST OF TABLES

**SECTION 3  
LOADS AND LOAD FACTORS**

Table 3-1: Fence Loads	3-8
------------------------	-----

**SECTION 5  
CONCRETE STRUCTURES**

Table 5-1: Common Concrete Classes and Strengths	5-1
Table 5-2: Typical CIP Concrete Applications	5-1
Table 5-3: Minimum Lap Length for Epoxy-Coated Slab, Wall, or Footing Bars Spaced at 6.0 in. min. on Center with 2.0 in. min. Clear Cover and $f'c = 4.5$ ksi	5-4
Table 5-4: Minimum Lap Length for Epoxy-Coated Slab, Wall, or Footing Bars Spaced at 6.0 in. min. on Center with 1.0 in. min. Clear Cover and $f'c = 4.5$ ksi	5-4
Table 5-5: Minimum Clear Cover for Drilled Shafts on Bridges	5-5
Table 5-6: Standard CBT Properties	5-11

**SECTION 9  
DECK AND DECK SYSTEMS**

Table 9-1: CDOT Standard CBT Girder Load and Resistance Factor Design ( $f_y = 60$ ksi)	9-4
Table 9-2: Rolled Steel Beams/Steel Plate Girders (12 in. [min.] wide top flange) Load and Resistance Factor Design ( $f_y = 60$ ksi)	9-5
Table 9-3: CDOT Standard CBT Girder Load and Resistance Factor Design ( $f_y = 100$ ksi)	9-6
Table 9-4: Rolled Steel Beams/Steel Plate Girders (12 in. [min.] wide top flange) Load and Resistance Factor Design ( $f_y = 100$ ksi)	9-7

**SECTION 10  
FOUNDATIONS**

Table 10-1: Calculated Embedments	10-7
-----------------------------------	------

**SECTION 11  
ABUTMENT, PIERS, AND RETAINING WALLS**

Table 11-1: Limiting Structure Lengths for Integral Abutments	11-2
Table 11-2: Load Factors for Retaining Wall Design	11-39

---

**SECTION 32  
SIGNS, LUMINARIES, AND TRAFFIC SIGNALS**

<b>Table 32-1: Wind Speed Data at Other Mean Recurrence Intervals</b>	<b>32-5</b>
<b>Table 32-2: Torque and Tension Limits</b>	<b>32-7</b>

**SECTION 33  
PRESERVATION AND REHABILITATION OF STRUCTURES**

<b>Table 33-1: Maintenance Painting Frequencies</b>	<b>33-25</b>
<b>Table 33-2: BPM Joint Replacement Matrix</b>	<b>33-27</b>

**SECTION 35  
COST ESTIMATING AND QUANTITIES**

<b>Table 35-1: Contingency and Quantity Accuracy Percentage</b>	<b>35-4</b>
<b>Table 35-2: Summary of Quantities Table Rounding</b>	<b>35-5</b>

## LIST OF FIGURES

**SECTION 2****GENERAL DESIGN AND LOCATION FEATURES**

Figure 2-1: Bridge Clearances – High Speed Roadway	2-3
Figure 2-2: Bridge Clearances – Low Speed Roadway	2-3
Figure 2-3: Bridge Clearances with MSE Retaining Wall	2-4
Figure 2-4: Standard Sidewalk Details	2-5
Figure 2-5: Vertical Concrete Surface Details	2-8
Figure 2-6: Bridge Rail Types 9 and 10 MASH	2-9
Figure 2-7: Fencing Types	2-11
Figure 2-8: Drop-Off Protection	2-12
Figure 2-9: Access Door Detail	2-15

**SECTION 3****LOADS AND LOAD FACTORS**

Figure 3-1: Colorado Permit Vehicle	3-4
-------------------------------------	-----

**SECTION 4****STRUCTURAL ANALYSIS AND EVALUATION**

Figure 4-1: Skew Angle Definition	4-3
-----------------------------------	-----

**SECTION 5****CONCRETE STRUCTURES**

Figure 5-1: Splash Zone	5-6
Figure 5-2: Pier Caps in Post-Tensioned Bridges with a Skew Angle of 20 Degrees or Less and Deck Reinforcing Parallel to Cap	5-7
Figure 5-3: Pier Caps in Post-Tensioned Bridges with a Skew Angle Greater Than 20 Degrees and Deck Reinforcing Not Parallel to Cap	5-8
Figure 5-4: Pier Caps in Precast Girder Bridges with Constant-Depth Cap	5-8
Figure 5-5: Pier Caps in Precast Girder Bridges with Variable-Depth Cap (side steel not shown for clarity)	5-9
Figure 5-6: Standard U Girder Dimensions	5-11
Figure 5-7: Through-the-Thickness Steel at Construction Joints	5-19
Figure 5-8: Plan View of Through-the-Thickness Reinforcing at a Web Thickness Transition	5-20
Figure 5-9: Examples of Direct Supporting and Loading Conditions	5-21
Figure 5-10: Indirect Support/Loading – Integral Pier Cap	5-22

---

**SECTION 6  
STEEL STRUCTURES**

Figure 6-1: Recommended Fit Conditions	6-4
Figure 6-2: Deck Overhang Bracket	6-7

**SECTION 9  
DECK AND DECK SYSTEMS**

Figure 9-1: Deck Design Table Detail	9-8
Figure 9-2: Splayed Deck Reinforcing	9-11
Figure 9-3: Skewed Deck Reinforcing Placement	9-12
Figure 9-4: Acute Corner Reinforcing	9-12

**SECTION 10  
FOUNDATIONS**

Figure 10-1: Pile Fixity	10-6
Figure 10-2: Moment Inflection Point and H-Pile Field Splices	10-7

**SECTION 11  
ABUTMENT, PIERS, AND RETAINING WALLS**

Figure 11-1: Integral Abutment on H-Piles	11-5
Figure 11-2: Integral Abutment on Drilled Shafts	11-7
Figure 11-3: ISemi-Integral Abutment (Alternative 1)	11-8
Figure 11-4: Semi-Integral Abutment (Alternative 2)	11-10
Figure 11-5: Seat Type Abutment	11-12
Figure 11-6: Tall Wall Abutment	11-14
Figure 11-7: GRS Abutment (Cut Case)	11-19
Figure 11-8: GRS Abutment (Fill Case)	11-20
Figure 11-9: Integrated Girder Seat with Footer	11-21
Figure 11-10: Separated Girder Seat with Footer	11-21
Figure 11-11: Transition Zone Behind Abutment Backwall (With Expansion Joint, Concrete Slab, and Roadway Pavement)	11-22
Figure 11-12: Transition Zone Behind Abutment Backwall (With Asphalt Pavement Approach Slab and No Expansion Joint)	11-23
Figure 11-13: Column-Drilled Shaft Connection Details	11-28
Figure 11-14: Footing on Pile	11-30
Figure 11-15: Shear Key	11-33

---

<b>Figure 11-16: Cantilever Retaining Wall Reinforcement</b>	<b>11-33</b>
<b>Figure 11-17: Soil Nail Wall in Future Bridge Widening Area</b>	<b>11-38</b>
<b>Figure 11-18: Lateral Collision Distribution</b>	<b>11-40</b>
<b>Figure 11-19: Global and Compound Failure Planes</b>	<b>11-41</b>
<b>SECTION 12</b>	
<b>BURIED STRUCTURES AND TUNNEL LINERS</b>	
<b>Figure 12-1: Minimum Deer and Elk Underpass Design Dimensions</b>	<b>12-3</b>
<b>SECTION 14</b>	
<b>JOINTS AND BEARINGS</b>	
<b>Figure 14-1: Silicone Seal</b>	<b>14-3</b>
<b>Figure 14-2: Compression Seal - Elastomeric</b>	<b>14-4</b>
<b>Figure 14-3: Compression Seal - Foam</b>	<b>14-5</b>
<b>SECTION 31</b>	
<b>PEDESTRIAN STRUCTURES</b>	
<b>Figure 31-1: CDOT Legal Load Type 3</b>	<b>31-3</b>
<b>SECTION 32</b>	
<b>SIGNS, LUMINARIES, AND TRAFFIC SIGNALS</b>	
<b>Figure 32-1: Partial Special Wind Region Map (300 year MRI)</b>	<b>32-4</b>
<b>Figure 32-2: Sign Alignment for Curved Roadways</b>	<b>32-6</b>
<b>SECTION 33</b>	
<b>PRESERVATION AND REHABILITATION OF STRUCTURES</b>	
<b>Figure 33-1: Asphalt Thickness Verification Detail</b>	<b>33-4</b>
<b>Figure 33-2: Optimal Corrosion Control Based on Susceptibility Index</b>	<b>33-15</b>
<b>Figure 33-3: Expansion Joint Relocation</b>	<b>33-19</b>
<b>Figure 33-4: Differential Deflection</b>	<b>33-22</b>
<b>Figure 33-5: Web Gap Distortion</b>	<b>33-22</b>
<b>SECTION 39</b>	
<b>ACCELERATED BRIDGE CONSTRUCTION</b>	
<b>Figure 39-1: ABC Decision Matrix Workflow</b>	<b>39-3</b>
<b>Figure 39-2: ABC Matrix</b>	<b>39-7</b>