

Revision of Section 202 Clean Inlet

Revise Section 202 of the Standard Specifications for this project as follows:

Description

This work consists of removing and disposing of all foreign materials in the bridge deck drain inlet system.

Construction Requirements

The Contractor shall remove and dispose of all foreign materials, dirt, and debris collected in the deck drain. Use vacuum truck removal method to clean. If approved by the Engineer, use a combination of hand tools and equipment at designated locations.

Limits of cleaning the inlet shall extend from the grate to the daylight location of outlet pipe.

The Contractor shall document sediment removed and provide the volume quantity to the Engineer. Remove and fully re-secure all grates per CDOT M-Standards. Treat the bolts with anti-seize compound before re-installation.

Method of Measurement

Clean Inlet will be measured by the quantity of bridge deck drain inlets cleaned as designated in the plans, and accepted, regardless of the type, depth, or size.

Basis of Payment

The accepted quantities of Clean Inlet will be paid for at the contract unit price.

Payment will be made under:

Pay Item	Pay Unit
Clean Inlet	Each

Payment for Clean Inlet will be total compensation for all labor, materials, tools, equipment, and incidentals required to complete the work, including disposal of the collected materials.

Include all work, including drilling out of broken bolts, re-tapping bolt holes, replacement bolts, anti-seize treatment, and providing missing bolts, necessary to re-secure the grates in the work cost.

Colorado Project No
Project Code Xxxxx

Date

Instructions to Designers (delete instructions and symbols from final draft):

Use this project special provision when cleaning out bridge inlets that are obstructed.

Permanent Changes to Project Dated Special Provisions

Revision of Section 202 Clean Inlet

<u>Date</u>	<u>Author</u>	<u>Description of Change</u>
1/14/19	BPM Cons.	Initial Website Issue
11.1.2021	M. Kayen	Revisions to grammar, format as per CDOT Style Guide (4.22.21)
04.06.2023	M. Kayen	Revisions to make spec online accessibility-compliant. 5.22.23 Additional accessibility work.