

**REVISION OF SECTION 601
PAINTING OF ALUMINUM ACCESS DOORS FOR CONCRETE STRUCTURES**

PERMANENT CHANGES TO PROJECT DATED SPECIAL PROVISIONS

REVISION OF SECTION 601 PAINTING OF ALUMINUM ACCESS DOORS FOR CONCRETE STRUCTURES

<u>DATE</u>	<u>AUTHOR</u>	<u>DESCRIPTION OF CHANGE</u>
11/18/92	FMS	NEW REVISION
9/30/1999	M. Nord	Verified the specification references for conformance with the <i>1999 Colorado DOT Standard Specifications for Road and Bridge Construction</i> . No exceptions were found. Converted to Microsoft Word 97 SR-2
04.11.2023	M. Kayen	Revisions to make spec online ADA-compliant. 5.22.23 Additional ADA.

**REVISION OF SECTION 601
PAINTING OF ALUMINUM ACCESS DOORS FOR CONCRETE STRUCTURES**

Revise Section 601 of the Standard Specifications for this project as follows:

Subsection 601.14(b)4 shall include the following:

Aluminum access doors shall receive a solvent cleaning to remove grease and oil (SSPC-SPI) followed by a brush blast.

The aluminum access doors shall receive one coat of vinyl wash primer conforming to Mil-P-15328. Following the application of this primer, the doors will be coated with Structural Concrete Coating conforming to Revision of Section 601 Structural Concrete Coating.

The manufacturer of the primer shall certify in writing, that the primer used is compatible with the cleaned aluminum access doors and the Structural Concrete Coating to be used on the Structural Concrete.