

One S. Wacker Drive, Suite 800 Chicago, IL 60606 O 312.634.3400 F 312.634.3410 www.mcgladrey.com

Writer's Direct Line 312 634-4729

July 15, 2015

Mr. Nicholas Farber Enterprise Specialist High Performance Transportation Enterprise 4201 E Arkansas Ave, Rm 200 Denver, Co 80222

Re: High Level Compliance Monitoring Approach and Detailed Compliance and Performance Requirements under the US 36 / I 25 Concession Agreement

Dear Mr. Farber:

As requested, McGladrey has developed a high level approach to be used as a basis for developing a detailed compliance monitoring plan to monitor and verify Concessionaire's compliance and performance under the US 36/I 25 Concession Agreement (the "Concession Agreement"). In the following report, we have summarized the purpose of the compliance monitoring plan (the "Plan"), the scope of expected monitoring activities, the organization and structure of the team responsible for the performance of monitoring the concessionaire's compliance and performance (the "Compliance Monitoring Team"), the methodology we are utilizing to develop the Approach and Plan, the roles and responsibilities of the members of the Compliance Monitoring Team, the detailed requirements of the Concession Agreement and our high level approach to monitoring the Concessionaire's Compliance and performance under the Concession Agreement (our "Approach"). The information contained within this report presents a summary of the aforementioned items. Additional detail, information and work product has been communicated to High Performance Transportation Enterprise ("HPTE") management for the duration of the performance of our work related to the development of our high level approach. Additional detail related to the requirements of the Concession Agreement and to our Approach are provided in Exhibits A and B following this Report.

COMPLIANCE MONITORING PURPOSE

McGladrey, HDR and LS Gallegos (collectively referred to as the "Compliance Monitoring Team" or the "Team") have been engaged to monitor the Concessionaire's compliance with and performance under the US 36/I 25 Concession Agreement. The purpose for monitoring the Concessionaires performance is to both verify that the Concessionaire is adhering to the terms and conditions of the Concession Agreement and to monitor the Concessionaire's performance to assess whether or not the Concessionaire is performing in a manner consistent with the requirements and intent of the Concession Agreement. To the extent that the Concessionaire is not fully adhering to the terms and conditions of the Concession Agreement or is not performing in a manner consistent with the requirements or the intent of the Concession Agreement, the purpose of the monitoring activities include identifying areas of any

significant noncompliance in a timely manner for the purposes of taking corrective active action to remediate significant non-compliance to the extent that it is found to exist. An ancillary benefit of our compliance monitoring activities is to observe potential opportunities for clarification or modification of requirements, performance measures, reporting or record keeping related to requirements and performance measures that will improve the efficiency and effectiveness of monitoring the Concessionaire's adherence and performance under the Concession Agreement. To the extent that the Compliance Monitoring Team identifies any such opportunities, the Team will communicate them to HPTE along with any related recommendations. Accordingly, the general purpose of compliance monitoring under the US 36 / I 25 Concession Agreement is to verify the Concessionaire's compliance and performance or identify noncompliance or nonperformance in a timely, effective and efficient manner.

SCOPE OF COMPLIANCE MONITORING ACTIVITIES


McGladrey was engaged to monitor the Concessionaire's performance and financial results to ensure that the Concessionaire operates and maintains the concession in an appropriate manner, in compliance with the terms and conditions of the Concession Agreement and of HPTE in accordance with the Concession Agreement.

Based upon the needs identified by CDOT and HPTE and based upon McGladrey's review and understanding of the US 36/I 25 Concession Agreement, McGladrey understands that it is CDOT's and HPTE's intent to develop a risk-based, cost effective approach to identify and monitor the Concessionaire's Compliance and performance under the Concession Agreement. McGladrey understands that it is CDOT's and HPTE's intent to develop and implement a monitoring plan that considers the various degrees of risk related to the various terms and conditions of the Concession Agreement and focuses efforts and resources on the more significant risks of non-compliance or non-performance.

Included in McGladrey's scope of work is developing a Plan to be used as a guide to monitor the Concessionaire's compliance with key Concession Agreement requirements and performance measures. As the Concession Agreement requirements consist of financial, compliance and operational requirements and performance measures, monitoring the scope of McGladrey's monitoring activities encompasses financial, compliance and technical monitoring activities. While McGladrey is primarily responsible for monitoring financial and compliance requirements and performance, McGladrey is not directly responsible for monitoring the technical aspects of the Concessionaire's adherence and performance under the Concession Agreement (LS Gallegos "LSG" has been engaged to provide monitoring of the technical aspects of the Concessionaire's performance). However, McGladrey has been asked to provide an additional level of monitoring of LSG's technical monitoring of the Concessionaire, providing HPTE with an additional layer of oversight of the Concessionaire's adherence to technical requirements. Accordingly, high level monitoring of LSG's technical monitoring is included within McGladrey's scope of work. This provides HPTE with both single point of reporting of Concessionaire's compliance, as well as full independent oversight of all Concessionaire compliance monitoring activities.

COMPLIANCE MONITORING ORGANIZATION AND STRUCTURE

The structure established by HPTE to monitor compliance and performance of the Concessionaire under the terms of the US 36 / I 25 Concession Agreement is depicted in the chart below.



As a result of the diverse and distinct expertise required to effectively monitor the various requirements of the Concession Agreement (Financial, Compliance and Technical), HPTE has engaged the services of McGladrey as financial consultants and HDR, Inc. as technical (transportation/engineering) consultants. In order to fulfill the requirements of their scope of work, HDR Inc. has subcontracted the technical monitoring of the Concession Agreement to LS Gallegos who will perform all technical monitoring activities. Although formally contracted by HDR, Inc., LSG will coordinate and report its activities with and to McGladrey, and McGladrey will provide monitoring of LSG's technical monitoring activities.

In order to fulfill our obligations under our scope of work to oversee and monitor the Concessionaire's compliance and performance, McGladrey will both consolidate the efforts and results of LSG's technical monitoring and will also provide monitoring, verification and reporting of LSG's technical monitoring activities to HPTE. Through this team structure, HPTE receives both centralized reporting of all Concessionaire Monitoring activities, as well as independent monitoring and oversight of LSG's technical monitoring activities.

METHODOLOGY USED TO DEVELOP COMPLIANCE MONITORING APPROACH

The methodology used to develop the US 36 / I 25 Compliance Monitoring approach included the following key activities. First, the Team reviewed and abstracted all significant requirements of the US 36 / I 25 Concession Agreement. The review included a review of the terms and conditions of the general requirements of the Concession Agreement as well as a review of the requirements and performance measures of the various agreement schedules and attachments. As part of the review, the Team identified and listed both the significant requirements and the significant performance measures of the Concession Agreement. After listing all of the significant requirements and performance measures of the Concession Agreement, the Team then assessed the degree of risk presented by each requirement or performance measure into two categories. The risk categories assigned to each requirement or performance measure included "Low" and "Moderate" and "Above".

For the Low risk items, the Team assessed HTPE's ongoing monitoring activities and concluded that the ongoing day to day monitoring activities performed by HPTE were sufficient to effectively monitor Concessionaire adherence and that no additional or supplemental monitoring activities were required. For the items deemed Moderate or Above, the Team concluded that additional monitoring activities would be prudent based upon the level of risk considering the requirement, performance measure and anticipated ongoing day to day monitoring activities anticipated to be performed by HPTE on the Concessionaire.

For the items where additional monitoring activities were deemed appropriate, the Team assigned a "General Monitoring Category" and a "Requirement Type" to each requirement or performance measure. General Monitoring Categories included Financial, Compliance and Technical. In instances where requirements were a hybrid, a hybrid category was assigned. Requirement types were assigned based upon the nature of the requirement of performance measure. The General Monitoring Categories and Requirement Types were then used to determine and assign oversight responsibility for each requirement or performance measure to Team members based upon required expertise to best monitor the requirement or performance measure. The Team then assigned a minimum of two levels of oversight responsibility to each Moderate or Above risk level item.

After identifying the requirements and performance measures for additional monitoring, categorizing them and assigning the appropriate Team member for monitoring the various levels of oversight, the Team then developed a High Level Monitoring Approach for each requirement or performance measure for use in developing a detailed Compliance Monitoring Plan.

ROLES AND RESPONSIBILITIES OF COMPLIANCE MONITORING TEAM

The primary roles and responsibilities of the Compliance Monitoring Team included the following:

COLLECTIVE ROLES AND RESPONSIBILITIES OF TEAM

Collectively, the Compliance Monitoring Team's role is to monitor the Concessionaire's performance and financial results to ensure the Concessionaire operates and maintains the Concession Agreement in an appropriate manner and complies with the terms and conditions set by HPTE as well as the Project's debt holders for the existing Concessionaire and Project. As part of this, the Team will develop a framework/regime and provide ongoing compliance monitoring services relative to the Plenary Roads

Denver LLC Amended and Restated Concession Agreement for US 36 and the I-25 Managed Lanes. Significant deliverables include:

- 1) a high level outline of Concession Agreement monitoring and compliance approach,
- a detailed itemization of key monitoring and compliance issues for incorporation into the Project Plan,
- 3) the identification of performance metrics for key monitoring and compliance issues,
- 4) a Project Plan for ongoing contract monitoring and compliance review,
- 5) a timeline for performing ongoing compliance monitoring activities,
- 6) ongoing compliance and performance monitoring,
- 7) periodic reporting of compliance monitoring activities,
- 8) ongoing project management activities, and
- 9) additional compliance monitoring services as required or requested.

The financial and compliance aspects of the above will be performed by McGladrey, while the technical aspects will be performed by LSG. Reporting will be consolidated and reported to HPTE in an integrated and consolidated manner.

MCGLADREY'S ROLE AND RESPONSIBILITIES

McGladrey is primarily responsible for monitoring and verifying the Concessionaire's adherence to the financial and compliance requirements, as well as monitoring Concessionaire performance in comparison to performance measures outlined in the Concession Agreement. McGladrey's role and responsibilities for monitoring the Concession Agreement include 1) developing contract compliance monitoring activities, 2) performing ongoing compliance monitoring services, and 3) performing project management and reporting services related to contract monitoring activities.

McGladrey's role in developing contract compliance monitoring activities includes identifying the Concession Agreement requirements, assessing the levels of significance and risk presented by each requirement, determining those requirements that require additional ongoing monitoring activities, establishing a framework and regime for monitoring the Concessionaire's compliance and performance, and developing a Contract Compliance Monitoring Project Plan.

On an ongoing basis, McGladrey's role includes the performance compliance monitoring services in accordance with the developed Contract Compliance Monitoring Project Plan. In addition, McGladrey's role also includes monitoring of the completion of operational (technical) oversight activities performed by HDR / LS Gallegos and the integration of HDR/LS Gallegos' operational (technical) monitoring reporting into McGladrey's compliance monitoring reporting, and to provide HPTE with a central source of consolidated oversight reporting. Finally, McGladrey's role also includes various project management and other ad hoc compliance monitoring services as required to effectively monitor the Concessionaire's compliance to Concession Agreement requirements.

More specifically, McGladrey's key responsibilities include the following:

- Developing a high level approach for monitoring Concessionaire's compliance to the Concession Agreement,
- Preparing a detailed itemization of key monitoring and compliance performance measures,
- Developing a detailed itemization of key monitoring and compliance issues for incorporation into project plan,
- Identifying key performance measures under the Concession Agreement for monitoring,
- Developing a contract monitoring and compliance review project plan for the ongoing monitoring of Concessionaire compliance,
- Preparing a detailed timeline for ongoing monitoring activities,
- Preparing detailed review procedures for the ongoing monitoring of Concessionaire's compliance,
- Delivering a formalized framework/regime for compliance monitoring and review,
- Providing ongoing monitoring of the Concessionaire in accordance with the developed project plan,
- Provide ongoing compliance monitoring reporting of financial, compliance and operational oversight activities.
- Provide issue resolution support as needed,
- Provide ongoing project management activities relative to compliance monitoring activities.

HDR/LS GALLEGOS ROLE AND RESPONSIBILITIES

LS Gallegos' role in monitoring the Concession Agreement includes identifying the performance requirements and the frequency of performance monitoring activities related to the operational (technical) requirements and performance measures detailed in the Concession Agreement (particularly Schedules 6, 8, 25, and 26 of the Concession Agreement) as well as those related to the Concessionaire's various required plans (Operational Plan, Maintenance Plan, Safety Plan, Quality Plan, etc.). LSG's role also includes oversight and quality assurance of the Concessionaire's execution of the service performance requirements for roadway, toll, operations, and snow and ice control.

LSG will also monitor the Concessionaire's reporting and response to noncompliance occurrences and associated cure periods and track non-compliance points assessed as detailed in the Concession Agreement (specifically Schedule 10 of the Concession Agreement). As applicable, LSG will also review remedial plans to verify that the non-compliance events have been addressed as required in Schedule 10.

More specifically, LSG's role in overseeing and monitoring Concessionaire's compliance and performance under the Concession Agreement includes the following activities:

- Conduct a kickoff meeting with OMPD, HPTE, CDOT, McGladrey and the Concessionaire to initiate a basis for HPTE's goal of transparency and accountability related to the maintenance and operation of the US 36 / I25 corridors.
- Conduct a workshop(s) with OMPD, HPTE, CDOT, McGladrey and the Concessionaire to provide a summary of HDR's approach to developing and implementing the Quality Assurance Oversight Plan and expectations regarding the Concessionaire's maintenance and operations activities.

- Review Concessionaire's Quality Assurance Oversight Plan, Concessionaire's Maintenance Management Plan, Operations Management Plan, Safety Plan, and Environmental Compliance Plan in accordance with CDOT, HPTE, other subject matter experts and the requirements of the Concession Agreement.
- The draft plan will include a list of service requirement tasks that will be monitored by HDR, as well as a risk-based matrix for the roadway, toll, operations, and snow and ice control service requirements.
- Monitor, review and assess Concessionaire's compliance with and performance of Concessionaire's maintenance activities under the Maintenance Plan and the requirements of the Concession Agreement.
- Monitor, review, and assess Concessionaire's compliance with and performance of Concessionaire's operating activities under the Operating Plan and the requirements of the Concession Agreement.
- Monitor, review and assess Concessionaire's compliance with and performance of quality assurance activities under the Concessionaire's Quality Plan and the requirements of the Concession Agreement.
- Monitor, review and assess Concessionaire's compliance with and performance of safety activities under the Concessionaire's Safety Plan and the requirements of the Concession Agreement.
- Review and assess the adequacy of Concessionaire's application of resources needed to operate
 and maintain the US 36 /I 25 asset in accordance with the requirements and performance
 standards established by the Concession Agreement.
- Perform project management activities necessary to execute and complete the services required to facilitate and execute the services contracted for.
- Design, establish and generate monthly quality assurance oversight reporting related to the oversight of the operational (technical) activities of the Concessionaire.
- Report, facilitate and coordinate operational (technical) oversight activities with the financial and compliance oversight provider (McGladrey).
- Other technical monitoring activities required from time to time to effectively monitor Concessionaire's compliance and performance under the Concession Agreement.

Throughout the project, McGladrey and HDR will coordinate oversight activities to verify that all key performance requirements and measures identified in the Concession Agreement are being monitored. Additionally, McGladrey and HDR will develop detailed requirement oversight plans and coordinate monitoring activities to ensure consistency and efficiency in the monitoring of Concessionaire's compliance with the Concession Agreement.

DETAILED REQUIREMENTS OF THE AGREEMENT

Based upon the review and assessment of the terms and conditions of the US 36 / I25 Concession Agreement, the Team has identified and listed the significant requirements of the Concession Agreement. The process of doing so included McGladrey abstracting the general requirements of the Concession Agreement, performing an initial risk assessment of each requirement (as being "Low" or "Moderate" or

"Above"), presenting, discussing and adjusting the requirements and risk levels with LSG, and presenting, discussing and adjusting the requirements and risk assessments to/with HPTE to obtain validation and concurrence. McGladrey also understands that HPTE consulted with various CDOT personnel as part of HPTE's process of validating McGladrey's assessment of Concession Agreement requirements.

Through this process, McGladrey has drafted a listing of detailed requirements of the US 36 / I 25 Concession Agreement that will be used as a basis for ongoing compliance monitoring of the Concession Agreement. While the Team has prepared a detailed listing of Concession Agreement requirements, the Team also understands that the risk levels assigned to the various requirements, or the requirements themselves, may change over time based upon project and program events or changes to the Concession Agreement. Additionally, refinement of various operational and technical requirements and performance measures remains in progress. Accordingly, ongoing refinement to the detailed requirements will take place in the near future, as well as over the term of the Concession Agreement. The detailed listing of Concession Agreement requirements as of the date of this letter are contained in Exhibit A following this letter. It is expected that the list will be modified over the duration of the monitoring activity performance period based upon any changes to the Concession Agreement and based upon program events.

HIGH LEVEL COMPLIANCE MONITORING APPROACH

In order to monitor the US 36 / I 25 Concession Agreement Concessionaire's adherence to Agreement requirements and performance measures, McGladrey HDR and LS Gallegos have identified key Agreement requirements and key performance measures identified in the agreement that will be used to monitor the concessionaire's compliance and performance with the Agreement. In addition, McGladrey, HDR and LS Gallegos have also formulated a high level approach we anticipate will be used as a basis for the developing a detailed compliance monitoring project plan for monitoring the concessionaire's compliance and performance under the Agreement. The requirements, performance measures and anticipated high level approach to monitoring is detailed in Exhibits B and C following this Report. While the approach for each item is current as of the date of this letter, it is anticipated that the high level approach for monitoring each item will be may also be modified or amended over the duration of the compliance monitoring performance period.

If you have questions or comments related to this high level compliance monitoring approach, please advise.

Sincerely,

McGladrey LLP

Larry W. Schaedel, CPA

Partner

National Contract Compliance Lead

Larry W Achaedel

Attachments: Exhibit A

Exhibit B

Prepared by McGladrey, LLP – As of July 15, 2015

| | | | | | | Revsion date 7/15/2 |
|---|---|---|-----------------|--------|-------------------|---------------------|
| | | | Performance | | | |
| | | | Metric(s) | | Risk Level | Additional Monitor |
| | Agreement Section | Agreement Requirement | (if applicable) | Page # | (if applicable) | Conclusion |
| 1: GENERAL PR | | | | 2 | | |
| | ON OF THE CONTRACT | | | 2 | | |
| | Definitions | | | 2 | Low | Ongoing is Suffici |
| 1.2 | Interpretation | | | 2 | Low | Ongoing is Suffici |
| 1.3 | Obligations to be Performed and exercise of rights at Each Party's Sole | | | 3 | Low | Ongoing is Suffici |
| 1.4 | Conflicts | | | 3 | Low | Ongoing is Suffici |
| | Reference Documents | | | 3 | Low | Ongoing is Suffic |
| | Acceptance | | | 3 | Low | Ongoing is Suffic |
| 1.7 | Indexation | Financial Model is required to be indexed each year | | | | |
| | | to reflect changes in the Consumer Price Index. | Requirement | 4 | Moderate or Above | Provide Addt'l Moni |
| | Related Parties | | | 4 | Low | Ongoing is Suffic |
| | Unreasonable withholding of Consent etc. | | | 5 | Low | Ongoing is Suffic |
| | Status of Amendment No.1 to the Concession Agreement | | | 5 | Low | Ongoing is Suffic |
| | ERIOD, CONDITIONS PRECEDENT AND FINANCIAL CLOSE | | | 6 | · | 0 0 |
| 2.1 | Contract Date | | | 6 | Low | Ongoing is Suffic |
| | Contract Period | | | 6 | Low | Ongoing is Suffic |
| 2.3 | Concessionaire Responsibility for Project Financing | | | 6 | Low | Ongoing is Suffic |
| 2.4 | Financial Close Procedures | | | 7 | Low | Ongoing is Suffic |
| 2.3 2.4 2.5 2.6 2.7 2.8 2.9 2.10 2.11 | Project Financing Contracts; HPTE's Rights, Protections and Obligations | | | 9 | Low | Ongoing is Suffic |
| 2.6 | Financial Close Deadline Date and Outside Date | | | 11 | Low | Ongoing is Suffic |
| 2.7 | Financial Close Adjustment | | | 13 | Low | Ongoing is Suffic |
| 2.8 | The Direct Agreement | | | 14 | Low | Ongoing is Suffic |
| 2.9 | Conditions Precedent to the Commencement Date | | | 15 | Low | Ongoing is Suffic |
| 2.10 | Commencement of Phase 2 Work and I-25 Services | | | 15 | Low | Ongoing is Suffic |
| 2.11 | Conditions Precedent to the Phase 1 Services Commencement Date | | | 15 | Low | Ongoing is Suffic |
| 2.12 | Commencement of Phase 1 Services | Upon completion of Phase 1, Concessionaire will | | | | 0 0 |
| | | commence snow and ice removal services | Requirement | 15 | Moderate or Above | Provide Addt'l Mon |
| 2.13 | Conditions Precedent to the Full Services Commencement Date | HPTE will deliver notice of Conditions Precedent before concessionaire will commence Snow and Ice | • | | | |
| | | removal services. | Requirement | 15 | Moderate or Above | Provide Addt'l Mon |
| 2.14 | Commencement of the Services in Full | | | 15 | | Ongoing is Suffice |
| 2.15 | Waiver Rights | | | 16 | Low | Ongoing is Suffice |
| 2: INFORMATION | N AND ADMINISTRATION | | | 17 | | |
| UNDERTAKING | S, REPRESENTATIONS AND WARRANTIES | | | 17 | | |
| 3.1 | The Concessionaire's Undertakings | Concessionaire undertakes to HPTE that it will a) | | | | |
| | | carry out business activities related to the Project, b) | | | | |
| | | inform HPTE of pending litigation, c) provide all | | | | |
| | | Necessary Consents, d) provide personnel who are | | | | |
| | | duly authorized to execute documents, e) provide | | | | |
| | | project documentation that is complete, f) not commit | | | | |
| | | Prohibited Acts | Requirement | 17 | Moderate or Above | Provide Addt'l Mon |
| 3.2 | The Concessionaire's Warranties | *** | | 17 | Low | Ongoing is Suffic |
| | HPTE's Warranties | | | 19 | Low | Ongoing is Suffic |
| | False or Fraudulent Statements and Claims | | | 20 | Low | Ongoing is Suffic |
| INFORMATION | PROVIDED BY HPTE | | | 20 | Low | Ongoing is Suffic |
| 4.1 | Disclosed Data | | | 20 | Low | Ongoing is Suffic |
| 4.2 | The Concessionaire's Investigation | | | 20 | Low | Ongoing is Suffic |
| ESCROWED B | ASE CASE FINANCIAL MODEL AND SOURCE CODE | | | 21 | | |
| | Submittal of Base Case Financial Model | Concessionaire will submit base case Financial Model in accordance with part 2, Schedule 11. | | 21 | Low | Ongoing is Suffi |
| 5.2 | Source Code Escrow | Concessionaire will escrow software source codes | | | | |
| | | with Escrow Agent. | Requirement | 21 | Moderate or Above | Provide Addt'l Mon |
| 5.3 | Confidentiality | | | 22 | Low | Ongoing is Suffice |
| AMENDMENT | OF DOCUMENTS | | | 22 | | |
| 6.1 | Delivery of Documents | | | 22 | Low | Ongoing is Suffice |

Prepared by McGladrey, LLP – As of July 15, 2015

| | | | | | | | Revsion date 7/15/2015 |
|---|---|--|--|---|--|---|--|
| | | Agreement Section | Agreement Requirement | Performance Metric(s) (if applicable) | Page # | Risk Level (if applicable) | Additional Monitoring Conclusion |
| | 6.2 | New Funding Agreements and Changes to Funding Agreements | Concessionaire will not enter into new, or amend | (| g | (арригалия) | |
| | | | existing funding agreements without HPTE approval. | Requirement | 23 | Moderate or Above | Provide Addt'l Monitoring |
| | 6.3 | Changes to Project Documents or Funding Agreement Not to Affect HPTE | | | - | | |
| | Liability | 1 | | | 24 | Low | Ongoing is Sufficient |
| | 6.4 | Copies of New or Amended Project Documents or Funding Agreements to be | In the event of a new or changed funding agreement, | | | | |
| | Provide | ed | concessionaire will deliver executed copy to HPTE | | | | |
| | | | within 10 days. | Requirement | 24 | Moderate or Above | Provide Addt'l Monitoring |
| <u>7. </u> | | TATIVES OF THE PARTIES AND THE CONCESSIONAIRE'S PERSONNEL | | | 24 | 1 | 0 |
| | 7.1 | HPTE's Representative | | | 24 | Low | Ongoing is Sufficient |
| | 7.2 | The Concessionaire's Representative | | | 25 | Low | Ongoing is Sufficient |
| | 7.3 | Delegation of Representatives' Authority | | | 25 25 | Low | Ongoing is Sufficient Ongoing is Sufficient |
| | 7.4 7.5 | Key Personnel The Concessionaire's Design Staff | | | 25 | Low | Ongoing is Sufficient |
| | 7.6 | Refusal of Access (list of approved access) | Concessionaire will maintain a list of parties with approved access to facilities and will refuse entry to | | 20 | LOW | Origoning is Sumicient |
| | | | parties refused access by HPTE. | Requirement | 26 | Moderate or Above | Provide Addt'l Monitoring |
| PART 3: P | PROPERTY | | , | | 27 | | |
| | | | | | | | |
| | | | | | 27 | Low | Ongoing is Sufficient |
| | 8.1 | Concessionaire's License to Enter Land | | | 27 | Low | Ongoing is Sufficient |
| | 8.2 | The Site | | | 27 | Low | Ongoing is Sufficient |
| | 8.3 | The Site and the Managed Lanes | | | 28 | Low | Ongoing is Sufficient |
| | Ω / | The Node 1 Building | | | 28 | Low | |
| | 8.4 | | | | | | Ongoing is Sufficient |
| | 8.5 | 70th Avenue Maintenance Facility | | | 29 | Low | Ongoing is Sufficient |
| | 8.5 8.6 | 70th Avenue Maintenance Facility Additional Property | | | 29 29 | Low Low | Ongoing is Sufficient Ongoing is Sufficient |
| | 8.5 8.6 8.7 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers | | | 29 29 29 | Low | Ongoing is Sufficient |
| 9. E | 8.5 8.6 8.7 NVIRONME | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers ENTAL REQUIREMENTS | | | 29 29 29 29 | Low Low Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient |
| 9. E | 8.5 8.6 8.7 NVIRONME 9.1 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements | TBD by LSG | Requirement | 29 29 29 | Low Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient |
| 9. E | 8.5 8.6 8.7 NVIRONME | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers ENTAL REQUIREMENTS | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 | Low Low Low Moderate or Above | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring |
| 9. E | 8.5 8.6 8.7 NVIRONME 9.1 9.2 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager | | Requirement Requirement | 29 29 29 29 29 29 | Low Low Low Moderate or Above | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring |
| 9. E | 8.5 8.6 8.7 NVIRONME 9.1 9.2 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 | Low Low Low Moderate or Above Moderate or Above Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |
| 9. El | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 | Low Low Low Moderate or Above | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring |
| 9. E | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Act | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 29 29 30 | Low Low Low Moderate or Above Low Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient Ongoing is Sufficient |
| | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Act | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 29 30 | Low Low Low Moderate or Above Moderate or Above Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Actinent TION | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 29 30 31 32 | Low Low Low Moderate or Above Low Low Low Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUC | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Actionent TION SAPPLICABLE TO THE PERFORMANCE OF THE PHASE 2 WORK | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 29 30 | Low Low Low Moderate or Above Low Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Actionent TION SAPPLICABLE TO THE PERFORMANCE OF THE PHASE 2 WORK | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 29 30 31 32 32 | Low Low Low Moderate or Above Low Low Low Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUC ROVISIONS | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Act nent TION 5 APPLICABLE TO THE PERFORMANCE OF THE PHASE 2 WORK | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 30 31 31 32 32 32 | Low Low Moderate or Above Low Low Low Low Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUC ROVISIONS CONSTRUCT 11.1 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Actinent TION SAPPLICABLE TO THE PERFORMANCE OF THE PHASE 2 WORK FION Obligation to Complete | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 30 31 32 32 32 32 | Low Low Low Moderate or Above Moderate or Above Low Low Low Low Low Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUCT 11.1 11.2 11.3 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Act ment TION B APPLICABLE TO THE PERFORMANCE OF THE PHASE 2 WORK TION Obligation to Complete Overall Responsibility | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 30 31 32 32 32 32 33 33 33 | Low Low Moderate or Above Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUC ROVISIONS 11.1 11.2 11.3 ITE AND SI' 12.1 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Actinent TION SAPPLICABLE TO THE PERFORMANCE OF THE PHASE 2 WORK TION Obligation to Complete Overall Responsibility Phase 2 Work Stipulations TE CONDITIONS Site Investigation | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 30 31 32 32 32 32 33 33 34 34 | Low Low Moderate or Above Moderate or Above Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUCT 11.1 11.2 11.3 ITE AND SI 12.1 12.2 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Activate TION B APPLICABLE TO THE PERFORMANCE OF THE PHASE 2 WORK TION Obligation to Complete Overall Responsibility Phase 2 Work Stipulations TE CONDITIONS Site Investigation Site Condition Claims | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 30 31 32 32 32 32 33 33 34 34 | Low Low Low Moderate or Above Moderate or Above Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUC 11.1 11.2 11.3 itte AND Si 12.1 12.2 12.3 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Act ment TION BAPPLICABLE TO THE PERFORMANCE OF THE PHASE 2 WORK TION Obligation to Complete Overall Responsibility Phase 2 Work Stipulations TE CONDITIONS Site Investigation Site Condition Claims Cost Associated with Maintaining Compliance of the Site | Concessionaire will provide a qualified environmental | | 29 29 29 29 29 29 29 30 31 32 32 32 32 32 33 33 34 34 | Low Low Low Moderate or Above Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUC ROVISIONS CONSTRUC 11.1 11.2 11.3 ITE AND SI 12.1 12.2 12.3 12.4 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Act nent TION 5 APPLICABLE TO THE PERFORMANCE OF THE PHASE 2 WORK TION Obligation to Complete Overall Responsibility Phase 2 Work Stipulations TE CONDITIONS Site Investigation Site Condition Claims Cost Associated with Maintaining Compliance of the Site Governing and Adjoining Dimensions and Conditions | Concessionaire will provide a qualified environmental | · | 29 29 29 29 29 29 29 30 31 32 32 32 32 33 33 34 34 34 | Low Low Moderate or Above Moderate or Above Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |
| PART 4: C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUCT 11.1 11.2 11.3 ITE AND SI 12.1 12.2 12.3 12.4 12.5 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Actinent TION Sapplicable To The Performance of The Phase 2 Work FION Obligation to Complete Overall Responsibility Phase 2 Work Stipulations TE CONDITIONS Site Investigation Site Condition Claims Cost Associated with Maintaining Compliance of the Site Governing and Adjoining Dimensions and Conditions Process to be Followed for Discovery of Certain Site Conditions | Concessionaire will provide a qualified environmental | · | 29 29 29 29 29 29 29 29 30 31 32 32 32 32 33 33 34 34 34 34 35 35 | Low Low Moderate or Above Moderate or Above Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |
| PART 4: C 10. PI 11. C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUC 11.1 11.2 11.3 ITE AND SI 12.1 12.2 12.3 12.4 12.5 12.6 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Actinent TION SAPPLICABLE TO THE PERFORMANCE OF THE PHASE 2 WORK TION Obligation to Complete Overall Responsibility Phase 2 Work Stipulations TE CONDITIONS Site Investigation Site Condition Claims Cost Associated with Maintaining Compliance of the Site Governing and Adjoining Dimensions and Conditions Process to be Followed for Discovery of Certain Site Conditions Differing Site Conditions | Concessionaire will provide a qualified environmental | · | 29 29 29 29 29 29 29 30 31 32 32 32 32 32 34 34 34 34 35 35 | Low Low Moderate or Above Moderate or Above Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |
| PART 4: C 10. PI 11. C | 8.5 8.6 8.7 NVIRONME 9.1 9.2 9.3 9.4 9.5 Agreen CONSTRUC 11.1 11.2 11.3 ITE AND SI 12.1 12.2 12.3 12.4 12.5 12.6 | 70th Avenue Maintenance Facility Additional Property Protests and Trespassers INTAL REQUIREMENTS Environmental Requirements Environmental Manager Prevention Responsibility for Certain Hazardous Substances Comprehensive Environmental Response, Compensation, and Liability Actinent TION Sapplicable To The Performance of The Phase 2 Work FION Obligation to Complete Overall Responsibility Phase 2 Work Stipulations TE CONDITIONS Site Investigation Site Condition Claims Cost Associated with Maintaining Compliance of the Site Governing and Adjoining Dimensions and Conditions Process to be Followed for Discovery of Certain Site Conditions | Concessionaire will provide a qualified environmental | · | 29 29 29 29 29 29 29 29 30 31 32 32 32 32 33 33 34 34 34 34 35 35 | Low Low Moderate or Above Moderate or Above Low | Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Ongoing is Sufficient Provide Addt'l Monitoring Provide Addt'l Monitoring Ongoing is Sufficient |

Prepared by McGladrey, LLP - As of July 15, 2015

| | | | | | | Revsion date 7/15/2015 |
|------------|---|---|---|----------|-------------------------------|-------------------------------------|
| | Agreement Section | Agreement Requirement | Performance Metric(s) (if applicable) | Page # | Risk Level (if applicable) | Additional Monitoring Conclusion |
| 13 | • | Concessionaire is responsible to 1) provide a list of necessary consents, 2) facilitate obtaining necessary consents from HPTE and 3) obtaining all necessary consents form HPTE. | Requirement | 37 | Moderate or Above | Provide Addt'l Monitoring |
| 14. PROJEC | T DOCUMENTATION | Consents form HPTE. | Requirement | 37 | Moderate of Above | Flovide Additivionitoring |
| 14. 14 | | | | 37 | Low | Ongoing is Sufficient |
| 14 | | | | 38 | Low | Ongoing is Sufficient |
| 14 | | | | 38 | Low | Ongoing is Sufficient |
| 14 | .4 Obligations Unaffected by Review, Acceptance etc. | | | 39 | Low | Ongoing is Sufficient |
| 14 | .5 Previous Design and Phase 2 Construction Work | | | 39 | Low | Ongoing is Sufficient |
| 14 | | | | 39 | Low | Ongoing is Sufficient |
| 14 | | | | 39 | Low | Ongoing is Sufficient |
| 14 | | | | 39 | Low | Ongoing is Sufficient |
| 14 | | | | 39 | Low | Ongoing is Sufficient |
| | EMENT OF THE SITE | | | 39 | | |
| 15 | | | | 39 | Low | Ongoing is Sufficient |
| 15 | | | | 40 | Low | Ongoing is Sufficient |
| 15 | | | | 40 | Low | Ongoing is Sufficient |
| 15. SUPERV | .4 Coordination with the Phase 1 Construction Work //SION AND REPORTING | | | 40 41 | Low | Ongoing is Sufficient |
| 16. SUPERV | | | | 41 | Low | Ongoing is Sufficient |
| 16 | | | | 41 | Low | Ongoing is Sufficient |
| 16 | | | | 41 | Low | Ongoing is Sufficient |
| 16 | | | | 42 | Low | Ongoing is Sufficient |
| 16 | | | | 42 | Low | Ongoing is Sufficient |
| | RING AND INSPECTION | | | 42 | | origoning to commercial |
| 17 | | | | 42 | Low | Ongoing is Sufficient |
| 17 | | | | 43 | Low | Ongoing is Sufficient |
| 17 | .3 Health and Safety Requirements | | | 44 | Low | Ongoing is Sufficient |
| 17 | .4 Supply of Information | | | 44 | Low | Ongoing is Sufficient |
| 17 | .5 Increased Monitoring | | | 44 | Low | Ongoing is Sufficient |
| 17 | .6 Inspection of the Facilities | | | 44 | Low | Ongoing is Sufficient |
| 17 | 7.7 The Concessionaire's Reasonable Assistance | | | 44 | Low | Ongoing is Sufficient |
| 18. DELAYS | | | | 44 | | |
| 18 | | | | 44 | Low | Ongoing is Sufficient |
| 18 | | | | 45 | Low | Ongoing is Sufficient |
| 18 | | | | 45 | Low | Ongoing is Sufficient |
| 18 | | | | 45 | Low | Ongoing is Sufficient |
| | SSIONING AND COMPLETION | | | 46 | | |
| | ETION OF THE PHASE 2 CONSTRUCTION WORK | | | 46 | | |
| 19 | .1 Notice by The Concessionaire | The concessionaire will provide advance notice of Phase 2 Completion to HPTE at least 20 business days prior to its expected completion date of Phase 2 requirements. | Requirement | 46 | Moderate or Above | Provide Addt'l Monitoring |
| 19 | .2 Correction of Non-Conformance | Concessionaire will correct non-conforming Phase 2 work and provide written notice to HPTE of correction until all preliminary requirements have been met. | Requirement | 46 | Moderate or Above | Provide Addt'l Monitoring |
| 19 | .3 Conditions to Issuance of Notice of Phase 2 Work Completion | Concessionaire will provide HPTE with a sworn affidavit of completion for Phase 2 work in accordance with the requirements of 19.3. | Requirement | 47 | Moderate or Above | Provide Addt'l Monitoring |
| 19 | .4 Requirements of Affidavit of Phase 2 Work Completion | Concessionaire's sworn affidavit of completion of Phase 2 work shall contain the specific verbiage | · | | | Ţ. |
| | | contained in Part 5, section 19.4. | Requirement | 47 | Moderate or Above | Provide Addt'l Monitoring |

Prepared by McGladrey, LLP - As of July 15, 2015

| | | | | | | Revsion date 7/15/2015 |
|---------------------|---|---|---|----------|-------------------------------|---|
| | Agreement Section | Agreement Requirement | Performance Metric(s) (if applicable) | Page # | Risk Level (if applicable) | Additional Monitoring Conclusion |
| 19.5 | Inspection and Issuance of Notice of Phase 2 Work Completion | Upon receipt of Concessionaire's sworn affidavit of completion of Phase 2 work, HPTE will perform a final inspection and issue a Notice of Phase 2 Work Completion once all requirements have been satisfied. | | | | |
| | | | Requirement | 48 | Moderate or Above | Provide Addt'l Monitoring |
| 19.6 | Overpayments; No relief from continuing obligations | | | 48 | Low | Ongoing is Sufficient |
| 19.7 | Effect of issue of Notice of Phase 2 Work Completion | | | 49 | Low | Ongoing is Sufficient |
| 19.8 | Punch List Items | | | 49 | Low | Ongoing is Sufficient |
| | DAMAGES AND FIRST SHARE OF I-25 AND PHASE 1 REVENUES | | | 50 | | |
| 20.1 | Delay in Achieving Phase 2 Work Completion | Concessionaire must obtain completion of Phase 2 work by the Full services commencement date (or liquidated damages will be due to HPTE). | Requirement | 50 | Moderate or Above | Provide Addt'l Monitoring |
| 20.2 | Obligation to pay Liquidated Damages and first share of Toll Revenues | In the event that concessionaire fails to achieve Phase 2 Completion by the Planned Full services commencement date, Concessionaire shall pay HPTE liquidated damages as prescribed in 20.2 of the Agreement. | Requirement | 50 | Moderate or Above | Provide Addt'l Monitoring |
| 20.3 | Capped Amounts | In the event that Concessionaire does not achieve completion of Phase 2 Work by the full services commencement date and liquidated damages are due to HPTE, such liquidated damages shall not exceed \$1,095,000 in relation to Section 20.2a or | · | | | , |
| | | \$5,475,000 in relation to Section 20.2b. | Requirement | 51 | Moderate or Above | Provide Addt'l Monitoring |
| 20.4 | Reasonableness of Liquidated Damage Amounts | | | 51 | Low | Ongoing is Sufficient |
| 20.5 | No Waiver | | | 51 | Low | Ongoing is Sufficient |
| 20.6 | Sums recoverable by deduction or by invoice | In the event that liquidated damages are due to HPTE for failure to complete phase 2 Work by the full services commencement date, amounts due shall be deducted from amount due from HPTE, or paid within 10 business days of receipt of invoice from HPTE. | Requirement | 51 | Moderate or Above | Provide Addt'l Monitoring |
| 21. WARRANTIES | S IN RELATION TO PHASE 2 GP LANES | | Requirement | 52 | Woderate of Above | 1 Tovide Addit Monitoring |
| 21.1 | Phase 2 GP Lane Warranties | | | 52 | Low | Ongoing is Sufficient |
| 21.2 | Phase 2 GP Lane Warranty Term | | | 52 | Low | Ongoing is Sufficient |
| 21.3 | Corrective Work | Concessionaire has 7 Business Days to agree with HPTE when and how corrective work will be accomplished; if not performed according, HPTE can | | | | ŭ ŭ |
| 04.4 | Pata (Marca et Maria Resea | hire a third party. | Requirement | 52 | Moderate or Above | Provide Addt'l Monitoring |
| 21.4 21.5 | List of Warranty Work Items Costs of Correction of Work | | | 53 53 | Low Low | Ongoing is Sufficient Ongoing is Sufficient |
| 21.5 | Warranty of Corrected Work | | | 53 | Low | Ongoing is Sufficient |
| 21.6 | Sub-Contractor Warranties for Phase 2 GP Lanes | | | 53 | Low | Ongoing is Sufficient |
| 21.8 | Bikeways | | | 54 | Low | Ongoing is Sufficient |
| 21.9 | Intelligent Transportation Systems Maintenance | Intelligent Transportation Systems Maintenance must be performed as specified in Section 19 of Schedule | | - | | <u> </u> |
| | N. 1. 2. 2. 71. 196 | 5. | Requirement | 54 | Moderate or Above | Provide Addt'l Monitoring |
| | No Limitation of Liability | | | 54 | Low | Ongoing is Sufficient |
| | Warranty Beneficiaries | | | 54 | Low | Ongoing is Sufficient |
| | Disputes | | | 55 | Low | Ongoing is Sufficient |
| PART 6: PROVISION O | | | | 56 | | |
| 22. OPERATION | AND MAINTENANCE | | | 56 | | |

Prepared by McGladrey, LLP – As of July 15, 2015

| | Agreement Section | Agreement Requirement | Performance Metric(s) (if applicable) | Page # | Risk Level (if applicable) | Additional Monitoring |
|-------------------|--|--|---|----------|-------------------------------|---|
| 22.1 | Services | Concessionaire shall make the managed lanes available for use by vehicles and provide services and snow and ice removal in accordance with Agreement terms: A) From commencement date forward for the I-25 managed lanes and I-25 Shared Bridge decks, B) from Phase 1 services commencement date forward for the Phase 1 | (п аррисаме) | r age # | (п аррпсаме) | Constant |
| | | managed lanes and Phase 1 GP Lanes, and C) from the full services commencement date forward for the managed lanes and US 36 General purpose lanes. | Requirement | 56 | TBD by LSG | Provide Addt'l Monitor |
| 22.2 | Requirements for Maintenance and Operating Procedures | Concessionaire at all times shall remain compliant with all Schedule 6 operational and maintenance requirements. | Requirement | 57 | TBD by LSG | Provide Addt'l Monito |
| 22.3 | Independent Obligations | Concessionaire shall meet each and every obligation, independent of each other. (Failure to meet one obligation shall not be an excuse for not meeting | · | | · | |
| 22.4 Operation | The Maintenance Management Plan, Transition Management Plan, the ons Management Plan, the Safety Plan and the Communications and Marketing | another obligation). Concessionaire must submit project Plans at the specified intervals for review and comment by HPTE. HPTE may decline the plan for the specified reasons. | Requirement | 57 | TBD by LSG | Provide Addt'l Monito |
| ı ıaıı | | The trialy decline the plant of the specified reasons. | N/A | 58 | Moderate or Above | Provide Addt'l Monito |
| 22.5 | Compliance with Plans | Concessionaire will perform Services in accordance with the Maintenance Management Plan, Operations Management Plan, and the Safety Plan accepted by | | | | |
| 22.6 | Survey/Audit Right | HPTE. | Requirement | 59 59 | TBD by LSG Low | Provide Addt'l Monito Ongoing is Sufficie |
| 22.7 | Stipulations Applicable to the Performance of the Services | Concessionaire will performance Services using materials and equipment in accordance with the HPTE Service Requirements and Good Industry Practice. Concessionaire will ensure that Services are provided by appropriately skilled and experienced personnel, and personnel are paid at least equivalent to the CDOT Employee Rates and benefits. Concessionaire will ensure all subcontractors perform Services in accordance with the Agreement. Concessionaire shall provide access to the sites to the appropriate HPTE and outside (i.e., utility) personnel. Concessionaire shall ensure land is used only for Services. | Requirement | 60 | Moderate or Above | Provide Addt'l Monito |
| 22.8 | Failure to make Managed Lanes available | If Concessionaire fails to make Managed Lanes available for a period of 5 days following notice, HPTE is entitled to take steps to make Managed Lanes available for use at the Concessionaire's cost. | Requirement | 63 | TBD by LSG | Provide Addt'l Monito |
| 22.9 through | Performance of the Services through the Concessionaire's own work force or sub-contractors | Lailes available for use at the Concessionaire's cost. | - roquioment | 63 | Low | Ongoing is Sufficie |
| 22.10 | Transitional arrangements in respect of I-25 Managed Lanes | If Defects in I-25 Managed Lanes are noted and remain after the Commencement Date, Concessionaire will correct defects as required by Schedule 6. If damage occurs prior to Commencement Date and are not repaired prior to CD and would cause a failure to comply with Service Requirements, damage shall be treated as if it were caused by Compensation | | | | |

Prepared by McGladrey, LLP – As of July 15, 2015

| | | | | | | | Revsion date 7/15/2015 |
|-----------|-----------------------|---|--|---|----------|-------------------------------|-------------------------------------|
| | | Agreement Section | Agreement Requirement | Performance Metric(s) (if applicable) | Page # | Risk Level (if applicable) | Additional Monitoring Conclusion |
| | 23.1 | The Concessionaire's knowledge of the Phase 1 DB Contract and of the Phase | se | | | | |
| | | S Installation Contract | | | 64 | Low | Ongoing is Sufficient |
| | 23.2 Phase 23.3 | Consultation in relation to Phase 1 Change Orders and amendments to the 1 ETCS Installation Contract Process in relation to the Phase 1 DB Contract and the Phase 1 ETCS | | | 64 | Low | Ongoing is Sufficient |
| | | tion Contract leading to the Phase 1 Services Commencement Date | | | 64 | Low | Ongoing is Sufficient |
| | 23.4 | Collaboration in Operation of Phase 1 Acceptance Procedures | | | 67 | Low | Ongoing is Sufficient |
| | 23.5 | Delay in acceptance of Phase 1 DB Contract and Phase 1 ETCS | | | 70 | Low | Ongoing is Sufficient |
| | 23.6 | Phase 1 Latent Defects | | | 70 | Low | Ongoing is Sufficient |
| l. PF | ROCEDUR | ES RELATING TO LIFE CYCLE MAINTENANCE WORK | | | 70 | | |
| | 24.1 | Rolling Life Cycle Maintenance Plan | Within 90 days before the beginning of each calendar year, Concessionaire will prepare and submit a 5 year Life Cycle Maintenance Plan for review, | Danisanant | 70 | Madagata ay Ahaya | Dura sida Addell Manifestica |
| | 04.0 | Disputes relation to Life Cools Maintenance Plan | comment, and approval by HPTE. | Requirement | 70 | Moderate or Above | Provide Addt'l Monitorin |
| | 24.2 | Disputes relating to Life Cycle Maintenance Plan | HPTE and Concessionaire shall resolve disputes around Life Cycle Maintenance Plan within 60 days after it is provided to HPTE, or Dispute Resolution | Danimonat | 70 | Madanta as Abasa | Decide Addition |
| | 04.0 | Failure to according the Life Corde Maintenance Plan | Procedures will be enacted. | Requirement | 70 | Moderate or Above | Provide Addt'l Monitorin |
| | 24.3 | Failure to comply with Life Cycle Maintenance Plan | Concessionaire will complete with Life Cycle Maintenance Plan, or HPTE shall give notice that it will carry out tasks using own equipment and | | _, | | |
| | 04.4 | Device and a set New Conservable Tools | personnel at Concessionaire's cost. | Requirement | 71 | Moderate or Above | Provide Addt'l Monitorin |
| | 24.4 | Performance of Non-Separable Tasks | Concessionaire will perform Non-Separable Tasks per the Life Cycle Maintenance Plan as agreed to by HPTE. | Requirement | 71 | Moderate or Above | Provide Addt'l Monitorin |
| | 24.5 | I-25 Bridges and I-25 Sub-Grade | HPTE / CDOT will maintain and repair I-25 Managed Lanes sub grade and bridge substructures. Concessionaire will close Managed Lanes, if necessary, to facilitate this work. Concessionaire will carry out preventative, routine, and life cycle maintenance on I-25 bridge deck and managed lanes. | Requirement | 74 | Moderate or Above | Provide Addt'l Monitorin |
| ART 7: QI | UALITY. SA | AFETY AND HPTE INTERVENTION | managod farioo. | | 75 | | |
| . QI | UALITY | · · · · · · · · · · · · · · · · · · · | | | 75 | | |
| | 25.1 | Quality Management | Concessionaire will prepare, implement, and continually maintain project quality management documentation. | Requirement | 75 | Moderate or Above | Provide Addt'l Monitorin |
| | 25.2 | Quality Audit | Godinorianorii | | 75 | Low | Ongoing is Sufficient |
| . S/ | AFETY | • | | | 75 | | <u> </u> |
| | 26.1 | Work Safety and Law | | | 75 | Low | Ongoing is Sufficient |
| | 26.2 | Regulations regarding co-ordination of design, construction and safety | Concessionaire is responsible for 1) safety of design, operations, construction methods and other Phase 2 work, b) having designated person responsible for safety and maintain an accident book, c) ensuring safety in accordance with industry practices. | Doguirement | 75 | Moderate or Above | Provide Addt'l Monitorin |
| | 26.3 | Work Safety Cooperation | | Requirement | 75 76 | Moderate or Above Low | Ongoing is Sufficient |
| . НЕ | PTE STEP- | | | | 76 | LOW | Origoning is culliciteful |
| | 27.1 | HPTE Self-Help Rights | | | 76 | Low | Ongoing is Sufficient |
| | 27.2 | Notice of Election of Self-Help Rights | | | 76 | Low | Ongoing is Sufficient |
| | 27.3 | HPTE Required Actions | | | 77 | Low | Ongoing is Sufficient |
| | 27.4 | Other Consequences of Exercise of Self-Help Remedies | | | 77 | Low | Ongoing is Sufficient |
| | NANCIAL I | | | | 78 | | |
| HF | | AL PAYMENTS | | | 78 | | |
| | 28.1 | Application for an Interim Capital Payment | | | 78 | Low | Ongoing is Sufficient |
| | | | | | | | |

Prepared by McGladrey, LLP - As of July 15, 2015

| 28.5 Application of Unitary Works Payments and Aggregate Value of Interior Capital Payment Maximum Amount 28.6 Tenumone of funds to pay the HPTE Capital Payment Maximum Amount 28.6 Tenumone of funds to pay the HPTE Capital Payment Maximum Amount 28.6 Tenumone of funds to pay the HPTE Capital Payment Maximum Amount 29.1 (b) and Troil Services Agreement 29.1 (b) and Troil Services Agreement 29.1 (b) and Troil Services Agreement 29.2 (c) and Troil S | | | | | | | Revsion date 7/15/2015 |
|---|------------|--|--|------------------|--------|-------------------|----------------------------|
| 28.3 Supporting Documentation Regular Denomination (Regular Expenses) File Bas 1 & Dustiness days from recept to make performed to the following perfo | | Agreement Section | Agreement Requirement | Metric(s) | Page # | | |
| ## HPTE has 15 business days from receipts on make payment of the Internit Capital Payment, as in payment of the Internit Capital Payment, as in payment of the Internit Capital Payment, as in payment of the Internit Capital Payment in the Capital Payment Pay | 28.2 | Maximum Interim Capital Payment | | | 78 | Low | Ongoing is Sufficient |
| payment of the Interno. Capital Payment, as long as apporting supporting comparation has been provided and Concessoraine has complied with all Payments. 28.5 Application of Utility Works Payments and Aggregate Value of Interno. Capital Payments are Capital Payments. 28.6 Encombrance of funds to pay the IHPTE Capital Payment Maximum Amount 28.6 Encombrance of funds to pay the IHPTE Capital Payment Maximum Amount 29.0 Low Ongoing is Sufficient 29.1 Capital Payment Maximum Amount 29.1 Capital Payment Maximum 29.1 Capital | 28.3 | Supporting Documentation Required for Interim Capital Payments | | | 78 | Low | Ongoing is Sufficient |
| Payment Paymen | 28.4 | Timing of Interim Capital Payment | payment of the Interim Capital Payment, as long as appropriate supporting documentation has been provided and Concessionaire has complied with all | Requirement | 78 | Moderate or Above | Provide Addt'l Monitoring |
| 28.6 Enumbrance of funds to pay the HPTE Capital Payment Maximum Amount 79 | 28.5 | Application of Utility Works Payments and Aggregate Value of Interim Capital | | | | | |
| 9. TOLLING 29.1 Tolling of the Managed Lanes Concessionaire has exclusive right to receive toll receive to the Toll Selections of the Right to Impose Tolls 29.2 Linitations on the Right to Impose Tolls 29.3 Electronic Toll Collection System (ETCS) Concessionaire will operate the ETCS. III Concessionaire will operate the ETCS, till coordinate with HPTE and CDOT prior to implementation. Concessionaire while the Toll Requirement to the Tolling Selection Administration Concessionaire must have approved of HPTE to enter into new Tolling Selection Administration. Concessionaire must have approved of HPTE to enter into new Tolling Selection Administration. Concessionaire must have approved of HPTE to enter into new Tolling Selection Administration. Concessionaire must have approved of HPTE to enter into new Tolling Selection Administration. Concessionaire must have approved of HPTE to enter into new Tolling Selection Administration. Concessionaire must have approved of HPTE to enter into new Tolling Selection Administration. Concessionaire must have approved of HPTE to enter into new Tolling Selection Administration. Concessionaire must have approved of HPTE to enter into new Tolling Selection Administration. Concessionaire must have approved of HPTE to enter into the Tolling Selection Administration and the Tolling Selection Administration. Concessionaire must have approved of HPTE to enter into the Tolling Selection Administration and the Tolling Selection Administration and the Tolling Selection Administration Administration Administration Administration Administration Administration Administration Administ | Payme | nts | | | 78 | Low | Ongoing is Sufficient |
| 9. TOLING 29.1 Tolling of the Managed Lanes Concessionaire has exclusive right to receive toil revenues from HPTE in accordance with Section 29.1 (b) and Tolling of the Managed Lanes 29.2 Limitations on the Right to Impose Tolls 29.3 Electronic Toil Collection System (ETCS) Concessionaire with PETE and COPT of the PETE COST of the Concessionaire with PETE and COPT of the Concessionaire with PETE and COPT of the PETE COST of the Concessionaire with PETE and COPT of the Concessionaire with PETE and COPT of the PETE COST of the Concessionaire with PETE and COPT of the PETE COST of the Concessionaire with PETE and COPT of the PETE COST of the Concessionaire with PETE and COPT of the PETE COST of the Concessionaire with PETE and COPT of the PETE COST of the Concessionaire with PETE and COPT of the PETE COST of the Concessionaire with PETE and Concessi | 28.6 | Encumbrance of funds to pay the HPTE Capital Payment Maximum Amount | | | | | |
| 29.1 Tolling of the Managed Lanes Concessionaire has exclusive right to receive lost revenues from PTE in accordance with Section 23.1 (b) and Toll Services Agreement. Schedule 16 and 18 and | | | | | | Low | Ongoing is Sufficient |
| reviewues from HPTE in concretaince with Section 29.1 (b) and Toll Services Agreement. Schedule 18 Requirement 79 Moderate or Above Provide Add'tl Monitoring 29.2 Limitations on the Right to Impose Tolls Concessionarie without so drange the ETCS. If Concessionarie without so drange the ETCS, it will be concessionarie without the ETCS, it will be concessionarie and CDOT prior to relative the ETCS, it will be concessionarie the ETCS, it will be concessionarie. The ETCS is the ETCS of | | | | | 79 | | |
| Electronic Toll Collection System (ETCS) Concessionarie wishs to brange the ETCS. If Concessionarie wishs to change the ETCS, it will coordinate with HPTE and CDOT prior to implementation. 29.4 Toll Collection Administration Concessionarie is responsible for all foll transaction account management to Folling Services Agreement. Concessionarie is responsible for all foll transaction account management to Folling Services Agreement. Concessionarie is responsible for all foll transaction account management to Folling Services Agreement. Concessionarie must have approval of HPTE to enter Concessionarie must have approved to the suspension of tolls of Closure of the Managed Lane. 29.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lane. If there are emergency or other suspensions of tolls or Closure of the Managed Lane. If there are emergency or other suspensions of tolls or Closure of the Managed Lane. If there are emergency or other suspensions of tolls or Closure of the Managed Lane. If there are emergency or other suspensions of tolls or Closure of the Managed Lane. If there are emergency or other suspensions of tolls or Closure of the Managed Lane. If there are emergency or other suspensions of tolls or Closure of the Managed Lane. If there are emergency or other suspensions of tolls or Closure of the Managed Lane. If there are emergency or other suspensions of tolls or Closure | 29.1 | Tolling of the Managed Lanes | revenues from HPTE in accordance with Section 29.1(b) and Toll Services Agreement. Schedule 16 | Requirement | 79 | Moderate or Above | Provide Addt'l Monitoring |
| Concessionarie wishes to change the ETCS, it will coordinate with HPTE CODT prior to implementation. 29.4 Toll Collection Administration 29.5 Toll Collection Administration 29.5 HOV Enforcement Services 29.5 HOV Enforcement Services 29.6 Toll Payment Violations 29.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 29.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 29.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 29.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 29.8 Toll Payment Violations 29.7 L25 North Managed Lanes Installation Project 29.8 Other Transportation Developments 29.9 Revenue Risk Related to Traffic Volume 29.9 Revenue Risk Related to Traffic Volume 29.1 TSP Changes 29.9 Revenue Risk Related to Traffic Volume 29.1 Requirement 29.1 Requirement 29.1 Requirement 29.2 Revenue Risk Related to Traffic Volume 29.3 Revenue Risk Related to Traffic Volume 29.4 Requirement Lends to the Local Control Services 29.5 Revenue Risk Related to Traffic Volume 29.6 Requirement Lends to the Local Control Services 29.7 Requirement In relation to the L25 Shared Bridge Decks 29.8 Revenue Risk Related to Traffic Volume 29.9 Revenue Risk Related to Traffic Volume 29.1 Requirement In relation to the L25 Shared Bridge Decks 29.9 Revenue Risk Related to Traffic Volume 29.1 Incorporation Developments 29.9 Revenue Risk Related to Traffic Volume 29.1 Requirement In relation to the L25 Shared Bridge Decks 29.9 Revenue Risk Related to Traffic Volume 29.1 Requirement In relation to the L25 Shared Bridge Decks 29.9 Revenue Risk Related to Traffic Volume 29.1 Requirement In relation to the L25 Shared Bridge Decks 29.1 Requirement In relation to the L25 Shared Bridge Decks 29.2 Invoices from the Concessionaire to HPTE 29.3 Revenue Risk Related to Traffic Volume 29.4 Requirement In relation to the L25 Shared Bridge Decks 29.5 Requirement In relation to the L25 Shared Bridge Decks 29.6 Require | 29.2 | Limitations on the Right to Impose Tolls | | | 80 | Low | Ongoing is Sufficient |
| account management services pursuant to the Tolling Services Agreement. Concessionaire must have approval of HPTE to enter into new Tolling Services Agreement. 22.5 HOV Enforcement Services 22.6 Toll Payment Violations 23.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes or closures of the Managed Lanes or closures of the managed lanes. HPTE may have certain payment requirements, depending on the length and reason; no closure of the managed lanes. HPTE may have certain payment requirements, depending on the length and reason; no course, or 10 days after the actual data necessary occurred, or 10 days after the actual data necessary occurred, or 10 days after the actual data necessary occurred, or 10 days after the actual data necessary occurred. Or 10 days after the actual data necessary occurred, or 10 days after the actual data necessary occurred. The subject of the Concessionaire, HPTE has three business days from the date closure or suspension occurred, or 10 days after the actual data necessary occurred. Or 10 days after the actual data necessary occurred, or 10 days after the actual data necessary occurred, or 10 days after the actual data necessary occurred. The subject of the Concessionaire to the Concessionaire to the Concessionaire to pay Sub-Contractors 30.2 Invoices from the Concessionaire to pay Sub-Contractors 4 PETE INTOINEMENTS FOR GP ROUTINE MAINTENANCE SERVICES AND FOR SUMAND ICE CONTROL SERVICES AND THE CONCESSIONAIRE'S PAYMENTS OF Subject of the Concessionaire to pay Sub-Contractors 4 Payment of the CPP couline Maintenance Fee, Snow and loc Control Service Press and reimbursement in relation to the I-25 shared bridge decks. 5 Payment of the CPP couline Maintenance Fee, Snow and loc Control Services And Fee Concessionaire shall pay the HPTE is responsional pay Sub-Cont | 29.3 | Electronic Toll Collection System (ETCS) | Concessionaire wishes to change the ETCS, it will coordinate with HPTE and CDOT prior to | Requirement | 80 | Moderate or Above | Provide Addt'l Monitoring |
| HOV Enforcement Services 49.5 HOV Enforcement Services 49.5 Toll Payment Violations 59.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 81 Low Ongoing is Sufficient 81 Low Ongoing is Sufficient 82.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 82.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 83.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 84.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 85.7 Emergency and Other Suspension of Tolls or Closures of the managed lanes. HPTE has three business 86.8 Advanced by the managed Lanes Installation Project 87.8 Fequirement 88.8 Moderate or Above Provide Add'tl Monitoring 89.8 Other Transportation Developments 89.8 Other Transportation Developments 89.8 Other Transportation Developments 89.9 Requirement Mark Low Ongoing is Sufficient 89.0 Add'tl Monitoring 89.0 In PRE PAYMENTS FOR OP ROUTINE MAINTENANCE SERVICES AND FOR SNOW AND ICE CONTROL SERVICES AND THE CONCESSIONAIRE'S PAYMENTS OF \$ 89.0 A The Concessionaire to the I-25 Shared Bridge Decks 89.0 A The Concessionaire to HPTE 89.0 A The Concessionaire to PTE COSTS 89.0 A The Concessionaire to PTE COSTS 89.0 A The Concessionaire to PTE COSTS 89.0 A The Concessionaire to pay Sub-Contractors 89.0 A United add'tl Monitoring Provide Add'tl Moni | 29.4 | Toll Collection Administration | account management services pursuant to the Tolling Services Agreement. Concessionaire must have approval of HPTE to enter | Requirement | 80 | | Provide Addt'l Monitoring |
| 29.6 Toll Payment Violations 29.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 29.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 29.7 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 29.8 Emergency and Other Suspension of Tolls or Closure of the Managed Lanes 29.7 A 1-25 North Managed Lanes installation Project 29.7 A 1-25 North Managed Lanes installation Project 29.8 Other Transportation Developments 29.9 Revenue Risk Related to Traffic Volume 29.10 TSP Changes 29.10 TS | 29.5 | HOV Enforcement Services | INCO TON TONING CONTINUES AND THE CONTINUES | | 81 | Low | Ongoing is Sufficient |
| Emergency and Other Suspension of Tolls or Closure of the Managed Lanes If there are emergency or other suspensions of tolls or closures of the managed lanes, HPTE may have certain payment requirements, depending on the length and reason. In cases where payments are due to the Concessionaire, HPTE has three business days from the date the closure or suspension occurred or 10 days after the actual data necessary to make the calculation is available. 29.7 A 1-25 North Managed Lanes Installation Project 29.8 Other Transportation Developments 29.9 Revenue Risk Related to Traffic Volume 29.10 TSP Changes Changes to the Toll Service Provider and the associated Agreement must be agreed to by both parties. Requirement 29.10 TSP Changes Changes to the Toll Service Provider and the associated Agreement must be agreed to by both parties. Requirement 29.10 Payment of the GP Routine Maintenance Fee, Snow and Ice Control Services 30.1 Payment of the GP Routine Maintenance Fee, Snow and Ice Control Services Fee and reimbursement in relation to the I-25 Shared Bridge Decks 30.2 Invoices from the Concessionaire to HPTE 30.3 Payment 30.4 The Concessionaire to pay Sub-Contractors A Payment SEMENT OF HPTE COSTS A Requirement 30.5 Set-Off 40.0 And The Concessionaire to pay Sub-Contractors A Requirement 48 Moderate or Above 49 Provide Addt'l Monitoring Add'l Monitoring Add'l Monitoring Add'l Monitoring Add The Concessionaire to pay Sub-Contractors A Requirement 48 Moderate or Above 49 Provide Add'l Monitoring Add The Concessionaire to pay Sub-Contractors A Requirement 48 Moderate or Above 40 Orgoing is Sufficient 49 Provide Add'l Monitoring Add The Concessionaire to pay Sub-Contractors A Requirement 48 Moderate or Above 40 Orgoing is Sufficient 41 Orgoing is Sufficient 42 Orgoing is Sufficient 43 Orgoing is Sufficient 44 | | | | | 81 | Low | |
| 29.7 A 1-25 North Managed Lanes Installation Project 29.8 Other Triansportation Developments 29.9 Revenue Risk Related to Traffic Volume 29.10 TSP Changes Changes to the Toll Service Provider and the associated Agreement must be agreed to by both parties. Requirement 85 Moderate or Above Provide Add'tl Monitoring Moderate or A | 29.7 | Emergency and Other Suspension of Tolls or Closure of the Managed Lanes | or closures of the managed lanes, HPTE may have certain payment requirements, depending on the length and reason. In cases where payments are due to the Concessionaire, HPTE has three business days from the date the closure or suspension occurred, or 10 days after the actual data necessary | Requirement | 82 | Moderate or Above | Provide Add! Monitoring |
| 29.8 Other Transportation Developments 29.9 Revenue Risk Related to Traffic Volume 29.10 TSP Changes Changes to the Toll Service Provider and the associated Agreement must be agreed to by both parties. Requirement 85 Moderate or Above Provide Addt'l Monitoring Note Thanks and Tembursement in relation to the I-25 Shared Bridge Decks Pee and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Pees and reimbursement in relation to the I-25 Shared Bridge Decks Provide Addt'l Monitoring Sufficient 30.2 Invoices from the Concessionaire to pay Sub-Contractors 30.3 Payment 30.4 The Concessionaire to pay Sub-Contractors 30.5 Set-Off Personnel Requirement Beet Incompleted Bridge Decks Provide Addt'l Monitoring Sufficient Changes to the Toll Services Payment Beet Incompleted Bridge Decks Provide Addt'l Monitoring Bridge Decks Provid | 20 7 A | I-25 North Managed Lanes Installation Project | to make the calculation is available. | rtoquiromont | | | |
| 29.9 Revenue Risk Related to Traffic Volume 29.10 TSP Changes Changes to the Toll Service Provider and the associated Agreement must be agreed to by both parties. Requirement Requirem | | | | | | | |
| Changes to the Toll Service Provider and the associated Agreement must be agreed to by both parties. Requirement 85 Moderate or Above Provide Addt'l Monitoring Requirement 1 | | | | | | | |
| D. HPTE PAYMENTS FOR GP ROUTINE MAINTENANCE SERVICES AND FOR SNOW AND ICE CONTROL SERVICES AND THE CONCESSIONAIRE'S PAYMENTS OF \$ 30.1 Payment of the GP Routine Maintenance Fee, Snow and Ice Control Services Fee and reimbursement in relation to the I-25 Shared Bridge Decks Provide Addt'l Monitoring Moderate or Above Provide Addt'l Monitoring | | | associated Agreement must be agreed to by both | Requirement | | | , , |
| 30.1 Payment of the GP Routine Maintenance Fee, Snow and Ice Control Services Fee and reimbursement in relation to the I-25 Shared Bridge Decks Maintenance Fees, Snow and Ice Control Services Fees and reimbursement in relation to the I-25 shared bridge decks. Requirement 86 Moderate or Above Provide Addt'l Monitoring Requirement 87 Low Ongoing is Sufficient 88 Low Ongoing is Sufficient 30.4 The Concessionaire to pay Sub-Contractors 30.5 Set-Off REIMBURSEMENT OF HPTE COSTS On July 1 of each Year the Concessionaire shall pay the HPTE Cost Reimbursement Amount to HPTE. Requirement 88 Moderate or Above Provide Addt'l Monitoring | HPTF PAYMI | ENTS FOR GP ROUTINE MAINTENANCE SERVICES AND FOR SNOW AND I | | | | | evido / idat i moriitoring |
| 30.2 Invoices from the Concessionaire to HPTE 30.3 Payment 30.4 The Concessionaire to pay Sub-Contractors 30.5 Set-Off 30.5 Set-Off 4. REIMBURSEMENT OF HPTE COSTS 4. On July 1 of each Year the Concessionaire shall pay the HPTE Cost Reimbursement Amount to HPTE. Requirement 88 Moderate or Above Provide Addt'l Monitoring | 30.1 | Payment of the GP Routine Maintenance Fee, Snow and Ice Control Services | HPTE is responsible for payment of GP Routine Maintenance Fees, Snow and Ice Control Services | TOTAL MENTO OF C | 00 | | |
| 30.3 Payment 30.4 The Concessionaire to pay Sub-Contractors 30.5 Set-Off REIMBURSEMENT OF HPTE COSTS On July 1 of each Year the Concessionaire shall pay the HPTE Cost Reimbursement Amount to HPTE. Requirement Requirement Requirement 87 Low Ongoing is Sufficient 88 Low Ongoing is Sufficient 89 Ungoing is Sufficient 80 Ungoing is Sufficient | | | bridge decks. | Requirement | | Moderate or Above | Provide Addt'l Monitoring |
| 30.4 The Concessionaire to pay Sub-Contractors 30.5 Set-Off 87 Low Ongoing is Sufficient 30.5 Set-Off 88 Low Ongoing is Sufficient 1. REIMBURSEMENT OF HPTE COSTS On July 1 of each Year the Concessionaire shall pay the HPTE Cost Reimbursement Amount to HPTE. Requirement 88 Moderate or Above Provide Addt'l Monitoring | | | | | | | |
| 30.5 Set-Off 1. REIMBURSEMENT OF HPTE COSTS On July 1 of each Year the Concessionaire shall pay the HPTE Cost Reimbursement Amount to HPTE. Requirement 88 Moderate or Above Provide Addt'l Monitoring | | | | | | | |
| 1. REIMBURSEMENT OF HPTE COSTS On July 1 of each Year the Concessionaire shall pay the HPTE Cost Reimbursement Amount to HPTE. Requirement 88 Moderate or Above Provide Addt'l Monitoring | | | | | | | |
| the HPTE Cost Reimbursement Amount to HPTE | | | | | 88 | Low | Ongoing is Sufficient |
| | . REIMB | URSEMENT OF HPTE COSTS | | Requirement | 88 | Moderate or Above | Provide Addt'l Monitoring |
| 4. TIFTE-ODOLAGNETIEN OO TOW VICIOUS SUBGERI | HPTF-CDOT | AGREEMENT | | - 1 | 88 | Low | Ongoing is Sufficient |

Prepared by McGladrey, LLP – As of July 15, 2015

| Agreement Section | | | | | | | 110101011 dato 1/10/2010 |
|--|------|--|--|--------------|----------|--------------------|----------------------------------|
| Cash Cash Cash Cash Cash Cash Invalanting payments and use from Cash | | Agreement Section | Agreement Requirement | Metric(s) | Page # | | Additional Monitoring Conclusion |
| BASE CASE FINANCIAL MODE STATE Provides Application to the Base Case Financial Model, Including Updates to the Base Case Financial Model, Including Updates to the Base Case Financial Model State Provides AddIff Monitoring State S | 33. | | Cash flow sharing payments are due from Concessionaire to HPTE in accordance with Schedule 14. Concessionaire shall provide, and | | . | | |
| 34.1 Provisions Applicable to the Base Case Financial Model Including Updates and Revisions and annual servisions are servisions and annual services are servisions and annual services are servisions and annual servisions are servisions annual servisions are servisions annual servisions annual servisions are servis | | | | Requirement | | Moderate or Above | Provide Addt'l Monitoring |
| and Revisions 34.2 Grant of License to Blase Case Financial Model 34.2 Grant of License to Blase Case Financial Model 35. PERFORMANCE MONTOKING 35. Performance Montoring Reports Solitary Performance Montoring Reports Concessionaire will propter a port and provide Concessionaire will propter and Service Report and provide Concessionaire will propter and Service Report and provide Montoring Reports PRT will assess montoring lance Points HTE will assess montoring lance Points Market Performance Points Solitary HTE Solitary H | 34. | | | | 89 | | |
| Signature Sign | | | | | | | |
| Septembrace | | | updates to the Base Case Financial Model. | Requirement | | | |
| Section Performance Monitoring Reports Concessionaire will proper early provide Report and natival Services Requirement (a) Moderate or Above Provide Addit Monitoring Requirement Services Requirement Services Provide Addit Monitoring Services Requirement | | | | | | Low | Ongoing is Sufficient |
| Report and Annual Service Report, and provide Corrections as necessary of the literal special provide Addf1 Monitoring of the | 35. | | | | 89 | | |
| St. 2 Noncompliance Points HPTE will assess noncompliance points to Coccessionarie in accordance with and for the items detailed in Schedule 10. Requirement St. 2 Noncompliance points Requirement St. 2 Noncompliance points St. 3 Nonlivoring by HPTE HP | | 35.1 Performance Monitoring Reports | Report and Annual Service Report, and provide | Demiliarment | 00 | Madagata as Abassa | Danida Addil Manitaria |
| Concessionaire in accordance with and for the items detailed in Schedule 10. PART 5: INSURANCE 90 Low Ongoing is Sufficient 97. REQUIRED NUMBER NOT USED 91 Low Ongoing is Sufficient 97. REQUIRED NUMBER NOT USED 91 Low Ongoing is Sufficient 97. REQUIRED NUMBER NOT USED 91 Low Ongoing is Sufficient 97. REQUIRED NUMBER NOT USED 91 Low Ongoing is Sufficient 97. REQUIRED NUMBER NOT USED 91 Low Ongoing is Sufficient 97. REQUIRED NUMBER NOT USED 91 Low Ongoing is Sufficient 97. REQUIRED NUMBER NOT USED 91 Low Ongoing is Sufficient 97. REQUIRED NUMBER NOT USED 91. REQUIRED NUMBER NUMBER NOT NUMBER N | | 25.0 Negocyplicaco Deigte | | Requirement | 89 | Moderate of Above | Provide Addit Monitoring |
| Standard | | 35.2 Noncompliance Points | · | | | | |
| S. 3 Multiplication Support | | | | Doguiroment | 00 | | Dravida Addt'l Manitarina |
| PART 5: INSURANCE 91 37. REQUIRED INSURANCES 91 37. REQUIRED INSURANCES 91 37. Specific Insurance Requirements for Work 91 37. Specific Insurance Requirements for Work 91 37. Specific Insurance Requirements for Services Concessionaire will cooperate with any checks HPTE may carry out in relation to the performance of its obligations under the Contract. HPTE will information Concessionaire of the results of such monitoring. 37. No action to Prevent Payment of Claims 91 37. Self-insurance Terms Concessionaire will maintain proper insurance coverage. Requirement 91 37. Self-insurance and Payments Concessionaire will more insurance and Payments Provide Addrt Monitoring insurance Coverage and payments. Requirement 92 37. Self-insurance Provide Addrt Monitoring insurance Coverage and payments. Requirement 92 37. Self-insurance Requirement 92 37. Self-insurance Requirements of Provide Addrt Monitoring insurance coverage and payments. Requirement 92 37. Self-insurance Requirement 92 37. Self-insurance Requirement 92 37. Self-insurance Requirement 93 37. Self-insurance Requirement 94 37. Self-insurance Requirement 95 38. Self-insurance Requirement 95 38. Self-insurance Requirement 95 38. Self-insurance Requirement 95 38. Self-insurance Proceeds 39. Self-insurance Proceeds 39. Moderate or Above Provide Addrt Monitoring Provide Addrt Monito | | 25.2 Manitoring by HDTE | detailed in Schedule 10. | Requirement | | • | |
| Number NoT USED SURGES Superific Insurance Requirements for Work Specific Insurance Requirements for Work Specific Insurance Requirements for Work Specific Insurance Requirements for Services Specifi | DADT | | | | | LOW | Origoning is Sunicient |
| REQUIRED INSURANCES 91 1 | | | | | | | |
| 37.1 Specific Insurance Requirements for Work 37.2 Specific Insurance Requirements for Services Concessionaire will cooperate with any checks HPTE may carry out in relation to the performance of its obligations under the Contract. HPTE will information Concessionaire of the results of such monitoring. 37.3 No action to Prevent Payment of Claims 37.4 Insurance Terms Concessionaire will maintain proper insurance coverage. 37.5 Evidence of Insurance and Payments Concessionaire will provide HPTE evidence of proper insurance coverage and payments. 37.6 Renewal Certificates 37.7 Salf-Help Insurance Right 37.8 Claims Concessionaire will provide HPTE ovidence of proper insurance coverage and payments. 37.7 Salf-Help Insurance Right 37.8 Claims Concessionaire will provide HPTE ovidence of proper insurance coverage and payments. 38.1 Insurance Responsibility 39.1 Insurance Responsibility 39.1 Insurance Responsibility 39.2 Low Ongoing is Sufficient Addt'l Monitoring Requirement 92 Moderate or Above Provide Addt'l Monitoring Provide Addt'l Monitoring Requirement 92 Moderate or Above Provide Addt'l Monitoring Requirement 92 Moderate or Above Provide Addt'l Monitoring Requirement 93 Moderate or Above Provide Addt'l Monitoring Requirement 94 Moderate or Above Provide Addt'l Monitoring Requirement 95 Low Ongoing is Sufficient Ongoing is Sufficient Requirement 96 Noderate or Above Provide Addt'l Monitoring Requirement 97 Moderate or Above Provide Addt'l Monitoring Requirement 98 Noderate or Above Provide Addt'l Monitoring Requirement 99 Low Ongoing is Sufficient Requirement 90 Low Ongoing is Sufficient Requirement 90 Low Ongoing is Sufficient Requirement 90 Low Ongoing is Sufficient Requirement 91 Moderate or Above Provide Addt'l Monitoring Requirement 90 Low Ongoing is Sufficient Requirement 90 Moderate or Above Provide Addt'l Monitoring Requirement 90 Moderate or Above Provide Addt'l Monitoring Requirement 90 Moderate or Above Provide Addt'l Monitorin | | | | | | | |
| Specific Insurance Requirements for Services Concessionaire will cooperate with any checks HPTE may be a company of the results of such monitoring. 37.3 No action to Prevent Payment of Claims 37.4 Insurance Terms Concessionaire of the results of such monitoring. 37.5 Evidence of Insurance and Payments 37.6 Renewal Certificates Concessionaire will provide HPTE evidence of proper insurance coverage and payments. 37.6 Renewal Certificates Concessionaire will provide HPTE evidence of proper insurance will provide HPTE proper renewal certificates for insurance no later than 10 business days of the claims 37.7 Self-Help Insurance Right 37.8 Claims Concessionaire will provide HPTE of any insurance claims in excess of \$500,000 within 20 business days of the claim. Concessionaire will notify HPTE of any insurance claims in excess of \$500,000 will be applied to repair insurance proceeds paid in respect of a single event in excess will be applied to repair, einstate and replace each part of the sastely All insurance Proceeds Requirement 91 Moderate or Above Provide Addr! Monitoring Requirement 92 Moderate or Above Provide Addr! Monitoring Requirement 92 Moderate or Above Provide Addr! Monitoring Requirement 93 Moderate or Above Provide Addr! Monitoring Requirement 94 Moderate or Above Provide Addr! Monitoring Provide Addr! Monitoring Requirement 95 Low Ongoing is Sufficient Ongoing is Sufficient Requirement 96 Moderate or Above Provide Addr! Monitoring Provide Addr! Monitoring Requirement 97 Moderate or Above Provide Addr! Monitoring Requirement 98 Moderate or Above Provide Addr! Monitoring Requirement 99 Moderate or Above Provide Addr! Monitoring Requirement 90 Moderate or Above Provide Addr! Monitoring Requirement 91 Moderate or Above Provide Addr! Monitoring Requirement 90 Mo | 31. | | | | | Low | Ongoing is Sufficient |
| may carry out in relation to the performance of its obligations under the Contract HPTE will information Concessionaire of the results of such monitoring. 37.3 No action to Prevent Payment of Claims 37.4 Insurance Terms Concessionaire will maintain proper insurance coverage. 37.5 Evidence of Insurance and Payments Concessionaire will provide HPTE evidence of proper insurance and payments. 37.6 Renewal Certificates Concessionaire will provide HPTE evidence of proper insurance coverage and payments. 37.6 Renewal Certificates Concessionaire will provide HPTE proper renewal certificates for insurance no later than 10 business day before the renewal date. 37.7 Self-Help Insurance Right 37.8 Claims Concessionaire will notify HPTE of any insurance claims in excess of \$500,000 within 20 business days of the claim. 37.9 Insurance Responsibility 37.10 Insurance Responsibility 37.11 Insurance Responsibility 37.12 Indexing Providers 37.13 Cross Claims REINSTATEMENT 38.2 Threshold Amount for Insurance Proceeds 4 All insurance proceeds received will be applied to repair, insurance proceeds 4 All insurance proceeds and response paid in respect of a single event in excess of \$500,000 with be paid into the Joint 4 Provide Addf1 Monitoring 5 Acquirement 5 All insurance Proceeds 5 All insurance proceeds 5 Requirement 5 | | | Concessionaire will cooperate with any checks HDTE | | 31 | LOW | Origoning is dumerent |
| Sequirement | | 57.2 Openie insurance requirements for dervices | may carry out in relation to the performance of its obligations under the Contract. HPTE will information | | | | |
| 27.4 Insurance Terms Concessionaire will maintain proper insurance coverage 27.5 Evidence of Insurance and Payments Concessionaire will provide HPTE evidence of proper insurance coverage and payments. 27.6 Renewal Certificates 27.6 Renewal Certificates 27.7 Self-Help Insurance Right 27.7 Self-Help Insurance Right 27.8 Claims Concessionaire will notify HPTE of any insurance claims in excess of \$500,000 within 20 business days of the claim. 27.9 Insurance is not a Relief from Underlying Liabilities 27.1 Insurance Responsibility 27.1 Indexing of Indemnity and Deductibles 27.1 Indexing of Indemnity and Deductibles 27.1 Concessionaire will make claims against insurances to repair, reinstate and replace each part of the assets of the such proceeds received will be applied to repair, reinstate and replace each part of the sasets of the solid messpecial in respect of a single event excess of said in respect of a single event excess of said in respect of a single event excess of said in respect of a single event excess of said in respect of a single event excess of said in respect of a single event excess of said in respect of a single event excess of spid in the Joint in respect of a single event excess of said in respect of a single event excess of spid in the Joint in surance proceeds 27.4 Insurance Proceeds 27.5 Evidence of Insurance Provide Addt'l Monitoring and Deductibles 27.5 Evidence of Insurance Provide Addt'l Monitoring and Deductibles 27.5 Evidence of Insurance Provide Addt'l Monitoring and Deductibles 27.5 Evidence of Insurance Provide Addt'l Monitoring and Deductibles 27.5 Evidence of Insurance Provide Addt'l Monitoring and Deductibles 27.5 Evidence of Insurance Provide Addt'l Monitoring and Deductibles 27.5 Evidence of Insurance Provide Addt'l Monitoring and Deductibles 27.5 Evidence of Insurance Provide Addt'l Monitoring and Deductibles 27.5 Evidence of Insurance Provide Addt'l Monitoring and Deductibles 27.5 Evidence of Insurance Provide Addt'l Monitoring and Deductibles 27.5 Ev | | | Concessionaire of the results of such monitoring. | Requirement | | | Provide Addt'l Monitoring |
| coverage. Requirement 91 Moderate or Above Provide Addt'l Monitoring 37.5 Evidence of Insurance and Payments Concessionaire will provide HPTE evidence of proper insurance coverage and payments. Requirement 92 Moderate or Above Provide Addt'l Monitoring 37.6 Renewal Certificates 27.7 Self-Help Insurance Right 27.7 Self-Help Insurance Right 28.8 Claims Concessionaire will notify HPTE of any insurance claims in excess of \$500,000 within 20 business days 37.8 Claims Concessionaire will notify HPTE of any insurance claims in excess of \$500,000 within 20 business days 37.10 Insurance Responsibility 37.11 Insurance Providers 37.12 Indexing of Indemnity and Deductibles 37.13 Cross Claims Concessionaire will notify HPTE of any insurance claims in excess of \$500,000 within 20 business days of the claim. 37.12 Indexing of Indemnity and Deductibles 18.1 Use of Insurance Proceeds Requirement 38.1 Vise of Insurance Proceeds All insurance proceeds received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. 38.2 Threshold Amount for Insurance Proceeds Threshold Amount for Insurance Proceeds 29. Moderate or Above Provide Addt'l Monitoring Sufficient or Provide Addt'l Monitoring Proceeds were received. Requirement 92. Moderate or Above Provide Addt'l Monitoring Sufficient or Provide Addt'l Monitoring Proceeds Requirement 93. Moderate or Above Provide Addt'l Monitoring Requirement 94. Moderate or Above Provide Addt'l Monitoring Requirement 95. Moderate or Above Provide Addt'l Monitoring Requirement 96. Moderate or Above Provide Addt'l Monitoring Requirement 97. Moderate or Above Provide Addt'l Monitoring Proceeds 88. Reliable Proceeds Requirement 98. Moderate or Above Provide Addt'l Monitoring Proceeds were received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. 88. Requirement 99. Moderate or Above Provide Addt'l Monitoring Proceeds 89. Moderate or Above Provide Addt'l Monitoring Proceeds | | | | | 91 | Low | Ongoing is Sufficient |
| insurance coverage and payments. Requirement 92 Moderate or Above Provide Addr'l Monitoring Concessionaire will provide HPTE proper renewal certificates certificates of insurance no later than 10 business day before the renewal date. 37.6 Self-Help Insurance Right 37.7 Self-Help Insurance Right 37.8 Claims Concessionaire will notify HPTE of any insurance claims in excess of \$500,000 within 20 business day before the renewal date. 37.9 Insurance is not a Relief from Underlying Liabilities 37.10 Insurance Responsibility 37.11 Insurance Responsibility 37.12 Indexing of Indemnity and Deductibles 37.13 Cross Claims Concessionaire will notify HPTE of any insurance data. 37.10 Insurance Providers 37.11 Insurance Providers 37.12 Indexing of Indemnity and Deductibles 37.13 Cross Claims Concessionaire will make claims against insurances to reduce the amount of any claim Concessionaire will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. 38. REINSTATEMENT 38.1 Use of Insurance Proceeds All insurance proceeds and payments. Requirement 92 Moderate or Above Provide Addr'l Monitoring Provide Addr'l Monitoring and Deductibles Requirement 93 Moderate or Above Provide Addr'l Monitoring against insurances to reduce the amount of any claim Concessionaire will make claims against insurances to reduce the amount of any claim Concessionaire will make claims against insurances and provide Addr'l Monitoring against insurance proceeds 38. REINSTATEMENT 38. Threshold Amount for Insurance Proceeds All insurance proceeds were received. All insurance proceeds were received. All insurance proceeds were received. All insurance proceeds are received. All insurance proceeds are received. Requirement 93 Moderate or Above Provide Addr'l Monitoring and Prov | | <u> </u> | coverage. | Requirement | 91 | Moderate or Above | Provide Addt'l Monitoring |
| certificates for insurance no later than 10 business day before the renewal date. 37.7 Self-Help Insurance Right 37.8 Claims Concessionaire will notify HPTE of any insurance claims in excess of \$500,000 within 20 business days of the claim. Requirement 92 Moderate or Above Provide Addt'l Monitoring to the claim. Requirement 92 Moderate or Above Provide Addt'l Monitoring to the claim. Requirement 93. Moderate or Above Provide Addt'l Monitoring to the claim. Requirement 94. Moderate or Above Provide Addt'l Monitoring to the claim. Requirement Pour Pour Provide Addt'l Monitoring to the claim. Requirement Pour Provide Addt'l Monitoring to the claim. Requirement Pour Provide Addt'l Monitoring to the claim. Requirement Pour Provide Addt'l Monitoring to the Agreement. Requirement Pour Provide Addt'l Monitoring to the Agreement Provide Addt'l Monitoring Provide Addt'l Monitoring to the Agreement Provide Addt'l Monitoring to the Agreement Provide Addt'l Monitoring Provide Addt'l Monitoring Provide Addt'l Monitoring Provide Addt'l Monitoring Pro | | | insurance coverage and payments. | Requirement | 92 | Moderate or Above | Provide Addt'l Monitoring |
| 37.7 Self-Help Insurance Right 37.8 Claims Concessionaire will notify HPTE of any insurance claims in excess of \$500,000 within 20 business days of the claim. 37.9 Insurance is not a Relief from Underlying Liabilities 37.10 Insurance Responsibility 37.11 Insurance Providers 37.12 Indexing of Indemnity and Deductibles 37.13 Cross Claims Concessionaire will make claims against insurances to reduce the amount of any claim Concessionaire may have against HPTE. 38.1 Vise of Insurance Proceeds All insurance proceeds received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. 38.2 Threshold Amount for Insurance Proceeds All insurance proceeds All insurance proceeds ever to event in excess of \$500,000 with pay insurance claims in surance policy requirements will be indexed to CPI per Section 1.7 of the Agreement. Requirement 92 Moderate or Above Provide Addt'l Monitoring Sufficient 92 Low Ongoing is Sufficient 93 Moderate or Above Provide Addt'l Monitoring Moderate or Above Provide Addt'l Monitoring Sufficient or equirement swill be indexed to CPI per Section 1.7 of the Agreement. 84 Requirement Proceeds 85 Requirement Proceeds 86 Requirement Proceeds 86 Requirement Proceeds 87 Moderate or Above Provide Addt'l Monitoring Sufficient or Requirement Proceeds 88 Requirement Proceeds 89 Moderate or Above Provide Addt'l Monitoring Proceeds were received. 89 Moderate or Above Provide Addt'l Monitoring Proceeds were received. 99 Moderate or Above Provide Addt'l Monitoring Proceeds Proceeds Were received. 90 Moderate or Above Provide Addt'l Monitoring Proceeds Provide Addt'l Monitoring Proceeds Provide Provide Addt'l Monitoring Proceeds Provide Addt'l Monitoring | | 37.6 Renewal Certificates | certificates for insurance no later than 10 business | | | | |
| State of the claims of the claim of the claim. 37.9 Insurance is not a Relief from Underlying Liabilities 37.10 Insurance Responsibility 37.11 Insurance Responsibility 37.12 Indexing of Indemnity and Deductibles 37.13 Cross Claims 37.14 Indexing of Indemnity and Deductibles 37.15 Indexing of Indemnity and Deductibles 37.16 Insurance Proceeds 37.17 Indexing of Indemnity and Deductibles 37.18 Cross Claims 37.19 Cross Claims 37.10 Cores Claims 37.10 Insurance Proceeds 37.11 Insurance Proceeds 4. Requirement 93 Moderate or Above Provide Addt'l Monitoring the core of any claim Concessionaire may have against HPTE. 37.10 Indexing of Indemnity and Deductibles 4. Requirement 93 Moderate or Above Provide Addt'l Monitoring the core of any claim Concessionaire may have against HPTE. 38. REINSTATEMENT 38. All insurance Proceeds 4. Insurance proceeds received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. 38. Threshold Amount for Insurance Proceeds 4. Insurance proceeds were received. 4. Insurance proceeds were received. 5. Requirement 93 Moderate or Above Provide Addt'l Monitoring the paid in respect of a single event in excess of \$500,000 will be paid into the Joint the Join | | | day before the renewal date. | Requirement | | | |
| claims in excess of \$500,000 within 20 business days of the claim. 37.9 | | | Consequence will notify UDTE of any income | | 92 | Low | Ongoing is Sufficient |
| 37.9 Insurance is not a Relief from Underlying Liabilities 92 Ongoing is Sufficient 37.10 Insurance Responsibility 92 Low Ongoing is Sufficient 37.11 Insurance Providers 92 Low Ongoing is Sufficient 37.12 Indexing of Indemnity and Deductibles Insurance policy requirements will be indexed to CPI per Section 1.7 of the Agreement. Requirement 93 Moderate or Above Provide Addt'l Monitoring 37.13 Cross Claims Concessionaire will make claims against insurances to reduce the amount of any claim Concessionaire may have against HPTE. Requirement 93 Moderate or Above Provide Addt'l Monitoring 38. REINSTATEMENT 93 38.1 Use of Insurance Proceeds All insurance proceeds received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. Requirement 93 Moderate or Above Provide Addt'l Monitoring 48. Provide Addt'l Monitoring 49. Requirement 93 Moderate or Above Provide Addt'l Monitoring 49. Requirement 93 Moderate or Above Provide Addt'l Monitoring 49. Requirement 94. Requirement 95. Moderate or Above Provide Addt'l Monitoring 49. Requirement 95. Moderate or Above Provide Addt'l Monitoring 49. Requirement 95. Moderate or Above Provide Addt'l Monitoring 49. Requirement 95. Moderate or Above Provide Addt'l Monitoring 49. Requirement 95. Moderate or Above Provide Addt'l Monitoring 49. All insurance proceeds were received. Requirement 96. Requirement 97. Moderate or Above Provide Addt'l Monitoring 49. All insurance proceeds paid in respect of a single event in excess of \$500,000 will be paid into the Joint | | 37.8 Ciaims | claims in excess of \$500,000 within 20 business days | Poquiromont | 02 | Madarata ar Abaya | Provide Addt'l Menitering |
| 37.10 Insurance Responsibility 37.11 Insurance Providers 37.12 Indexing of Indemnity and Deductibles Insurance policy requirements will be indexed to CPI per Section 1.7 of the Agreement. Requirement 93 Moderate or Above Provide Addt'l Monitoring Concessionaire will make claims against insurances to reduce the amount of any claim Concessionaire may have against HPTE. Requirement 93 Moderate or Above Provide Addt'l Monitoring 93 Moderate or Above Provide Addt'l Monitoring 94 Moderate or Above Provide Addt'l Monitoring 95 Moderate or Above Provide Addt'l Monitoring 96 Moderate or Above Provide Addt'l Monitoring 97 Moderate or Above Provide Addt'l Monitoring 98 Moderate or Above Provide Addt'l Monitoring 98 Moderate or Above Provide Addt'l Monitoring 99 Moderate or Abov | | 27.0 Incurance is not a Relief from Underlying Liabilities | UI ITE CIAIII. | Nequirement | | WIDGE ALE OF ADOVE | |
| 37.11 Insurance Providers 37.12 Indexing of Indemnity and Deductibles Insurance policy requirements will be indexed to CPI per Section 1.7 of the Agreement. 37.13 Cross Claims Concessionaire will make claims against insurances to reduce the amount of any claim Concessionaire may have against HPTE. Requirement 93 Moderate or Above Provide Addt'l Monitoring against HPTE. Requirement 93 Moderate or Above Provide Addt'l Monitoring against HPTE. Requirement 93 Moderate or Above Provide Addt'l Monitoring against HPTE. 38.1 Use of Insurance Proceeds All insurance proceeds received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. 38.2 Threshold Amount for Insurance Proceeds All insurance proceeds paid in respect of a single event in excess of \$500,000 will be paid into the Joint | | | | | | Low | |
| 37.12 Indexing of Indemnity and Deductibles Insurance policy requirements will be indexed to CPI per Section 1.7 of the Agreement. Requirement 93 Moderate or Above Provide Addt'l Monitoring Concessionaire will make claims against insurances to reduce the amount of any claim Concessionaire may have against HPTE. Requirement 93 Moderate or Above Provide Addt'l Monitoring Moderate or Above Provide Addt'l Monitoring Sas. REINSTATEMENT 38.1 Use of Insurance Proceeds All insurance proceeds received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. 38.2 Threshold Amount for Insurance Proceeds All insurance proceeds geroeived. All insurance proceeds part of in espect of a single event in excess of \$500,000 will be paid into the Joint | | | | | | | |
| 37.13 Cross Claims Concessionaire will make claims against insurances to reduce the amount of any claim Concessionaire may have against HPTE. Requirement 93 Moderate or Above Provide Addt'l Monitoring 93 38.1 Use of Insurance Proceeds All insurance proceeds received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. Requirement 93 Moderate or Above Provide Addt'l Monitoring 95 All insurance proceeds were received. Requirement 96 Moderate or Above Provide Addt'l Monitoring 97 All insurance proceeds were received. Requirement 98 Moderate or Above Provide Addt'l Monitoring 98 All insurance proceeds paid in respect of a single 98 All insurance proceeds paid in respect of a single 99 All insurance proceeds paid in respect of a single 90 All insurance proceeds paid in respect of a single 90 All insurance proceeds paid in the Joint | | | | Requirement | | | |
| 38. REINSTATEMENT 38.1 Use of Insurance Proceeds 4II insurance proceeds received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. 38.2 Threshold Amount for Insurance Proceeds 4II insurance proceeds were received. 8Requirement 93 Moderate or Above Provide Addt'l Monitoring Requirement 93 Moderate or Above Provide Addt'l Monitoring Requirement 94 Provide Addt'l Monitoring Requirement 95 Moderate or Above Provide Addt'l Monitoring Requirement 96 Provide Addt'l Monitoring Requirement 97 Moderate or Above Provide Addt'l Monitoring Requirement 98 Provide Addt'l Monitoring Requirement 99 Moderate or Above Provide Addt'l Monitoring Requirement 90 Mod | | 37.13 Cross Claims | Concessionaire will make claims against insurances | | | | Ç |
| 38.1 Use of Insurance Proceeds All insurance proceeds received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. Requirement 93 Moderate or Above Provide Addt'l Monitoring Addt'l Moni | | | may have against HPTE. | Requirement | | Moderate or Above | Provide Addt'l Monitoring |
| repair, reinstate and replace each part of the assets of which such proceeds were received. Requirement 93 Moderate or Above Provide Addt'l Monitoring 38.2 Threshold Amount for Insurance Proceeds All insurance proceeds paid in respect of a single event in excess of \$500,000 will be paid into the Joint | 38. | | | | 93 | | |
| 38.2 Threshold Amount for Insurance Proceeds All insurance proceeds paid in respect of a single event in excess of \$500,000 will be paid into the Joint | | 38.1 Use of Insurance Proceeds | repair, reinstate and replace each part of the assets | | | | |
| | | 38.2 Threshold Amount for Insurance Proceeds | All insurance proceeds paid in respect of a single | Requirement | 93 | Moderate or Above | Provide Addt'l Monitoring |
| | | | | Requirement | 93 | Moderate or Above | Provide Addt'l Monitoring |

Prepared by McGladrey, LLP - As of July 15, 2015

| | | | | | | Revsion date 7/15/2015 |
|-------------------|--|---|--------------------------|----------|-------------------|---------------------------|
| | | | Performance Metric(s) | | Risk Level | Additional Monitoring |
| | Agreement Section | Agreement Requirement | (if applicable) | Page # | (if applicable) | Conclusion |
| 38.3 | Occurrence of a Relevant Incident | In the case of a Relevant Incident, Concessionaire will promptly complete the work necessary to repair, reinstate or replace assets. Withdrawals may be made from the Joint Insurance Account to fund Reinstatement Work, in accordance | | | | |
| | | with the Agreement. HPTE will assist Concessionaire in the carrying out of | | | | |
| | | Reinstatement Work. | Requirement | 93 | Moderate or Above | Provide Addt'l Monitoring |
| 38.4 | Non-Separable Reinstatement Work | | | 94 | Low | Ongoing is Sufficient |
| 38.5 | Implementation of Non-Separable Reinstatement Work | | | 96 | Low | Ongoing is Sufficient |
| 38.6 | CDOT action under Emergency Contracting Procedures | MIL ' | | 97 | Low | Ongoing is Sufficient |
| 38.7 | Compliance with HPTE's Requirements | Where insurance proceeds are used to repair, reinstate or replace any asset, Concessionaire will complete work in accordance with HPTE's Service | | | | |
| | | Requirements and the Concessionaire's Proposals. | Requirement | 97 | Moderate or Above | Provide Addt'l Monitoring |
| UNINSURAE | | | | 98 | <u> </u> | |
| 39.1 | No Obligation to Insure an Uninsurable Risk | | | 98 | Low | Ongoing is Sufficient |
| 39.2 | Uninsurable Event | | | 98 | Low | Ongoing is Sufficient |
| 39.3 | Management of Risk | | | 98 99 | Low | Ongoing is Sufficient |
| 39.4 | Relevant Payment | | | 99 | Low | Ongoing is Sufficient |
| UNAVAILAB 40.1 | Applicability of Unavailable Insurance Terms or Dayments | | | 99 | Low | Ongoing is Sufficient |
| 40.1 | Applicability of Unavailable Insurance Terms or Payments Waiver Where Insurance Term Not Available | | | 100 | Low | Ongoing is Sufficient |
| 40.2 | Alternatives to Any Insurance Term | | | 100 | Low | Ongoing is Sufficient |
| 40.4 | Compensation to HPTE for Exercising Waiver of Unavailable Insurance Term | | | 100 | LOW | Origoning is cumcient |
| 40.5 | Notice of Insurance Term Being Unavailable and Discussion on Risk | | | 100 | Low | Ongoing is Sufficient |
| | gement | | | 100 | | Ongoing is Sufficient |
| 40.6 | Maintenance | | | 100 | Low | Ongoing is Sufficient |
| RT 10: EXTERNAL | | | | 101 | | <u> </u> |
| COMPENSA | ITION EVENTS | | | 101 | | |
| 41.1 | Compensation Events and their consequences | | | 101 | Low | Ongoing is Sufficient |
| 41.2 | Compensation Events affecting the Phase 2 Work | | | 101 | Low | Ongoing is Sufficient |
| 41.3 | Obtaining Relief and Compensation for Compensation Event | To obtain relief and/or claim compensation, the Concessionaire must a) notify HPTE of its claim within 15 business days and b) give full details of the Compensation Event within 10 business days of notifying HPTE | Requirement | 101 | Moderate or Above | Provide Addt'l Monitoring |
| 41.4 | Compensation Events and Their Consequences | If the Compensation Event could not have been avoided by the Concessionaire, and the Concessionaire followed appropriate Compensation Event procedures, HPTE will compensate Concessionaire within 20 business days of receipt of claim, make Revenue Compensation Payments, or | | | | |
| | | provide non-financial remedies, as appropriate. | Requirement | 101 | Moderate or Above | Provide Addt'l Monitoring |
| 41.5 | Failure to Provide Timely Information | | | 102 | Low | Ongoing is Sufficient |
| 41.6 | Further Information | | | 102 | Low | Ongoing is Sufficient |
| 41.7 | Applicability of Dispute Resolution Procedure | | | 102 | | Ongoing is Sufficient |
| RELIEF EVE | | | | 103 | | |
| 42.1 | Relief Events and their consequences | | | 103 | Low | Ongoing is Sufficient |
| 42.2 | Relief Events affecting the Phase 2 Work | | | 103 | Low | Ongoing is Sufficient |
| 42.3 | Obtaining Relief for Relief Event | In the occurrence of a Relief Event, Concessionaire will a) notify HPTE of its claim within 20 business days and b) give full details of the claim within 5 business days. | Requirement | 103 | Moderate or Above | Provide Addt'l Monitoring |
| | | buoinooo dayo. | . loquilonioni | | | |

Prepared by McGladrey, LLP - As of July 15, 2015

| | | | | | | | Revsion date 7/15/2015 |
|---|------------|---|---|---|------------|-------------------------------|--------------------------------------|
| | | Agreement Section | Agreement Requirement | Performance Metric(s) (if applicable) | Page # | Risk Level (if applicable) | Additional Monitoring Conclusion |
| | 42.4 | Right to Relief | Agrosment Requirement | (п аррпоавіс) | 103 | Low | Ongoing is Sufficient |
| | 42.5 | Failure to Provide Timely Information | | | 104 | Low | Ongoing is Sufficient |
| | 42.6 | Further Information | | | 104 | Low | Ongoing is Sufficient |
| | 42.7 | Reduction of Snow and Ice Services Fee and GP Routine Maintenance Fee f | or If Relief Event prevents or diminishes | | | | gg |
| | | <i>d</i> ajeure | Concessionaire's performance of Snow and Ice Services or Maintenance Services, HPTE is entitled to a fair and reasonable reduction in fees, as agreed | D | 404 | Madagara and Nasa | Decide Addition |
| | 40.0 | And Production of Director Development Construction | bv Concessionaire. | Requirement | 104 | Moderate or Above | Provide Addt'l Monitoring |
| F | 42.8 | Applicability of Dispute Resolution Procedure | | | 104 | Low | Ongoing is Sufficient |
| | ORCE MAJE | | | | 104 | 1 | 0 |
| | 43.1 | Occurrence of a Force Majeure Event | | | 104 | Low | Ongoing is Sufficient |
| | 43.2 | Force Majeure Events affecting the Phase 2 Work | | | 104 | Low | Ongoing is Sufficient |
| | 43.3 | Notice of Force Majeure Event | On the occurrence of a Force Majeure Event, affected party will notify other part as soon as possible, to include details and evidence and any mitigating actions and effects. | Requirement | 105 | Moderate or Above | Provide Addt'l Monitoring |
| | 43.4 | Right to Relief | Concessionaire has a right to relief if Force Majeure Event was the cause of a breach and property | D | 405 | Madagata as Alacas | Describe Addition of the description |
| | 43.5 | Reduction of Snow and Ice Services Fee and GP Routine Maintenance Fee f | mitigation steps were taken. | Requirement | 105 | Moderate or Above | Provide Addt'l Monitoring |
| | Force N | , | Concessionaire's performance of Snow and Ice Services or Maintenance Services, HPTE is entitled to a fair and reasonable reduction in fees, as agreed by Concessionaire. | Requirement | 105 | Moderate or Above | Provide Addt'l Monitorinç |
| | 43.6 | Consultation After Force Majeure Event | | | 105 | Low | Ongoing is Sufficient |
| | 43.7 | Termination Rights | | | 105 | Low | Ongoing is Sufficient |
| | 43.8 | Termination Effects | | | 106 | Low | Ongoing is Sufficient |
| | 43.9 | Termination Options | | | 106 | Low | Ongoing is Sufficient |
| | 43.10 | Mitigation | | | 106 | Low | Ongoing is Sufficient |
| | 43.11 | End of Force Majeure Event | | | 106 | Low | Ongoing is Sufficient |
| c | HANGE IN I | | | | 106 | | |
| | 44.1 | Qualifying Change in Law | Parties will notify each other of any changes in law and its effect on work, services, revenues, costs, or capital. | Requirement | 106 | Moderate or Above | Provide Addt'l Monitorin |
| | 44.2 | Change Procedure | As soon as possible after receipt of notification of change in law, parties shall agree on mitigating actives and provide appropriate evidence of any effects on work, services, revenues, costs or capital. | Requirement | 107 | Moderate or Above | Provide Addt'l Monitoring |
| | 44.3 | Capital Expenditures | choco on work, services, revenues, seeds of capital. | rtoquiromont | 107 | Low | Ongoing is Sufficient |
| | 44.4 | Failure to Obtain Funding | | | 108 | Low | Ongoing is Sufficient |
| | 44.5 | Loss of Toll Revenues or Additional Recurring Costs | | | 108 | Low | Ongoing is Sufficient |
| | | GE PROCEDURE | HPTE and Concessionaire will follow designated | | 100 | LOW | Stigoting to Cambioni |
| | SUB-CONTR | | change procedures as necessary, per Schedule 21. | Requirement | 108 108 | Moderate or Above | Provide Addt'l Monitoring |
| S | 46.1 | Restriction on Sub-Contracting | Concessionaire will not subcontract or make changes to existing subcontracts without the written consent of HPTE. | Requirement | 108 | Moderate or Above | Provide Addt'l Monitoring |
| | 46.2 | Sub-Contractors | · · · · - · | | 108 | Low | Ongoing is Sufficient |
| | 46.3 | Sub-Contract Provisions | Subcontract agreements entered into by Concessionaire will contain the appropriate Flow down Provisions. | Requirement | 108 | Moderate or Above | Provide Addt'l Monitoring |
| | 46.4 | Liability | uowii i Iuviaiulia. | requirement | 110 | Low | Ongoing is Sufficient |
| | 40.4 | Liability | | | 110 | LUW | Origoning is Sunicient |

Prepared by McGladrey, LLP - As of July 15, 2015

| Agreement Section Concessionate will not engage any ment subcontractor's replacement s | | | | | | | Revsion date 7/15/2015 |
|--|---------------|--|---|-----------------|--------|-------------------|---------------------------|
| 45. HPTE-Sub-Contractor Agreements or Provides HTE estocontactor Agreement (Shredule provides HTE estocontactor Agreement Provides HTML Provides HT | | | | Metric(s) | | | Additional Monitoring |
| Manual Provides NTF Subcontractor Agentinactors unitees Concessionaire of Provides NTF Subcontractor Agentine (Checkule) | | | | (if applicable) | Page # | (if applicable) | Conclusion |
| ### CHANGE OF CONTROL ### CONTROL 11 | 46.5 | HPTE-Sub-Contractor Agreements | replacement subcontractors unless Concessionaire provides HPTE subcontractor Agreement (Schedule | | | | |
| A. CHANGE OF CONTROL | | | 10) phot to commonoung any activities of obligations. | Requirement | 111 | Moderate or Above | Provide Addt'l Monitoring |
| Part | 47. CHANGE OF | CONTROL | | | 111 | | |
| | 47.1 | Structure of the Concessionaire | or disposal of any legal, beneficial, equitable or other interest in any or all of the shares in the | Paguirament | 111 | Moderate or Above | Provide Addt'l Monitoring |
| 147 | 47.2 | Lock Up Period | Concessionaire. | Requirement | | | Ongoing is Sufficient |
| | | | | | | | Ongoing is Sufficient |
| March Marc | | | | | | | Ongoing is Sufficient |
| PART 1511 + HANDBACK AND TERMINATION OF THE CONTRACI 14 | | | | | | | Ongoing is Sufficient |
| MANDBACK | | | | | | LOW | Origoning is Sufficient |
| 14.1 Low Hand back Requirements 11.4 Low Low Hand back Plan Low Hand Back Residual Life Inspection Low Hand Back Residual Life Inspection Low Hand Back Plan Low Hand Back Residual Life Inspection Low Hand Back R | | | | | | | |
| 48.2 Hand back Plan Low Low Hand Back Plan Low Low Hand Back Plan Hand Ba | | | | | | | |
| 48.3 Residual Life Inspection | | | | | | | Ongoing is Sufficient |
| 48.4 Initial Residual Life Inspection | | | | | | | Ongoing is Sufficient |
| 18.5 Intermediate Residual Life Inspection 11.5 Low 18.6 Final Residual Life Inspection 11.5 Low 18.7 Incorporating the Renewal Works into the Life Cycle Maintenance Plan and 18.7 Low 18.8 Hand back Reserve 11.6 Low 18.8 Hand back Certificate and Completion of Renewal Works 11.6 Low 18.9 Hand back Certificate and Completion of Renewal Works 11.6 Low 18.9 Hand back Certificate and Completion of Renewal Works 11.7 Low 18.9 Hand back Certificate and Completion of Renewal Works 11.7 Low 18.9 Hand back Certificate and Completion of Renewal Works 11.7 Low 18.9 Low | | | | | | | Ongoing is Sufficient |
| 48.6 Final Residual Life Inspection | | | | | | | Ongoing is Sufficient |
| 148.7 | 48.5 | | | | | | Ongoing is Sufficient |
| Subsequent Updates | 48.6 | Final Residual Life Inspection | | | 115 | Low | Ongoing is Sufficient |
| 48.8 Hand back Reserve 116 | 48.7 | Incorporating the Renewal Works into the Life Cycle Maintenance Plan and | | | | | |
| 48.9 Hand back Centificate and Completion of Renewal Works 116 Low | Subse | quent Updates | | | 115 | Low | Ongoing is Sufficient |
| 49. CONSEQUENCES OF TERMINATION OR EXPIRATION 117 100 117 100 117 100 117 100 117 100 117 100 117 100 117 100 117 100 117 100 117 100 118 100 11 | 48.8 | Hand back Reserve | | | 116 | Low | Ongoing is Sufficient |
| 49. CONSEQUENCES OF TERMINATION OR EXPIRATION 117 100 117 100 117 100 117 100 117 100 117 100 117 100 117 100 117 100 117 100 117 100 118 100 11 | 48.9 | Hand back Certificate and Completion of Renewal Works | | | 116 | Low | Ongoing is Sufficient |
| 117 | | | | | 117 | Low | Ongoing is Sufficient |
| 49.1 Transfer of Materials | | | | | 117 | | <u> </u> |
| 49.2 Service Requirements | | | | | 117 | Low | Ongoing is Sufficient |
| 49.3 | | | | | | | Ongoing is Sufficient |
| 49.4 Transfer of Assets | | | | | | | Ongoing is Sufficient |
| 49.5 Final Six Months 119 | | | | | | | Ongoing is Sufficient |
| 196 Retender Notice | | | | | | | Ongoing is Sufficient |
| 49.7 Retender 49.8 Election to Transfer to HPTE 49.9 Transfer to HPTE or New Concessionaire 49.10 Survival 50. TERMINATION FOR CONCESSIONAIRE DEFAULT 50.1 Termination Notice 50.2 Rectification of Concessionaire Default 50.4 Failure of Rectification 50.5 Compensation 50.6 Failure of Rectification 50.7 Express Termination Rights 50.8 Rectification of Concessionaire Default 50.9 Termination Rights 50.1 Termination Rights 50.2 Rectification 50.3 Express Termination Rights 50.4 Failure of Rectification 50.5 Compensation 50.6 Ompensation 50.7 Express Termination Rights 50.8 Failure of Rectification 50.9 Termination Rights 50.0 Termination Rights 50.1 Termination Rights 50.2 Rectification of Concessionaire Default 50.4 Failure of Rectification 50.5 Compensation 50.6 Termination Rights 50.7 Failure of Rectification 50.8 Failure of Rectification 50.9 Termination Rights 50.1 Compensation 50.2 Rectification of Concessionaire Default 121 Low 122 Moderate of Above P 50.1 Continuation of Breach | | | | | | | Ongoing is Sufficient |
| 49.8 Election to Transfer to HPTE 49.9 Transfer to HPTE or New Concessionaire 49.10 Survival 50. TERMINATION FOR CONCESSIONAIRE DEFAULT 50.1 Termination Notice 50.2 Redification of Concessionaire Default 50.3 Express Termination Rights 50.4 Failure of Rectification 50.5 Compensation 50.5 Compensation 50.6 PERSISTENT BREACH If a particular breach (other than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warning Notice. Fol.1 Continuation of Breach | | | | | | | Ongoing is Sufficient |
| 49.9 Transfer to HPTE or New Concessionaire 120 Low 49.10 Survival 120 Low 50.0 TERMINATION FOR CONCESSIONAIRE DEFAULT 120 50.1 Termination Notice 120 Low 50.2 Rectification of Concessionaire Default 121 Low 50.3 Express Termination Rights 121 Low 50.4 Failure of Rectification 121 Low 50.5 Compensation 121 Low 50.5 Compensation 121 Low 50.6 PERSISTENT BREACH If a particular breach (other than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warning Notice. Requirement 122 Moderate or Above P | | | | | | | |
| 49.10 Survival 120 Low 50. TERMINATION FOR CONCESSIONAIRE DEFAULT 120 Low 50.1 Termination Notice 120 Low 50.2 Rectification of Concessionaire Default 121 Low 50.3 Express Termination Rights 121 Low 50.5 Compensation 121 Low 50.6 Compensation 121 Low 50.7 PERSISTENT BREACH 151 Agys or occurred more than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Figure 122 Moderate or Above P 11.1 Continuation of Breach | | | | | | | Ongoing is Sufficient |
| 50. TERMINATION FOR CONCESSIONAIRE DEFAULT 50.1 Termination Notice 50.2 Rectification of Concessionaire Default 50.3 Express Termination Rights 50.4 Failure of Rectification 50.5 Compensation 50.5 Compensation 50.6 PERSISTENT BREACH If a particular breach (other than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warning Notice. 51.1 Continuation of Breach 120 Moderate or Above P 51.2 Low | | | | | | | Ongoing is Sufficient |
| 50.1 Termination Notice 50.2 Rectification of Concessionaire Default 50.3 Express Termination Rights 50.4 Failure of Rectification 50.5 Compensation 50.6 PERSISTENT BREACH If a particular breach (other than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warning Notice. 51.1 Continuation of Breach | | | | | | Low | Ongoing is Sufficient |
| 50.2 Rectification of Concessionaire Default 50.3 Express Termination Rights 50.4 Failure of Rectification 50.5 Compensation 51. PERSISTENT BREACH If a particular breach (other than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warnino Notice. 51.1 Continuation of Breach | | | | | | | 0 1 1 0 11 1 |
| 50.3 Express Termination Rights 50.4 Failure of Rectification 50.5 Compensation FERSISTENT BREACH If a particular breach (other than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warning Notice. Fequirement 122 Moderate or Above P 121 Continuation of Breach | | | | | | | Ongoing is Sufficient |
| 50.4 Failure of Rectification 50.5 Compensation 121 Low 50.5 Compensation 121 Low 51. PERSISTENT BREACH If a particular breach (other than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warning Notice. 15.1 Continuation of Breach | | | | | | | Ongoing is Sufficient |
| 50.5 Compensation FERSISTENT BREACH If a particular breach (other than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warning Notice. Fequirement 122 Moderate or Above P 121 Low | | | | | | | Ongoing is Sufficient |
| FERSISTENT BREACH If a particular breach (other than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warning Notice. Requirement 122 Moderate or Above P 51.1 Continuation of Breach | | | | | | | Ongoing is Sufficient |
| noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warning Notice. Requirement 122 Moderate or Above P 51.1 Continuation of Breach | | | | | 121 | Low | Ongoing is Sufficient |
| a Final Warning Notice. Requirement 122 Moderate or Above P 51.1 Continuation of Breach 122 Low | 51. PERS | STENT BREACH | noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 | | | | |
| 51.1 Continuation of Breach 122 Low | | | | Requirement | 122 | Moderate or Above | Provide Addt'l Monitoring |
| | E1 1 | Continuation of Breach | a Final Warning Notice. | requirement | | | Ongoing is Sufficient |
| | 51.2 | Final Warning Notice | | | 122 | Low | Ongoing is Sufficient |
| 51.2 Final Warning Notice 122 Low 122 Low 122 Low | | | | | | | Ongoing is Sufficient |

Prepared by McGladrey, LLP - As of July 15, 2015

| | | | | | | Revsion date 7/15/2015 |
|-------------------|---|---|-----------------|------------|-------------------|---------------------------|
| | | | Performance | | | |
| | | | Metric(s) | | Risk Level | Additional Monitoring |
| | Agreement Section | Agreement Requirement | (if applicable) | Page # | (if applicable) | Conclusion |
| | 51.4 Compensation | Agreement Requirement | (ii applicable) | 122 | (ii applicable) | Ongoing is Sufficient |
| 52. | TERMINATION FOR COMMISSION OF PROHIBITED ACT | | | 122 | Low | Ongoing is Sufficient |
| JZ. | 52.1 Entering Contract not a Prohibited Act | | | 122 | Low | Ongoing is Sufficient |
| | 52.1 Entering Contract Not a Prohibited Act 52.2 Prohibited Act by Sub-Contractor or Similar Party | | | 123 | Low | Ongoing is Sufficient |
| | 52.3 Prohibited Act by the Concessionaire or Employee (Not Independently) | | | 123 | Low | Ongoing is Sufficient |
| | 52.4 Prohibited Act by the Concessionaire Employee (Independently) | | | 123 | Low | Ongoing is Sufficient |
| | 52.4 Prohibited Act by Sub-Contractor (Not Independently) | | | 123 | Low | Ongoing is Sufficient |
| | 52.6 Prohibited Act by Sub-Contractor (Not independently) | | | 123 | Low | Ongoing is Sufficient |
| | 52.7 Prohibited Act by Non-Specified Party | | | 123 | Low | Ongoing is Sufficient |
| | 52.8 Notice of Termination | | | 123 | Low | Ongoing is Sufficient |
| | 52.9 Compensation | | | 124 | Low | Ongoing is Sufficient |
| 53. | VOLUNTARY TERMINATION BY HPTE | | | 124 | LOW | Origoning is dunicient |
| | 53.1 HPTE's Right to Terminate | | | 124 | Low | Ongoing is Sufficient |
| | 53.2 Notice of Termination | | | 124 | Low | Ongoing is Sufficient |
| | 53.3 Transfer of Assets | | | 124 | Low | Ongoing is Sufficient |
| | 53.4 Timing of Termination | | | 124 | Low | Ongoing is Sufficient |
| 54. | TERMINATION FOR HPTE DEFAULT | | | 124 | LOW | Origoning is dumelent |
| J -1 . | 54.1 Termination Notice | | | 124 | Low | Ongoing is Sufficient |
| | 54.2 Specification of HPTE Default | | | 124 | Low | Ongoing is Sufficient |
| | 54.2 Specification of the Education 54.2 Timing of Termination | | | 125 | Low | Ongoing is Sufficient |
| | 54.4 Compensation | | | 125 | Low | Ongoing is Sufficient |
| 55. | CONFIDENTIALITY | HPTE and Concessionaire shall not disclose any | | 120 | LOW | Origoning is dumerent |
| | CONTIDENTIALITY | confidential information provided by the other party. | Requirement | 126 | Moderate or Above | Provide Addt'l Monitoring |
| | 55.1 Disclosure | confidential information provided by the other party. | rtoquiromont | 126 | Low | Ongoing is Sufficient |
| | 55.2 Receipt of Confidential Materials | | | 126 | Low | Ongoing is Sufficient |
| | 55.3 Applicability of Section 55.2 | | | 126 | Low | Ongoing is Sufficient |
| | 55.4 Information relating to the Public | | | 127 | Low | Ongoing is Sufficient |
| 6.0 | THE CONCESSIONAIRE'S RECORDS AND PROVISION OF INFORMATION; | Concessionaire is required to maintain adequate | | 127 | | Origonia io Camoloni |
| 0.0 | COLORADO OPEN RECORDS ACT | records related to Work and Services and, upon | | | | |
| | OCEONIDO OF ENTRECONDOTION | request, will provide a written summary of any costs | | | | |
| | | related to Work or Services. Concessionaire will | | | | |
| | | allow HPTE to examine those records as needed. | Requirement | 127 | Moderate or Above | Provide Addt'l Monitoring |
| | 56.1 Maintenance of Records | allow the tellockarilline those records as needed. | | 127 | Low | Ongoing is Sufficient |
| | 56.2 Accounting | | | 128 | Low | Ongoing is Sufficient |
| | 56.3 Phase 2 Work Records | | | 128 | Low | Ongoing is Sufficient |
| | 56.4 Worker Safety and Maintenance | | | 128 | Low | Ongoing is Sufficient |
| | 56.5 Examination and Retention | | | 129 | Low | Ongoing is Sufficient |
| | 56.6 Requested Records | | | 129 | Low | Ongoing is Sufficient |
| | 56.7 Colorado Open Records Act | | | 129 | Low | Ongoing is Sufficient |
| 7. | | | | 130 | | engenig to earneren |
| | 57.1 Sole Remedies in General; the Concessionaire | | | 130 | Low | Ongoing is Sufficient |
| | 57.2 Sole Remedy for Compensation Event | | | 130 | Low | Ongoing is Sufficient |
| | 57.3 Sole Remedy for Failure to Provide Services | | | 130 | Low | Ongoing is Sufficient |
| | 57.4 Remedies | | | 130 | Low | Ongoing is Sufficient |
| | 57.5 HPTE Breach | | | 130 | Low | Ongoing is Sufficient |
| | 57.6 Loss Payments | | | 131 | Low | Ongoing is Sufficient |
| | 57.7 Insurance Applicability | | | 131 | Low | Ongoing is Sufficient |
| | 57.8 Termination Only in Accordance with Terms of Contract | | | 131 | Low | Ongoing is Sufficient |
| | 57.9 Waiver of Consequential Damages | | | 131 | Low | Ongoing is Sufficient |
| 8.0 | THE CONCESSIONAIRE NOT AN AGENT OF HPTE | No partnership or similar relationship will be | | | 2011 | origoning to comment |
| ,0.0 | THE CONCEDENTALINE NOT AN AGENT OF THE TE | established between Concessionaire and HPTE. | Requirement | 131 | Moderate or Above | Provide Addt'l Monitoring |
| | 58.1 Concessionaire as an Independent Contractor | CStabilistica between concessionaire and the FE. | rtoquiromont | 131 | Low | Ongoing is Sufficient |
| | 58.2 No Partnership or Similar Relationship | | | 131 | Low | Ongoing is Sufficient |
| | 58.3 HPTE has no relationship with Concessionaire's Employees | | | 132 | Low | Ongoing is Sufficient |
| a | | | | 132 | LOW | Origoning is dunicient |
| .J. | | | | | Low | Ongoing is Sufficient |
| 59. | INTELLECTUAL PROPERTY RIGHTS 59.1 HPTE Rights | | | 132 132 | Low | Ongoing is Suf |

Prepared by McGladrey, LLP – As of July 15, 2015

| | | | | | | Revsion date 7/15/2015 |
|----------|---|---|-----------------|------------|-------------------|---|
| | | | Performance | | | |
| | | | Metric(s) | | Risk Level | Additional Monitoring |
| | Agreement Section | Agreement Requirement | (if applicable) | Page # | (if applicable) | Conclusion |
| | 59.2 Concessionaire Intellectual Property | Agreement Requirement | (ii applicable) | 132 | Low | Ongoing is Sufficient |
| | 59.3 Purchase Right | | | 132 | Low | Ongoing is Sufficient |
| | 59.4 Third Party Rights | | | 133 | Low | Ongoing is Sufficient |
| | 59.5 Hold Harmless | | | 133 | Low | Ongoing is Sufficient |
| 0. | ASSIGNMENT | HPTE may transfer and assign its interest to any | | | | gg |
| | | other public agency or entitle of the State as required | | | | |
| | | by Law upon not less than 60 business days notice to | | | | |
| | | Concessionaire. | | | | |
| | | Concessionaire cannot assign its interests without | | | | |
| | | prior written consent of HPTE. | Requirement | 133 | Moderate or Above | Provide Addt'l Monitoring |
| | 60.1 Assignment by HPTE | · | | 133 | Low | Ongoing is Sufficient |
| | 60.2 Assignment by the Concessionaire | | | 134 | Low | Ongoing is Sufficient |
| 1. | INDEMNIFICATION | Concessionaire will release, defend, indemnify and | | | | |
| | | hold harmless HPTE and CDOT from and against any | | | | |
| | | and all claims and causes of action. | Requirement | 134 | Moderate or Above | Provide Addt'l Monitoring |
| | 61.1 General Indemnities | | | 134 | Low | Ongoing is Sufficient |
| | 61.2 Design Defects | | | 135 | Low | Ongoing is Sufficient |
| | 61.3 Losses Due to Negligence of Indemnified Parties | | | 135 | Low | Ongoing is Sufficient |
| | 61.4 Claims by Employees | | | 135 | Low | Ongoing is Sufficient |
| | 61.5 Reliance on the Concessionaire's Performance | | | 136 | Low | Ongoing is Sufficient |
| | 61.6 Indemnities in Connection with Utilities | | | 136 | Low | Ongoing is Sufficient |
| | 61.7 Indemnification Process | | | 136 | Low | Ongoing is Sufficient |
| 2. | ENTIRE AGREEMENT | | | 137 | Low | Ongoing is Sufficient |
| 3. | WAIVER AND CONSEQUENCES OF REVIEW, ACCEPTANCE, ETC OF DOCUMEN | TS BY HPTE | | 137 | Low | |
| | 63.1 Waiver | | | 137 | Low | Ongoing is Sufficient |
| | 63.2 Review of Documents by HPTE | | | 138 | Low | Ongoing is Sufficient |
| 4. | NOTICES | Parties will notify each other via written notice | Daniel Comment | 400 | | |
| | | whenever a notification is necessary. | Requirement | 138 | Moderate or Above | Provide Addt'l Monitoring |
| | 64.1 Notice Deliveries | | | 138 | Low | Ongoing is Sufficient |
| | 64.2 Changes to Notices; Physical Receipt | | | 139 | Low | Ongoing is Sufficient |
| 5. ` | SEVERABILITY LIMITATION ON THIRD-PARTY BENEFICIARIES | | | 139 139 | Low Low | Ongoing is Sufficient Ongoing is Sufficient |
| 6. 7 | | | | 139 | Low | Ongoing is Sufficient |
| 7. | FURTHER ASSURANCES | | | 140 | Low | Ongoing is Sufficient |
| 8. 9. | GOVERNING LAW DISPUTE RESOLUTION AND JURISDICTION | | | 140 | LOW | Origoning is Sufficient |
| 9. | 69.1 Application of Dispute Resolution | | | 140 | Low | Ongoing is Sufficient |
| | 69.2 Venue | | | 140 | Low | Ongoing is Sufficient |
| D. | AMENDMENTS | | | 140 | Low | Ongoing is Sufficient |
| J. | COSTS AND EXPENSES OF THE PARTIES | | | 140 | LOW | Origoning is Sumcient |
| | 71.1 Contract and Project Document Costs | | | 140 | Low | Ongoing is Sufficient |
| | 71.1 Contract and Project Document Costs 71.2 Stipend | | | 140 | Low | Ongoing is Sufficient |
| 2. | NO PERSONAL LIABILITY | | | 140 | Low | Ongoing is Sufficient |
| z. 3. | COPIES OF CORRESPONDENCE TO HPTE | | | 141 | Low | Ongoing is Sufficient |
| 4. | DEFAULT INTEREST | | | 141 | Low | Ongoing is Sufficient |
| 5. | SPECIAL PROVISIONS | | | 141 | 2011 | engenig to cumerent |
| | 75.1 Governmental Immunity | | | 141 | Low | Ongoing is Sufficient |
| | 75.2 Independent Contractor | | | 141 | Low | Ongoing is Sufficient |
| | 75.3 Compliance with Law | | | 141 | Low | Ongoing is Sufficient |
| | 75.4 Software Piracy Prohibition | | | 142 | Low | Ongoing is Sufficient |
| | 75.5 Employee Financial Interest/Conflict of Interest | | | 142 | Low | Ongoing is Sufficient |
| | 75.6 Vendor Offset | | | 142 | Low | Ongoing is Sufficient |
| | 75.7 Public Contracts for Services | | | 142 | Low | Ongoing is Sufficient |
| i. | COUNTERPARTS | | | 143 | Low | Ongoing is Sufficient |
| | | | | - | | <u> </u> |
| ched | lule 10/ Schedule 6 | Issue information to the public through any means | Performance | | | |
| | | that is factually incorrect. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| | | | | | | |

Prepared by McGladrey, LLP - As of July 15, 2015

| | Performance | | | |
|--|-------------------------------|---------|--------------------|-----------------------------|
| | i dilaina | | | |
| | Metric(s) | | Risk Level | Additional Monitoring |
| Agreement Section Agreement | (if applicable) | Page # | (if applicable) | Conclusion |
| Schedule 10/ Schedule 6 Abide by all requirements of the Managed I | | | | |
| Communications Plan | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Concession Agreement Compliance with a requirement with regard | | | | |
| Personnel in the Concession Agreement, | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6 Disclose a policy regarding privacy of Cust | | | | |
| Confidential Information to Customers in ac | | | | |
| with Schedule 6 Appendix 6-2. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6/25 Produce, review, and, as necessary, update | | | | |
| following plans during the Services Period | | | | |
| accordance with the Concession Agreemen | | | | |
| but not limited: (7) Managed Lane Commu | | C+b 40 | Madagata as Abassa | Danisida Addell Massitasia |
| Plan | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6/25 Produce, review, and, as necessary, updat | | | | |
| following plans during the Services Period i | | | | |
| accordance with the Concession Agreemen | | | | |
| but not limited: (4) Disaster Recovery Plan | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6/25 Produce, review, and, as necessary, updat | | 301110 | Widderate of Above | Flovide Addit Monitorin |
| , , . , . , . , . , . , . , . , | | | | |
| following plans during the Services Period i accordance with the Concession Agreemer | | | | |
| but not limited: (6) Incident Response Plan | | | | |
| but not limited. (6) incluent response Flan | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6/25 Produce, review, and, as necessary, updat | | 001110 | Woderate of 7 bove | 1 Tovido / Idae i Monitorii |
| following plans during the Services Period | | | | |
| accordance with the Concession Agreemen | | | | |
| but not limited: (8) Life Cycle Maintenance | | | | |
| out not infined. (b) and dyste maintenance | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6/25 Produce, review, and, as necessary, updat | | | | |
| following plans during the Services Period | | | | |
| accordance with the Concession Agreemer | | | | |
| but not limited: (1) Maintenance Manageme | | | | |
| | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6/25 Produce, review, and, as necessary, update | te the | | | |
| following plans during the Services Period | in | | | |
| accordance with the Concession Agreemer | nt including | | | |
| but not limited: (3) Operations Managemen | | | | |
| | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6/25 Produce, review, and, as necessary, updat | te the | | | |
| following plans during the Services Period | | | | |
| accordance with the Concession Agreemer | | | | |
| but not limited: (5) Transition Plan; | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6/25 Produce, review, and, as necessary, update | | | | |
| following plans during the Services Period | | | | |
| accordance with the Concession Agreemen | | | | |
| but not limited: (2) Quarterly, One- Year an | | Cab 10 | Madarata ar Abrica | Drovido Addil Maritaria |
| Year Work Plans: | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6, Produce, review, and, as necessary, update | | | | |
| following plans during the Services Period i | | | | |
| accordance with the Concession Agreemen | | Cab 10 | Modorata ar Aba: | Drovido Addell Manitaria |
| but not limited: | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 6 Use, maintain and update the Maintenance | | | | |
| Management Information System in accor | rdance Performance Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorino |
| with paragraph 5.1 of Schedule 6. | ivieasure | SCII IU | WOULE ALL OF ADOVE | 1-TOVIDE AUDIT MONITORING |

Prepared by McGladrey, LLP - As of July 15, 2015

| | | | | | Revsion date 7/15/2015 |
|---|--|-----------------|---------|---------------------|-----------------------------|
| | | Performance | | | |
| | | Metric(s) | | Risk Level | Additional Monitoring |
| Agreement Section | Agreement Requirement | (if applicable) | Page # | (if applicable) | Conclusion |
| Schedule 10/ Concession Agreement | Keep, maintain or make available to HPTE and its | () | | (| |
| osilousia 16, osilousia 11, | designated representative any book, record or | | | | |
| | document in accordance with Schedule 6 of the | Performance | | | |
| | Concession Agreement. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 26 | Establish and fund the Handback Reserve when | mododio | 200 | | |
| Concado 10/ Concado 20 | required and provide appropriate account information | | | | |
| | in accordance with Section 48.8 of the Concession | Performance | | | |
| | Agreement | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 – A6.2 | All ETCS equipment is fully functional and housing is | Performance | OCIT TO | Woderate of Above | 1 Tovide Addit Worldoning |
| Scriedule 10/ Scriedule 0 - A0.2 | functioning and free of defects. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 – A6.2 | All beacons or other equipment associated with HOV | Measure | Scii iu | Moderate of Above | 1 Tovide Addit Worldoning |
| Scriedule 10/ Scriedule 0 - A0.2 | · | | | | |
| | enforcement are functioning as required when a | Performance | | | |
| | vehicle passes through the lane declared as HOV. | Measure | Cab 10 | Madarata or Abova | Dravida Addt'l Manitarina |
| Och chile 407 Och chile Och A00 | All and a second and love are control of a 00 050/ of | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 – A6.2 | All antennas and readers are capturing 99.95% of | Dorformonoo | | | |
| | transactions where a transponder is present in the | Performance | 0.1.40 | Mandauerte en Alice | Describe A Little Advisor |
| | vehicle. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 – A6.2 | Lane controllers are up and running 99.99% of the | Performance | 0 1 10 | | B |
| | time that the managed lanes are open. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 – A6.2 | AVC system is classifying the correct number of axles | | | | |
| | on vehicles correctly 99.95% of the time a | Performance | | | |
| | transaction is detected in the lane. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Transmit transactions that are not duplicates with the | | | | |
| | correct toll amounts to the Customer Service Center | | | | |
| | (to be determined on a per transmission basis). | Performance | | | |
| | | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Upon notification of a duplicate transaction or an | | | | |
| | incorrect toll amount on a per transmissions basis, | | | | |
| | the Concessionaire shall reconcile or audit the data | | | | |
| | transmission within one Business Day to identify any | | | | |
| | and all other duplicate transactions or incorrect toll | | | | |
| | charges that may have occurred (to be determined on | | | | |
| | a per transmission basis). Upon identification, the | | | | |
| | Concessionaire shall transmit the correct information | | | | |
| | to the customer service center for rectification | | | | |
| | including appropriate correspondence and | | | | |
| | | Performance | | | |
| | crediting/debiting of accounts within five days. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | The Concessionaire shall only request payment from | | | | |
| | an account on the list of current active tags | | | | |
| | transmitted by the customer service center (to be | Performance | | | |
| | determined on a per transmission basis). | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 16 | Comply with the toll pricing requirements (including | Micasure | OCIT TO | Woderate of Above | 1 Tovide Addit Monitoring |
| Scriedule 10/ Scriedule 10 | | | | | |
| | notification requirements) and vehicle usage/access | | | | |
| | requirements approved by the HPTE Board as well | Performance | | | |
| | as those required by the IGA with Denver RTD. | | Cab 40 | Madausta au Abacca | Danisida Addell Massitanias |
| Och chile 404 Och chile 0 | Askings a many Assat Condition Constitution (Co.5) | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Achieve a mean Asset Condition Score of 3.5 but at | | | | |
| | least 2 for any Element Category in any quarterly | Daufausa | | | |
| | audit as described in paragraph 2.3.7 of Schedule 6 | Performance | 0.1.10 | Mariana At | Describe Address to 1 |
| | of the Concession Agreement | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Achieve a mean Asset Condition Score of less than 2 | | | | |
| | and greater than 1 for any Element Category in any | | | | |
| | quarterly audit as described in paragraph 2.3.7 of | | | | |
| | Schedule 6 of the Concession Agreement. | Performance | | | |
| | | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| | | | | | |

Prepared by McGladrey, LLP - As of July 15, 2015

| | | | | | Revsion date 7/15/2015 |
|--------------------------------|--|---|---------|-------------------------------|-------------------------------------|
| Agreement Section | Agreement Requirement | Performance Metric(s) (if applicable) | Page # | Risk Level (if applicable) | Additional Monitoring Conclusion |
| Schedule 10/ Schedule 6 | Achieve a mean Asset Condition Score of 1 or less | · · · · · · | | | |
| | for any Element Category in any quarterly audit as | Performance | | | |
| | described in paragraph 2.3.7 of Schedule 6 of the Concession Agreement. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 – A6.2 | The Concessionaire takes necessary action with | | | | <u> </u> |
| | customer service center to validate ,and then if valid, | | | | |
| | have error corrected and customer informed within | | | | |
| | seven (7) days of receiving notice that an incorrect toll amount has been charged (provided appropriate | | | | |
| | customer information available) This shall apply for | | | | |
| | errors in excess of \$0.25 (to be determined on a per | | | | |
| | transmission basis). Further, as Part of the validation | | | | |
| | process the Concessionaire must assess and take | | | | |
| | appropriate action to address any underlying billing | Performance | | | |
| | problem. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 – A6.2 | Respond within seven days to customer inquiries and | | | | |
| | complaints about the Managed Lanes where contact | Performance | | | |
| | details of customers have been provided. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 –A6.2 | Telephone line manned during business hours and 24 | Performance | Cab 10 | Madarata ar Abaya | Drovido Addtl Manitorina |
| Schedule 10/ Schedule 6 | hour availability of messaging system. Maintain a monthly average of at least 4.0 on a scale | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 0 | of 1.0 to 5.0 on Customer Driven Management (CDM) | | | | |
| | customer service survey results | Performance | | | |
| | | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Maintain a monthly average of 2.0 or better on a | | | | |
| | scale of 1.0 to 5.0 on "after- call" customer service | Performance | | | |
| | surveys done through the phone system in accordance with Appendix 6-2 | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Requirements for answering calls, wait times, quality | mododio | 0011 10 | Wilderate of Above | 1 Tovido / Idat i Worldoning |
| | measurement for phone audits, workforce | | | | |
| | management software are met in accordance with | Performance | | | |
| | Appendix 6- 2 | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | An monthly average of 98% of all customer and non- customer requests and correspondence, regardless | | | | |
| | of communication method, responded to within three | Performance | | | |
| | (3) business days | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Requirements for online customer access (web), | | | | |
| | email system functionality, phone system and IVR | Desferre | | | |
| | (Interactive Voice Response) system functionality are | Performance Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | met Following receipt of two or more complaints within 30 | Measure | 3011 10 | Woderate of Above | _Flovide Addit Mollitolling |
| Schedule 10/ Schedule 0 | days emanating from a single toll point | | | | |
| | Concessionaire shall investigate claims of tag reads | | | | |
| | from General Purpose ("GP") lanes and in the event | | | | |
| | that a an erroneous toll read occurred, or reasonable | | | | |
| | doubt exists as to whether such occurred, | | | | |
| | Concessionaire shall immediately contact HPTE and | | | | |
| | prepare correspondence that can be sent to all customers who have made such a complaint | | | | |
| | regarding the erroneous GP reads. This shall | | | | |
| | occur within fifteen (15) days of receipt of such | | | | |
| | second complaint within a thirty (30) day period. | Performance | 0.1.10 | Markenst At | Decide Address to t |
| | · · · · · · · · · · · · · · · · · · · | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |

Prepared by McGladrey, LLP – As of July 15, 2015

| | | Performance Metric(s) | | Risk Level | Additional Monitoring |
|----------------------------------|---|--------------------------|-------------|--------------------|--------------------------------|
| Agreement Section | Agraement Beguizement | | Page # | (if applicable) | Conclusion |
| <u> </u> | Agreement Requirement | (if applicable) | Page # | (if applicable) | Conclusion |
| Schedule 10/ Schedule 6 | Upon notification of the display of an incorrect toll | | | | |
| | amount, the Concessionaire shall reconcile or audit | | | | |
| | the data transmission within one Business Day to | | | | |
| | identify any and all other customer accounts that may | | | | |
| | have been impacted by the incorrect signage (to be | Performance | | | |
| | determined on a per transmission basis). | | 0.1.40 | Mandagata an Alice | Don the Addition March |
| | | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Comply with standards applicable to the retention of | D(| | | |
| | and use of customer records pursuant to applicable | Performance | 0 1 40 | | |
| | Law, | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Achieve an incident response time that complies with | Performance | | | |
| | Incident Response Plan | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Comply with a requirement in respect of the Incident | | | | |
| | Management Plan as required by Schedule 6 | Performance | | | |
| | | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Address a Category 1 defect within the time period | Performance | | | |
| | shown in Appendix 6-1 of Schedule 6. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Address a Category 2 defect within the time period | Performance | | | |
| | shown in Appendix 6-1 of Schedule 6. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Identify material defects in the inspection reports, life | | | | |
| | cycle maintenance plan, or work currently undertaken. | Performance | | | |
| | | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Include identified material defects in the next Life | | | | |
| | Cycle Maintenance Plan and/or the Operations and | Performance | | | |
| | Maintenance Plan. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Comply with a requirement in respect of the | | | | |
| Section 22.4 | Maintenance Management Plan as required by | Performance | | | |
| 0001101112111 | Schedule 6 of the Concession Agreement. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Create the required O&M records. | Performance | | | |
| | oroate the required earn reserves. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 25 | Produce, review, and, as necessary, update the Snow | Performance | | | |
| 33343 | Removal and Ice Control Operations Plan | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Project Management | Establish, maintain, update or comply with any | mododio | C 00 | | - To vide / teat : Mornitoring |
| ochedule 10/ 1 Toject management | requirement of a Quality Management Plan in | | | | |
| | accordance with Section 25 of the Concession | Performance | | | |
| | Agreement | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Comply with a requirement in respect of the | Modduic | 0011 10 | Woderate of Above | 1 Tovide Addit Monitoring |
| Scriedule 10/ Scriedule 0 | Operations Management Plan as required by | | | | |
| | Schedule 6 of the Concession Agreement where the | | | | |
| | | Performance | | | |
| | failure impacts or has potential to impact on the level | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 25 | of service provided to users | Measure | 301110 | Moderate of Above | Flovide Addit Monitoring |
| Schedule 10/ Schedule 25 | Failure to meet the requirements for completing | Dorformanco | | | |
| | sweeping within 72 hours after a Precipitation Event | Performance | C-b 40 | Madagata an Alessa | Danish Addell Manifest |
| | per 3.4 of Schedule 25. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 25 | A Service Level Score of 4 is received for an | Danfanna a a - | | | |
| | individual Precipitation Event related to the Managed | Performance | 0-1-10 | Madagate en Alex | Describe Address Address |
| | Lanes | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 25 | A Service Level Score of 3 is received for an | Destaura | | | |
| | individual Precipitation Event related to the Managed | Performance | 0 / | | |
| | Lanes | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 25 | A Service Level Score of 2 is received for an | | | | |
| | individual Precipitation Event related to the Managed | Performance | | | |
| | Lanes | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 25 | A Service Level Score of 1 is received for an | | | | |
| | individual Precipitation Event related to the Managed | Performance | | | |
| | Lanes | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| | | | | | |

Prepared by McGladrey, LLP - As of July 15, 2015

| | | | | | Nevsion date 1/15/2015 |
|--|---|-----------------|---------|--------------------|------------------------------|
| | | Performance | | | |
| | | Metric(s) | | Risk Level | Additional Monitoring |
| Agreement Section | Agreement Requirement | (if applicable) | Page # | (if applicable) | Conclusion |
| Schedule 10/ Snow and Ice Control | A Service Level Score of 0 is received for an | | | | |
| | individual Precipitation Event related to the Managed | Performance | | | |
| | Lanes | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 16/IGA with Denver RTD | Maintain an average speed of at least fifty-five (55) | | | | |
| | mph for the portion of the US 36 Managed Lanes | | | | |
| | from Table Mesa to the Broomfield Park'n-Ride | | | | |
| | during Peak Periods, measured over a timeframe of | D | | | |
| | one (1) month where the actual speed is fifty (50) | Performance | 0 1 40 | | |
| | mph or less. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| Schedule 10/ Schedule 16/Denver RTD IGA | Maintain an average speed of at least fifty-five (55) | | | | |
| | mph for the portion of the US 36 Managed Lanes | | | | |
| | from Table Mesa to the Broomfield Park'n'Ride during | | | | |
| | Peak Periods, measured over a timeframe of one (1) | D | | | |
| | month such that the average is between 40-50 miles | Performance | 0.1.40 | Madagata an Abassa | Day 1 de A Light March |
| | per hour | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| chedule 10/ Schedule 16/Denver RTD IGA | Maintain an average speed of at least fifty-five (55) | | | | |
| | mph for the portion of the US 36 Managed Lanes | | | | |
| | from Table Mesa to the Broomfield Park'n'Ride during | | | | |
| | Peak Periods, measured over a timeframe of one (1) | Performance | | | |
| | month such that the average is less than forty (40) | | Cab 40 | Madagata as Abassa | Dunida Addil Manitoria |
| chedule 10/ Schedule 16/Denver RTD IGA | miles per hour. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| chedule 10/ Schedule 16/Denver RTD IGA | Maintain an average speed of at least fifty (50) mph | | | | |
| | for the portion of the US 36 Managed Lanes from the | | | | |
| | Broomfield Park'n'Ride to Pecos Street during Peak | | | | |
| | Periods, measured over a timeframe of one (1) month | Performance | | | |
| | where the average speed is forth-five (45 mph) or | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| chedule 10/ Schedule 16/Denver RTD IGA | less. Maintain an average speed of at least fifty (50) mph | ivieasure | SCI1 10 | Moderate of Above | Provide Addit Monitoring |
| chedule 10/ Schedule 10/Denver RTD IGA | | | | | |
| | for the portion of the US 36 Managed Lanes from the | | | | |
| | Broomfield Park'n'Ride to Pecos Street during Peak | | | | |
| | Periods, measured over a timeframe of one (1) month | Performance | | | |
| | such that the average is between 35-45 miles per | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| chedule 10/ Schedule 16/Denver RTD IGA | hour. Maintain as average speed of at least fifty (50) mph | ivieasure | 301110 | Woderate of Above | Flovide Addit Monitoring |
| chedule to Schedule to Denver KTD IGA | | | | | |
| | for the portion of the US 36 Managed Lanes from the Broomfield Park'n'Ride to Pecos Street during Peak | | | | |
| | Periods, measured over a timeframe of one (1) month | | | | |
| | such that the average is less than thirty-five (35) | Performance | | | |
| | miles per hour. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| chedule 10/ IGA with Denver RTD | Maintain an average travel time of no more than 8.75 | Wodouro | Con to | Moderate of Above | 1 Tovido / Idat i Monitorini |
| chedule 10/ TOA Will Deliver KTD | minutes from Pecos Street to Denver Union Station | | | | |
| | during Peak Periods measured over a rolling period | Performance | | | |
| | of four (4) weeks. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| chedule 10/ Schedule 6 | Report safety related incidents to the HPTE within | oaoaro | Con to | Moderate of Above | 1 TOVIGO / IGGET INIONIEUM |
| chedule 10/ Ochedule 0 | one day unless they constitute an immediate hazard | | | | |
| | (Category 1), in which case HPTE shall be notified as | | | | |
| | soon as practicable but in no case less than 1 hour | Performance | | | |
| | from occurrence. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitorin |
| chedule 10/ Schedule 6 | Provide Courtesy Patrol in accordance with | | 55.1 10 | | |
| onodalo IV, Conodalo V | paragraph 4.4.1 of Schedule 6 of the Concession | Performance | | | |
| | Agreement. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| chedule 10/ Schedule 6 | Meet requirements of work zone safety, management, | Mododio | 001110 | | |
| onedule to, Conedule 0 | maintenance of traffic and diversion routes for regular | Performance | | | |
| | maintenance of traile and diversion routes for regular | | | | |
| | maintenance during operations. | Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |

Prepared by McGladrey, LLP – As of July 15, 2015

EXHIBIT A

| Agreement Section | Agreement Requirement | Performance Metric(s) (if applicable) | Page # | Risk Level (if applicable) | Additional Monitoring Conclusion |
|-------------------------|--|---|--------|-------------------------------|-------------------------------------|
| Schedule 10/ Schedule 6 | Formally establish and adhere to a policy, procedure, process, or guideline as required by the Safety Plan | Performance Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Observe the safety plan or to carry out any operation or maintenance activity in contravention of (or in absence of) the safety plan or in a manner that represents a hazard to project workers or the general public in accordance with Schedule 6 of the Concession Agreement. | Performance Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Achieve a smooth transition of maintenance activities from HPTE in accordance with the Transition Plan. | Performance Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |
| Schedule 10/ Schedule 6 | Accurately gather and report on a timely basis the information required for any FHWA reporting requirements as designated by HPTE. | Performance Measure | Sch 10 | Moderate or Above | Provide Addt'l Monitoring |

| | | | | Ongoing | | | Revision Date 7/15/2015 |
|------------|---------------------------|---|--------------|-------------|-------------|-----------|--|
| | | | | Day to Day | | Secondary | |
| General | | | Requirement/ | Operations | First Level | Level | |
| Monitoring | Requirement | | Performance | Monitoring | Oversight | Oversight | |
| Category | Туре | Requirement/Performance Measure Description | Measure | (Firm) | (Firm) | (Firm) | High Level Monitoring Approach Description |
| Compliance | Contractual | Concessionaire will not subcontract or make changes to existing subcontracts without the written consent of HPTE. | Requirement | HDR / LSG | McGladrey | N/A | Monitor listing of Concessionaire subcontractors and HPTE approvals. To the extent that they exist, identify instances of use of subcontrators require to be but not approved by HPTE. Verify observed subcontractors if required, received HPTE approval. |
| Compliance | Contractual | HPTE and Concessionaire shall not disclose any confidential information provided by the other party. | Requirement | HPTE | McGladrey | N/A | Monitor and verify any Concessionaire breaches of confidentiality identified and noticed by HPTE. |
| Compliance | Contractual | HPTE and Concessionaire will follow designated change procedures as necessary, per Schedule 21. | Requirement | HPTE | McGladrey | N/A | Monitor and verify compliance with Schedule 21 for HPTE and Concessionaire Changes. |
| Compliance | Contractual | If a particular breach (other than a Schedule 10 noncompliance issue) has continued for more than 14 days or occurred more than 3 times in any 6 month period, HPTE may serve a Warning Notice on the Concessionaire. If, following a warning notice the breach continues beyond 30 days or recurred 2 more times in the 6 month period following the notice, HPTE may service a Final Warning Notice. | Requirement | HPTE | McGladrey | HPTE | Monitor and verify Concessionaire has not assigned, changed, terminated or entered into subcontract agreements within subcontractors other than proposed subcontractors, or subcontractors consented to by HPTE. |
| Compliance | Contractual | Subcontract agreements entered into by Concessionaire will contain the appropriate Flow down Provisions. | Requirement | HPTE | McGladrey | N/A | Monitor and verify that subcontract agreements entered into by Concessionaire contain the "Flow down Provisions" of Concessionaire's agreement as required by 46.3. |
| Compliance | Insurance Claims | Concessionaire will notify HPTE of any insurance claims in excess of \$500,000 within 20 business days of the claim. | Requirement | HPTE | McGladrey | N/A | Verify that Concessionaire has notified HPTE of claims any claims in excess of \$500,000. |
| Compliance | Insurance Requirements | Concessionaire will cooperate with any checks HPTE may carry out in relation to the performance of its obligations under the Contract. HPTE will information Concessionaire of the results of such monitoring. | Requirement | CDOT / HPTE | McGladrey | N/A | Verify required insurance coverage related to Services are in accordance with Part 2 of Schedule 17. |
| Compliance | Insurance Requirements | Concessionaire will provide HPTE evidence of proper insurance coverage and payments. | Requirement | HPTE | McGladrey | N/A | Verify Concessionaire has provided appropriate renewal documentation (certs, policies and evidence of payment) to HPTE to evidence renewal and policies are in force. |
| Compliance | Insurance Requirements | Concessionaire will provide HPTE proper renewal certificates for insurance no later than 10 business day before the renewal date. | Requirement | HPTE | McGladrey | N/A | Verify that insurance deductibles are appropriately indexed in accordance with Schedule 17. |
| Compliance | Insurance Requirements | Insurance policy requirements will be indexed to CPI per Section 1.7 of the Agreement. | Requirement | HPTE | McGladrey | N/A | Verify that Concessionaire has provided compliant certificates of insurance, copies of policies (if requested) and evidence of payment and policies being in force to HPTE. |
| Compliance | Legal | As soon as possible after receipt of notification of change in law, parties shall agree on mitigating actives and provide appropriate evidence of any effects on work, services, revenues, costs or capital. | Requirement | HPTE | McGladrey | N/A | In the event of a change in law, verify compliance with Change Procedures as set forth in 44.2. |
| Compliance | Legal | Concessionaire undertakes to HPTE that it will a) carry out business activities related to the Project, b) inform HPTE of pending litigation, c) provide all Necessary Consents, d) provide personnel who are duly authorized to execute documents, e) provide project documentation that is complete, f) not commit Prohibited Acts | Requirement | HPTE | McGladrey | McGladrey | Monitor and verify no change in control of Concessionaire has occurred and remains as per Schedule 3. |
| Compliance | Legal | Concessionaire will notify HPTE of any sale, transfer or disposal of any legal, beneficial, equitable or other interest in any or all of the shares in the Concessionaire. | Requirement | HPTE | McGladrey | N/A | Monitor whether any notices of any changes in law are provided by either party, and whether they contain required information as set forth in 44.1; Change to work, impact to contract terms, whether relief from compliance is required, any loss of revenue, estimated change in costs and capital expenditures. |

Prepared by McGladrey, LLP - As of May 29, 2015

| | | | | | | | Revision Date 7/15/2015 |
|--------------------------|--|--|--------------|-------------------------------------|-------------------------|--------------------|--|
| General | | | Requirement/ | Ongoing Day to Day Operations | First Level | Secondary Level | |
| Monitoring | Requirement | | Performance | Monitoring | Oversight | Oversight | |
| Category | Type | Requirement/Performance Measure Description | Measure | (Firm) | (Firm) | (Firm) | High Level Monitoring Approach Description |
| Compliance | Legal | Parties will notify each other of any changes in law and its effect on work, services, revenues, costs, or capital. | Requirement | HPTE | LSG | N/A | Obtain Concessionaire disclosure statement quarterly 2) Verify presence of Concessionaire's Disclosure Statement - 2x/yr 3) Develop and perform Civil Records (Suit) search - Annually |
| Compliance | Milestone Attainment - P1 | Concessionaire is responsible to 1) provide a list of necessary consents, 2) facilitate obtaining necessary consents from HPTE and 3) obtaining all necessary consents form HPTE. | Requirement | HPTE | McGladrey | N/A | Monitor whether Necessary Consents required for the Concessionaire to commence the Services in relation to the Phase 1 Managed Lanes and in relation to the Phase 1 GP Lanes have been received. |
| Compliance | Milestone Attainment - P1 and P2 | Concessionaire will escrow software source codes with Escrow Agent. | Requirement | HPTE | McGladrey | N/A | Verify per 5.2(b) that appropriate Source Code Escrows were established (and are maintained) Planned by Phase 1 Services Commencement and Full Services Commencement. Verify 3rd party received escrow files by commencement date |
| Compliance | Operations | Concessionaire will maintain a list of parties with approved access to facilities and will refuse entry to parties refused access by HPTE. | Requirement | HPTE | LSG | McGladrey | Inquire with HPTE and PRD (including subs) on a periodic basis to determine if there have been changes to approved personnel or refused parties (additions and deletions). If yes, confirm with HPTE they have received appropriate documentation. |
| Compliance | Operations | HPTE may transfer and assign its interest to any other public agency or entitle of the State as required by Law upon not less than 60 business days notice to Concessionaire. Concessionaire cannot assign its interests without prior written consent of HPTE. | Requirement | HPTE | McGladrey | N/A | Monitor and verify assignment of the Concessionaire Agreement by HPTE has not occurred. |
| Compliance | Operations | No partnership or similar relationship will be established between Concessionaire and HPTE. | Requirement | HPTE | McGladrey | N/A | Monitor and verify that no Agencies, or relationships that present conflicts of interests between Concessionaire and HPTE have been established. |
| Compliance | Record Keeping | Concessionaire will not enter into new, or amend existing funding agreements without HPTE approval. | Requirement | CDOT / HPTE | McGladrey | N/A | Inquire with HPTE and PRD on a period basis to determine if there have been new or amended Funding Agreements. If yes, confirm with HPTE they have received appropriate documentation. See also 6.2. |
| Compliance | Record Keeping | In the event of a new or changed funding agreement, concessionaire will deliver executed copy to HPTE within 10 days. | Requirement | CDOT / HPTE | McGladrey | N/A | Inquire with HPTE and PRD on a period basis to determine if there have been new or amended Funding Agreements. See also 6.4 |
| Compliance | Record Retention | Concessionaire is required to maintain adequate records related to Work and Services and, upon request, will provide a written summary of any costs related to Work or Services. Concessionaire will allow HPTE to examine those records as needed. | Requirement | HPTE | McGladrey | N/A | Monitor and verify any notices of claims HPTE believes involve indemnification are handled in accordance with the terms and conditions of Section 61. |
| Compliance | Record Retention | Concessionaire will release, defend, indemnify and hold harmless HPTE and CDOT from and against any and all claims and causes of action. | Requirement | HPTE | McGladrey | N/A | Monitor and verify Notices are tracked and addressed by HPTE. |
| Compliance | Record Retention | Parties will notify each other via written notice whenever a notification is necessary. | Requirement | HPTE | McGladrey/ HDR / LSG | N/A | Monitor and verify any of Concessionaire' failures to maintain adequate records that have been identified and noticed by HPTE. |
| Compliance | Records Retention | Concessionaire will not engage any new or replacement subcontractors unless Concessionaire provides HPTE subcontractor Agreement (Schedule 19) prior to commencing any activities or obligations. | Requirement | HPTE | McGladrey | N/A | Monitor and verify subcontract agreements have been provided to HPTE. |
| Compliance, Financial | Contractual | Changes to the Toll Service Provider and the associated Agreement must be agreed to by both parties. | Requirement | HPTE | McGladrey | N/A | Verify that no Toll Services Provider change has occurred. If a change has occurred, verify change was in accordance with Section 29.10 |
| Compliance, Financial | Insurance Claims | All insurance proceeds paid in respect of a single event in excess of \$500,000 will be paid into the Joint Insurance Account. | Requirement | HPTE | McGladrey | N/A | Verify that all insurance proceeds in excess of \$500,000 are paid into Joint Account. |

Prepared by McGladrey, LLP - As of May 29, 2015

| | | | | | | | Revision Date 7/15/2015 |
|--|------------------------------|--|-----------------------------|---|--------------------------|---------------------------------|--|
| General Monitoring | Requirement | | Requirement/ Performance | Ongoing Day to Day Operations Monitoring | First Level Oversight | Secondary Level Oversight | |
| Category | Type | Requirement/Performance Measure Description | Measure | (Firm) | (Firm) | (Firm) | High Level Monitoring Approach Description |
| Compliance, Financial | Insurance Claims | Concessionaire will make claims against insurances to reduce the amount of any claim Concessionaire may have against HPTE. | Requirement | HPTE | McGladrey | N/A | Verify that Concessionaire makes claims against policies to maximize reduction of any claim against CDOT/HPTE. |
| Compliance, | Model / Toll | Concessionaire has exclusive right to receive toll revenues | Requirement | HPTE | McGladrey | N/A | Verify compliance with requirements outlined in Schedule 16, also lists |
| Financial | Revenue | from HPTE in accordance with Section 29.1(b) and Toll Services Agreement. Schedule 16 shall have effect. | | | | | reporting requirements |
| Compliance, Financial | Model / Toll Revenue | Concessionaire is responsible for all toll transaction account management services pursuant to the Tolling Services Agreement. Concessionaire must have approval of HPTE to enter into new Tolling Services Agreement | Requirement | HPTE | McGladrey | N/A | Verify that concessionaire does not implement changes in the ETCS that fail to coordinate with CDOT and result in a loss of toll revenue. |
| Compliance, Financial | Model / Toll Revenue | Concessionaire will operate the ETCS. If Concessionaire wishes to change the ETCS, it will coordinate with HPTE and CDOT prior to implementation. | Requirement | HPTE | McGladrey | N/A | Verify that Concessionaire has not entered into new tolling agreement without acceptance (approval) by HPTE. |
| Compliance, Financial | Payments | HPTE has 15 business days from receipt to make payment of the Interim Capital Payment, as long as appropriate supporting documentation has been provided and Concessionaire has complied with all Plans. | Requirement | HPTE | McGladrey | N/A | Verify that Concessionaire has provided appropriate reports per Section 2 of Schedule 5. Monitor that Concessionaire has submitted invoice containing proper supporting documentation. Monitor and verify that HPTE has made Interim Capital Payments within 15 business days of fulfillment of requirements by concessionaire (Supported invoice and monthly reports) |
| Compliance, Financial, Technical | Operations | Concessionaire will perform Non-Separable Tasks per the Life Cycle Maintenance Plan as agreed to by HPTE. | Requirement | HDR / LSG | HPTE | McGladrey | Verify whether non-separable tasks are properly identified, costs are shared, and documented. |
| Compliance, Technical | Insurance Requirements | Concessionaire will maintain proper insurance coverage. | Requirement | HPTE | McGladrey | N/A | Monitor insurances are in compliance with Part 3 of Section 17. Monitor insurance proceeds are applied in accordance with Section 38. |
| Compliance, Technical | Milestone Attainment - P1 | Upon completion of Phase 1, Concessionaire will commence snow and ice removal services | Requirement | HDR / LSG | HPTE | McGladrey | Verify Conditions Precedent per Schedule 2, Part 2 are achieved prior to July 22, 2015. |
| Compliance, Technical | Milestone Attainment - P2 | Concessionaire must obtain completion of Phase 2 work by the Full services commencement date (or liquidated damages will be due to HPTE). | Requirement | CDOT / HPTE | HDR / LSG | N/A | Verify Notice of Phase 2 Work Completion and Preliminary Requirements by Concessionaire, Verify acceptance by HPTE. |
| Compliance, Technical | Milestone Attainment - P2 | Concessionaire will correct non-conforming Phase 2 work and provide written notice to HPTE of correction when all preliminary requirements have been met. | Requirement | CDOT / HPTE | HDR / LSG | McGladrey | Verify Notice of Phase 2 Work Completion and Preliminary Requirements by Concessionaire, Verify acceptance by HPTE and attainment of requirements. Identify Non-Conformance and correction of non-conformance |
| Compliance, Technical | Milestone Attainment - P2 | Concessionaire will provide HPTE with a sworn affidavit of completion for Phase 2 work in accordance with the requirements of 19.3. | Requirement | CDOT / HPTE | HDR / LSG | McGladrey | Verify that Concessionaire has provided Affidavit attesting that all Phase 2 work has been completed and verbiage of affidavit is in compliance with 19.4 "Requirements of Affidavit of Phase 2 Work Completion" |
| Compliance, Technical | Milestone Attainment - P2 | Concessionaire's sworn affidavit of completion of Phase 2 work shall contain the specific verbiage contained in Part 5, section 19.4. | Requirement | CDOT / HPTE | HDR / LSG | McGladrey | Verify that concessionaire has provided executed sworn affidavit that all Phase 2 work completion have been met. |
| Compliance, Technical | Milestone Attainment - P2 | HPTE will deliver notice of Conditions Precedent before concessionaire will commence Snow and Ice removal services. What are Conditions Precedent? CP's are in Sch. 2 of the CA | Requirement | CDOT / HPTE | HDR / LSG | N/A | Verify that HPTE has performed and documented inspection of Phase 2 Work. |
| Compliance, Technical | Milestone Attainment - P2 | The concessionaire will provide advance notice of Phase 2 Completion to HPTE at least 20 business days prior to its expected completion date of Phase 2 requirements. | Requirement | CDOT / HPTE | HDR / LSG | McGladrey | Verify that Phase 2 completion was timely, and if not timely, determine and quantify any delay. |
| Compliance, Technical | Milestone Attainment - P2 | expected completion date of Phase 2 reduirements. Upon receipt of Concessionaire's sworn affidavit of completion of Phase 2 work, HPTE will perform a final inspection and issue a Notice of Phase 2 Work Completion once all requirements have been satisfied. | Requirement | CDOT / HPTE | HDR / LSG | McGladrey | Verify Completion/Attainment of Conditions Precedent, per Schedule 2, Part 3 are attained (Prior to December 31, 2015) and acceptance/ approval by CDOT/HPTE. |

Prepared by McGladrey, LLP - As of May 29, 2015

| | | | | Ongoing | | | Revision Date 7/15/2015 |
|-----------------------------------|---|--|--|---|------------------------------------|---|--|
| General Monitoring Category | Requirement Type | Requirement/Performance Measure Description | Requirement/ Performance Measure | Day to Day Operations Monitoring (Firm) | First Level Oversight (Firm) | Secondary Level Oversight (Firm) | High Level Monitoring Approach Description |
| Category Compliance, Technical | Milestone | Concessionaire must submit project Plans at the specified s intervals for review and comment by HPTE. HPTE may decline the plan for the specified reasons. | Requirement | HDR / LSG | HPTE | McGladrey | Verify submittal of Maintenance Management plan, Operations Management Plan, Transitional Management Plan, Communications Plan and a Marketing Plan. Verify HPTE acceptance of Maintenance Management plan, Operations Management Plan, Transitional Management Plan, Communications Plan and a Marketing Plans. |
| Compliance, Technical | Milestone Attainment - Plans (Annual) | Within 90 days before the beginning of each calendar year, Concessionaire will prepare and submit a 5 year Life Cycle Maintenance Plan for review, comment, and approval by HPTE. | Requirement | HDR / LSG | HPTE | McGladrey | Verify submittal of annual 5 year Life Cycle Maintenance Plan for maintenance to Managed Lanes. Determine if changes have been requested by HPTE and if so, verify changes have been incorporated into plan. |
| Compliance, Technical | Operations | Concessionaire at all times shall remain compliant with all Schedule 6 operational and maintenance requirements. | Requirement | HDR / LSG | НРТЕ | N/A | Monitor and verify materials and equipment used for the performance of services are in accordance with Service Requirements. Monitor and verify that highway maintenance employees' rates of pay and benefits are no less than comparable to CDOT's maintenance employees. Monitor and verify that maintenance personnel are in sufficient numbers and skill level. Monitor land is used only for Services. |
| Compliance, Technical | Operations | Concessionaire has seven Business Days to agree with HPTE when and how corrective work will be accomplished; if not performed accordingly, HPTE can hire a third party. | Requirement | CDOT / HPTE | HPTE | McGladrey | In the event of non-conforming or warranty work, and notice to concessionaire, verify concessionaire's agreement to correct work inclusive of how and when Concessionaire will correct its work. In the event of failure to remedy by Concessionaire, verify HPTE plan to effectuate correction of non-conforming or defective work. |
| Compliance, Technical | Operations | Concessionaire shall make the managed lanes available for use by vehicles and provide services and snow and ice removal in accordance with Agreement terms: A) From commencement date forward for the I-25 managed lanes and I-25 Shared Bridge decks, B) from Phase 1 services commencement date forward for the Phase 1 managed lanes and Phase 1 GP Lanes, and C) from the full services commencement date forward for the managed lanes and US | Requirement | HDR / LSG | McGladrey | N/A | Verify Concessionaire has performed required snow and ice maintenance as set forth in Schedule 19 of the agreement. (Post - Completion) |
| Compliance, Technical | Operations | 36 General purpose lanes Concessionaire shall meet each and every obligation, independent of each other. (Failure to meet one obligation shall not be an excuse for not meeting another obligation). | Requirement | HPTE HDR / LSG | McGladrey | N/A | Verify Concessionaire compiles Monthly and Annual Service Reporting in accordance with Section 1.8 of Schedule 6. Monitor and verify Error reporting and underlying error notice is reported in accordance with agreement. Monitor and verify unresolved issues are handled in accordance with Dispute Resolution procedures and terms. Monitor and verify Challenges are handled in accordance with 35.1 a & c. If errors exist in Monthly Service Report, monitor procedures detailed in Section are adhered to. |

| Revision | | |
|----------|--|--|
| | | |

| | | | | | | | Revision Date 7/15/2015 |
|--------------------------------------|------------------------------|---|-----------------------------|--|--------------------------|---------------------------------|--|
| General Monitoring | Requirement | | Requirement/ Performance | Ongoing Day to Day Operations Monitoring | First Level Oversight | Secondary Level Oversight | |
| Category Compliance, Technical | Type Operations | Requirement/Performance Measure Description Concessionaire will perform services using materials and equipment in accordance with the HPTE service requirements and good industry practice. Concessionaire will ensure that services are provided by appropriately skilled and experienced personnel, and personnel are paid at least equivalent to the CDOT employee rates and benefits. Concessionaire will ensure all subcontractors perform services in accordance with the Agreement. Concessionaire shall provide access to the sites to the appropriate HPTE and outside (i.e., utility) personnel. Concessionaire shall ensure land is used only for | Measure Requirement | (Firm) HDR / LSG | (Firm) HPTE | (Firm) McGladrey | High Level Monitoring Approach Description Verify Concessionaire has made Managed Lanes available for use in accordance with agreement terms. |
| Compliance, Technical | Operations | Concessionaire will prepare a Monthly Service Report and Annual Service Report, and provide corrections as necessary. | Requirement | HPTE | HDR / LSG | McGladrey | Verify Concessionaire's compliance with Maintenance Management plan, Operations Management Plan, Transitional Management Plan, Communications Plan and a Marketing Plan. |
| Compliance, Technical | Operations | Concessionaire will perform Services in accordance with the Maintenance Management Plan, Operations Management Plan, and the Safety Plan accepted by HPTE. | Requirement | HDR / LSG | McGladrey | N/A | Monitor and verify that Concessionaire has met contractual requirements for services independent of service and operating plans. Verify Concessionaire's compliance with both HPTE Service Requirements and Concessionaire Proposed Services. See 22.1 and 22.2. |
| Compliance, Technical | Operations | HPTE will assess noncompliance points to Concessionaire in accordance with and for the items detailed in Schedule 10. | Requirement | HPTE | HDR / LSG | McGladrey | Monitor Concessionaire's ongoing compliance with Schedule 6, HPTE Service Requirements. These are likely established in Schedule 10, crosscheck against Schedule 10 requirements and ensure no duplication. |
| Compliance, Technical | Operations | If Concessionaire fails to make Managed Lanes available for a period of 5 days following notice, HPTE is entitled to take steps to make Managed Lanes available for use at the Concessionaire's cost. | Requirement | HPTE | HDR / LSG | McGladrey | Verify Concessionaire has made Managed Lanes available for use in accordance with agreement terms. |
| Compliance, Technical | Operations | Intelligent Transportation Systems Maintenance must be performed as specified in Section 19 of Schedule 5. | Requirement | HDR/LSG | McGladrey | N/A | Verify noncompliance points are determined in accordance with parameters set forth in Schedule. (While likely have individual Requirement for each of the Schedule 10 requirements so may capture this in individual requirements.) |
| Financial | Milestone Attainment - P2 | In the event that Concessionaire does not achieve completion of Phase 2 Work by the full services commencement date and liquidated damages are due to HPTE, such liquidated damages shall not exceed \$1,095,000 in relation to Section 20.2a or \$5,475,000 in relation to Section 20.2b. | Requirement | CDOT / HPTE | McGladrey | N/A | In the event of liquidated damages, verify that liquidated damages are under Capped amount of \$1,095,000, and that Toll Revenue Payable is within capped amount of \$5,475,000 pursuant to 20.4 of Agreement. |
| Financial | Milestone Attainment - P2 | In the event that liquidated damages are due to HPTE for failure to complete phase 2 Work by the full services commencement date, amounts due shall be deducted from amount due from HPTE, or paid within 10 business days of receipt of invoice from HPTE. | Requirement | CDOT / HPTE | McGladrey | N/A | In the event that liquidated damages are due under the Agreement, verify offset, invoicing and payment by concessionaire. |
| Financial | Model / Toll Revenue | Cash flow sharing payments are due from Concessionaire to HPTE in accordance with Schedule 14. Concessionaire shall provide, and HPTE is responsible for reviewing, the Actual Equity IRR. | Requirement | HPTE | CDOT | N/A | TBD - verify indexed values in the rest of the Agreement are reviewed and changed annually as appropriate. See subsequent sections of monitoring activities. |
| Financial | Model / Toll Revenue | Concessionaire will provide revisions and annual updates to the Base Case Financial Model. | Requirement | HPTE | McGladrey | N/A | Monitor Base Case Financial Model updates and revisions are in accordance with Part 2 of Schedule 11. |
| Financial | Model / Toll Revenue | Financial Model is required to be indexed each year to reflect changes in the Consumer Price Index. | Requirement | HPTE | McGladrey | McGladrey | Verify Cash Flow Sharing is in accordance with Schedule 14. |

| | | | | | | | Revision Date 7/15/20 | |
|-----------------------|------------------------------|---|--|---|-----------------------|---|---|--|
| General Monitoring | Requirement | Requirement/Performance Measure Description | Requirement/ Performance Measure | Ongoing Day to Day Operations Monitoring (Firm) | First Level Oversight | Secondary Level Oversight (Firm) | High Loyal Manitaring Approach Description | |
| Category Financial | Type | HPTE is responsible for payment of GP Routine Maintenance | | (Firm) HPTE | (Firm) | (FIRM) N/A | High Level Monitoring Approach Description | |
| Financiai | Payments | Fees, Snow and Ice Control Services Fees and reimbursement in relation to the I-25 shared bridge decks. | Requirement | HPIE | McGladrey | IVA | Monitor and verify amount due and paid to concessionaire due for closures that qualify for concessionaire payment by HPTE. | |
| Financial | Payments | If there are emergency or other suspensions of tolls or closures of the managed lanes, HPTE may have certain payment requirements, depending on the length and reason. In cases where payments are due to the Concessionaire, HPTE has three business days from the date the closure or suspension occurred, or 10 days after the actual data necessary to make the calculation is available. | Requirement | HPTE | McGladrey | N/A | Monitor HPTE payments to Concessionaire for Snow and Ice Control Services and Non-Separable Percentage of Routine Maintenance are in accordance with Schedule 15. | |
| Financial | Payments | On July 1 of each Year the Concessionaire shall pay the HPTE Cost Reimbursement Amount to HPTE. | Requirement | HPTE | McGladrey | N/A | Verify Concessionaire pays HPTE Cost Reimbursement Amount to HPTE on the first day of each year. | |
| Financial | Penalties / Relief | Concessionaire has a right to relief if Force Majeure Event was the cause of a breach and property mitigation steps were taken. | Requirement | HPTE | McGladrey | N/A | If a Relief Event affects ability to perform Snow and Ice Services or other maintenance services, verify HPTE receives a fair and reasonableness reduction in Snow and Ice or other maintenance services costs. | |
| Financial | Penalties / Relief | If Force Majeure Event prevents or diminishes Concessionaire's performance of Snow and Ice Services or Maintenance Services, HPTE is entitled to a fair and reasonable reduction in fees, as agreed by Concessionaire. | Requirement | НРТЕ | McGladrey | N/A | If compensation event and proper notice, and Concessionaire provided cost and mitigation details in accordance with 41.4, then verify compensation by HPTE is in accordance with terms of 41.4 (This would likely be an out of scope analysis) | |
| Financial | Penalties / Relief | If Relief Event prevents or diminishes Concessionaire's performance of Snow and Ice Services or Maintenance Services, HPTE is entitled to a fair and reasonable reduction in fees. as agreed by Concessionaire. | Requirement | HPTE | McGladrey | N/A | If Force Majeure Event affects ability to perform Snow and Ice Services or other maintenance services, verify that HPTE receives a fair and reasonableness reduction in costs pursuant to 43.5. | |
| Financial | Penalties / Relief | If the Compensation Event could not have been avoided by the Concessionaire, and the Concessionaire followed appropriate Compensation Event procedures, HPTE will compensate Concessionaire within 20 business days of receipt of claim, make Revenue Compensation Payments, or provide non-financial remedies, as appropriate | Requirement | HPTE | McGladrey | N/A | In Force Majeure Event, verify concessionaire has met requirements for relief; demonstrated event causes breach and provided actions taken to mitigate the effects of the event. | |
| Financial | Penalties / Relief | In the occurrence of a Relief Event, Concessionaire will a) notify HPTE of its claim within 20 business days and b) give full details of the claim within 5 business days. | Requirement | HPTE | McGladrey | N/A | In the a "Relief Event" verify that proper notice was provided; within 20 business days of knowledge Concessionaire will provide notice of claim, and within 5 business days of receipt of notice, Concessionaire will provide full details of claim. | |
| Financial | Penalties / Relief | On the occurrence of a Force Majeure Event, affected party will notify other part as soon as possible, to include details and evidence and any mitigating actions and effects. | Requirement | HPTE | McGladrey | N/A | In the event of "Force Majeure" event, verify proper notice was provided by concessionaire, together with mitigation provided by concessionaire. | |
| Financial | Penalties / Relief | To obtain relief and/or claim compensation, the Concessionaire must a) notify HPTE of its claim within 15 business days and b) give full details of the Compensation Event within 10 business days of notifying HPTE | Requirement | НРТЕ | McGladrey | N/A | Verify that no compensation events have occurred. In the event that a compensation event occurs, verify that Concessionaire has adhered to requirement of 41.3; written notice within 15 days of event, and provide full details within 10 days of receipt of notice by HPTE. | |
| Financial | Milestone Attainment - P2 | In the event that concessionaire fails to achieve Phase 2 Completion by the Planned Full services commencement date, Concessionaire shall pay HPTE liquidated damages as prescribed in 20.2 of the Agreement. | Requirement | CDOT / HPTE | McGladrey | N/A | In the event that a delay in attainment of Phase 2 has occurred, calculate liquidated damagers and toll revenue reduction (consideration) amounts. | |

| | | | | | | | Revision Date 7/15/2015 |
|-------------------------|---|---|------------------------|-------------------------------------|-------------|--------------------|--|
| General | | | Requirement/ | Ongoing Day to Day Operations | First Level | Secondary Level | |
| Monitoring | Requirement | | Performance | Monitoring | Oversight | Oversight | |
| Category | Туре | Requirement/Performance Measure Description | Measure | (Firm) | (Firm) | (Firm) | High Level Monitoring Approach Description |
| Financial, Technical | | In the case of a Relevant Incident, Concessionaire will promptly complete the work necessary to repair, reinstate or replace assets. Withdrawals may be made from the Joint Insurance Account to fund Reinstatement Work, in accordance with the Agreement. HPTE will assist Concessionaire in the carrying out of Reinstatement Work. | Requirement | HPTE | McGladrey | N/A | b) Verify that in the event of an "relevant" incident (\$250,000 or more), Concessionaire promptly completes the work necessary to repair, reinstate, or replace assets. C) Verify withdrawals from Joint Insurance account are in accordance with agreement terms and conditions. (Note the contract has reference errors in this section. Have they been corrected?) |
| Technical | Insurance Claims | All insurance proceeds received will be applied to repair, reinstate and replace each part of the assets of which such proceeds were received. | Requirement | HPTE | McGladrey | N/A | Verify that any repairs made related to insured losses are made in accordance with CDOT/HPTE's Service Requirements and the Concessionaire's Proposals. |
| Technical | Insurance Claims | Where insurance proceeds are used to repair, reinstate or replace any asset, Concessionaire will complete work in accordance with HPTE's Service Requirements and the Concessionaire's Proposals. | Requirement | HPTE | McGladrey | N/A | Verify that that insurance proceeds are used to repair impacted asset. (Do we need to verify costs are not also billed to CDOT/HPTE through other means or channels.) |
| Technical | Milestone Attainment - P2 | If Defects in I-25 Managed Lanes are noted and remain after the Commencement Date, Concessionaire will correct defects as required by Schedule 6. If damage occurs prior to Commencement Date and are not repaired prior to CD and would cause a failure to comply with Service Requirements, damage shall be treated as if it were caused by Compensation Event | Requirement | HDR / LSG | HPTE | McGladrey | Verify that no defects remain at Commencement Date and, if so, they are corrected in accordance with Schedule 6. |
| Technical | Milestone Attainment - Plans (Annual) | HPTE and Concessionaire shall resolve disputes around Life Cycle Maintenance Plan within 60 days after it is provided to HPTE, or Dispute Resolution Procedures will be enacted. | Requirement | HDR / LSG | HPTE | McGladrey | Monitor and determine if disputes arise between HPTE and Concessionaire related to 5 Year Maintenance Plan. |
| Technical | Operations | Concessionaire is responsible for 1) safety of design, operations, construction methods and other Phase 2 work, b) having designated person responsible for safety and maintain an accident book, c) ensuring safety in accordance with industry practices. | Requirement | CDOT/HDR/ LSG | HPTE | McGladrey | In the event that Concessionaire Fails to Comply with Life Cycle Maintenance Plan, and HPTE elects to complete required work, verify proper notice by HPTE (20 day notice), failure to cure, Concessionaire's estimates of cost to cure or failure to provide estimates to cure, payment by Concessionaire, and return of unused contingency to by HPTE to Concessionaire. |
| Technical | Operations | Concessionaire will complete with Life Cycle Maintenance Plan, or HPTE shall give notice that it will carry out tasks using own equipment and personnel at Concessionaire's cost. | Requirement | HPTE / CDOT | McGladrey | McGladrey | (ii) Verify that quality management documentation exists and is in compliance with Section 1.7.3 of Schedule 6. |
| Technical | Operations | Concessionaire will prepare, implement, and continually maintain project quality management documentation. | Requirement | HPTE / CDOT | LSG / HDR | McGladrey | Regulations include: a) Concessionaire responsible for the safety of design, operations, const. methods and other Phase 2 work, b) will designate personnel responsible for safety and maintain an accident book, c) ensure safety in accordance with industry practices. |
| Technical | Operations | Concessionaire will provide a qualified environmental manage over the duration of the contract period. | Requirement | HPTE / CDOT | McGladrey | N/A | Verify whether changes to the Environmental Manager occurred. If so, confirm HPTE has reviewed and documented qualifications. |
| Technical | Operations | HPTE / CDOT will maintain and repair I-25 Managed Lanes sub grade and bridge substructures. Concessionaire will close Managed Lanes, if necessary, to facilitate this work. Concessionaire will carry out preventative, routine, and life cycle maintenance on I-25 bridge deck and managed lanes. | Requirement | НРТЕ | HDR / LSG | McGladrey | Verify I-25 bridges and sub-grade are properly maintained in accordance with the appropriate Plans. |
| Compliance | Operations | Issue information to the public through any means that is factually incorrect. | Performance Measure | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Compliance | Operations | Abide by all requirements of the Managed Lanes Communications Plan | Performance Measure | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | | | | | | | |

| | | | | | | | Revision Date 7/15/2015 |
|--------------------------|---------------------------------|---|------------------------|-------------------------------------|-------------|--------------------|--|
| General | | | Requirement/ | Ongoing Day to Day Operations | First Level | Secondary Level | |
| Monitoring | Requirement | | Performance | Monitoring | Oversight | Oversight | |
| Category | Type | Requirement/Performance Measure Description | Measure | (Firm) | (Firm) | (Firm) | High Level Monitoring Approach Description |
| Compliance | Operations | Compliance with a requirement with regard to Key Personnel in the Concession Agreement, | Performance Measure | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Compliance | Policy | Disclose a policy regarding privacy of Customer Confidential Information to Customers in accordance with Schedule 6 Appendix 6-2. | Performance Measure | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Compliance, | Milestone | Concessionaire to produce, review, and, as necessary, update | Performance | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Technical | Attainment - Plans | the following plans during the Services Period in accordance with the Concession Agreement including but not limited: (7) Managed Lane Communications Plan | Measure | | | | |
| Compliance, | Milestone | Concessionaire to produce, review, and, as necessary, update | Performance | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Technical | Attainment - Plans | the following plans during the Services Period in accordance with the Concession Agreement including but not limited: (4) Disaster Recovery Plan | Measure | | | - | |
| Compliance, Technical | Milestone Attainment - Plans | Concessionaire to produce, review, and, as necessary, update the following plans during the Services Period in accordance with the Concession Agreement including but not limited: (6) Incident Response Plan | Performance Measure | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Compliance, | Milestone | Concessionaire to produce, review, and, as necessary, update | Performance | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Technical | Attainment - Plans | the following plans during the Services Period in accordance with the Concession Agreement including but not limited: (8) Life Cycle Maintenance Plan. | Measure | | | - | |
| Compliance, | Milestone | Concessionaire to produce, review, and, as necessary, update | Performance | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Technical | Attainment - Plans | the following plans during the Services Period in accordance with the Concession Agreement including but not limited: (1) Maintenance Management Plan: | Measure | | | | |
| Compliance, | Milestone | Concessionaire to produce, review, and, as necessary, update | Performance | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Technical | Attainment - Plans | the following plans during the Services Period in accordance with the Concession Agreement including but not limited: (3) Operations Management Plan: | Measure | | | | |
| Compliance, Technical | | Concessionaire to produce, review, and, as necessary, update the following plans during the Services Period in accordance with the Concession Agreement including but not limited: (5) Transition Plan: | Performance Measure | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Compliance, Technical | Milestone Attainment - Plans | Concessionaire to produce, review, and, as necessary, update the following plans during the Services Period in accordance with the Concession Agreement including but not limited: (2) Quarterly, One- Year and Five Year Work Plans; | Performance Measure | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Compliance, | Milestone | Concessionaire to produce, review, and, as necessary, update | Performance | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Technical | Attainment - Plans | the following plans during the Services Period in accordance with the Concession Agreement including but not limited: | Measure | | | | • |
| Compliance, | Operations | Concessionaire to use, maintain and update the Maintenance | Performance | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Technical | • | Management Information System in accordance with paragraph 5.1 of Schedule 6. | Measure | | | ., | · |
| Compliance, Technical | Operations | Concessionaire to keep, maintain or make available to HPTE and its designated representative any book, record or document in accordance with Schedule 6 of the Concession Agreement. | Performance Measure | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| Financial | Handback | Establish and fund the Handback Reserve when required and provide appropriate account information in accordance with Section 48.8 of the Concession Agreement | Performance Measure | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |

Prepared by McGladrey, LLP - As of May 29, 2015

Revision Date 7/15/2015

| | | | | | | | Revision Date 7/15/201 |
|-----------------------|--------------|---|-----------------------------|---|--------------------------|---------------------------------|--|
| General Monitoring | Requirement | | Requirement/ Performance | Ongoing Day to Day Operations Monitoring | First Level Oversight | Secondary Level Oversight | |
| Category | Type | Requirement/Performance Measure Description | Measure | (Firm) | (Firm) | (Firm) | High Level Monitoring Approach Description |
| Financial | Model / Toll | All ETCS equipment is fully functional and housing is | Performance | HDR / LSG | HPTE | McGladrey | TBD based on Schedule 10 requirements. |
| | Revenue | functioning and free of defects. | Measure | | | | · |
| Financial | Model / Toll | All beacons or other equipment associated with HOV | Performance | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | Revenue | enforcement are functioning as required when a vehicle passes through the lane declared as HOV. | Measure | | | | |
| Financial | Model / Toll | All antennas and readers are capturing 99.95% of transactions | Performance | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | Revenue | where a transponder is present in the vehicle. | Measure | | | | |
| Financial | Model / Toll | Lane controllers are up and running 99.99% of the time that the | Performance | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | Revenue | managed lanes are open. | Measure | | | | |
| Financial | Model / Toll | AVC system is classifying the correct number of axles on | Performance | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | Revenue | vehicles correctly 99.95% of the time a transaction is detected in the lane. | Measure | | | | |
| Financial | Model / Toll | Transmit transactions that are not duplicates with the correct toll | Performance | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | Revenue | amounts to the Customer Service Center (to be determined on a per transmission basis). | Measure | | | | |
| Financial | Model / Toll | Upon notification of a duplicate transaction or an incorrect toll | Performance | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | Revenue | amount on a per transmissions basis, the Concessionaire shall | Measure | | | | |
| | | reconcile or audit the data transmission within one Business | | | | | |
| | | Day to identify any and all other duplicate transactions or | | | | | |
| | | incorrect toll charges that may have occurred (to be determined | | | | | |
| | | on a per transmission basis). Upon identification, the | | | | | |
| | | Concessionaire shall transmit the correct information to the | | | | | |
| | | customer service center for rectification including appropriate | | | | | |
| | | correspondence and crediting/debiting of accounts within five | | | | | |
| | | days. | | | | | |
| Financial | Model / Toll | The Concessionaire shall only request payment from an | Performance | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | Revenue | account on the list of current active tags transmitted by the | Measure | | , | | |
| | | customer service center (to be determined on a per | | | | | |
| | | transmission basis). | | | | | |
| Financial | Model / Toll | Comply with the toll pricing requirements (including notification | Performance | HPTE | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | Revenue | requirements) and vehicle usage/access requirements | Measure | | • | | · |
| | | approved by the HPTE Board as well as those required by | | | | | |
| | | the IGA with Denver RTD. | | | | | |
| Technical | Operations | Concessionaire to achieve a mean Asset Condition Score of | Performance | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | | 3.5 but at least 2 for any Element Category in any quarterly | Measure | | • | | · |
| | | audit as described in paragraph 2.3.7 of Schedule 6 of the | | | | | |
| | | Concession Agreement | | | | | |
| Technical | Operations | Concessionaire to achieve a mean Asset Condition Score of | Performance | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | | less than 2 and greater than 1 for any Element Category in any | Measure | | | | |
| | | quarterly audit as described in paragraph 2.3.7 of Schedule 6 of | | | | | |
| | | the Concession Agreement. | | | | | |
| Technical | Operations | Concessionaire to achieve a mean Asset Condition Score of 1 | Performance | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | | or less for any Element Category in any quarterly audit as | Measure | | | | |
| | | described in paragraph 2.3.7 of Schedule 6 of the Concession | | | | | |
| | | Agreement. | | | | | |

Prepared by McGladrey, LLP - As of May 29, 2015

Revision Date 7/15/2015

| | | | | | | | Revision Date 7/15/2015 |
|-----------------------|-------------|--|-----------------------------|---|--------------------------|---------------------------------|--|
| General Monitoring | Requirement | | Requirement/ Performance | Ongoing Day to Day Operations Monitoring | First Level Oversight | Secondary Level Oversight | |
| Category | Туре | Requirement/Performance Measure Description | Measure | (Firm) | (Firm) | (Firm) | High Level Monitoring Approach Description |
| Technical | Operations | The Concessionaire takes necessary action with customer service center to validate, and then if valid, have error corrected and customer informed within seven (7) days of receiving notice that an incorrect toll amount has been charged (provided appropriate customer information available) This shall apply for errors in excess of \$0.25 (to be determined on a per transmission basis). Further, as Part of the validation process the Concessionaire must assess and take appropriate action to address any underlying billing problem. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Respond within seven days to customer inquiries and complaints about the Managed Lanes where contact details of customers have been provided. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Telephone line manned during business hours and 24 hour availability of messaging system. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Maintain a monthly average of at least 4.0 on a scale of 1.0 to 5.0 on Customer Driven Management (CDM) customer service survey results | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Maintain a monthly average of 2.0 or better on a scale of 1.0 to 5.0 on "after- call" customer service surveys done through the phone system in accordance with Appendix 6-2 | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Requirements for answering calls, wait times, quality measurement for phone audits, workforce management software are met in accordance with Appendix 6-2 | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | An monthly average of 98% of all customer and non-customer requests and correspondence, regardless of communication method, responded to within three (3) business days | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Requirements for online customer access (web), email system functionality, phone system and IVR (Interactive Voice Response) system functionality are met | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Following receipt of two or more complaints within 30 days emanating from a single toll point Concessionaire shall investigate claims of tag reads from General Purpose ("GP") lanes and in the event that a an erroneous toll read occurred, or reasonable doubt exists as to whether such occurred, Concessionaire shall immediately contact HPTE and prepare correspondence that can be sent to all customers who have made such a complaint regarding the erroneous GP reads. This shall occur within fifteen (15) days of receipt of such second complaint within a thirty (30) day period. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Upon notification of the display of an incorrect toll amount, the Concessionaire shall reconcile or audit the data transmission within one Business Day to identify any and all other customer accounts that may have been impacted by the incorrect signage (to be determined on a per transmission basis). | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Comply with standards applicable to the retention of and use of customer records pursuant to applicable Law, | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Achieve an incident response time that complies with Incident Response Plan | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |

Prepared by McGladrey, LLP - As of May 29, 2015

| | | | | | | | Revision Date 7/15/2015 |
|-----------------------|-------------|--|-----------------------------------|---|--------------------------|---------------------------------|---|
| General Monitoring | Requirement | | Requirement/ Performance | Ongoing Day to Day Operations Monitoring | First Level Oversight | Secondary Level Oversight | |
| Category | Type | Requirement/Performance Measure Description | Measure | (Firm) | (Firm) | (Firm) | High Level Monitoring Approach Description |
| Technical | Operations | Comply with a requirement in respect of the Incident Management Plan as required by Schedule 6 | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Address a Category 1 defect within the time period shown in | Performance | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Appendix 6-1 of Schedule 6. Address a Category 2 defect within the time period shown in | Measure Performance | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Appendix 6-1 of Schedule 6. Identify material defects in the inspection reports, life cycle | Measure Performance | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| | | maintenance plan, or work currently undertaken. | Measure | | | | |
| Technical | Operations | Include identified material defects in the next Life Cycle Maintenance Plan and/or the Operations and Maintenance Plan. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Comply with a requirement in respect of the Maintenance Management Plan as required by Schedule 6 of the Concession Agreement. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Concessionaire to create the required O&M records. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Concessionaire to produce, review, and, as necessary, update the Snow Removal and Ice Control Operations Plan | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Concessionaire to establish, maintain, update or comply with any requirement of a Quality Management Plan in accordance with Section 25 of the Concession Agreement | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Concessionaire to comply with a requirement in respect of the Operations Management Plan as required by Schedule 6 of the Concession Agreement where the failure impacts or has potential to impact on the level of service provided to users | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Failure to meet the requirements for completing sweeping within 72 hours after a Precipitation Event per 3.4 of Schedule | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | 25. A Service Level Score of 4 is received for an individual Precipitation Event related to the Managed Lanes | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | A Service Level Score of 3 is received for an individual | Performance | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Precipitation Event related to the Managed Lanes A Service Level Score of 2 is received for an individual Precipitation Event related to the Managed Lanes | Measure Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | A Service Level Score of 1 is received for an individual Precipitation Event related to the Managed Lanes | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | A Service Level Score of 0 is received for an individual Precipitation Event related to the Managed Lanes | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Maintain an average speed of at least fifty-five (55) mph for the portion of the US 36 Managed Lanes from Table Mesa to the Broomfield Park'n-Ride during Peak Periods, measured over a timeframe of one (1) month where the actual speed is fifty (50) mph or less. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements, requirement being clarified. |
| Technical | Operations | Maintain an average speed of at least fifty-five (55) mph for the portion of the US 36 Managed Lanes from Table Mesa to the Broomfield Park'n'Ride during Peak Periods, measured over a timeframe of one (1) month such that the average is between 40-50 miles per hour | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |

Prepared by McGladrey, LLP - As of May 29, 2015

Revision Date 7/15/2015

| | | | | | | | Revision Date 7/15/2015 |
|-----------------------|-------------|--|-----------------------------|--|--------------------------|---------------------------------|--|
| General Monitoring | Reguirement | | Requirement/ Performance | Ongoing Day to Day Operations Monitoring | First Level Oversight | Secondary Level Oversight | |
| Category | Туре | Requirement/Performance Measure Description | Measure | (Firm) | (Firm) | (Firm) | High Level Monitoring Approach Description |
| Technical | Operations | Maintain an average speed of at least fifty-five (55) mph for the portion of the US 36 Managed Lanes from Table Mesa to the Broomfield Park'n'Ride during Peak Periods, measured over a timeframe of one (1) month such that the average is less than forty (40) miles per hour. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Maintain an average speed of at least fifty (50) mph for the portion of the US 36 Managed Lanes from the Broomfield Park'n'Ride to Pecos Street during Peak Periods, measured over a timeframe of one (1) month where the average speed is forth-five (45 moh) or less. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Maintain an average speed of at least fifty (50) mph for the portion of the US 36 Managed Lanes from the Broomfield Park'n'Ride to Pecos Street during Peak Periods, measured over a timeframe of one (1) month such that the average is between 35-45 miles per hour. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Maintain as average speed of at least fifty (50) mph for the portion of the US 36 Managed Lanes from the Broomfield Park'n'Ride to Pecos Street during Peak Periods, measured over a timeframe of one (1) month such that the average is less than thirty-five (35) miles per hour. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Maintain an average travel time of no more than 8.75 minutes from Pecos Street to Denver Union Station during Peak Periods measured over a rolling period of four (4) weeks. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Report safety related incidents to the HPTE within one day unless they constitute an immediate hazard (Category 1), in which case HPTE shall be notified as soon as practicable but in no case less than 1 hour from occurrence. | Performance Measure | HPTE | HDR / LSG | McGladrey | TBD based on Schedule 10 requirements. |
| Technical | Operations | Concessionaire to provide Courtesy Patrol in accordance with paragraph 4.4.1 of Schedule 6 of the Concession Agreement. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Concessionaire to meet requirements of work zone safety, management, maintenance of traffic and diversion routes for regular maintenance during operations. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Concessionaire to formally establish and adhere to a policy, procedure, process, or guideline as required by the Safety Plan | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Concessionaire to observe the safety plan or to-carry out any operation or maintenance activity in contravention of (or in absence of) the safety plan or in a manner that represents a hazard to project workers or the general public in accordance with Schedule 6 of the Concession Agreement. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Concessionaire to achieve a smooth transition of maintenance activities from HPTE in accordance with the Transition Plan. | Performance Measure | HDR / LSG | McGladrey | N/A | TBD based on Schedule 10 requirements. |
| Technical | Operations | Concessionaire to accurately gather and report on a timely basis the information required for any FHWA reporting requirements as designated by HPTE. | Performance Measure | HPTE | HDR / LSG | McGladrey | TBD based on Schedule 10 requirements. |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| | | | | | | | aire Response 1 | to Defects | | | | |
|----------|---------------|------------------------|----------------------------------|---|-----------------------|-------------------------|--------------------|---|---|---------------|---|--|
| | | | | | Hazard | Perm. | Perm. | Required Frequency | Monitoring Method or | | Frequency of | |
| | Element | | | | Mitigation | Remedy | Repair | for Routine Elements | Responsibility of | | Monitoring | |
| Item No. | Reference No. | REF Document | Element | Concessionaire Expectation | | | | by Concessionaire | HDR/LSG | Level of Risk | HDR/LSG | |
| COMBINE | GP/ML 1 ROADW | AY | | | | | | | | | | |
| 1 | 1.1 | Appendix 6-1.1 & 6-1.2 | Obstructions and Debris | Roadway and clear zone free from obstructions and debris. No edge drops greater than 2 inches. | <1 hr. to respond | N/A | N/A | N/A | Visual Inspection | High | Bi-Weekly | |
| 2 | 1.2 | Appendix 6-1.1 & 6-1.2 | Pavement | Ruts no more than 3% of wheel path length | 24 hrs. | 28 days | 6 months | N/A | Visual Inspection | High | Bi-Weekly | |
| 3 | 1.3 | Appendix 6-1.1 & 6-1.2 | Crossovers and other paved areas | No potholes or base failures of any severity level | 24 hrs. | 28 days | 6 months | N/A | Visual Inspection | High | Bi-Weekly | |
| 4 | 1.4 | Appendix 6-1.1 & 6-1.2 | Concrete joint sealing | Joints >1" sealed to mitigate safety issues | 24 hrs. | 28 days | 12 months | As part of Annual Routine Maintenance Schedule | Visual Inspection | Low | Quarterly | |
| 5 | 1.5 | Appendix 6-1.1 & 6-1.2 | Crack sealing | No cracks >1" due to safety issues | 24 hrs. | 28 days | 3 years | Every 3 years or as needed. | Visual Inspection | Low | Quarterly | |
| 6 | 1.6 | Appendix 6-1.1 & 6-1.2 | Longitudinal joint | No joints >1" or faulting >1/4" | 24 hrs. | 28 days | 6 months | N/A | Visual Inspection | Low | Monthly | |
| 7 | 1.7 | Appendix 6-1.1 & 6-1.2 | Transition | No joint width > 1" or faulting >1/4" | 24 hrs. | 28 days | 6 months | N/A | Visual Inspection | Low | Monthly | |
| 8 | 1.8 | Appendix 6-1.1 & 6-1.2 | Shoulders | Appropriate drainage | 24 hrs. | 28 days | 6 months | N/A | Visual Inspection | High | Weekly | |
| 9 | 1.9 | Appendix 6-1.1 & 6-1.2 | Curbs | Curbs free of defects | 24 hrs. | 28 days | 6 months | N/A | Visual Inspection | Medium | Monthly | |
| 10 | 1.1 | Exhibit B, Item 74 | I-25 Pavement Defects | Correct defects occurring after Commencement Date per Schedule 6. (If existing prior to Commencement Date, treat as compensation event.) | 24 hrs. | 28 days | 6 months | N/A | Visual Inspection | High | Bi-Weekly | |
| 11 | | Exhibit B, Item 122 | Category 1 Defect | Address a Category 1 defect within the time period shown in Appendix 6-1 of Schedule 6. | Per Appendix 6-1 | Per Appendix 6- 1 | Per Appendix 6- | N/A | Visual Inspection | High | Bi-Weekly | |
| 12 | | Exhibit B, Item 123 | Category 2 Defect | Address a Category 2 defect within the time period shown in Appendix 6-1 of Schedule 6. | Per Appendix 6-1 | Per Appendix 6- 1 | Per Appendix 6- | N/A | Visual Inspection | Medium | Bi-Weekly | |
| GP/ML 2 | RAINAGE | | | | | | | | | | | |
| 13 | 2.1 | Appendix 6-1.1 & 6-1.2 | Pipes and Channels | Length with <90% clear | < 1 hr. to respond | 28 days | 6 months | As needed | Visual Supplemented by CCTV where required. | High | Monthly or as required by precipitation | |
| 14 | 2.2 | Appendix 6-1.1 & 6-1.2 | Drainage treatment devices | Devices functioning correctly | 24 hrs. | 28 days | 6 months | As needed | Visual | Medium | Monthly or as required by precipitation | |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

EXHIBIT C

| | | | | | | Concessio | naire Response | e to Defects | | | | |
|-----------|--------------------------|------------------------|--|---|-----------------------|-----------------|-----------------|---|--|---------------|---|--|
| | | | | | | t. 1 | Cat. 2 | 1 | | | | |
| Item No. | Element Reference No. | REF Document | Element | Concessionaire Expectation | Hazard Mitigation | Perm. Remedy | Perm. Repair | Required Frequency for Routine Elements by Concessionaire | Monitoring Method or Responsibility of HDR/LSG | Level of Risk | Frequency of Monitoring HDR/LSG | |
| 15 | 2.3 | Appendix 6-1.1 & 6-1.2 | Permanent waters | Water quality features functioning properly | 24 hrs. | 28 days | 6 months | As necessary or | Visual | Medium | Monthly or as | |
| 15 | 2.5 | Аррениіх 0-1.1 & 0-1.2 | remanent waters | water quanty reatures functioning property | 24 1113. | 26 udys | o months | required by law. | Visual | ivieulum | required by precipitation | |
| 16 | | Appendix 6-1.1 & 6-1.2 | Travel way | No instances of hazardous water build up | < 1 hr. to respond | 28 days | 6 months | As needed | Visual | High | Bi-Weekly or as required by precipitation | |
| 17 | 2.4 | Appendix 6-1.1 & 6-1.2 | Discharge systems | Discharge systems compliant with applicable laws, statues and regulations | 24 hrs. | 28 days | 6 months | As needed | Visual | Medium | Monthly or as required by precipitation | |
| 18 | 2.5 | Appendix 6-1.1 & 6-1.2 | Protected Species | Compliance with NEPA | 24 hrs. | 28 days | 6 months | As needed | Visual | Medium | As required | |
| GP/ML 3 - | STRUCTURES | | | | | | | | | | | |
| 19 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Graffiti | Structures and substructures are free of defect | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | Medium | Bi-Weekly | |
| 20 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Undesirable Vegetation | Structures and substructures are free of defect | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | Low | Bi-Weekly | |
| 21 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Debris and bird droppings | Structures and substructures are free of defect | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | Low | Bi-Weekly | |
| 22 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Blocked drains, weep pipes, manholes and chambers | Structures and substructures are free of defect | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | High | Bi-Weekly | |
| 23 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Blocked drainage holes in structural components | Structures and substructures are free of defect | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | High | Bi-Weekly | |
| 24 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Crack sealing, deck sealing | Structures and substructures are free of defect | <1 hr. to respond | 28 days | 28 days | Every 3 years or as needed. | Visual inspection | Low | Quarterly | |
| 25 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Defects in pedestrian protection measure | Structures and substructures are free of defect | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | High | Bi-Weekly | |
| 26 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Bridge paint failures | Structures and substructures are free of defect | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | Low | Yearly | |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| | | | | Ha | Concessionaire Response to Defects Cat. 1 Cat. 2 Hazard Perm. Perm. | | | | | | |
|----------|--------------------------|------------------------|--|--|---|-----------------|-----------------|---|--|---------------|---|
| Item No. | Element Reference No. | REF Document | Element | Concessionaire Expectation | Hazard Mitigation | Perm. Remedy | Perm. Repair | Required Frequency for Routine Elements by Concessionaire | Monitoring Method or Responsibility of HDR/LSG | Level of Risk | Frequency of Monitoring HDR/LSG |
| 27 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Defects in joint sealant, with the exception of expansion joints | Structures and substructures are free of defect | <1 hr. to respond | 28 days | 28 days | Yearly or sooner as needed | Visual inspection | Low | Quarterly |
| 28 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Loose nuts and bolts | Structures and substructures are free of defect | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | Low | TBD |
| 29 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Defects to barrier and guardrails | Free of impact damage, vegetation and debris, graffiti, and blockages | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | High | Bi-Weekly |
| 30 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Defects to expansion joints | Free of impact damage, vegetation and debris, graffiti, and blockages | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | High | Bi-Weekly |
| 31 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Defects to bearings and bearing shelves | Expected to be clean | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | Low | TBD |
| 32 | 3.1 & 3.2 | Appendix 6-1.1 & 6-1.2 | Defects to sliding and roller surfaces | Expected to be clean | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | Low | Monthly |
| 33 | 3.3 | Appendix 6-1.1 & 6-1.2 | Defects to culverts/ concrete box culvert | Expected to be free from vegetation, debris, silt, and scour damage | <1 hr. to respond | 28 days | 28 days | As needed | Visual inspection | Medium | Monthly or as required by precipitation |
| 34 | 3.4 | Appendix 6-1.1 & 6-1.2 | Defects to sign structures | Expected to be structurally sound and free of loose nuts and bolts, graffiti, and surface protection systems defects. | 24 hours | 28 days | 6 months | As required by the CDOT Signs and Signal Coding Guide | Visual | High | Monthly |
| 35 | 3.5 | Appendix 6-1.1 & 6-1.2 | Damage to retaining walls | Expected to be free from panel damage and graffiti | 24 hours | 28 days | 6 months | As needed | Visual | Medium | Bi-Weekly |
| 36 | 3.6 | Appendix 6-1.1 & 6-1.2 | Load Rating | Load rating calculations in accordance with the AASHTO Manual for Bridge Evaluation Load restriction requirements as per AASHTO Manual for Bridge Evaluation, the current version of the CDOT Pontis Bridge Inspection Coding, and CDOT Bridge Rating Manual | < 1 hr. to respond | 28 days | 6 months | Annual inspection | Ensure that proper procedures with CDOT are followed | Low | As required |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

EXHIBIT C

| | | | | | | naire Response t. 1 | to Defects | | | | |
|-----------|--------------------------|----------------------------|--|---|-----------------------|--------------------------------------|-----------------|---|--|---------------|---|
| Item No. | Element Reference No. | REF Document | Element | Concessionaire Expectation | Hazard Mitigation | Perm. Remedy | Perm. Repair | Required Frequency for Routine Elements by Concessionaire | Monitoring Method or Responsibility of HDR/LSG | Level of Risk | Frequency of Monitoring HDR/LSG |
| 37 | 4.1 | Appendix 6-1.1 & 6-1.2 | Pavement Markings | Clean and visible during the day and night. Good reflectivity. Meets MUTCD/CDOT Standards | 24 hours | 28 days | 6 months | Replacement as needed or every 5 years. | Visual | Low | Generally, bi- weekly. Check reflectivity quarterly. |
| 38 | 4.2 | Appendix 6-1.1 & 6-1.2 | Delineators & Markers | Clean and visible, of the correct color and type, legible and reflective, straight and vertical. No more than 12.5% of the delineators and markers may be missing or not easily visible in any auditable section. | 24 hours | 28 days | 6 months | As needed | Visual | Medium | Generally, bi- weekly. Check reflectivity quarterly. |
| | GUARDRAIL, SAFE | TY BARRIER, IMPACT ATTENUA | TORS | | | | | | | | |
| 39 | 5.1 & 5.2 | Appendix 6-1.1 & 6-1.2 | Guardrails, safety barriers and impact attenuators | All guardrails, safety barriers, concrete barriers, etc., are maintained free of defects, appropriately placed and correctly installed at the correct height and distance from roadway or obstacles. Installation and repairs shall be carried out in accordance with the requirements of NCHRP 350 standards. No more than 12.5% of road restraint systems may be out of spec. | < 1 hr. to respond | Repaired or marked in 48 hours | 6 months | As needed | Visual | High | Bi-Weekly |
| GP/ML 6 - | TRAFFIC SIGNS | | | | | | | | | | |
| 40 | 6.1 | Appendix 6-1.1 & 6-1.2 | All General Sign | Signs and identification markers are clean, correctly located, clearly visible, legible, reflective, at the correct height, and free from electrical defects. Mounting posts are vertical, structurally sound and rust free as per MUTCD/CDOT. No signs shall have face damage greater than 5% of surface area. | 24 hours | 28 days | 6 months | As needed | Visual | High | Generally, bi- weekly. Check reflectivity quarterly. |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| | | | | | | naire Response t. 1 | Cat. 2 | | Monitoring Method or | | Frequency of |
|----------------|-----------------------|-------------------------------------|---|---|----------------------|------------------------|-----------------|---|--|---------------|--|
| Maria N. | Element | 255 2 | Flamous | | Hazard Mitigation | Perm. Remedy | Perm. Repair | Required Frequency for Routine Elements | Monitoring Method or Responsibility of | Level of Risk | Monitoring |
| Item No. 41 | Reference No. 6.2 | REF Document Appendix 6-1.1 & 6-1.2 | Element Safety and Critical Signs | Concessionaire Expectation Stop, Yield, Do Not Enter, One Way and Wrong Way signs are clean, legible and undamaged, and conform to 6.1 requirements. | <1 hr. to respond | 1 week | 6 months | by Concessionaire As needed | HDR/LSG Visual | High | HDR/LSG Generally, bi- weekly. Check reflectivity quarterly. |
| GP/ML7- | TRAFFIC SIGNALS | | | | | | | | | | |
| 42 | GP 7.1, 7.2, 7.3, 7.4 | Appendix 6-1.1 & 6-1.2 | General Purpose Lane Signals | No expectation of concessionaire for general purpose traffic signals | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 43 | ML 7.1 | Appendix 6-1.1 & 6-1.2 | Managed Lane Traffic Signals | Signals are clean and visible, undamaged, installations have correct signal timings and full contingency plans are in place. | 2 hrs. | 24 hrs. | 6 months | As needed | Visual | High | TBD |
| 44 | ML 7.2 | Appendix 6-1.1 & 6-1.2 | Soundness | Traffic signals are structurally and electrically sound | 24 hours | 28 days | 6 months | As needed | Visual | Medium | TBD |
| 45 | ML 7.3 | Appendix 6-1.1 & 6-1.2 | Identification Marking | Signals have identification markers and the telephone number for reporting faults clearly located, clearly visible and clean and legible. | N/A | 28 days | 6 months | As needed | Visual | Medium | TBD |
| 46 | ML 7.4 | Appendix 6-1.1 & 6-1.2 | Pedestrian Elements and Vehicle Detectors | All pedestrian elements and vehicle detectors are correctly positioned and fully functional at all times | 24 hours | 28 days | 6 months | As needed | Visual | High | TBD |
| GP/ML 8 L | IGHTING | | | | | | | | | | |
| 47 | 8.1, 8.2 | Appendix 6-1.1 & 6-1.2 | Roadway and Sign Lighting - General | All lighting is free from defects and provides acceptable uniform lighting and quality. Lanterns are clean and correctly positioned. Lighting units are free from accidental damage or vandalism. Columns are upright, correctly founded, visually acceptable, and structurally sound. 90% of lights must function correctly. | 24 hours | 28 days | 6 months | As needed | Visual | Low | Bi-Monthly Visual Inspection |
| 48 | 8.3 | Appendix 6-1.1 & 6-1.2 | Electrical Supply | Electricity supply, feeder pillars, cabinets, switches and fittings are electrically, mechanically and structurally sound and functioning. | 24 hours | 7 days | 1 month | As needed | HDR/LSG to inspect records of concessionaire | Low | TBD |
| 49 | 8.4 | Appendix 6-1.1 & 6-1.2 | Access Panels | All access panels in place at all times | 24 hours | 7 days | 1 month | As needed | Visual | Low | TBD |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

EXHIBIT C

| | | | | | Concession Cat | aire Response | to Defects | | | | |
|----------------|----------------------|-------------------------------------|----------------------------------|--|-----------------------|-----------------|-----------------|-----------------------------|---|--------|---|
| | Element | | | | Hazard Mitigation | Perm. Remedy | Perm. Repair | for Routine Elements | Monitoring Method or Responsibility of | | Frequency of Monitoring |
| Item No. 50 | Reference No. 8.5 | REF Document Appendix 6-1.1 & 6-1.2 | Element High Mast Structure | Concessionaire Expectation High mast are structurally sound and free of loose nuts and bolts, no defects in surface protection systems, no graffiti. | 24 hrs. | 28 days | 6 months | by Concessionaire As needed | HDR/LSG Visual / Inspect Reports | Medium | HDR/LSG |
| 51 | 8.6 | Appendix 6-1.1 & 6-1.2 | High Mast Lighting | All mast luminaries functioning on each pole. All obstruction lights are present and working if required. Component door is secure with all bolts in place. All winch and safety equipment is correctly functioning and maintained without rusting or corrosion. Hoists and electrical fixings clean and lubricated. Two or more lamps per mast pole shall function. | 24 hrs. | 48 days | 1 month | As needed | Visual / Inspect Reports | Medium | Bi-Monthly to determine whether luminaries are functioning. |
| GP/ML 9 - F | FENCES, WALLS, SC | OUND ABATEMENT | | | | | | | | | |
| 52 | 9.1 | Appendix 6-1.1 & 6-1.2 | Design and Location | Fences and walls act as designed and serve the purpose for which they were intended | <1 hr. to respond | 28 days | 6 months | As needed | Visual | Low | Bi-Weekly |
| 53 | 9.2 | Appendix 6-1.1 & 6-1.2 | Construction (includes existing) | Integrity and structural condition of the fence is maintained. | <1 hr. to respond | 28 days | 6 months | As needed | Visual | Low | Bi-Weekly |
| 54 | 9.3 | Appendix 6-1.1 & 6-1.2 | Livestock | Integrity and structural condition of all fences that hold live stock is maintained | <1 hr. to respond | 28 days | 6 months | As needed | Visual | High | Bi-Weekly |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

EXHIBIT C

| | | | | | Concessionaire Response to Defects Cat. 1 Cat. 2 | | | | ency Monitoring Method | | |
|----------|---------------|------------------------|---|---|--|-----------------|-----------------|---|-----------------------------------|---------------|----------------------------|
| | | | | | | | _ | | | | |
| | Element | | | | Hazard Mitigation | Perm. Remedy | Perm. Repair | Required Frequency for Routine Elements | _ | | Frequency of Monitoring |
| Item No. | Reference No. | REF Document | Element | Concessionaire Expectation | | | | by Concessionaire | HDR/LSG | Level of Risk | HDR/LSG |
| 55 | 10.1 | Appendix 6-1.1 & 6-1.2 | Vegetated areas - except landscaped areas - general | Vegetation maintained so that height of grass and weeds is kept within the limits described for urban and rural areas. Mowing begins before vegetation reaches maximum height. Spot mowing at intersections, ramps, or other areas visibility of appurtenances and sight distance. Grass or vegetation does not encroach into or on paved shoulders, main lanes, sidewalks, islands, riprap, traffic barrier or curbs. A herbicide program is undertaken in accordance with the D 006 99. Development and implementation of noxious weed program to control noxious weeds and eliminate grass in pavement or concrete. A mowing cycle completed after the first frost of the first 15' from the edge of pavement. | 24 hrs. | 7 days | 28 days | As required | Visual | Low | Bi-Weekly |
| 56 | 10.2 | Appendix 6-1.1 & 6-1.2 | Landscaped Areas | Maintained to originally constructed condition and as required by the FMP | 24 hrs. | 7 days | 28 days | As required | Visual / Inspection of Records | Low | Bi-Weekly |
| | | | | · · · | | | | | | | |
| 57 | 10.3 | Appendix 6-1.1 & 6-1.2 | Fire Hazards | Fire hazards are controlled | 24 hrs. | 7 days | 28 days | As required | Visual | Low | Bi-Weekly |
| 58 | 10.4 | Appendix 6-1.1 & 6-1.2 | Trees, brush, and ornamentals | Mowed, trimmed in accordance with CDOT standards. Dead vegetation trimmed or treated. Diseased trees treated or removed by licensed contractors. | 24 hrs. | 7 days | 28 days | As required | Visual / Inspection of Records | Low | Bi-Weekly |
| 59 | 10.5 | Appendix 6-1.1 & 6-1.2 | Water Quality Ponds | Maintenance of all vegetation within ponds and surrounding area. | 24 hrs. | 7 days | 28 days | As required | Visual | Low | Bi-Weekly |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| | | | | | | naire Response t. 1 | e to Defects | | | | |
|----------|--------------------------|------------------------|--------------------------|---|----------------------|------------------------|-----------------|---|--|---------------|---------------------------------------|
| Item No. | Element Reference No. | REF Document | Element | Concessionaire Expectation | Hazard Mitigation | Perm. Remedy | Perm. Repair | Required Frequency for Routine Elements by Concessionaire | Monitoring Method or Responsibility of HDR/LSG | Level of Risk | Frequency of Monitoring HDR/LSG |
| 60 | 10.6 | Appendix 6-1.1 & 6-1.2 | Wetlands | Wetlands managed in accordance with permit requirements. | 24 hrs. | 7 days | 28 days | As required | Visual | Low | Bi-Weekly |
| GP/ML 11 | - EARTHWORKS & | EMBANKMENTS | | permit requirements. | | | | | | | |
| 61 | 11.1 | Appendix 6-1.1 & 6-1.2 | Slope Failure | All structural or natural failures of the embankment and cut slopes of the Facility are repaired. | <1 hr. to respond | 28 days | 6 months | As needed | Visual / Review report provided by geotechnical specialist with further tests as recommended by the specialist | High | Bi-Weekly |
| 62 | 11.2 | Appendix 6-1.1 & 6-1.2 | Slopes - General | Slopes are maintained in general conformance to the original grade. Replace landscape materials, reseed, and control erosion on roadway and shoulders. | 24 hrs. | 28 days | 6 months | As needed | Visual | Low | Bi-Weekly |
| GP/ML 12 | - GRAFFITI | | | | | | | | | | |
| 63 | 12.1 | Appendix 6-1.1 & 6-1.2 | Graffiti | Graffiti is removed in a manner and using materials that restore the surface to a like appearance similar to adjoining surfaces | 24 hrs. | 10 days | 6 months | As needed | Visual | Low | Bi-Weekly |
| GP/ML 13 | - INCIDENT RESPO | NSE | | | | | | | | | |
| 64 | 13.1 | Appendix 6-1.1 & 6-1.2 | General | Respond to incidents in accordance with the US 36 Traffic Incident Management Plan. Response times met for 98% of incidents per year on a rolling basis. | <1 hr. | N/A | N/A | As required | Track Response Time Reports | High | As Incidents Occur |
| 65 | 13.2 | Appendix 6-1.1 & 6-1.2 | Hazardous Materials | Comply with requirements of Section 4.4.4 of Schedule 6 for all hazardous material spills | <1 hr. | N/A | N/A | As required | Track Inspection Records showing compliance | High | As Incidents Occur |
| 66 | 13.3 | Appendix 6-1.1 & 6-1.2 | Structural Assessment | Evaluate structural damage with emergency services to ensure safe working in clearing of each incident. CDOT staff bridge must be notified immediately to complete inspection | | N/A | N/A | As required | Track Inspection Records showing compliance | High | As Incidents Occur |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

EXHIBIT C

| Item No. 67 | Element Reference No. 13.4 | REF Document Appendix 6-1.1 & 6-1.2 Exhibit B, Item 120, Schedule | Element Temporary and permanent remedy Incident Response | Concessionaire Expectation Propose and implement temporary measures or permanent repairs to defects arising from each incident. Ensure structural safety of any structures affected by each incident Achieve an incident response time that | Concession Cat Hazard Mitigation <24 hrs. | aire Response . 1 Perm. Remedy 28 days | to Defects Cat. 2 Perm. Repair N/A | Required Frequency for Routine Elements by Concessionaire As required | Monitoring Method or Responsibility of HDR/LSG Track Auditable Inspection records showing compliance. | Level of Risk High | Frequency of Monitoring HDR/LSG As Incidents Occur |
|-------------|----------------------------------|--|--|---|---|--|--|--|--|-----------------------|--|
| | | 10 Requirements | Time | complies with Incident Response Plan | | ., | .,, | | Concessionaire Documentation as Incidents Occur | | Occur |
| GP/ML 14 | - SWEEPING AND O | CLEANING | | | | | | | | | |
| 69 | 14.1 | Appendix 6-1.1 & 6-1.2 | Sweeping | Keep all channels, hard shoulders, gore areas, ramps, intersections, islands and frontage roads swept clean. Clear and remove debris from traffic lanes, hard shoulders, merges and enforcement areas. Remove all sweepings without stockpiling in the right of way and dispose of at approved site. Build up of dirt, ice, rock, debris from accidents and otherwise, spilled materials, etc., on roads and bridges not to accumulate greater than 24" wide or 1/2" deep. | 1 hr. | 24 hrs. | 28 days | As needed | Visual | Medium | Bi-Weekly |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| Ei | | | | | Cat | | Cat. 2 | | | | |
|----------|--------------------------|------------------------|--|---|----------------------|-----------------|-----------------|---|--|---------------|---------------------------------------|
| Item No. | Element Reference No. | REF Document | Element | Concessionaire Expectation | Hazard Mitigation | Perm. Remedy | Perm. Repair | Required Frequency for Routine Elements by Concessionaire | Monitoring Method or Responsibility of HDR/LSG | Level of Risk | Frequency of Monitoring HDR/LSG |
| 70 | 14.2 | Appendix 6-1.1 & 6-1.2 | Litter | Keep the right of way neat and remove litter regularly. Pick up large litter items before mowing operations. Dispose of litter and debris collected at an approved solid waste site. No more than 20 pieces of litter per roadside mile may be visible while traveling at a roadway speed. Litter is picked up off the roadway weekly, if in the right-of-way is every 15 days. | 24 hrs. | 28 days | 28 days | As needed | Visual | Medium | Bi-Weekly |
| SAFETY | | | | | | | | | | | |
| 71 | | Exhibit B, Item 147 | Adherence to Safety Plan Requirements | Concessionaire to formally establish and adhere to a policy, procedure, process, or guideline as required by the Safety Plan. | N/A | N/A | N/A | As needed. | Review documentation. Compare to Safety Plan. | High | As required. |
| 72 | | Exhibit B, Item 148 | Adherence to Safety Plan Requirements | Concessionaire to observe the safety plan or carry out any operation or maintenance activity in contravention of (or in absence of) the safety plan or in a manner that represents a hazard to project workers or the general public in accordance with Schedule 6 of the Concession Agreement. | N/A | N/A | N/A | As required. | Visual / Review documentation | High | As required. |
| 73 | | Exhibit B, Item 76 | Safety Procedures and Protocol through Phase 2 | Concessionaire is responsible for 1) safety of design, operations, construction methods and other Phase 2 work, 2) having designated person responsible for safety and maintain an accident book, 3) ensuring safety in accordance with industry practices. | N/A | N/A | N/A | As required. | Review documentation | High | As required. |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| | | | | | | naire Response t. 1 | to Defects Cat. 2 | | | | |
|----------|--------------------------|-------------------------|--|--|----------------------|------------------------|-------------------|---|---|---------------|---------------------------------------|
| Item No. | Element Reference No. | REF Document | Element | Concessionaire Expectation | Hazard Mitigation | Perm. Remedy | Perm. Repair | Required Frequency for Routine Elements by Concessionaire | Monitoring Method or Responsibility of HDR/LSG | Level of Risk | Frequency of Monitoring HDR/LSG |
| 74 | nererence vor | Exhibit B, Item 144 | Reporting of Safety Related Incidents | į | N/A | N/A | N/A | As required. | Review documentation | High | As required. |
| 75 | | Exhibit B, Item 145 | Courtesy Patrol | Concessionaire to provide Courtesy Patrol in accordance with paragraph 4.4.1 of Schedule 6 of the Concession Agreement. | N/A | N/A | N/A | As required. | Review documentation | High | As required. |
| 76 | | Exhibit B, Item 146 | Work Zone Safety Requirements | Concessionaire to meet requirements of work zone safety, management, maintenance of traffic and diversion routes for regular maintenance during operations. | N/A | N/A | N/A | As required. | Review documentation | High | As required. |
| STAFFING | | | | | | | | | | | |
| 73 | | Schedule 6 - Pg. 6, 1.6 | Staffing Requirements and Plan | Staff shall be available 24 hours a day, 7 days a week, every day of the year. Concessionaire shall maintain updated staff records and prove it to HPTE upon request. All records shall be updated within 5 business days. | N/A | N/A | N/A | As required. | Review documentation | Medium | As required. |
| 74 | | | Staffing Compensation | Concessionaire maintenance employees compensation and benefits are no less than those of CDOT employees. Monitor and verify that maintenance personnel are of significant numbers and skill level. | N/A | N/A | N/A | As required. | Review documentation | Medium | As staff is added. |
| 75 | | | Use of Facility / Land | Concessionaire shall only use CDOT land for services within this contract. | N/A | N/A | N/A | As needed | Verify that land (CDOT) is used for US 36 / I 25 services | Low | As required. |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| | | | | | | naire Responso | e to Defects | | | | |
|----------|--------------------------|---|--|--|----------------------|-----------------|-----------------|---|--|---------------|---------------------------------------|
| Item No. | Element Reference No. | REF Document | Element | Concessionaire Expectation | Hazard Mitigation | Perm. Remedy | Perm. Repair | Required Frequency for Routine Elements by Concessionaire | Monitoring Method or Responsibility of HDR/LSG | Level of Risk | Frequency of Monitoring HDR/LSG |
| 76 | | Schedule 6 - Pg. 6, 1.7, 1.7.1, 1.7.1.1-1.7.1.4 | Maintenance Management Plan | Concessionaire is required to prepare and update the Maintenance Management Plan on an annual basis, or as needed in accordance with Appendix 6-1 and Appendix 6-2. | N/A | N/A | N/A | Annually or as required. | Review Plan and Verify Submittal by Concessionaire | Low | Annually or as required. |
| 77 | | Schedule 6 - Pg. 10, 1.7.2- 1.7.3 | Operations Management Plan | Concessionaire is required to prepare and update the Operations Management Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's Agreement. | N/A | N/A | N/A | Annually or as required. | Review Plan and Verify Submittal by Concessionaire | Low | Annually or as required. |
| 78 | | Schedule 6 - Pg. 8, 1.7.1.1 - O | Lifecycle Maintenance Plan for Managed Lanes | If necessary, within 90 days before the beginning of each year, Concessionaire shall prepare and submit a 5 Year Lifecycle Maintenance Plan as required by Schedule 10. | N/A | N/A | N/A | Annually or as required. | Verify submittal of an annual 5 Year Lifecycle Maintenance Plan for Managed Lanes if requested by HPTE. | Low | Annually or as required. |
| 79 | | Exhibit B, Item 75 | Lifecycle Maintenance Plan Disputes | HPTE and Concessionaire shall resolve disputes around Life Cycle Maintenance Plan within 60 days after it is provided to HPTE, or Dispute Resolution Procedures will be enacted. | N/A | N/A | N/A | As required. | As notified by HPTE or Concessionaire | Low | As required. |
| 80 | | Exhibit B, Item 92 | Quarterly, 1 Year, and 5 Year Work Plans | Concessionaire to produce, review and as necessary, update the following plans during the Services Period in accordance with the Concession Agreement, and Schedule 10 requirements, including but not limited to: Quarterly, One-Year and Five-Year Work Plans. | N/A | N/A | N/A | As required. | Review Plans and Verify Submittals by Concessionaire on required dates. | Low | As required. |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

EXHIBIT C

| | | | | | Ca | naire Response t. 1 | Cat. 2 | | | | |
|----------|--------------------------|----------------------------|--|--|----------------------|------------------------|-----------------|--|--|---------------|---------------------------------------|
| Item No. | Element Reference No. | REF Document | Element | Concessionaire Expectation | Hazard Mitigation | Perm. Remedy | Perm. Repair | for Routine Elements by Concessionaire | Monitoring Method or Responsibility of HDR/LSG | Level of Risk | Frequency of Monitoring HDR/LSG |
| 81 | | Exhibit B, Item 124 | Roadway Maintenance - Inspection | Identify material defects in the Inspection Reports, Lifecycle Maintenance Plan, or work currently undertaken. | N/A | N/A | N/A | As required. | Review Plans and Verify Submittals by Concessionaire on required dates. | Low | As required. |
| 82 | | Exhibit B, Item 125 | Roadway Maintenance - Inspection / Operations | Include identified material defects in the next Life Cycle Maintenance Plan and/or the Operations and Maintenance Plan. | N/A | N/A | N/A | As required. | Review Plans and Verify Submittals by Concessionaire on required dates. | Low | As required. |
| 83 | | Exhibit B, Item 130 | Operations Plan Compliance | Concessionaire to comply with a requirement in respect of the Operations Management Plan as required by Schedule 6 of the Concession Agreement where the failure impacts or has potential to impact on the level of service provided to users. | N/A | N/A | N/A | As required. | Review of Plan | High | As required. |
| INCIDENT | RESPONSE AND DI | SASTER RECOVERY PLANS | | | | | | | | | |
| 84 | | Schedule 6 - Pg. 11, 1.7.4 | Incident Management Plan | Concessionaire is required to prepare and update the Incident Management Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. | N/A | N/A | N/A | Annually | Review of Plan and Plan Submittal by Concessionaire | Low | Annually |
| 85 | | Schedule 6 - Pg. 11, 1.7.4 | Disaster Recovery Plan | Concessionaire is required to prepare and update the Disaster Recovery Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. | N/A | N/A | N/A | Annually | Review of Plan and Plan Submittal by Concessionaire | Low | Annually |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| Element Element Reference No. REF Document Element Concessionaire Expectation Comply with requirement in respect of the Incident Management Plan are fourthful for the Incident Management Plan Incident Management Pla | Ele | | | | | Cat | | Cat. 2 | Danied Frances | Monitoring Method or | | Frequency of |
|--|-----------|---------------|-----------------------------|----------------------|---|----------------------|-----------------|-----------------|----------------|--------------------------------|--------|---------------------------------------|
| Exhibit 8, Item 121 Comply with Incident Management Plan as required to Plan as required by Schedule 6 Comply with a requirement in respect of the Incident Management Plan as required by Schedule 6 Communication Plan Communication Plan Communication Plan Communication Plan Communication Plan Communication Plan Communication Plan and annual basis, or a sneeded in accordance with Section 22.4 of the Concessionaire's Agreement, Section 22.4, pg. 58 Concessionaire Agreement, Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire Sequence of Plan and Plan submittal by Concessionaire's Agreement, Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire Agreement, Section 22.4, pg. 58 Concessionaire Agreement, Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire is required to prepare and update the Marketing Plan on an annual basis, or a sended in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire Agreement, Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire Name Concessionaire is required to prepare and update the Transition Plan on an annual basis, or a needed in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire Agreement, Schedule 6 - Pg. 12, 1.7.5 Transition Plan Concessionaire is required to prepare and update the Transition Plan on an annual basis, or a needed in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire Agreement, Schedule 10 requirements. Concessiona | Item No. | | REF Document | Element | Concessionaire Expectation | Hazard Mitigation | Perm. Remedy | Perm. Repair | | Responsibility of | | Monitoring |
| Exhibit B, Item 85 Communication Plan Under the Concessionaire's Agreement and Schedule 10 requirements. N/A N/A N/A N/A N/A Annually Review of Plan and Plan submittal by Concessionaire N/A Annually Review of Plan and Under Plan Under the Marketing Plan Under the Marketing Plan on annual basis, or a sneeded in accordance with Section 22.4 pg. 58 Concessionaire is required to prepare and under the Marketing Plan on annual basis, or a sneeded in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. N/A N/A N/A N/A N/A Annually Review of Plan and Plan submittal by Concessionaire. Low Annually Annually Review of Plan and Plan submittal by Concessionaire Concessionaire or Plan and Plan submittal by Concessionaire Concessionaire Divided the Transition Plan Concessionaire to achieve a smooth transition of maintenance activities from HPT in accordance with the Transition Plan. N/A N/A N/A N/A Annually Review of Plan and Plan submittal by Concessionaire Review of Plan and Plan submittal by Concessionaire N/A N/A N/A N/A N/A N/A N/A N/ | 86 | | | Comply with Incident | Comply with a requirement in respect of the Incident Management Plan as | N/A | N/A | N/A | | Review of Incident Response | | · · · · · · · · · · · · · · · · · · · |
| ### Annually Delan submittal by Concessionaire #### Annually Delan submittal by Concessionaire ################################### | MANAGED | LANE COMMUNIC | ATIONS PLAN | | | | | | | | | |
| Concessionaire Agreement, Section 22.4, pg. 58 Concessionaire is required to prepare and update the Marketing Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire is required to prepare and update the Marketing Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire is required to prepare and update the Transition Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire to achieve a smooth transition Plan Concessionaire to achieve a smooth transition of maintenance activities from HPTE in accordance with the Transition Plan. Concessionaire to achieve a smooth transition Plan. Concessionaire to achieve a smooth Plan submittal by Concessionaire Concessionaire to achieve a smooth transition Plan. Concessionaire to achieve a smooth transition Plan concessionaire to achieve a smooth Plan submittal by Concessionaire Concessionaire to achieve a smooth Plan submittal by Concessionaire to achieve a smooth transition of maintenance activities from Plan submittal by Concessionaire Concessionaire to achieve a smooth Plan submittal by Concessionaire to achieve a | 87 | | Exhibit B, Item 85 | Communication Plan | update the Communications Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's | N/A | N/A | N/A | Annually | Plan submittal by | Low | Annually |
| update the Marketing Plan on an annual basis, or as needed in accordance with Section 22.4, pg. 58 Schedule 6 - Pg. 12, 1.7.5 Transition Plan Schedule 6 - Pg. 12, 1.7.5 Transition Plan Concessionaire is required to prepare and update the Transition Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. N/A N/A N/A N/A N/A N/A Annually Review of Plan and Plan submittal by Concessionaire Societion 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire Concessionaire Agreement and Schedule 10 requirements. N/A N/A N/A N/A N/A N/A N/A As needed Review of Plan and Plan submittal by Concessionaire Societies of Plan submittal by Concessionaire | MARKETIN | G PLAN | | | | | | | | | | |
| Schedule 6 - Pg. 12, 1.7.5 Transition Plan Concessionaire is required to prepare and update the Transition Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Concessionaire Transition Plan Concessionaire to achieve a smooth transition of maintenance activities from HPTE in accordance with the Transition Plan. N/A N/A N/A Annually Review of Plan and Plan submittal by Concessionaire Review of Plan and Plan submittal by Concessionaire As needed Plan submittal by Concessionaire Plan submittal by Concessionaire | 88 | | - | Marketing Plan | update the Marketing Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's | N/A | N/A | N/A | Annually | Plan submittal by | Low | Annually |
| update the Transition Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's Agreement and Schedule 10 requirements. Transition Plan Concessionaire to achieve a smooth transition of maintenance activities from HPTE in accordance with the Transition Plan. N/A N/A As needed Review of Plan and Plan submittal by Concessionaire Concessionaire | TRANSITIO | N PLAN | | | | | | | | | | |
| Compliance transition of maintenance activities from HPIE in accordance with the Transition Plan. | 89 | | Schedule 6 - Pg. 12, 1.7.5 | Transition Plan | update the Transition Plan on an annual basis, or as needed in accordance with Section 22.4 of the Concessionaire's | N/A | N/A | N/A | Annually | Plan submittal by | Low | Annually |
| | 90 | | Exhibit B, Item 149 | | transition of maintenance activities from HPTE in accordance with the Transition | N/A | N/A | N/A | As needed | Plan submittal by | Medium | As needed |
| MAINTENANCE MANAGEMENT INFORMATION SYSTEMS PLAN | MAINTENA | NCE MANAGEMEN | NT INFORMATION SYSTEMS PLAI | N | | | | | | | | |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| Element REF Document Element Concessionaire Expectation Concessionaire Expectation Mitigation Removy Report Rep | | | | | Concession Cat | aire Response | to Defects | | | | |
|--|----------|-----------------------------|--|--|-------------------|---------------|------------|----------------------|---------------------------------------|---------------|---------------------------------------|
| Schedule 6, Pg. 38-39, 5.0 5.1.2, Exhibit 8, Item 34 Schedule 6 - Pg. 12-14, 1.8.1- 1.8.3 Schedule 6 - Pg. | Item No. | REF Document | Element | Concessionaire Expectation | Hazard | Perm. | Perm. | for Routine Elements | Responsibility of | Level of Risk | Frequency of Monitoring HDR/LSG |
| Schedule 6 - Pg. 12-14, 1.8.1- 1.8.3 Schedule 6 - Pg. 12-14, 1.8.1- 1.8.3 Monthly Reports, Operation Reports, Annual Reports and Lifecycle Reports District in Schedule 6, pgs. 13-14. Schedule 6 Exhibit 8, Item 94, Entirety of Schedule 6 Exhibit 8, Item 127 Maintenance of Records Concessionaire to create the required O&M records. N/A N/A N/A N/A N/A N/A N/A N/ | | Schedule 6, Pg. 38-39, 5.0- | Managing Snow | Concessionaire shall use, maintain and update the Maintenance Management Information System in accordance with | 3 days | 3 days | 3 days | | Visual Inspection and Review of | | Monthly |
| 1.8.3 Operation Reports, Annual Reports and Lifecycle Reports and Lifecycle Reports of Industrial Reports and Lifecycle Reports on Annual Reports and Annual Reports and Annual Reports and Annual Reports listed in Schedule 6, pgs. 13-14. Page | REPORTS | | | | | | | | | | |
| Schedule 6 Records available to HPTE and its designated representative any book, record, or document in accordance with Schedule 6 of the Concession Agreement and Schedule 10 requirements. Maintenance of Records Exhibit B, Item 127 Maintenance of Records Exhibit B, Item 127 Maintenance of Records Concessionaire to create the required O&M records. N/A N/A N/A N/A N/A N/A As required Verify Concessionaire's compliance with said reports. PS Exhibit B, Item 150 Reporting to FHWA Concessionaire to accurately gather and report on a timely basis the information required for any FHWA reporting | 92 | • | Operation Reports, Annual Reports and | frame prescribed, either monthly, quarterly, or annually, all of the Monthly Reports, Operations Reports and Annual Reports | • | N/A | N/A | | Concessionaire's compliance with said | Medium | Varies per type of report |
| Records records. Solution of the properties of | 93 | | | available to HPTE and its designated representative any book, record, or document in accordance with Schedule 6 of the Concession Agreement and Schedule 10 | N/A | N/A | N/A | Continuously | Concessionaire's compliance with said | Medium | Bi-Weekly |
| report on a timely basis the information | 94 | Exhibit B, Item 127 | | | N/A | N/A | N/A | Continuously | Concessionaire's compliance with said | Medium | Bi-Weekly |
| requirements as designated by HPTE. reporting. | 95 | Exhibit B, Item 150 | Reporting to FHWA | report on a timely basis the information | N/A | N/A | N/A | As required | Concessionaire's compliance with said | Low | As required |
| MEETINGS | | | | | | | | | | | |
| 96 Schedule 6 - Pg. 14, 1.9 Meetings Concessionaire shall have monthly meetings as needed with HPTE to discuss services. CONTRACTURAL COMPLIANCE Concessionaire shall have monthly meetings as needed with HPTE to discuss services. N/A N/A Monthly Review service status including reports required under Section 1.8. | | • | Meetings | meetings as needed with HPTE to discuss | N/A | N/A | N/A | Monthly | including reports required under | Medium | Monthly |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| | Element | | | | | naire Response t. 1 | e to Defects | | | | |
|----------|--------------------------|--------------------|--|--|----------------------|------------------------|-----------------|---|--|---------------|---|
| Item No. | Element Reference No. | REF Document | Element | Concessionaire Expectation | Hazard Mitigation | Perm. Remedy | Perm. Repair | Required Frequency for Routine Elements by Concessionaire | Monitoring Method or Responsibility of HDR/LSG | Level of Risk | Frequency of Monitoring HDR/LSG |
| 97 | Reference NO. | Exhibit B, Item 14 | Oversite of Disclosure Statements | Parties will notify each other of any changes in law and it's affect on work, services, revenue, costs or capital. | N/A | N/A | N/A | Continuously | Ensure that HPTE obtains Concessionaire Disclosure Statement quarterly, verify presence of Disclosure Statement twice per year, and develops and performs civil records search annually. | Low | As required. |
| 98 | | Exhibit B, Item 17 | Oversite of Changes to Approved Personnel | Concessionaire will maintain a list of parties with approved access to the facilities and will refuse entry to parties refused access by HPTE. | N/A | N/A | N/A | Continuously | Ensure that PRD provides changes to approved personnel or refused parties. | Low | Weekly |
| 99 | | Exhibit B, Item 33 | Oversite of Lifecycle Maintenance Plan Costs and Tasks | Concessionaire will perform Non-Separable Tasks per the Life Cycle Maintenance Plan as agreed to by HPTE. | N/A | N/A | N/A | Continuously | Verify non-separable tasks per the Lifecycle Maintenance Plan have been performed and costs and tasks verified. | Low | As required. |
| 100 | | Exhibit B, Item 35 | Verify Conditions Precedent | Upon completion of Phase 1, Concessionaire will commence snow and ice removal services | N/A | N/A | N/A | Upon completion of Phase I | Verify that conditions precedent per Schedule 2, Part 2, are achieved by July 22, 2015. | High | Prior to July 22, 2015. |
| 101 | | Exhibit B, Item 36 | Verify Completion of Phase 2 Work | Concessionaire must obtain completion of Phase 2 work by the Full services commencement date (or liquidated damages will be due to HPTE). | N/A | N/A | N/A | By Full Services Commencement Date. | Verify Acceptance by HPTE of Phase 2 Work Completion and preliminary requirements by Concessionaire. | | By Notice of Phase II Work Competion. |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| Item No. 102 | Element Reference No. | REF Document Exhibit B, Item 37 | Element Verify Acceptance of Phase 2 Non- Conforming Work | Concessionaire Expectation Concessionaire will correct non-conforming Phase 2 work and provide written notice to HPTE of correction when all preliminary | Concession Ca Hazard Mitigation N/A | naire Response t. 1 Perm. Remedy N/A | e to Defects Cat. 2 Perm. Repair N/A | Required Frequency for Routine Elements by Concessionaire When preliminary requirements have been met. | Monitoring Method or Responsibility of HDR/LSG Verify Acceptance by HPTE of non- conforming Phase 2 | Level of Risk High | Frequency of Monitoring HDR/LSG After Phase II work is completed. |
|-----------------|--------------------------|------------------------------------|--|---|---|--|--|---|--|-----------------------|--|
| 103 | | Exhibit B, Item 38-39 | Verify Phase 2 Work 19.3 Requirements | requirements have been met. Concessionaire will provide HPTE with a sworn affidavit of completion for Phase 2 work in accordance with the requirements of 19.3. Concessionaire's sworn affidavit of completion of Phase 2 work shall contain the specific verbiage contained in Part 5, section 19.4. | N/A | N/A | N/A | After Phase II work is completed. | Work. Verify that Concessionaire has provided a sworn affidavit attesting to completion of Phase 2 Work in accordance with Requirement 19.4, including the specific verbiage contained in Part 5 of that section. | High | After Phase II work is completed. |
| 104 | | Exhibit B, Item 40 | Verify that Inspection was performed and documented for Phase 2 Work | HPTE will deliver notice of Conditions Precedent before concessionaire will commence Snow and Ice removal services. | N/A | N/A | N/A | When received by HPTE. | Verify delivery of HPTE of Notice of Conditions Precedent before Snow and Ice Services commence. | High | Prior to Snow and Ice Removal Services. |
| 105 | | Exhibit B, Item 41 | Verify that Phase 2 Completion was timely. | The concessionaire will provide advance notice of Phase 2 Completion to HPTE at least 20 business days prior to its expected completion date of Phase 2 requirements. | N/A | N/A | N/A | 20 days prior to Phase 2 completion. | Verify advance notice of Phase 2 completion at least 20 days prior to expected completion | High | When received. |
| 106 | | Exhibit B, Item 42 | Verify Completion of Conditions Precedent, Phase 2 work | Concessionaire must submit project Plans at the specified intervals for review and comment by HPTE. HPTE may decline the plan for the specified reasons. | N/A | N/A | N/A | Upon completion of Phase 2 | date. Verify Completion of Conditions Precedent, Phase 2 work | High | Upon notice of Phase 2 work completion. |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

EXHIBIT C

| | | | | | | naire Response tt. 1 Perm. | e to Defects Cat. 2 Perm. | Required Frequency | Monitoring Method or | | Frequency of |
|-----------|--------------------------|--------------------|------------------------------------|--|------------|----------------------------------|---------------------------|--|---|---------------|-----------------------|
| Item No. | Element Reference No. | REF Document | Element | Concessionaire Expectation | Mitigation | Remedy | Repair | for Routine Elements by Concessionaire | | Level of Risk | Monitoring HDR/LSG |
| 107 | | Exhibit B, Item 46 | Corrective Work | Concessionaire has 7 business days to agree with HPTE when and how corrective work will be accomplished. | N/A | N/A | N/A | Continuously | Verify completion of non-conforming or warranty work. | High | As required. |
| 108 | | Exhibit B, Item 48 | Verify Reporting | Concessionaire shall meet each and every obligation. | N/A | N/A | N/A | Continuously | Verify Concessionaire compiles monthly and annual service reporting in accordance with Section 1.8, Schedule 6. | High | As required. |
| 109 | | Exhibit B, Item 52 | Noncompliance Points Assessment | Ongoing compliance with Schedule 6 | N/A | N/A | N/A | Continuously | Confirm that HPTE has received report. | High | As required. |
| 110 | | Exhibit B, Item 53 | Managed Lanes Availability | Managed lanes will be available per agreement terms. | N/A | N/A | N/A | Continuously | Review | High | As required. |
| 111 | | Exhibit B, Item 54 | ITS Maintenance | Intelligent Transportation Systems Maintenance must be performed as specified in Section 19 of Schedule 5. | N/A | N/A | N/A | Continuously | Verify noncompliance points are determined in accordance with parameters set forth in Schedule. (While likely have individual Requirement for each of the Schedule 10 requirements so may capture this in individual requirements.) | | As required. |
| OUALITY M | 1ANAGEMENT | | | | | | | | | | |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| ltem No. | Element Reference No. REF Document Element Concessionaire Expectation Schedule 6, 1.7.3, Exhibit B, Quality Concessionaire will prepare, implement, | | Concession Car Hazard Mitigation | naire Response t. 1 Perm. Remedy | to Defects Cat. 2 Perm. Repair | Required Frequency for Routine Elements by Concessionaire | Monitoring Method or Responsibility of HDR/LSG | Level of Risk | Frequency of Monitoring HDR/LSG | | |
|----------|---|---------------------|---|---|---|---|--|---------------------|---------------------------------------|--------|--------------|
| 112 | | | | · | N/A | N/A | N/A | As needed | Review of Plan | Medium | As required. |
| 113 | | Exhibit B, Item 129 | Requirements of Quality Management Plan | Concessionaire to establish, maintain, update or comply with any requirement of a Quality Management Plan in accordance with Section 25 of the Concession Agreement | N/A | N/A | N/A | Annual or as needed | Review of Plan | Medium | As required. |

| Itam Na | Element Cot | DEE Doorwood | Element | Concession Complete Manning and Loading of Spreading Vehicles | Point to Treatment | Maximum Response Time for Ice Clearance Vehicles to | | Monitoring | Lovel of Bick | Frequency of Monitoring |
|---------|-------------|------------------------|---|--|---|---|---|-----------------------------|---------------|-------------------------|
| | REMOVAL | REF Document | Element | venicies | Completion and Return | Depart from Base | Concessionaire Expectation | Method HDR/LSG | Level of Risk | HDR/LSG |
| 114 | 3.1 | Schedules 10 and 25 | Snow Removal - Managed Lane | 30 min (add 30 min for unpredicted un- forecasted precipitation event) | 1 hr. (add 30 min for unpredicted un- forecasted precipitation event) | 1 hr. (add 30 min for unpredicted un- forecasted precipitation event) | Maintain to a minimum level of service "A", standard condition Category 1 for a minimum 95% bare pavement at the end of any precipitation event. | Visual/Review of Reports | High | Per Event |
| 115 | 3.1 | Schedules 10 and 25 | Snow Removal - General Purpose Lanes | 30 min (add 30 min for unpredicted un- forecasted precipitation event) | 1 hr. (add 30 min for unpredicted un- forecasted precipitation event) | 1 hr. (add 30 min for unpredicted un- forecasted precipitation event) | General Purpose lanes are to achieve minimum level of service "B", for a minimum 95% bare pavement, no less than 2 hours after the completion of any precipitation event. | Visual/Review of Reports | High | Per Event |
| 116 | 3.4 | Schedules 10 & 25 | Sweeping | N/A | N/A | N/A | All sand and other materials that could result in PM 10 particles, will be swept from the travel way within 72 hours | Visual/Review of Reports | High | Per Event |
| 117 | | Exhibit B, Item 128 | Update to Snow Removal & Ice Control Operations Plan | N/A | N/A | N/A | Concessionaire to produce, review, and, as necessary, update the Snow Removal and Ice Control Operations Plan | Review of Reports | Medium | Annual |
| 118 | | Exhibit B, Item 132 | Service Level Score | N/A | N/A | N/A | A Service Level Score of 4 is received for an individual Precipitation Event related to the Managed Lanes | Visual/Review of Reports | High | Per Event |
| 119 | | Exhibit B, Item 133 | Service Level Score | N/A | N/A | N/A | A Service Level Score of 3 is received for an individual Precipitation Event related to the Managed Lanes | Visual/Review of Reports | High | Per Event |
| 120 | | Exhibit B, Item 134 | Service Level Score | N/A | N/A | N/A | A Service Level Score of 2 is received for an individual Precipitation Event related to the Managed Lanes | Visual/Review of Reports | High | Per Event |
| 121 | | Exhibit B, Item 135 | Service Level Score | N/A | N/A | N/A | A Service Level Score of 1 is received for an individual Precipitation Event related to the Managed Lanes | Visual/Review of Reports | High | Per Event |

| Prepared by LS Gallegos & Associates Inc As of July 15, 2015 | |
|--|--|
| | |
| | |

| Item No. 122 | Element Cat. | REF Document Exhibit B, Item 136 | Element | Complete Manning and Loading of Spreading Vehicles N/A | | Maximum Response Time for Ice Clearance Vehicles to | Concessionaire Expectation A Service Level Score of 0 is received for an individual Precipitation Event related to the Managed Lanes | Monitoring Method HDR/LSG Visual/Review of Reports | | Frequency of Monitoring HDR/LSG Per Event |
|-----------------|--------------|--|------------------------|---|-----|---|--|---|------|--|
| SWEEPII 123 | NG | Exhibit B, Item 131 | Post Storm Sweeping | N/A | N/A | N/A | Failure to meet the requirements for completing sweeping within 72 hours after a Precipitation Event per 3.4 of Schedule 25. | Visual/Review of Reports | High | Per Event |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

EXHIBIT C
Part 3

| | | | | Required Frequency for | | Required Response | | Frequency of |
|-------|---|-------------------------------------|--|------------------------|-------------------------------|-------------------|---------------|--------------|
| Item | | | | Routine Elements by | Monitoring Method | Time by | | Monitoring |
| No. | REF Doc. | Element | Concessionaire Expectation | Concessionaire | HDR/LSG | · · | Level of Risk | HDR/LSG |
| | CIAL AND TOLLING | | | Concessionanc | , 250 | Concessional C | | |
| 124 | Exhibit B, Item 97 Schedule 10/8 ID 1 | ETCS Equipment | All ETCS equipment is fully functional and housing is functioning and free of defects. | Continuous | Visual | N/A | High | Monthly |
| 125 | Exhibit B, Item 98 Schedule 10 ID 2 | Functioning Beacons | All beacons or other equipment associated with HOV enforcement are functioning as required when a vehicle passes through the lane declared as HOV. | Continuous | Visual | N/A | High | Bi-Weekly |
| 126 | Exhibit B, Item 99 Schedule 10 ID 3 | Antennas and Readers | All antennas and readers are capturing 99.95% of transactions where a transponder is present in the vehicle. | Continuous | Review reporting. | N/A | High | Monthly |
| 127 | Exhibit B, Item 100 Schedule 10 ID 4 | Lane Controllers | Lane controllers are up and running 99.99% of the time that the managed lanes are open. | Continuous | Review reporting. | N/A | High | Monthly |
| 128 | Exhibit B, Item 101 Schedule 10 ID 5 | Correct Number of Axels | AVC system is classifying the correct number of axles on vehicles correctly 99.95% of the time a transaction is detected in the lane. | Continuous | Review reporting. | N/A | Medium | Monthly |
| 129 | Exhibit B, 102 Schedule 10 ID 14 | Tolling Transactions | Transmit transactions that are not duplicates with the correct toll amounts to the Customer Service Center (to be determined on a per transmission basis). | Continuous | Review reporting. | N/A | Medium | Monthly |
| 130 | Exhibit B, Item 103 Schedule 10 ID 15 | Reconcile Duplicate Transactions | Upon notification of a duplicate transaction or an incorrect toll amount on a per transmissions basis, the Concessionaire shall reconcile or audit the data transmission within one Business Day to identify any and all other duplicate transactions or incorrect toll charges that may have occurred (to be determined on a per transmission basis). Upon identification, the Concessionaire shall transmit the correct information to the customer service center for rectification including appropriate correspondence and crediting/debiting of accounts within five days. | Continuous | Review reporting. | N/A | Medium | Monthly |
| ASSET | CONDITION | | | | | | | |
| 131 | Exhibit, B, Item 106, Schedule 10 ID 25 | Overall Asset Condition | Concessionaire to achieve a mean Asset Condition Score of 3.5 but at least 2 for any element Category in any quarterly audit as described in paragraph 2.3.7 of Schedule 6 of the Concession Agreement and Schedule 10 requirements. | Continuous | Review of Quarterly Audits | N/A | Medium | Quarterly |

Operational and Technical Performance Measures

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

EXHIBIT C
Part 3

| Item No. | REF Doc. | Element | Concessionaire Expectation | Required Frequency for Routine Elements by Concessionaire | Monitoring Method HDR/LSG | Required Response Time by Concessionaire | Level of Risk | Frequency of Monitoring HDR/LSG |
|-------------|--|--|---|---|--|--|---------------|---------------------------------------|
| 132 | Exhibit B, Item 107, Schedule 10 ID 26 | Overall Asset Condition | Concessionaire to achieve a mean Asset Condition Score of less than 2 and greater than 1 for any Element Category in any quarterly audit as described in paragraph 2.3.7 of Schedule 6 of the Concession Agreement. | Continuous | Review of Quarterly Audits | N/A | Medium | Quarterly |
| 133 | Exhibit B, Item 108, Schedule 10 ID 27 | Overall Asset Condition | Concessionaire to achieve a mean Asset Condition Score of 1 or less for any Element Category in any quarterly audit as described in paragraph 2.3.7 of Schedule 6 of the Concession Agreement. | Continuous | Review of Quarterly Audits | N/A | Medium | Quarterly |
| CUSTO | MER SERVICE | | | | | | | |
| 134 | Exhibit B, Item 109, Schedule 10 ID 6 | Response to Incorrect Toll Amount | The Concessionaire takes necessary action with customer service center to validate, and then if valid, have error corrected and customer informed within seven (7) days of receiving notice that an incorrect toll amount has been charged (provided appropriate customer information available) This shall apply for errors in excess of \$0.25 (to be determined on a per transmission basis). Further, as Part of the validation process the Concessionaire must assess and take appropriate action to address any underlying billing problem. | Continuous | Review of Concessionaire Documentation | 7 days | Medium | Bi-Monthly |
| 135 | Exhibit B, Item 110, Schedule 10 ID 7 | Response to Customer Inquiries and Complaints | Respond within seven days to customer inquiries and complaints about the Managed Lanes where contact details of customers have been provided. | Continuous | Review of Concessionaire Documentation | 7 days | Medium | Bi-Monthly |
| 136 | Exhibit B, Item 111, Schedule 10 ID 8 | Telephone Communication | Telephone line manned during business hours and 24 hour availability of messaging system. | Continuous | Review of Concessionaire Documentation | 7 days | Medium | Bi-Monthly |
| 137 | Exhibit B, Item 112, Schedule 10 ID 9 | Customer Satisfaction Score | Maintain a monthly average of at least 4.0 on a scale of 1.0 to 5.0 on Customer Driven Management (CDM) customer service survey results. | Continuous | Review of Concessionaire Documentation | N/A | Medium | Monthly |
| 138 | Exhibit B, Item 113, Schedule 10 ID 10 | Customer Satisfaction Score | Maintain a monthly average of 2.0 or better on a scale of 1.0 to 5.0 on "after- call" customer service surveys done through the phone system in accordance with Appendix 6-2. | Continuous | Review of Concessionaire Documentation | N/A | Medium | Monthly |

Operational and Technical Performance Measures

EXHIBIT C

Part 3

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| | | | | Required Frequency for | | Required Response | | Frequency of |
|-------------|--|---|--|---------------------------------------|--|------------------------|---------------|-----------------------|
| Item No. | REF Doc. | Element | Concessionaire Expectation | Routine Elements by Concessionaire | Monitoring Method HDR/LSG | Time by Concessionaire | Level of Risk | Monitoring HDR/LSG |
| 139 | Exhibit B, Item 114, Schedule 10 ID 11 | Average Hold Time | Requirements for answering calls, wait times, quality measurement for phone audits, workforce management software are met in accordance with Appendix 6- 2. | Continuous | Review of Concessionaire Documentation | N/A | Medium | Monthly |
| 140 | Exhibit B, Item 115, Schedule 10 ID 12 | Customer Requests | An monthly average of 98% of all customer and non- customer requests and correspondence, regardless of communication method, responded to within three (3) business days. | Continuous | Review of Concessionaire Documentation | N/A | Medium | Monthly |
| 141 | Exhibit B, Item 116, Schedule 10 ID 13 | Customer Web, Email, Phone, IVR Functionality | Requirements for online customer access (web), email system functionality, phone system and IVR (Interactive Voice Response) system functionality are met. | Continuous | Review of Concessionaire Documentation | N/A | Medium | Monthly |
| 142 | Exhibit B, Item 117, Schedule 10 ID 17 | Response to Incorrect Toll Amount Complaints | Following receipt of two or more complaints within 30 days emanating from a single toll point Concessionaire shall investigate claims of tag reads from General Purpose ("GP") lanes and in the event that a an erroneous toll read occurred, or reasonable doubt exists as to whether such occurred, Concessionaire shall immediately contact HPTE and prepare correspondence that can be sent to all customers who have made such a complaint regarding the erroneous GP reads. This shall occur within fifteen (15) days of receipt of such second complaint within a thirty (30) day period. | Continuous | Review of Concessionaire Documentation | 15 days | Medium | Monthly |
| 143 | Exhibit B, Item 118, Schedule 10 ID 18 | Notification of Display of Incorrect Toll Amount | Upon notification of the display of an incorrect toll amount, the Concessionaire shall reconcile or audit the data transmission within one Business Day to identify any and all other customer accounts that may have been impacted by the incorrect signage (to be determined on a per transmission basis). | Continuous | Review of Concessionaire Documentation | 1 business day | Medium | Monthly |

Operational and Technical Performance Measures

EXHIBIT C
Part 3

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| Item | | | | Required Frequency for Routine Elements by | Monitoring Method | Required Response Time by | | Frequency of Monitoring |
|-------|--|-------------------------------------|--|---|--|---------------------------|---------------|----------------------------|
| No. | REF Doc. | Element | Concessionaire Expectation | Concessionaire | HDR/LSG | Concessionaire | Level of Risk | HDR/LSG |
| 144 | Exhibit B, Item 119, Schedule 10 ID 19 | Comply with Applicable Standards | Comply with standards applicable to the retention of and use of customer records pursuant to applicable Law. | Continuous | Review of Concessionaire Documentation | N/A | Medium | Monthly |
| US 36 | MANAGED LANES SPEED | / TRAVEL TIME | | | | | | |
| 145 | Exhibit B, Item 137, Schedule 16 / IGA with Denver RTD, Schedule 10, ID 53 | Lane Speed | Maintain an average speed of at least fifty-five (55) mph for the portion of the US 36 Managed Lanes from Table Mesa to the Broomfield Park'n-Ride during Peak Periods, measured over a timeframe of one (1) month where the actual speed is fifty (50) mph or less. | Continuous | Review of Concessionaire Documentation | N/A | High | Monthly |
| 146 | Exhibit B, Item 138, Schedule 10 ID 54 | Lane Speed | Maintain an average speed of at least fifty-five (55) mph for the portion of the US 36 Managed Lanes from Table Mesa to the Broomfield Park'n'Ride during Peak Periods, measured over a timeframe of one (1) month such that the average is between 40-50 miles per hour. | Continuous | Review of Concessionaire Documentation | N/A | High | Monthly |
| 147 | Exhibit B, Item 139, Schedule 10 ID 55 | Lane Speed | Maintain an average speed of at least fifty-five (55) mph for the portion of the US 36 Managed Lanes from Table Mesa to the Broomfield Park'n'Ride during Peak Periods, measured over a timeframe of one (1) month such that the average is less than forty (40) miles per hour. | Continuous | Review of Concessionaire Documentation | N/A | High | Monthly |
| 148 | Exhibit B, Item 140, Schedule 10 ID 56 | Lane Speed | Maintain an average speed of at least fifty (50) mph for the portion of the US 36 Managed Lanes from the Broomfield Park'n'Ride to Pecos Street during Peak Periods, measured over a timeframe of one (1) month where the average speed is forth-five (45 mph) or less. | Continuous | Review of Concessionaire Documentation | N/A | High | Monthly |

Operational and Technical Performance Measures

EXHIBIT C
Part 3

Prepared by LS Gallegos & Associates Inc. - As of July 15, 2015

| Item No. | REF Doc. | Element | Concessionaire Expectation | Required Frequency for Routine Elements by Concessionaire | Monitoring Method HDR/LSG | Required Response Time by Concessionaire | Level of Risk | Frequency of Monitoring HDR/LSG |
|-------------|--|-------------|---|---|--|--|---------------|---------------------------------------|
| 149 | Exhibit B, Item 141, Schedule 10 ID 57 | Lane Speed | Maintain an average speed of at least fifty (50) mph for the portion of the US 36 Managed Lanes from the Broomfield Park'n'Ride to Pecos Street during Peak Periods, measured over a timeframe of one (1) month such that the average is between 35-45 miles per hour. | | Review of Concessionaire Documentation | N/A | High | Monthly |
| 150 | Exhibit B, Item 142, Schedule 10 ID 58 | Lane Speed | Maintain as average speed of at least fifty (50) mph for the portion of the US 36 Managed Lanes from the Broomfield Park'n'Ride to Pecos Street during Peak Periods, measured over a timeframe of one (1) month such that the average is less than thirty-five (35) miles per hour. | Continuous | Review of Concessionaire Documentation | N/A | High | Monthly |
| 151 | Exhibit B, Item 143, Schedule 10 ID 59 | Travel Time | Maintain an average travel time of no more than 8.75 minutes from Pecos Street to Denver Union Station during Peak Periods measured over a rolling period of four (4) weeks. | Continuous | Review of Concessionaire Documentation | N/A | High | Every 4 weeks |
| 152 | Exhibit B, Item 150, Schedule 10 ID 31 | | Concessionaire to accurately gather and report on a timely basis the information required for any FHWA reporting requirement as designated by the HTPE. | Varies per requirement. | Review of Concessionaire Documentation | N/A | Medium | Per requirement. |