(THE "HYDRIC CRITERIA NUMBER" COLUMN INDICATES WHAT CAUSED THE SOIL TO BE INCLUDED IN THE HYDRIC LIST.
SEE THE "CRITERIA FOR HYDRIC SOILS" TO DETERMINE THE MEANING OF THIS COLUMN.)

SERIES AND SUBGROUP	TEMPER-ATURE	DRAIN-AGE CLASS	HIGH WATER TABLE DEPTH	HIGH WATER TABLE MONTHS	PERM. WITHIN 20 INCHES	FLOODING FREQUENCY	FLOODING DURATION	FLOODING MONTHS	HYDRIC CRI-TERIA NUMBER	CAPABILITY CRITICAL PHASE CRITERIA	CAPABILITY CLASS AND SUB-CLASS
ACASCO (CO0195)	FRIGID	P	1.0-2.0	MAY-JUL	<6.0	NONE-RARE			2B3	ALL	6W
TYPIC HAPLAQUOLLS											
ACASCO, GRAVELLY	FRIGID	P	1.0-2.0	MAY-JUL	<6.0	NONE-RARE			2B3	0-1%	6C
SUBSTRATUM (CO3592)											
TYPIC HAPLAQUOLLS											
*ALAMOSA (CO0001)	FRIGID	P	1.0-1.5	MAY-OCT	<6.0	FREQUENT	BRIEF	MAY-JUN	2B3	0-2% NONSALINE	7C
TYPIC ARGIAQUOLLS										2-8% NONSALINE	5W
										SALINE	7C
										WARM	5W
@*ALAMOSA, CLAYEY	FRIGID	P,SP	1.0-3.0	MAY-OCT	<6.0	FREQUENT	BRIEF	MAY-JUN	2B3	0-2%	5W
SUBSTRATUM (CO4667)										DRY	5W
TYPIC ARGIAQUOLLS										SALINE	6S
										DRAINED	5C
*ALAMOSA, WARM (CO3509)	FRIGID	P	1.0-1.5	MAY-OCT	<6.0	FREQUENT	BRIEF	MAY-JUN	2B3	0-2% NONSALINE	5W
TYPIC ARGIAQUOLLS										2-8% NONSALINE	5W
										SALINE	6W
										WARM	5W
ALMONT, COOL (CO3894)	CRYIC	P	0.5-1.5	JUN-JUL	<6.0	NONE			2B3	10-25%	6E
PERGELIC CRYAQUOLLS										25-65%	7E
										65-70%	8E
@ANTERO, STRATIFIED	FRIGID	SP,P	1.0-2.0	JAN-DEC	<6.0	FREQUENT	BRIEF	MAY-AUG	2B3	1-3%	6W
(CO3860)											
TYPIC HAPLAQUEPTS											
APISHAPA (CO0002)	MESIC	P	1.0-3.0	MAY-JUL	<6.0	COMMON	BRIEF	MAY-JUN	2B3	0-6%	6W
VERTIC FLUVAQUENTS											
APISHAPA, DRY (CO3356)	MESIC	P	1.0-3.0	MAY-AUG	<6.0	OCCASIONAL	BRIEF	MAY-JUL	2B3	0-6%	6W
VERTIC FLUVAQUENTS										LS	6W
*ARENA (CO0186)	FRIGID	P	1.0-2.0	APR-AUG	<6.0	OCCASIONAL	BRIEF	MAR-JUN	2B3	0-4%	7S
AQUENTIC DURORTHIDS											
BIG BLUE (CO0350)	FRIGID	P	0.5-1.0	MAY-AUG	<6.0	COMMON	BRIEF	MAY-JUN	2B3	ALL	5W
FLUVAQUENTIC											
HAPLAQUOLLS											
BIG BLUE, COOL (CO4140)	FRIGID	P	0 -3.0	MAY-AUG	<6.0	RARE			2B3	0-5%	6C
FLUVAQUENTIC											
HAPLAQUOLLS											
BIG BLUE, MOTTLED	FRIGID	P	0.5-1.0	MAY-AUG	<6.0	FREQUENT	BRIEF	MAY-JUN	2B3	0-3%	6W
SUBSOIL (CO3600)											
FLUVAQUENTIC											
HAPLAQUOLLS											
BLACKWELL (ID0003)	CRYIC	P,VP	0 -2.5	MAR-JUL	<6.0	COMMON	V BRIEF-BRIEF	APR-JUN	2B3	POORLY DR	5W
TYPIC CRYAQUOLLS										V POORLY DR	6W
										COOL	7W
*BLOOM, GRAVELLY	MESIC	P	0.5-3.0	MAY-AUG	<6.0	OCCASIONAL	V BRIEF	APR-JUN	2B3	0-2%	6C
SUBSTRATUM (CO3153)											
AERIC FLUVAQUENTS											
CHAFFEE, STRATIFIED	FRIGID	P	0 -1.5	APR-AUG	<6.0	NONE			2B3	1-3%	6W
(CO3862)											
CUMULIC HAPLAQUOLLS											
*CROOKED CREEK, LOW	FRIGID	P	1.0-1.5	JAN-JUL	<6.0	COMMON	BRIEF	MAR-JUN	2B3	0-4%	5W
PRECIPITATION (UT0513)										0-4% BRIEF	5W
CUMULIC ENDOAQUOLLS										0-4% LONG	5W

Richard Chinn Environmental Training, Inc.
www.richardchinn.com
info@richardchinn.com
1 800 427 0307

DOBROW (CO0117)	CRYIC	P	0.5-1.5	MAY-JUL	<6.0	COMMON	LONG	MAY-JUN	2B3,4	0-2%	6C
CUMULIC CRYAQUOLLS											
EACHUSTON (CO0118)	CRYIC	P	0 -0.5	MAY-AUG	<6.0	COMMON	LONG	APR-JUN	2B3,4	FREQ	6W
TYPIC CRYAQUENTS										OCCAS	5W
EACHUSTON, SHORT FFS	CRYIC	P	0 -0.5	MAY-AUG	<6.0	COMMON	LONG	APR-JUN	2B3,4	1-5%	6C
(CO3638)											
TYPIC CRYAQUENTS											
FLEER (CO0120)	CRYIC	P	0 -0.5	MAR-AUG	<6.0	COMMON	LONG	APR-JUN	2B3,4	0-5%	6C
CUMULIC CRYAQUOLLS											
GAS CREEK, COOL (CO4155)	FRIGID	P,SP	0 -3.0	JUN-SEP	<6.0	RARE			2B3	0-1%	7S
TYPIC ENDOAQUOLLS										1-5%	7S
GAS CREEK, GRAVELLY	FRIGID	P	0 -1.0	JUN-JUL	<6.0	NONE			2B3	1-3%	6W
(CO3870)											
TYPIC ENDOAQUOLLS											
GAS CREEK, NONGRAVELLY	FRIGID	P	0 -3.0	JUN-SEP	<6.0	RARE			2B3	ALL	5W
(CO0821)											
TYPIC ENDOAQUOLLS											
*GERRARD (CO0243)	FRIGID	P	1.0-1.5	APR-AUG	<6.0	NONE-RARE			2B3	ALL	6W
TYPIC HAPLAQUOLLS											
*GERRARD, LOAMY (CO3590)	FRIGID	P	1.0-1.5	APR-AUG	<6.0	RARE			2B3	0-3%	6C
TYPIC HAPLAQUOLLS											
*GERRARD, THICK SURFACE	FRIGID	P	1.0-1.5	APR-AUG	<6.0	NONE-RARE			2B3	ALL	6W
(CO4672)											
TYPIC HAPLAQUOLLS											
GIRARDOT, SHORT FFS	CRYIC	P,VP	0 -0.5	MAR-AUG	<6.0	COMMON	LONG	MAY-JUN	2B3,4	0-6%	6C
(CO0122)											
TYPIC CRYAQUEPTS											
GOLD CREEK, COOL	FRIGID	P	1.0-2.0	APR-SEP	<6.0	OCCASIONAL	BRIEF	APR-JUN	2B3	0-5%	6C
(CO4157)											
VERTIC HAPLAQUOLLS											
HAGGA, LOAMY SURFACE	FRIGID	P	1.0-2.0	MAY-JUL	<6.0	RARE			2B3	0-5%	5W
(CO3513)											
TYPIC FLUVAQUENTS											
HAGGA, SALINE-ALKALI	FRIGID	P	0.5-1.5	APR-AUG	<6.0	RARE			2B3	0-1%	6C
(CO0634)											
TYPIC FLUVAQUENTS											
HUNCHBACK (CO0322)	CRYIC	P	1.0-2.0	MAR-JUN	<6.0	NONE			2B3	ALL	6W
CUMULIC CRYAQUOLLS											
IRIM (CO0497)	FRIGID	P	0.5-1.5	APR-JUN	<6.0	NONE-RARE			2B3	ALL	5W
TYPIC HAPLAQUOLLS											
IRIM, COOL (CO4185)	FRIGID	P	0.5-1.5	APR-JUN	<6.0	NONE-RARE			2B3	0-5%	5W
TYPIC HAPLAQUOLLS											
KILGORE (CO0703)	CRYIC	P	1.0-3.0	JAN-DEC	<6.0	COMMON	V BRIEF	MAY-SEP	2B3	ALL	5W
CUMULIC CRYAQUOLLS											
KILGORE, EXTREMELY	CRYIC	P	1.0-3.0	JAN-DEC	<6.0	COMMON	V BRIEF	MAY-SEP	2B3	0-6%	5W
GRAVELLY (CO3681)											
CUMULIC CRYAQUOLLS											
LAJARA (CO0030)	FRIGID	P	0.5-2.5	APR-JUL	<6.0	FREQUENT	BRIEF	APR-JUL	2B3	ALL	5W
TYPIC HAPLAQUOLLS											
LAJARA, FLOODED (CO3479)	FRIGID	P	0.5-2.5	APR-JUL	<6.0	FREQUENT	BRIEF	APR-JUL	2B3	0-1%	6W
TYPIC HAPLAQUOLLS											
LAJARA, STRATIFIED	FRIGID	P	0.5-1.5	APR-JUL	<6.0	FREQUENT	BRIEF	APR-JUL	2B3	0-1%	5W
(CO4673)										SALINE	6W
TYPIC HAPLAQUOLLS											
*LAS ANIMAS, MAP>10	MESIC	P	1.0-3.0	MAY-JUL	<6.0	OCCASIONAL	BRIEF	MAY-AUG	2B3	0-3%	6C
(CO4199)											
TYPIC FLUVAQUENTS											

Richard Chinn Environmental Training, Inc.
www.richardchinn.com
info@richardchinn.com
1 800 427 0307

*LAS ANIMAS, POORLY DRAINED (CO3376) TYPIC FLUVAQUENTS	MESIC	P	1.0-3.0	MAY-JUL	<6.0	OCCASIONAL	BRIEF	MAY-AUG	2B3	HIGH PE DRY	4W 6W
MEDANO (CO0032) TYPIC HAPLAQUOLLS	FRIGID	P	1.0-3.0	APR-JUN	<6.0	RARE			2B3	0-3%	4C
MENDENHALL, SHORT FFS (CO3644) CUMULIC CRYAQUOLLS	CRYIC	P	0 -0.5	MAR-AUG	<6.0	COMMON	LONG	APR-JUN	2B3,4	0-4%	6C
MOLAS (CO0324) TYPIC ARGIALBOLLS	FRIGID	P	1.0-2.0	MAR-JUL	<6.0	NONE			2B3	4-12% 12+%	4W 6W
*NIWOT, COOL (CO4039) TYPIC HAPLAQUOLLS	MESIC	P	0.5-1.5	MAR-JUN	<6.0	RARE			2B3	0-2%	3S
@POUDRE (CO0403) CUMULIC HAPLAQUOLLS	MESIC	SP,P	1.0-3.0	APR-AUG	<6.0	COMMON	V BRIEF	APR-JUN	2B3	0-2% 2-5%	5W 6W
RANDMAN (CO0146) ARGIC CRYAQUOLLS	CRYIC	P	0 -0.5	MAY-JUL	<6.0	RARE			2B3	0-6%	6W
ROSANE (CO0411) TYPIC CRYAQUOLLS	CRYIC	P	0.5-2.0	APR-AUG	<6.0	COMMON	BRIEF	MAY-AUG	2B3	ALL	6W
ROSANE (CO4075) TYPIC CRYAQUOLLS	CRYIC	P	0.5-2.0	APR-AUG	<6.0	OCCASIONAL	BRIEF	MAY-AUG	2B3	0-3% WARM	6W 5C
ROSANE, FLOODED (CO3865) TYPIC CRYAQUOLLS	CRYIC	P	0.5-2.0	APR-AUG	<6.0	FREQUENT	BRIEF	MAY-AUG	2B3	1-5%	6W
ROSANE, HIGH PPT (CO3682) TYPIC CRYAQUOLLS	CRYIC	P	0.5-2.0	APR-AUG	<6.0	COMMON	BRIEF	MAY-AUG	2B3	0-8%	6C
*SAN LUIS, WET (CO3597) AQUIC NATRARGIDS	FRIGID	SP	0 -2.0	MAY-AUG	<6.0	NONE			2A	0-1%	7S
SAWATCH, GRAVELLY (CO3867) HISTIC HAPLAQUOLLS	FRIGID	P	0 -1.0	MAR-SEP	<6.0	OCCASIONAL	LONG	APR-JUN	2B3	1-5%	6W
SCHRADER (CO0251) CUMULIC HAPLAQUOLLS	FRIGID	P	1.0-2.0	APR-AUG	<6.0	COMMON	BRIEF	APR-JUL	2B3	ALL	5W
SCHRADER, HIGH PPT (CO3059) CUMULIC HAPLAQUOLLS	FRIGID	P	1.0-2.0	MAY-JUN	<6.0	OCCASIONAL	BRIEF	MAY-JUN	2B3	ALL	4W
SCHRADER, STRATIFIED (CO3586) CUMULIC HAPLAQUOLLS	FRIGID	P	1.0-2.0	APR-AUG	<6.0	FREQUENT	BRIEF	APR-JUL	2B3	0-3%	6W
SCHRADER, STRATIFIED (CO4454) CUMULIC HAPLAQUOLLS	FRIGID	P	1.0-1.5	MAY-JUL	<6.0	COMMON	BRIEF	APR-JUL	2B3	0-5%	4C
SCOTT (NE0082) TYPIC ARGIALBOLLS	MESIC	P	+1 -2.0	MAR-JUL	<6.0	NONE			2B3,3	UNDRAINED DRAINED	4W 3W
#STUMPP (CO0152) NATRIC CRYOBOROLLS	FRIGID	SP	2.0-3.0	APR-JUN	<6.0	FREQUENT	LONG	APR-JUN	4		
TORSIDO (CO0218) TYPIC ARGIAQUOLLS	FRIGID	P	1.0-2.0	JUN-AUG	<6.0	NONE			2B3	0-3% 3-10%	6C 6C
TORSIDO, STRATIFIED (CO4693) TYPIC ARGIAQUOLLS	FRIGID	P	1.0-2.0	APR-AUG	<6.0	NONE			2B3	0-3%	6W
@UNCOMPAHGRE (CO0445) FLUVAQUENTIC HAPLAQUOLLS	MESIC	SP,P	0.5-1.5	APR-JUN	<6.0	OCCASIONAL	BRIEF	APR-JUN	2B3	0-6%	6W
UTE (CO0494) ARGIC CRYAQUOLLS	CRYIC	P	0.5-1.5	JAN-DEC	<6.0	NONE			2B3	0-6% LOW PPT	5W 5C
@VASQUEZ (CO0051) HUMIC PERGELIC CRYAQUEPTS	CRYIC	SP,P	0.5-2.0	MAR-JUL	<6.0	NONE			2B3	0-5% 5-30%	5W 6W

Richard Chinn Environmental Training, Inc.
www.richardchinn.com
info@richardchinn.com
1.800.427.0307

VASQUEZ, COOL (CO3888)	CRYIC	P	0.5-2.0	MAR-JUL	<6.0	NONE			2B3	5-25%	6E
HUMIC PERGELIC										25-30%	7E
CRYAQUEPTS											
VASTINE (CO0236)	FRIGID	P	1.0-3.5	MAY-AUG	<6.0	COMMON	LONG	MAY-JUL	2B3,4	0-3%	6C
TYPIC ENDOAQUOLLS											
VENABLE (CO0476)	CRYIC	P	1.0-2.5	APR-AUG	<6.0	OCCASIONAL	V BRIEF	APR-JUN	2B3	0-5%	5W
CUMULIC CRYAQUOLLS										5-10%	6C
VENABLE, STONY (CO0583)	CRYIC	P	1.0-3.0	JAN-DEC	<6.0	NONE			2B3	3-5%	5C
CUMULIC CRYAQUOLLS										5-20%	6C
VENABLE, WARM (CO4081)	CRYIC	P	1.0-2.5	APR-AUG	<6.0	OCCASIONAL	V BRIEF	APR-JUN	2B3	0-5%	5W
CUMULIC CRYAQUOLLS										5-9%	6E
WALDEN (CO0158)	CRYIC	P,SP	0 -1.0	MAR-JUL	<6.0	COMMON	LONG	MAY-JUN	2B3,4	FREQ	6W
TYPIC CRYAQUOLLS										OCCAS	5W
WESTPLAIN (CO0458)	MESIC	SP	1.0-2.0	NOV-JUL	<6.0	FREQUENT	V BRIEF	APR-JUN		0-1%	6W
TYPIC HAPLAQUOLLS											
#WICHUP, COOL (CO4217)	CRYIC	P	0 -0.5	APR-MAY	<6.0	FREQUENT	LONG	MAY-JUN	4	FREQ	6W
HISTIC CRYAQUOLLS											
#WICHUP, SHORT FFS	CRYIC	P	0 -0.5	APR-MAY	<6.0	FREQUENT	LONG	MAY-JUN	4		
(CO3651)											
HISTIC CRYAQUOLLS											

@ SOME DRAINAGE CLASSES FOR THIS SOIL ARE NOT HYDRIC.
# SOME PHASES OF THIS SOIL ARE NOT FREQUENTLY FLOODED OF LONG DURATION.
* SOME SOIL INTERPRETATION RECORDS REPRESENTING PHASES OF THIS SERIES ARE NOT HYDRIC.

Richard Chinn Environmental Training, Inc.

www.richardchinn.com

info@richardchinn.com

1.800.427.0307