



STRUCTURE SURVEY ASSESSMENT REPORT – I-70 VIADUCT E-17-FX

KIEWIT MERIDIAM PARTNERS

PREPARED BY

Laura M. Tobin, PG, REP, CEM Assistant Vice President, WSP USA, Inc.

This report was prepared by WSP USA (WSP) for the account of Kiewit Meridiam Partners, in accordance with the professional services agreement. The disclosure of any information contained in this report is the sole responsibility of the intended recipient. The material in it reflects WSP's best judgement in light of the information available to it at the time of preparation. Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. WSP accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report. This limitations statement is considered part of this report.

The original of the technology-based document sent herewith has been authenticated and will be retained by WSP for a minimum of ten years. Since the file transmitted is now out of WSP's control and its integrity can no longer be ensured, no guarantee may be given with regards to any modifications made to this document.

DELIVERABLE CERTIFICATION

As per Schedule 8, Section 6.7.3 Document and Data Approval, I, <u>Laura M. Tobin</u>, as the originator of this deliverable certify this deliverable to be complete and meets the requirements of the Project Agreement.

Laura M. Tobin

12/5/2020

Printed Name of Originator

Signature of Originator

Date

wsp

TABLE OF CONTENTS

1	INTRODUCTION	.1				
2	SITE SURVEY METHODOLOGY	.2				
2.1	Initial Asbestos Containing Materials and Paint Chip Sampling - 2009	.2				
2.2	Supplemental Asbestos Containing Materials Sampling - 2020	.2				
2.3	Supplemental Heavy Metals Containing Paint Sampling - 2020	.3				
3	FINDINGS AND CONCLUSIONS	.5				
3.1	Initial Asbestos Containing Materials and Paint Chip Sampling Results	.5				
3.2	Supplemental Asbestos Containing Materials Sampling Results	.5				
3.3	Supplemental Heavy Metals Containing Paint Sampling Results	.7				
3.4	Summary	10				
ACRC	ACRONYMS11					

wsp

TABLES

TABLE 3.1	2020 SUSPECT ASBESTOS CONTAINING MATERIALS SAMPLING RESULTS5
TABLE 3.2	2020 HEAVY METALS CONTAINING PAINT SAMPLE LOCATIONS AND DESCRIPTIONS
TABLE 3.3	2020 HEAVY METALS CONTAINING PAINT SAMPLING RESULTS9

APPENDICES

Α	TETRA TECH ASBESTOS AND LEAD BASED PAINT
	ASSESSMENT - 2009

- **B** SAMPLING LOCATIONS ON AERIAL PHOTOGRAPHS
- C ACM SAMPLING LOCATION PHOTOGRAPHS
- D PAINT SAMPLING LOCATION PHOTOGRAPHS
- E ACM LABORATORY ANALYSIS OCTOBER AND NOVEMBER 2020
- F METALS CONTAINING PAINT LABORATORY ANALYSIS OCTOBER AND NOVEMBER 2020
- **G** LABORATORY AND PERSONNEL ACCREDITATIONS

1 INTRODUCTION

This Structural Survey Assessment Report (SSAR) was prepared on behalf of Kiewit Meridiam Partners (KMP) to address the presence of asbestos containing building materials (ACBMs), heavy metals containing paint, including lead based paint (LBP), and hazardous materials that may be associated with the Interstate 70 (I-70) viaduct, E-17-FX, located between mile posts 275 and 276 in Denver County, Colorado, as part of the Central 70 project.

In accordance with the Central 70 Structural Survey Assessment Plan (SSAP), updated December 3, 2020, a SSAR should address the presence of ACBM, heavy metals containing paint, including LBP, and universal wastes or regulated materials prior to demolition of a structure within the Central 70 Project area. Based on this assessment and previous assessments completed for the structure, universal wastes and regulated building materials have not been observed as part of this structure.

Because the bridge is scheduled for demolition as part of the Central 70 project, in 2009, the Colorado Department of Transportation (CDOT) contracted Tetra Tech to conduct an assessment of the entire I-70 viaduct structure to determine the presence of any lead containing paint or asbestos containing materials (ACM). As a supplement to the limited sampling conducted by Tetra Tech in 2009, additional inspection and sampling for the presence of ACM and metals containing paint was conducted in 2020. This report summarizes the scope of work and results of the supplemental investigation. Lab and personnel accreditations for the supplemental sampling activities are included in Appendix G of this report.

2 SITE SURVEY METHODOLOGY

2.1 INITIAL ASBESTOS CONTAINING MATERIALS AND PAINT CHIP SAMPLING - 2009

Tetra Tech used bulk sampling procedures of the suspected ACM in accordance with the U.S. EPA Asbestos Hazard Emergency Response Act (AHERA) sampling procedures detailed in 40 Code of Federal Regulations (CFR) 763.86, and the Department of Housing and Urban Development (HUD) regulations.

Sampling procedures included a visual inspection of the structure to identify suspect materials, an evaluation of friability, a sampling plan based on homogeneous type and accessibility, and collection of samples. The assessment included the collection of eleven bulk samples for ACM analysis and one paint chip sample for LBP analysis across the viaduct structure.

The asbestos samples were delivered to FRS Geotech in Denver under chain of custody procedures for analysis using Polarized Light Microscopy (PLM) using EPA Method 600/R-93/116. The paint chip samples were delivered to Reservoirs Environmental Inc. (REI) in Denver under chain of custody procedures for analysis using Flame Atomic Absorption Spectrometry. Laboratory results are included in Appendix A, the Tetra Tech Asbestos and Lead Based Paint Assessment Report.

2.2 SUPPLEMENTAL ASBESTOS CONTAINING MATERIALS SAMPLING - 2020

In accordance with the SSAP, prior to demolition which may disturb material identified as an ACM, the viaduct structure components were inspected to determine if abatement is required. The objective of the survey is to identify specific locations, quantities, and conditions of ACM throughout the structures so that these materials can be properly managed and disposed of prior to demolition.

On October 7 and 20 and November 4, 2020, supplemental inspections of the I-70 viaduct were conducted to observe the structure for the potential presence of hazardous building materials and to collect additional samples for the presence of ACM. All personnel who perform ACM survey fieldwork are required to have current accreditation by the EPA AHERA and be certified by the Colorado Department of Public Health and Environment (CDPHE) as a Certified Asbestos Building Inspector (CABI), in accordance with the CDPHE Air Quality Control Commission Regulation No. 8, Part B – Asbestos Regulation (January 30, 2008).

Bulk sampling procedures of the suspected ACM were used, in accordance with the U.S. EPA Asbestos Hazard Emergency Response Act (AHERA) sampling procedures detailed in 40 Code of Federal Regulations (CFR) 763.86, and the Central 70 Sampling and Analysis Plan (SAP) and SSAP, as well as National Emissions Standards for Hazardous Air Pollutants (NESHAPs) and CDPHE Regulation 8. Thirty-seven samples were collected for the analysis of ACM, consisting of:

- Three samples of white cementitious concrete patching material
- Three samples of light gray cementitious concrete patching material
- Three samples of dark gray cementitious concrete patching material
- Three samples of tan cementitious concrete patching material
- Three samples of brown cementitious concrete patching material
- Three samples of brownish gray cementitious concrete patching material
- Two samples of pre-cast concrete reinforcements at old expansion joints
- Two samples of asphalt

- Two samples of expansion joint rubber
- Two samples of gray guardrail panels
- Seven samples of gray paint on structural steel over UPRR tracks
- Two samples of waterproofing tar on bridge deck concrete
- Two samples of bridge deck concrete.

A description of the sampling location, friability, and an estimate of approximate surface area is included below in Table 3.1.

The samples were delivered under chain of custody to Origins Laboratory in Denver and were analyzed by Reservoirs Environmental Inc. in Denver for analysis of ACM using PLM analysis performed in general accordance with the procedures outlined in the EPA's Test Method for the Determination of Asbestos in Bulk Building Materials (EPA 600/R-93/116). Aerial photographs of the viaduct structure that indicated sample collection locations are included in Appendix B. Photographs of the ACM sampling locations are included in Appendix C.

2.3 SUPPLEMENTAL HEAVY METALS CONTAINING PAINT SAMPLING - 2020

On October 7 and 20 and November 4, 2020, supplemental inspections of the I-70 viaduct were conducted to further characterize the paint present on the viaduct structure prior to demolition. Sixteen distinct painted areas were observed with paint chip samples collected from each homogenous area.

Demolition of lead containing materials is covered under the Occupational Safety and Health Administration (OSHA) Construction Industry Standard for Lead (Title 29 of the CFR, Part 1926.62). OSHA guidance indicates that paint is regulated at any detectable level of lead, and that contractors should be notified before paint is disturbed. Additionally, the concentration of other heavy metals potentially contained within the paint must be understood prior to demolition to protect worker health as well as assess concentrations prior to disturbance and disposal. Lead inspection methods used were adapted from the HUD Guidelines for the Evaluation and Control of Lead-Based Paint in Housing (June 1995).

Additionally, heavy metal containing paint require a hazardous waste determination pursuant to 40 CFR 262.11 and 40 CFR 261.24 prior to disposal. When approaching the management and disposal of heavy metal containing paint, the first step is to determine whether the paint contains heavy metals and whether the concentrations of any detected metal constituents necessitate worker protection measures and additional waste characterization steps.

Paint chip samples collected from the viaduct were analyzed for RCRA 8 metals by EPA Method 6010C/7471. Using the 20x Rule, the laboratory analytical results can be compared to the Toxicity Characteristic Leaching Procedure (TCLP) regulatory limits established by the EPA. The TCLP test is used to determine if a waste material will leach these constituents to soil or groundwater. The total metals analysis represents the total amount of metals analyzed that are present in the sample. If the total concentration of a metal in the sample is less than 20 times the TCLP regulatory limit, then theoretically, the sample cannot leach enough of that constituent to exceed the TCLP limit, even if all the metal dissolved.

A total of sixteen paint chip samples were collected for the analysis of Resource Conservation and Recovery Act (RCRA) 8 metals, consisting of:

- One sample of gray paint/red primer on structural steel over the Union Pacific Railroad (UPRR) tracks
- One sample of brown paint/red primer on structural steel over the UPRR tracks
- One sample of gray paint on metal drainpipe
- One sample of white paint on concrete girder
- One sample of gray paint on concrete girder
- One sample of light gray paint on concrete guardrail

- One sample of white road lane paint on viaduct bridge deck
- One sample of yellow road lane paint on viaduct bridge deck
- One sample of white graffiti cover up paint on concrete column
- One sample of light blue graffiti cover up paint on concrete column
- One sample of lime green paint on concrete column
- One sample of green paint on concrete column
- One sample of yellow paint on concrete column
- One sample of red paint on concrete column
- One sample of gray graffiti cover up paint on concrete column
- One sample of beige graffiti cover up paint on concrete column

The paint chip samples were submitted to Origins Laboratory in Denver and analyzed by GEL Laboratories, LLC for RCRA 8 metals by EPA Method 6010C/7471. Aerial photographs of the viaduct structure that indicated sample collection locations are included in Appendix B. Photographs of the sampling locations are included in Appendix D.

3 FINDINGS AND CONCLUSIONS

3.1 INITIAL ASBESTOS CONTAINING MATERIALS AND PAINT CHIP SAMPLING RESULTS

The results of the 2009 sampling indicated that no ACM was identified in the samples collected during this assessment. Additionally, no LBP was identified in the samples collected during this assessment. The assessment concluded "No ACM or LBP remediation is required prior to renovation or demolition". A TCLP test was not recommended for waste materials associated with demolition of this material based on these results prior to disposal as LBP was not detected in any samples.

3.2 SUPPLEMENTAL ASBESTOS CONTAINING MATERIALS SAMPLING RESULTS

The laboratory results for the supplemental sampling of the I-70 Viaduct conducted on October 7 and 20 and November 4, 2020 are presented in Appendix E. The results of the laboratory analysis concluded that none of the thirty-seven samples collected contained ACM.

SAMPLE ID	MATERIAL DESCRIPTION	SAMPLE LOCATION	FRIABILITY	CATEGORY	APPROX. QUANTITY	ANALYTICAL RESULT (% ASBESTOS)												
C-E17FX-ACM01- 01-SM-102020	White Pre-cast concrete		Non-friable			None Detected												
C-E17FX-ACM01- 02-SM-102020	cementitious concrete patching	reinforcements on concrete	Non-friable	Ion-friable Surfacing	150 SF	None Detected												
C-E17FX-ACM01- 03-SM-102020	material	girder at pier span 103 - 104	Non-friable			None Detected												
C-E17FX-ACM02- 01-SM-102020	Light gray	Northwest corner of	Non-friable			None Detected												
C-E17FX-ACM02- 02-SM-102020	cementitious concrete patching	structural steel above Union Pacific Railroad (UPRR) tracks	above Union	above Union	above Union	above Union	above Union	above Union	above Union	above Union	above Union	above Union	above Union	above Union	Non-friable	Surfacing	120 SF	None Detected
C-E17FX-ACM02- 03-SM-102020	material		Non-friable			None Detected												
C-E17FX-ACM03- 01-SM-102020	Dark gray	Northwest	Non-friable			None Detected												
C-E17FX-ACM03- 02-SM-102020	cementitious concrete patching	corner of structural steel above UPRR	Non-friable	Surfacing	275 SF	None Detected												
C-E17FX-ACM03- 03-SM-102020	material	tracks	Non-friable			None Detected												

Table 3.1 2020 Suspect Asbestos Containing Materials Sampling Results

SAMPLE ID	MATERIAL DESCRIPTION	SAMPLE LOCATION	FRIABILITY	CATEGORY	APPROX. QUANTITY	ANALYTICAL RESULT (% ASBESTOS)
C-E17FX-ACM04- 01-SM-102020	Tan cementitious	Pier cap at pier 50	Non-friable			None Detected
C-E17FX-ACM04- 02-SM-102020	concrete patching	Pier cap at pier 104	Non-friable	Surfacing	250 SF	None Detected
C-E17FX-ACM04- 03-SM-100720	material	Concrete girder east of pier 104	Non-friable			None Detected
C-E17FX-ACM05- 01-SM-102020	Brown		Non-friable			None Detected
C-E17FX-ACM05- 02-SM-102020	cementitious concrete patching	Pier cap at pier 54	Non-friable	Surfacing	30 SF	None Detected
C-E17FX-ACM05- 03-SM-102020	material		Non-friable			None Detected
C-E17FX-ACM06- 01-SM-100720	Brownish gray		Non-friable			None Detected
C-E17FX-ACM06- 02-SM-100720	cementitious concrete patching	Concrete girder east of pier 104	Non-friable	Surfacing	50 SF	None Detected
C-E17FX-ACM06- 03-SM-100720	material		Non-friable			None Detected
C-E17FX-ACM07- 01-SM-102020	Pre-cast concrete	Pier span 103 -	Non-friable	Miscellaneous 3,		None Detected
C-E17FX-ACM07- 02-SM-102020	reinforcements at old expansion joints	104	Non-friable		3,980 SF	None Detected
C-E17FX-ACM08- 01-SM-110420		Westbound right lane near Columbine St			597,000	None Detected
C-E17FX-ACM08- 02-SM-110420	Asphalt	Westbound right lane near York St	Non-friable	Miscellaneous	SF	None Detected
C-E17FX-ACM09- 01-SM-110420	Expansion joint	Westbound right lane near Columbine St	Non-friable	Miscellaneous	1 165 5	None Detected
C-E17FX-ACM09- 02-SM-110420	rubber	Westbound right lane near York St	Non-friable		1,165 LF	None Detected
C-E17FX-ACM10- 01-SM-110420	Gray guardrail	Westbound right lane near Columbine St	Non-friable	Miscellaneous	86,220 SF	None Detected
C-E17FX-ACM10- 02-SM-110420	panels	Westbound right lane near York St	Non-friable		00,220 01	None Detected

SAMPLE ID	MATERIAL DESCRIPTION	SAMPLE LOCATION	FRIABILITY	CATEGORY	APPROX. QUANTITY	ANALYTICAL RESULT (% ASBESTOS)
C-E17FX-ACM11- 01-SM-102020			Non-friable			None Detected
C-E17FX-ACM11- 02-SM-102020			Non-friable			None Detected
C-E17FX-ACM11- 03-SM-102020	Gray paint on		Non-friable			None Detected
C-E17FX-ACM11- 04-SM-102020	structural steel over UPRR	Northwest corner structural steel at pier cap	Non-friable	Surfacing	68,000 SF	None Detected
C-E17FX-ACM11- 05-SM-102020	tracks		Non-friable			None Detected
C-E17FX-ACM11- 06-SM-102020			Non-friable			None Detected
C-E17FX-ACM11- 07-SM-102020			Non-friable			None Detected
C-E17FX-ACM12- 01-SM-110420	Waterproofing tar on bridge	Westbound right lane near Columbine St	Non-friable	Miscellaneous	597,000	None Detected
C-E17FX-ACM12- 02-SM-110420	deck concrete	Westbound right lane near York St	Non-friable	MISCEllaneous	SF	None Detected
C-E17FX-ACM13- 01-SM-110420	Bridge deck	Westbound right lane near Columbine St	Non-friable	Miscellaneous	597,000	None Detected
C-E17FX-ACM13- 02-SM-110420	concrete	Westbound right lane near York St	NON-MADIE	MISCEIIANEOUS	SF	None Detected

3.3 SUPPLEMENTAL HEAVY METALS CONTAINING PAINT SAMPLING RESULTS

For the purposes of this report, paint has been classified as being either in Good, Fair, or Poor condition. The following are the general definitions of each condition category.

- Intact (Good) Condition: Paint is intact with no sign of peeling or damage over the component system
- Fair Condition: Paint shows signs of wear (chalking, peeling, chipping, abrasion, or minimal delamination less than 10% of a component surface, due to age or other factors such as moisture or physical contact.
- Poor condition: Paint is substantially delaminating or peeling greater than 10% of a component surface or 25% in a focused area of the component system.

SAMPLE ID	PAINT DESCRIPTION	SAMPLE LOCATION	CONDITION
C-E17FX-PC01-01-SM-102020	Gray paint/red primer on structural steel over UPRR tracks	Northwest corner of structural steel over UPRR tracks	Fair
C-E17FX-PC02-01-SM-102020	Brown paint/red primer on structural steel over UPRR tracks	Northwest corner of structural steel over UPRR tracks	Good
C-E17FX-PC04-01-SM-100720	Gray paint on metal drainpipe	Pier 38	Good
C-E17FX-PC05-01-SM-102020	White paint on concrete girder	Pier 33	Good
C-E17FX-PC06-01-SM-102020	Gray paint on concrete girder	Between piers 37 & 38	Good
C-E17FX-PC07-01-SM-102020	Light gray paint on concrete guardrail	Between piers 37 & 38	Fair
C-E17FX-PC08-01-SM-110420	White road lane paint on viaduct bridge deck	Westbound right lane between Josephine & Columbine Streets	Fair
C-E17FX-PC09-01-SM-110420	Yellow road lane paint on viaduct bridge deck	Eastbound left lane at Columbine Street	Good
C-E17FX-PC12-01-SM-100720	White graffiti cover up paint on concrete column	Pier 38	Good
C-E17FX-PC13-01-SM-100720	Light blue graffiti cover up paint on concrete column	Pier 39	Good
C-E17FX-PC14-01-SM-100720	Lime green paint on concrete column	Pier 61	Good
C-E17FX-PC15-01-SM-100720	Green paint on concrete column	Pier 69	Good
C-E17FX-PC16-01-SM-100720	Yellow paint on concrete column	Pier 70	Good
C-E17FX-PC17-01-SM-100720	Red paint on concrete column	Pier 71	Good
C-E17FX-PC18-01-SM-100720	Gray graffiti cover up paint on concrete column	Pier 104	Good
C-E17FX-PC19-01-SM-100720	Beige graffiti cover up paint on concrete column	Pier 104	Good

Table 3.2 2020 Heavy Metals Containing Paint Sample Locations and Descriptions

The laboratory results for the supplemental sampling of the I-70 Viaduct conducted on October 7 and 20 and November 4, 2020 are presented in Appendix F.

The results of the laboratory analysis concluded that OSHA regulations would apply to work activities involving disturbance of this paint. However, the concentration of lead in all samples is below the US EPA regulation under 40 CFR Part 745, which defines LBP as paint containing equal to or greater than 0.5% lead by weight (>0.5%) or 5,000 mg/kg. The laboratory results of the RCRA 8 Metals sample analysis are included in Appendix D and summarized in the table below:

Table 3.3 2020 Heavy Metals Containing Paint Sampling Results

SAMPLE ID	ARSENIC	BARIUM	CADMIUM	CHROMIUM	LEAD	SELENIUM	SILVER	MERCURY
C-E17FX-PC01-01- SM-102020	<50.8	2,730	2.41	5,280	246	22.7	<8.47	*
C-E17FX-PC02-01- SM-102020	<51.7	1,810	2.13	11,700	255	9.78	<8.62	*
C-E17FX-PC04-01- SM-100720	0.501	1,670	0.389	3.53	6.77	0.865	<0.484	<0.0217
C-E17FX-PC05-01- SM-102020	<2.77	7.82	0.203	1.71	1.28	1.95	<0.461	<0.0207
C-E17FX-PC06-01- SM-102020	<2.74	61.3	0.743	5.51	62.5	2.12	0.688	0.00993
C-E17FX-PC07-01- SM-102020	<2.98	74.0	0.864	15.5	41.9	3.12	1.18	<0.0224
C-E17FX-PC08-01- SM-110420	<2.81	26.5	0.140	4.64	11.0	1.48	1.05	<0.0201
C-E17FX-PC09-01- SM-110420	<2.88	22.5	0.106	3.50	1.67	1.45	<0.481	<0.0214
C-E17FX-PC12-01- SM-100720	1.46	1850	0.517	23.7	84.6	1.63	<0.491	3.19
C-E17FX-PC13-01- SM-100720	2.28	898	0.444	151	750	1.78	0.228	0.622
C-E17FX-PC14-01- SM-100720	2.15	204	0.296	7.43	38.4	1.36	0.340	1.38
C-E17FX-PC15-01- SM-100720	12.7	302	0.729	23.2	30.0	1.28	<0.488	0.0205
C-E17FX-PC16-01- SM-100720	0.964	314	0.134	6.49	11.2	1.60	0.154	<0.0204
C-E17FX-PC17-01- SM-100720	4.45	281	0.507	16.6	8.28	1.32	<0.501	<0.0232
C-E17FX-PC18-01- SM-100720	3.96	222	0.475	14.8	175	1.40	0.456	2.89
C-E17FX-PC19-01- SM-100720	2.84	121	0.594	11.4	48.5	1.94	0.761	0.551

RCRA 8 METALS CONCENTRATIONS (MILLIGRAMS PER KG)

BOLD results indicate concentrations which exceed 20 times their applicable TCLP regulatory limit. * = Insufficient sample volume remaining following 6010C analysis for lab to analyze mercury by EP Method 7471.

Page 9

TCLP analysis is recommended of the demolition debris in several locations sampled due to concentrations of lead, chromium, and other heavy metals exceeding 20 times the TCLP hazardous waste limit of 5 parts per million (5 ppm), or 0.01%/100 mg/kg in samples C-E17FX-PC13-01-SM-100720 and C-E17FX-PC18-01-SM-100720. TCLP analysis is to be conducted on a sample of material representative of the waste to be potentially landfilled or otherwise disposed of. Therefore, TCLP analysis of the aforementioned samples will be conducted during the demolition activities and prior to disposal of the waste material associated with those samples. Demolition debris consisting of metal (i.e. samples C-E17FX-PC01-01-SM-102020 and C-E17FX-PC02-01-SM-102020) will not require a TCLP analysis as the metal material will be recycled rather than landfilled (TCLP analysis is only required when being landfilled to simulate potential leaching of heavy metals through the landfill over time).

3.4 SUMMARY

Demolition of the I-70 viaduct is set to begin in June 2021. All materials identified in these sampling events as containing heavy metals will be managed following all OSHA requirements (Title 29 of the CFR, Part 1926.62) for worker health and safety. This includes worker notification and implementation of a heavy metals management plan. Discussion of these management activities and offsite disposal and/or recycling of all components will be detailed in the Structure Survey Completion Report following demolition of the viaduct structure.


ACRONYMS

ACGIHS	American Conference of Government Industrial Hygienists
ACBM	Asbestos Containing Building Materials
AHERA	Asbestos Hazard Emergency Response Act
APCD	Air Pollution Control Division
ANSI	American National Standards Institute
CABI	Colorado Asbestos Building Inspector
CCR	Colorado Code of Regulations
CDOT	Colorado Department of Transportation
CDPHE	Colorado Department of Public Health and Environment
CFR	Code of Federal Regulations
HUD	Housing and Urban Development
KMP	Kiewit Meridiam Partners
LBP	lead based paint
LCP	Lead containing paint
NESHAP	National Emissions Standards for Hazardous Air Pollutants
NIOSH	National Institute for Occupational Safety and Health
OSHA	Occupational Safety and Health Administration
PLM	polarized light microscopy
RCRA	Resource Conservation and Recovery Act
RHMs	Regulated Hazardous Materials
ROW	right of way
SAP	Sampling and Analysis Plan
SSAP	Structure Survey Assessment Plan
SSAR	Structure Survey Assessment Report
SSCR	Structure Survey Completion Report
TCLP	Toxicity Characteristic Leaching Process
UPRR	Union Pacific Railroad
US EPA	United States Environmental Protection Agency

APPENDIX



TETRA TECH ASBESTOS AND LEAD BASED PAINT ASSESSMENT - 2009





May 27, 2009

Ms. Theresa Santangelo-Dreiling Colorado Department of Transportation Property Management Program Hazardous Materials Unit 15285 South Golden Road, Building 47 Golden, Colorado 80401

RE: Asbestos and Limited Lead-Based Paint Inspection of Bridge E-17-FX Located on Interstate 70 at Mile Marker 274.66

Dear Ms. Santangelo-Dreiling:

This letter report presents the results of the asbestos and limited lead-based paint inspection of Bridge E-17-FX, conducted under Contract 08 HAA 00035. The following sections include an outline of the scope of the project, descriptions of the methodologies employed during the inspection, a summary of findings and recommendations based on those findings.

PURPOSE AND SCOPE

The purpose of the asbestos and limited lead-based paint inspection was to detect the presence of regulated asbestos containing material (RACM) and lead-based paint (LBP) in or on the structural components and driving surface of the Site bridge(s). As described in our proposal, the scope of the project included a physical assessment of the Site structure(s), collection and analysis of suspect asbestos containing material (ACM) and LBP samples, and preparation of a report containing the findings of the inspection and analyses as well as recommendations based on those findings.

INSPECTION METHODOLOGIES

This asbestos and LBP survey included observations of the bridge structure, obtaining representative samples, determination of friability and condition, and analysis of suspect ACM and LBP. The methodologies for inspection and analyses were generally based on U.S. Environmental Protection Agency (EPA) and Department of Housing and Urban Development (HUD) regulations, including EPA Asbestos Hazard Emergency Response Act (AHERA) and EPA Title X.

Sampling Methodology

ACM samples were obtained by physically removing a small portion (approximately one (1) square-inch) of the material using a sharp instrument (utility knives, coring tools, etc.). Samples of asphalt paving materials were obtained using an electric hammer drill with a coring bit after the surface of the sample area was thoroughly cleaned with deionized water. All layers of the sampled material were penetrated, and the disturbance TETRA TECH

of adjacent material was kept at a minimum. The samples were then placed into labeled containers and sealed. The sampling instruments were then wet-wiped to remove any materials which could contaminate following samples. Each sample was labeled identifying the sample number and location. Sampling was conducted in a manner by which damage to building materials was minimized. Sample locations were repaired after sampling using caulking, joint compound, and/or duct tape, as appropriate. All samples were logged onto field data sheets that contain a brief description of the sample areas, inspector identification, the date of inspection and a description of the material sampled.

If applicable, LBP samples were obtained by physically removing a small portion (approximately two (2) square-inches) of the paint using a sharp instrument (utility knives, coring tools, etc.). All layers of the paint were penetrated, and the disturbance of adjacent material was kept at a minimum. The samples were then placed into labeled containers and sealed. The sampling instruments were then wet-wiped to remove any materials which could contaminate following samples. Each sample was labeled identifying the sample number and location. Sampling was conducted in a manner by which damage to building materials was minimized.

Analytical Methodology

The ACM samples collected during the onsite inspection were transported under chainof-custody to FRS Geotech, Inc. (FRS) at 1441 West 46th Avenue, Suite 14 in Denver, Colorado for analysis of asbestos content. The analytical procedure utilized by FRS during analysis of the bulk samples was the EPA-recommended method 600/R-93/116, or Polarized Light Microscopy with Dispersion Staining. FRS was instructed to hold the samples for six months from the date of analysis in the event that further analysis is required.

If applicable, the LBP samples collected during the onsite inspection were transported under chain-of-custody to Reservoirs Environmental, Inc. (Reservoirs) at 5801 Logan Street, Suite 100 in Denver, Colorado for analysis of lead content. The analytical procedure utilized by Reservoirs during analysis of the paint samples was the EPArecommended method Flame Atomic Absorption Spectrometry. Reservoirs was instructed to hold the samples for six months from the date of analysis in the event that further analysis is required.

The laboratory analytical results are attached to this letter report.

FINDINGS AND RECOMMENDATIONS

Based on the results of the physical assessment, sampling and analyses the following findings were made:

- No ACM was detected at the Site bridge(s).
- No LBP was detected at the Site bridge(s).



Based on these findings, Tetra Tech recommends the following:

• No ACM or LBP remediation is required prior to renovation or demolition.

LIMITATIONS

Tetra Tech has endeavored to meet what it believes is the applicable standard of care for the services performed and, in doing so, is obliged to advise CDOT of limitations regarding this report. Tetra Tech believes that providing information about limitations is essential to help clients identify and thereby manage risks. These risks can be mitigated, but not eliminated, through additional research. Tetra Tech will, upon request, advise CDOT of the additional research opportunities available and associated costs.

This asbestos and limited lead-based paint bridge inspection did not include any inquiry with respect to methane, lead in drinking water, formaldehyde, subsurface investigation activities or other services or potential conditions or features not specifically identified and discussed herein. In those instances where additional services or service enhancements are included in the report as requested or authorized by CDOT, specific limitations attendant to those services are presented in the text of the report.

The findings and opinions conveyed via this report are based upon information obtained at a particular date from a variety of sources specified herein, and which Tetra Tech believes are reliable. Nonetheless, Tetra Tech cannot and does not warrant the authenticity or reliability of the information sources it has relied upon.

This report represents Tetra Tech's services to CDOT as of the report date. In that regard, the report constitutes Tetra Tech's final document, and the text of the report may not be altered in any manner after final issuance of the same. Opinions relative to environmental conditions given in this report are based upon information derived from the most recent Site reconnaissance date and from other activities described herein. CDOT is herewith advised that the conditions observed by Tetra Tech are subject to change. Certain indicators of the presence of hazardous materials may have been latent or not present at the time of the most recent Site reconnaissance and may have subsequently become observable. In similar manner, the research effort conducted for the asbestos building inspection is limited. Accordingly, it is possible that Tetra Tech's research, while fully appropriate for an asbestos building inspection and in compliance with the scope of service, may not include other important information sources. Assuming such sources exists, their information could not have been considered in the formulation of our findings and conclusions.

This report is not a comprehensive site characterization or regulatory compliance audit and should not be construed as such. The opinions presented in this report are based upon findings derived from a Site reconnaissance, a review of specified records and sources and comments made by interviewees. Specifically, Tetra Tech does not and cannot represent that the Site contains no hazardous or toxic materials, products, or other latent conditions beyond those observed by Tetra Tech during its site assessment. Further, the services herein shall in no way be construed, designed or intended to be relied upon as legal interpretation or advice.



Bridge E-17-FX May 27, 2009

Please do not hesitate to contact us at 303.665.4392 if you have any questions regarding this letter report.

Sincerely, Tetra Tech

Ryan J. Egan Project Manager

Attachments: Analytical Results

FRS Geotech, Inc. 1441 W. 46th Ave, Ste. 14 Denver, CO 80211-2338

May 26, 2009

Mr. Ryan Egan Tetra Tech 363 Centennial Pkwy Suite 210 Louisville, CO 80027

Re: Project: CDOT--Bridge E-17-FX, PO#114-181881

FRS Lab Number 113647

Dear Mr. Ryan Egan:

The bulk samples submitted to FRS Geotech, Inc. have been analyzed by polarized light microscopy (PLM), the EPA-recommended method for determination of fibrous constituents in building materials. The percent of asbestos contained in the samples is a visual estimation based upon comparisons with published charts. The results of these analyses are summarized in the enclosed table. This report relates only to the items received and tested by our laboratory. According to requirements set by the National Institute of Standards and Technology/NVLAP, this report must not be used to claim endorsement by NVLAP or any agency of the US Government. Also, NVLAP guidelines specify that this report should not be reproduced, except in full, without the written approval of FRS.

A copy of your Chain of Custody is attached for your convenience. This report is considered highly confidential. Results will not be discussed with any person not associated with you.

Please call if you have any questions about this work.

Sincerely,

David A. Schroeder, Ph.D. Data Controller

Enclosures

NVLAP Accredited Lab #102078-0 AIHA Accredited Lab #101557

RESULTS OF BULK ASBESTOS SAMPLE ANALYSIS BY POLARIZED LIGHT MICROSCOPY (PLM) EPA-600/R-93/116

Lab No.: 113647

Client: Tetra Tech

Project: CDOT--Bridge E-17-FX, PO#114-181881

Sample No. [layer] Description		Sample Date	Nonasbestos Fibrous Material (%)	Asbestos Minerals (%)	Summa	ry (%)
<u>M15.1A</u>	100%	05/13/09	<u>Fiberglass</u> <u>Cellulose 95</u>	<u>Amosite</u> Anthophyllite	Total Asbestos:	None Detected
Flex joint [brown]			<u>Synthetics</u> <u>Others .</u>	Chrysotile Crocidolite	Other Fibrous Material	95
				Trem./Act.	Nonfibrous Material	5
<u>M15.1B</u>	100%	05/13/09	<u>Fiberglass</u> Cellulose 90	Amosite Anthophyllite	Total Asbestos:	None Detected
Flex joint [brown]			<u>Synthetics</u> <u>Others</u> .	<u>Chrysotile</u> Crocidolite	Other Fibrous Material	90
				Trem./Act.	Nonfibrous Material	10
<u>M15.1C</u>	100%	05/13/09	<u>Fiberglass</u> <u>Cellulose 95</u>	Amosite Anthophyllite	Total Asbestos:	None Detected
Flex joint [brown]			Synthetics Others.	Chrysotile Crocidolite	Other Fibrous Material	95
				Trem./Act.	Nonfibrous Material	5
<u>M16.1A</u>	100%	05/13/09	<u>Fiberglass</u> Cellulose	<u>Amosite</u> Anthophyllite	Total Asbestos:	None Detected
Concrete [gray]			Synthetics Others.	Chrysotile Crocidolite	Other Fibrous Material	
				Trem./Act.	Nonfibrous Material	100
<u>M16.1B</u>	100%	05/13/09	<u>Fiberglass</u> <u>Cellulose</u>	<u>Amosite</u> Anthophyllite	Total Asbestos:	None Detected
Concrete [gray]			<u>Synthetics</u> Others .	Chrysotile Crocidolite	Other Fibrous Material	
				Trem./Act.	Nonfibrous Material	100
<u>M16.1C</u>	100%	05/13/09	<u>Fiberglass</u> <u>Cellulose</u>	<u>Amosite</u> Anthophyllite	Total Asbestos:	None Detected
Concrete [gray]			Synthetics Others .	Chrysotile Crocidolite	Other Fibrous Material	
				Trem./Act.	Nonfibrous Material	100

* Composite analysis (multilayered sample, see individual layer analyses).

Page 1 of 2

RESULTS OF BULK ASBESTOS SAMPLE ANALYSIS BY POLARIZED LIGHT MICROSCOPY (PLM) EPA-600/R-93/116

Client: Tetra Tech

Project: CDOT--Bridge E-17-FX, PO#114-181881

Sample No. [layer] Description	Volume (%)	Sample Date	Nonasbestos Fibrous Material (%)	Asbestos Minerals (%)	Summa	ry (%)
<u>M16.1D</u>	100%	05/13/09	<u>Fiberglass</u> Cellulose	Amosite Anthophyllite	Total Asbestos:	None Detected
Concrete [gray]			<u>Synthetics</u> <u>Others</u> .	Chrysotile Crocidolite	Other Fibrous Material	
				Trem./Act.	Nonfibrous Material	100
<u>M16.1E</u>	100%	05/13/09	<u>Fiberglass</u> <u>Cellulose_Trace <1%</u>	Amosite Anthophyllite	Total Asbestos:	None Detected
Concrete [gray]			<u>Synthetics</u> Spider web . <u>Trace <1%</u>	Chrysotile Crocidolite	Other Fibrous Material	Trace <1%
				Trem./Act.	Nonfibrous Material	99
<u>\$1.1A</u>	100%	05/13/09	<u>Fiberglass</u> Cellulose	Amosite Anthophyllite	Total Asbestos:	None Detected
Surfacing [gray]			<u>Synthetics</u> <u>Others .</u>	<u>Chrysotile</u> <u>Crocidolite</u>	Other Fibrous Material	
				Trem./Act.	Nonfibrous Material	100
<u>S1.1B</u>	100%	05/13/09	<u>Fiberglass</u> Cellulose	Amosite Anthophyllite	Total Asbestos:	None Detected
Surfacing [multiple colors (inseparal	ble)]		<u>Synthetics</u> Wollastonite . <u>Trace <1%</u>	Chrysotile Crocidolite	Other Fibrous Material	Trace <1%
				Trem./Act.	Nonfibrous Material	99
<u>S1.1C</u>	100%	05/13/09	<u>Fiberglass</u> Cellulose	Amosite Anthophyllite	Total Asbestos:	None Detected
Surfacing [multiple colors (inseparal	ble)]		Synthetics Others .	<u>Chrysotile</u> <u>Crocidolite</u>	Other Fibrous Material	
				Trem./Act.	Nonfibrous Material	100

* Composite analysis (multilayered sample, see individual layer analyses).

Lab No.: 113647

Page 2 of 2

Client: Tetra Tech	FRS GEOTECH, INC.	FRS Lab No.: Page of
Address: 363 Centennial Pkw Suite 210	Bulk Chain of Custody	Job Description: <u>CDOT-Bridge</u> E-17-FX
City: Louisville	1441 W. 46 th Ave., Suite 14	P.O. #: 114-181881
State: <u>CO</u> Zip: <u>80027</u> Telephone:(303) 665-4392	Denver, CO 80211-2338 (303)477-2559 or (800)386-3136	Turnaround time requested: Rush1-day5-day Other:
FAX*:(303) 665-4391	FAX: (303)477-2580	Return Samples No
Person to Contact: Ryan Egan	e-mail: frsgeo@ix.netcom.com	*NOTE: Specifying a FAX number
Alternate Phone(<u>303)416-0532</u>		authorizes FRS Geotech, Inc. to FAX confidential reports to that number.

Accept/ Reject	Sample Number	Sample Date	Sample Description and Location
	MKOIA	5/13/09	Flex Joint
	B		
	V.C		
	MILLONA		Concrete
	B		
	C		
	D	-	
	J E		J.
	51.1A		Surfacing
	IB		D .
	C		
		¥	······································
		$\overline{}$	B12
		·	
		-	
Relinoui	shed by (Name, date, t	ime)	Received by (Name, date, time):
1	**************************************	1/21/09 1	1
2.		•	2.

Send White and Yellow copies with samples (Yellow copy returned with Report). Keep Pink copy for Client Records.

U



May 26, 2009

Laboratory Code: Subcontract Number: Laboratory Report: Project Description: RES NA RES 173206-1 1147-181881 CDOT-Bridge E-17-FX

Ryan Egan Tetra Tech (Louisville) 363 Centennial Parkway, Ste 210 Louisville CO 80027

Dear Customer,

Reservoirs Environmental, Inc. is an analytical laboratory accredited for the analysis of Industrial Hygiene and Environmental matrices by the American Industrial Hygiene Association, Lab ID 101533 - Accreditation Certificate #480. The laboratory is currently proficient in both PAT & ELPAT programs respectively.

Reservoirs has analyzed the following sample(s) using Atomic Absorption Spectroscopy (AAS) / Atomic Emission Spectroscopy - Inductively Coupled Plasma (AES-ICP) per your request. The analysis has been completed in general accordance with the appropriate methodology as stated in the analysis table. Results have been sent to your office.

RES 173206-1 is the job number assigned to this study. This report is considered highly confidential and the sole property of the customer. Reservoirs Environmental, Inc. will not discuss any part of this study with personnel other than those authorized by the client. The results described in this report only apply to the samples analyzed. This report shall not be reproduced except in full, without written approval from Reservoirs Environmental, Inc. Samples will be disposed of after sixty days unless longer storage is requested. If you should have any questions about this report, please feel free to call me at 303-964-1986.

Sincerely,

Jeanne Spencer Orr President

RESERVOIRS ENVIRONMENTAL, INC.

NVLAP Accredited Laboratory #101896 AIHA Certificate of Accredidation #480 LAB ID 101533

TABLEANALYSIS:LEAD IN PAINT

RES Job Number: Client: Client Project Number / P.O.: Client Project Description: Date Samples Received: Analysis Type: Turnaround: Date Samples Analyzed:	RES 173206-1 Tetra Tech (Lou 1147-181881 CDOT-Bridge E- May 22, 2009 USEPA SW846 3 24 Hour May 22, 2009		
Client ID Number	Lab ID Number	Reporting Limit (%)	LEAD CONCENTRATION (%)
LBP-01	EM 423427	0.004	BRL

* Unless otherwise noted all quality control samples performed within specifications established by the laboratory.

Contact

Page Phone Email Fax

Date

Time

Initials

Contact

Page Phone Email Fax

Date

Time

Initials

Due Time:_

REILAB Reservoirs Environmental, Inc.

Jc

RES 173206


Page ____1___ of ____1____

SUBMITTED BY:	MITTED BY: INVOICE TO: (IF DIFFERENT)		CONTACT INFORMATION:					
Company: Tetra Tech, Inc. (Louisville) Company: Address: 363 Centennial Parkway Address: Suite 210 Louisville, Colorado 80027 Project Number and/or P.O. # 114-181881 Project Description/Location: CDOT - Bridge E-17-FX		Contact. Ryan Egan Phone: 303.665.4392 Fax: 303.665.4391 Cell/pager: 303.416.0532 Final Data Deliverable Email Address: ryan.egan@tetratech.com	Contact: Mark Daley Phone: 303.665.4392 Fax: 303.665.4391 Cell/pager: 303.548.5197					
ASBESTOS LABORATORY HOURS: Weekdays: 7am - 7pm	REQUESTED	ANALYSIS VALID MATRI	X CODES LAB NOTES:					
PLM / PCM / TEM RUSH (Same Day) PRIORITY (Next Day) STA (Rush PCM = 2hr, TEM = 6hr.)	Qua	O Air = A Leg Dust = D V O Soil = S	Bulk = B Paint = P					
CHEMISTRY LABORATORY HOURS: Weekdays: 8am - 5pm		$\begin{array}{c} O \\ O \\ O \\ O \\ \overline{S} \\ $	Wipe = W					
RUSH RUSH 5 day 10 day requir		Difficiently Difficiently Difficiently Difficiently Difficiently Waste Waste Difficiently Difficiently Waste Waste Waste						
Organics24 hr3 day5 Day		aT6 HE **ASTM E1792 approve						
Turnaround times establish a laboratory priority, subject to laboratory volume and are n Additional fees apply for afterhours, weekends and holidays.	Short report, Lc AHERA, Level ant, Micro-vac, 7400B, 7400B, 7400B. Total, Respire	Analy CLP, i. BT olume srs						
Special Instructions:	PLM - AH FEM - AH Semi-quan PCM - 74	Participation of the second se	ected Collected EM Number					
1 LBP-01 2 3 4 5 6 7 8 9 10 11 12 13		X N/A P 1 5/13	3/09 N/A 412.3242					
	los shall be listed on attached long form)							
Number of samples received: (Additional samples shall be listed on attached long form.) NOTE: REI will analyze incoming samples based upon information received and will not be responsible for errors or omissions in calculations resulting from the inaccuracy of original data. By signing client/company representative agrees that submission of the following samples for requested analysis as indicgted on this Chain of Custody shall constitute an analytical services agreement with payment terms of NET 30 days, failure to comply with payment terms may result in a 1.5% monthly interest surcharge.								
Relinquished By: Laboratory Use Only Received By: Date/Time:	Date/Time	e: 5/21/89 1/265 Sample Condition: Carrier:	On Ice Sealed Intact Y/N Y/N Y/N					
Results: Contact Page Phone Email Fax Date	Time Initials Contact	Page Phone Email Fax D	ate Time Initials					


APPENDIX



SAMPLING LOCATIONS ON AERIAL PHOTOGRAPHS












APPENDIX















































































APPENDIX






































































APPENDIX



ACM LABORATORY ANALYSIS – OCTOBER AND NOVEMBER 2020





October 28, 2020

Subcontractor Number:Laboratory Report:RES 476316-1Project #/P.O. #:Y010290Project Description:Central 70

Jenn Pellegrini Origins Laboratory Inc 1725 W Elk Pl. Denver CO 80211

Dear Jenn,

Reservoirs Environmental, Inc. is an analytical laboratory accredited for the analysis of Industrial Hygiene and Environmental matrices by the National Voluntary Laboratory Accreditation Program (NVLAP), Lab Code 101896-0 for Transmission Electron Microscopy (TEM) and Polarized Light Microscopy (PLM) analysis and the American Industrial Hygiene Association (AIHA), Lab ID 101533 - Accreditation Certificate #480 for Phase Contrast Microscopy (PCM) analysis. This laboratory is currently proficient in both Proficiency Testing and PAT programs respectively.

Reservoirs Environmental, Inc. has analyzed the following samples for asbestos content as per your request. The analysis has been completed in general accordance with the appropriate methodology as stated in the attached analysis table. The results have been submitted to your office.

RES 476316-1 is the job number assigned to this study. This report is considered highly confidential and the sole property of the customer. Reservoirs Environmental, Inc. will not discuss any part of this study with personnel other than those of the client. The results described in this report only apply to the samples analyzed. This report must not be used to claim endorsement of products or analytical results by NVLAP or any agency of the U.S. Government. This report shall not be reproduced except in full, without written approval from Reservoirs Environmental, Inc. Samples will be disposed of after sixty days unless longer storage is requested. If you have any questions about this report, please feel free to call 303-964-1986.

Sincerely,

pluch by Emily Giddens

Jeanne Spencer President

RESERVOIRS ENVIRONMENTAL INC.

NVLAP Lab Code 101896-0

TABLE: PLM BULK ANALYSIS, PERCENTAGE COMPOSITION BY VOLUME

RES Job Number:	RES 476316-1
Client:	Origins Laboratory Inc
Client Project Number / P.O.:	Y010290
Client Project Description:	Central 70
Date Samples Received:	October 21, 2020
Method:	EPA 600/R-93/116 - Short Report, Bulk
Turnaround:	Standard
Date Samples Analyzed:	October 27, 2020

ND=None Detected TR=Trace, <1% Visual Estimate Trem/Act=Tremolite/Actinolite

Client		Cub	Asbestos Content	Non	
Sample Number	Y Physical E Description R	Sub Part (%)	Mineral Visual Estimate (%)	O - - - - - - - - - -	Components
C-E17FX-ACM01-01-SM-102020	A Gray granular cementitious material	100	ND	0	100
C-E17FX-ACM01-02-SM-102020	A Gray granular cementitious material	100	ND	0	100
C-E17FX-ACM01-03-SM-102020	A Gray granular cementitious material	100	ND	0	100
C-E17FX-ACM02-01-SM-102020	A Dark gray granular cementitious material	100	ND	0	100
C-E17FX-ACM02-02-SM-102020	A Dark gray granular cementitious material	100	ND	0	100
C-E17FX-ACM02-03-SM-102020	A Dark gray granular cementitious material	100	ND	0	100
C-E17FX-ACM03-01-SM-102020	A Dark gray granular cementitious material	100	ND	0	100
C-E17FX-ACM03-02-SM-102020	A Dark gray granular cementitious material	100	ND	0	100
C-E17FX-ACM03-03-SM-102020	A Dark gray granular cementitious material	100	ND	0	100
C-E17FX-ACM04-01-SM-102020	A Light gray/tan granular cementitious material	40	ND	0	100
	B Dark gray granular cementitious material	60	ND	0	100
C-E17FX-ACM04-02-SM-102020	A Dark gray granular cementitious material	35	ND	0	100
	B Light gray/tan granular cementitious material	65	ND	0	100

TEM Analysis recommended for organically bound material (i.e. floor tile) if PLM results are <1%.

RESERVOIRS ENVIRONMENTAL INC.

NVLAP Lab Code 101896-0

TABLE: PLM BULK ANALYSIS, PERCENTAGE COMPOSITION BY VOLUME

RES Job Number: Client: Client Project Number / P.O.:	RES 476316-1 Origins Laboratory Inc Y010290
Client Project Description:	Central 70
Date Samples Received:	October 21, 2020
Method:	EPA 600/R-93/116 - Short Report, Bulk
Turnaround:	Standard
Date Samples Analyzed:	October 27, 2020

ND=None Detected TR=Trace, <1% Visual Estimate Trem/Act=Tremolite/Actinolite

Client	L	<u> </u>	Asbestos Content	Non	-
Sample Number	A Y Physical E Description R	Sub Part (%)	Mineral Visual Estimate (%)	Asbestos Fibrous Components (%)	Components
C-E17FX-ACM05-01-SM-102020	A Gray granular cementitious material	15	ND	0	100
	B Dark gray granular resinous material	85	ND	0	100
C-E17FX-ACM05-02-SM-102020	A Gray granular cementitious material	12	ND	0	100
	B Dark gray granular resinous material	88	ND	0	100
C-E17FX-ACM05-03-SM-102020	A Gray granular cementitious material	15	ND	0	100
	B Dark gray granular resinous material	85	ND	0	100
C-E17FX-ACM07-01-SM-102020	A Gray/multi-colored granular cementitious material	100	ND	3	97
C-E17FX-ACM07-02-SM-102020	A Gray/multi-colored granular cementitious material w/ a trace of white foam	100	ND	2	98
C-E17FX-ACM11-01-SM-102020	A Gray/multi-colored resinous material	100	ND	0	100
C-E17FX-ACM11-02-SM-102020	A Gray/multi-colored resinous material	100	ND	0	100
C-E17FX-ACM11-03-SM-102020	A Gray/multi-colored resinous material	100	ND	0	100
C-E17FX-ACM11-04-SM-102020	A Gray/silver resinous material	100	ND	0	100

TEM Analysis recommended for organically bound material (i.e. floor tile) if PLM results are <1%.

RESERVOIRS ENVIRONMENTAL INC.

NVLAP Lab Code 101896-0

TABLE: PLM BULK ANALYSIS, PERCENTAGE COMPOSITION BY VOLUME

RES Job Number: Client: Client Project Number / P.O.: Client Project Description: Date Samples Received: Method: Turnaround: Date Samples Analyzed:	RES 476316-1 Origins Laborat Y010290 Central 70 October 21, 202 EPA 600/R-93/1 Standard October 27, 202	20 16 -	Inc Short Report, Bulk		T	D=None Detected R=Trace, <1% Vis rem/Act=Tremolite	sual Estimate
Client Sample Number		L A Y E R	Physical Description	Sub Part (%)	Asbestos Content Mineral Visua Estimate (%	Components	Non- Fibrous Components (%)
C-E17FX-ACM11-05-SM-102020 C-E17FX-ACM11-06-SM-102020 C-E17FX-ACM11-07-SM-102020		A	Gray/multi-colored resinous material Gray/multi-colored resinous material Gray/red resinous material	100 100 100	NE NE	0 0	100 100 100

TEM Analysis recommended for organically bound material (i.e. floor tile) if PLM results are <1%.

Emily R. Middh Emily R. Giddens

Analyst / Data QA

REILAB Reservoirs Environmental, Inc.

RES Job #: 476316

SUBMITTED BY	INVOICE TO	CONTACT INFORMATION	SERIES
Company: Origins Laboratory Inc	Company: Origins Laboratory Inc	Contact: Jenn Pellegrini	-1 PLM Standard
Address: 1725 W Elk PI.	Address: 1725 W Elk Pl.	Phone: (303) 433-1322	
		Fax:	
Denver, CO 80211	Denver, CO 80211	Cell:	
Project Number and/or P.O. #: Y010290		Final Data Deliverable Email Address:	
Project Description/Location: Central 70		jpellegrini@originslab.com (+ 2 ADDNL. CONTACTS)	

ASBESTOS LABORATORY HOURS: Weekdays: 7am - 7pm & Sat. 8am - 5pm		REQUESTED ANALYSIS					VALID MATRIX CODES				
PLM / PCM / TEM DTL RUSH PRIORITY STANDARD		iid),	nut		Air = A	١	Bul	: = B			
	3794	-Liquid),	C g	C	Dust = [D	Foo	1 = F	_		
CHEMISTRY LABORATORY HOURS: Weekdays: 8am - 5pm	SO 1	Non	, NP,	P	aint =	Р	Soi	= S			
Dust RUSH PRIORITY STANDARD	312, I od Ah	Metal (7303,), pH (Liquid, r Scan	teria, & Mold, g Water, e Microb ella (P, N	Sur	face =	SU	Swab	= SW	_		
*PRIOR NOTICE REQUIRED FOR SAME DAY TAT	D 103 odifie	oH (L	, List nkin jiable	Т	ape =	т	Wipe	e = W	-		
Metals RUSH PRIORITY STANDARD	uantii II, ISC RB M	Aulti Me 25G), p als Sce	, 1-2) er, Dri er, Dri cid, V Lei, V		0	Drinking	Water = DW		-		
	or Q CAF		Julturable, 1 Julturable, 1 d, S. aureus, 1 State Water, [I. Lactic Acid, Initification), L				Water = WW		-		
Organics* SAME DAY RUSH PRIORITY STANDARD	435 c(+/- ate L	oodware), I OSHA ID-	(Cultu ted, S (State (State n), La, La, lantifi	**AS		792 app	proved wipe n	edia only**			
MICROBIOLOGY LABORATORY HOURS: Weekdays: 8am - 5pm	ARB45 Yamat	Food 9, OS 6an,	- Plate - Plate Cation) (S cation) or Qua		iquot)						
Viable Analysis** PRIORITY STANDARD	ort, C.), Mic 7402, Wate	ater, dware me S	Salmonella (C liforms - Plate forms/E.coli (S Quantification) Sus (+/- or Qua		er Alio						
**TAT DEPENDENT ON SPEED OF MICROBIAL GROWTI	Repo SSH 1	ste W. Food amine	s, Sal Solifor Miforr , Que		eape						
Medical Device Analysis RUSH STANDARD	Duan,), NIC	ole , Was /ater, Veldir	Bacillus, E.coli/Co ount, Coli ater, +/-, (aterococc en, LAL Buik Mol		(or Ar						
Mold Analysis RUSH PRIORITY STANDARD	ort, /- or C Nater 00B,	spirat e(s) 7420 ste V an, V tham		rea	Vidth						
**Turnaround times establish a laboratory priority, subject to laboratory volume and are not	t Rep A, (+ Duan aste /	I, Rec nalyte 3, Wa 8 Sc	Campylobacter, E.coli O157:H7, Areobic Plate Ci Non-Drinking W (wo/ID, w/ID), E EDICAL - Bioburd	Sample Volume (L) / Area	s) × (s						
guaranteed. Additional fees apply for afterhours, weekends and holidays.**	Shor NHER /- or (1d, W	T - Total, F T - Total, F ALS - Anal Only (708 A, 200.8, V A, 200.8, V A, 200.8, V	Campylc E.coli O'I Areobic Non-Drin (wo/ID, v DICAL -) eur	iquot		ers	cted			
Special Instructions:	PLM - Vipe (+ Chatfie	GA, CA, CA, CA, CA, CA, CA, CA, CA, CA, C		Volu	(or Al	Code	of Containers afte Collected		Laboratory Analysis		
	: .	<u></u>	1.40.00	ample	-ength(or	Matrix Code	of Contain Date Collec	Time Collected hh:mm	Instructions		
Client Sample ID Number (Sample ID's must be unique)	ASBESTOS	CHEMISTRY	MICROBIOLOGY	Š	Ľ	Ë	#				
1 C-E17FX-ACM01-01-SM-102020	X		ļļ			B	10/20/	•••••			
2 C-E17FX-ACM01-02-SM-102020	X		ļļ			B	10/20/				
3 C-E17FX-ACM01-03-SM-102020	X		ļļ			B	10/20/				
4 C-E17FX-ACM02-01-SM-102020	X		ļļļ			B	10/20/				
5 C-E17FX-ACM02-02-SM-102020	X		ļļļ			B	10/20/				
6 C-E17FX-ACM02-03-SM-102020	X		ļļ			B	10/20/				
7 C-E17FX-ACM03-01-SM-102020	X	ļļ	ļļļ			B	10/20/				
8 C-E17FX-ACM03-02-SM-102020	X	ļļ	ļļļ			B	10/20/				
9 C-E17FX-ACM03-03-SM-102020	X	ļļ	ļļļ			B	10/20/				
10 C-E17FX-ACM04-01-SM-102020	X	ļļ	ļļļ			B	10/20/				
11 C-E17FX-ACM04-02-SM-102020	X	ļļ	ļļļ			B	10/20/				
12 C-E17FX-ACM05-01-SM-102020	X	ļļ	ļļļ			B	10/20/				
13 C-E17FX-ACM05-02-SM-102020	X					В	10/20/	20 10:30			

REI will analyze incoming samples based on information received and will not be responsible for errors or omissions in calculations resulting from the inaccuracy of original data. By signing, client/company representative agrees that submission of the following samples for requested analysis as indicated on this Chain of Custody shall constitute an analytical services agreement with payment terms of NET 30 days. Failure to comply with payment terms may result in a 1.5% monthly interest surcharge.

Relinquished By:		Jason Guerrin	Date/Time: 10/21/2020 11:59:50	Sample Condition: Acceptable
Received By:	(And SCould	Brett Colbert	Date/Time: 10/21/2020 12:32:20	Carrier: Hand

				REC	QUESTED A	NAL	YSIS				VA	LID M	ATRI)	CODES		LAB NOTES
		13794,			-iquid		ition)				Air = A	۱		Bulk = E	3	
REILAB Reservoirs Environmental, Inc.					Non-I		er, atflica			•••••	Dust =		ļ	Food = F		
		uantified), II, ISO 10312, ISO RB Modified Ahera			, Multi Metal (7303, 1-125G), pH (Liquid, I letals Scan		-2), Listeria, s, Yeast & Mold, , Drinking Water, d, us (+/- or Quantif			•••••	Paint =		ļ	Soil = S		
		əd), 1031 difiec			H(Lic		Liste ast 8 ast 8 hking			•••••	rface =		ļ	Swab = S		
		antific , ISO B Mo			i Met 3), pl		1-2), us, Ye bid, cus (-	Ę			Tape =			Wipe = V	V	
		r Qui vel II CARI			Mult 1250 etals		able, 1 aureus Water, tic Acic ococcu	ficati				Drinking		••••••		
	35								Waste	•••••	••••••					
Res Job#: 476316	RB 4	ovac Yama ; Bull			OSF an, F		nella (C s - Plate E.coli (S ïcation), i w/ID), i	ate	ligte	A	SIME	1792 app	rovea	wipe media	oniy	
Submitted By: Origins Laboratory Inc	- Short Report, Long Report, CA	- AHERA, (+/- or Quantified), Micr. (+/- or Quantified), NIOSH 7402, N ield, Waste Water, Drinking Water	I - 7400A, 7400B, OSHA	T - Total, Respirable	ALS - Analyte(s) d Ohly (7082, 7420, Waste Water, F 0A, 200.8, Waste Water, Foodware, P, RCRA 8 Scan, Welding Furne Sc	ORGANICS - Methamphetamine, TSS	Campylobacter, Bacillus, Salmone E.coil O157-H7, E.coil/Coliforms - I Areobic Plate Count, ColiformsE.c Non-Drinking Water, -H., Quantific, Viable Microbioal Count (wo/ID, w	MEDICAL - Bioburden, LAL MOLD - Snore Tran Bulk Mold Particu	.u - Spore Trap, bulk word, Particu	nple Volume (L) / Area	igth(or Aliquots) x Width(or Area per Aliq	ą	Containers	Date Collected mm/dd/yy	Time Collected hh:mm	
	PLM	TEM Wipe Chatf	PCM	DUST	METAL: Lead Or 6020A,: TCLP, R	ORG	Viables	MEDIC	Di la	√ alqr	gth(or	Matrix Code	Conta	ate Co mm/d	me Cc hh:r	Laboratory Analysis Instructions
Client Sample ID Number (Sample ID's must be unique)	A	BESTO	s	(CHEMISTRY	'	MICROBIOL	.OGY		Sar	Len	Mat	# of	ă -	F	
14 C-E17FX-ACM05-03-SM-102020	X			<u>.</u>								В		10/20/20	10:35	
15 C-E17FX-ACM07-01-SM-102020	X											В		10/20/20	09:30	
16 C-E17FX-ACM07-02-SM-102020	X			<u>.</u>								В		10/20/20	09:35	
17 C-E17FX-ACM11-01-SM-102020	X		ļ	<u>.</u>								В		10/20/20	13:30	
18 C-E17FX-ACM11-02-SM-102020	X			ļ								В		10/20/20	13:35	
19 C-E17FX-ACM11-03-SM-102020	X											В		10/20/20	13:36	
20 C-E17FX-ACM11-04-SM-102020	X			÷								В	Ļ	10/20/20	13:39	
21 C-E17FX-ACM11-05-SM-102020	X											В	ļ	10/20/20	13:42	
22 C-E17FX-ACM11-06-SM-102020	X			÷								В	Ļ	10/20/20	13:45	
23 C-E17FX-ACM11-07-SM-102020	X											В		10/20/20	13:48	



November 14, 2020

Subcontractor Number:Laboratory Report:RES 477812-1Project #/P.O. #:Y011093Project Description:Central 70

Jenn Pellegrini Origins Laboratory Inc 1725 W Elk Pl. Denver CO 80211

Dear Jenn,

Reservoirs Environmental, Inc. is an analytical laboratory accredited for the analysis of Industrial Hygiene and Environmental matrices by the National Voluntary Laboratory Accreditation Program (NVLAP), Lab Code 101896-0 for Transmission Electron Microscopy (TEM) and Polarized Light Microscopy (PLM) analysis and the American Industrial Hygiene Association (AIHA), Lab ID 101533 - Accreditation Certificate #480 for Phase Contrast Microscopy (PCM) analysis. This laboratory is currently proficient in both Proficiency Testing and PAT programs respectively.

Reservoirs Environmental, Inc. has analyzed the following samples for asbestos content as per your request. The analysis has been completed in general accordance with the appropriate methodology as stated in the attached analysis table. The results have been submitted to your office.

RES 477812-1 is the job number assigned to this study. This report is considered highly confidential and the sole property of the customer. Reservoirs Environmental, Inc. will not discuss any part of this study with personnel other than those of the client. The results described in this report only apply to the samples analyzed. This report must not be used to claim endorsement of products or analytical results by NVLAP or any agency of the U.S. Government. This report shall not be reproduced except in full, without written approval from Reservoirs Environmental, Inc. Samples will be disposed of after sixty days unless longer storage is requested. If you have any questions about this report, please feel free to call 303-964-1986.

Sincerely,

place by Tyler Hutchinson

Jeanne Spencer President

RESERVOIRS ENVIRONMENTAL INC.

NVLAP Lab Code 101896-0

TABLE: PLM BULK ANALYSIS, PERCENTAGE COMPOSITION BY VOLUME

RES Job Number:	RES 477812-1
Client:	Origins Laboratory Inc
Client Project Number / P.O.:	Y011093
Client Project Description:	Central 70
Date Samples Received:	November 06, 2020
Method:	EPA 600/R-93/116 - Short Report, Bulk
Turnaround:	Standard
Date Samples Analyzed:	November 14, 2020

ND=None Detected TR=Trace, <1% Visual Estimate Trem/Act=Tremolite/Actinolite

Client Sample Number	L A Y Physical E Description R	Sub Part (%)	Asbestos Content Mineral Visual Estimate (%)	Non Asbestos Fibrous Components (%)	Fibrous Components
C-E17FX-ACM09-01-SM-110420	A Black resinous material	100	ND	0	100
C-E17FX-ACM09-02-SM-110420	A Black resinous material	100	ND	0	100
C-E17FX-ACM10-01-SM-110420	A Gray fibrous resinous material	25	ND	60	40
	B Tan wood w/ gray resinous material	75	ND	80	20
C-E17FX-ACM10-02-SM-110420	A Gray fibrous resinous material	30	ND	60	40
	B Tan wood w/ gray resinous material	70	ND	80	20
C-E17FX-ACM08-01-SM-110420	A Black granular tar	100	ND	0	100
C-E17FX-ACM08-02-SM-110420	A Black granular tar	100	ND	0	100
C-E17FX-ACM12-01-SM-110420	A Black fibrous resinous tar	10	ND	20	80
	B Black resinous tar	90	ND	0	100
C-E17FX-ACM12-02-SM-110420	A Black fibrous resinous tar	3	ND	20	80
	B Black resinous tar	97	ND	0	100
C-E17FX-ACM13-01-SM-110420	A Black resinous tar	2	ND	0	100
	B Gray granular cementitious material	98	ND	0	100

TEM Analysis recommended for organically bound material (i.e. floor tile) if PLM results are <1%.

RESERVOIRS ENVIRONMENTAL INC.

NVLAP Lab Code 101896-0

TABLE: PLM BULK ANALYSIS, PERCENTAGE COMPOSITION BY VOLUME

RES Job Number: Client: Client Project Number / P.O.: Client Project Description: Date Samples Received: Method: Turnaround: Date Samples Analyzed:	RES 477812-1 Origins Laboratory Inc Y011093 Central 70 November 06, 2020 EPA 600/R-93/116 - Short Report, Bulk Standard November 14, 2020		TR	D=None Detected t=Trace, <1% Vis em/Act=Tremolit	sual Estimate
Client Sample Number	L A Y Physical E Description R	Sub Part (%)	Asbestos Content Mineral Visual Estimate (%)	Non Asbestos Fibrous Components (%)	Fibrous Components
C-E17FX-ACM13-02-SM-110420	A Black resinous tarB Gray granular cementitious material	TR 100	ND ND	0 0	100 100

TEM Analysis recommended for organically bound material (i.e. floor tile) if PLM results are <1%.

Jup Antin Tyler Hutchinson

Analyst / Data QA

REILAB Reservoirs Environmental, Inc.

RES Job #: 477812

SUBMITTED BY	INVOICE TO	CONTACT INFORMATION	SERIES
Company: Origins Laboratory Inc	Company: Origins Laboratory Inc	Contact: Jenn Pellegrini	-1 PLM Standard
Address: 1725 W Elk PI.	Address: 1725 W Elk Pl.	Phone: (303) 433-1322	
		Fax:	
Denver, CO 80211	Denver, CO 80211	Cell:	
Project Number and/or P.O. #: Y011093		Final Data Deliverable Email Address:	
Project Description/Location: Central 70		jpellegrini@originslab.com (+ 2 ADDNL. CONTACTS)	

ASBESTOS LABORATORY	′ HOURS: Weekdays: 7am - 7pm & Sat. 8am - 5pm	REQUESTED ANALYSIS					VAL	ID MA	LAB NOTES		
PLM / PCM / TEM	DTL RUSH PRIORITY STANDARD		id),	nıt			Air = A		Bulk	= B	
		3794	-Liqu	C) a			Dust = [D	Food	= F	
CHEMISTRY LABORATOR	Y HOURS: Weekdays: 8am - 5pm	ISO 1: Tera	Non	, NP,		I	Paint = I	Р	Soil :	S	
Dust	RUSH PRIORITY STANDARD	12, I: d Ah	'303, iquid,	teria, t & Mole ng Wate e Micrc ella (P,		Su	rface =	SU	Swab =	SW	
	*PRIOR NOTICE REQUIRED FOR SAME DAY TAT	ied), D 103 pdifie	letal (7303, , pH (Liquid, I can	-2), Lister s, Yeast & Drinking ' d, Viable M			Tape = ⁻	Т	Wipe	= W	
Metals	RUSH PRIORITY STANDARD	Lanti II, ISG RM	Multi Me 125G), F tals Sca		tion		C	Drinking	Water = DW		
		or Q evel), Mu D-12f Metal	ulturable, 1 1, S. aureu tate Water, Lactic Aci ntification),	tifica			Waste V	Vater = WW		
Organics*	SAME DAY RUSH PRIORITY STANDARD	-435 c (+/- nate L	HA II Full 1	Cultu ed, S State), La	Identif	**AS	TM E17	792 appi	roved wipe me	dia only**	
MICROBIOLOGY LABORA	TORY HOURS: Weekdays: 8am - 5pm	ARB. rovac Yam	Food s, OS can,	alla (C Plate coli (; ation r Qua	ulate		(tout)				
Viable Analysis**	PRIORITY STANDARD	rt, C, , Mic 402, Wate	ater, F tware me S , TSS	mone ms/E ntific (+/- o	artic		er Alic				
	**TAT DEPENDENT ON SPEED OF MICROBIAL GROWTH	Repo SH 7 SH 7 King ¹	te Wa Food g Fui mine	, Salt oliforn Qua ccus (AL Mold, F		ea pe				
Medical Device Analysis	RUSH STANDARD	Drin Drin	le Was /etdin /etdin	icillus coli/C tt, Co tr, +/-, rr, +/-,	IK M		or An				
Mold Analysis	RUSH PRIORITY STANDARD	Port, I +/- or C ntified) Water 100B, 6	sspirab te(s) 7420, aste W can, M	ter, Ba H7, E., e Cour g Wate), Ente	urden rap, Bu	Area	Width(
•	establish a laboratory priority, subject to laboratory volume and are not	rt Re RA, (- Qua /aste	al, Re naly 7082 8, W A 8 S	obact 157:H Plate inking w/ID),	Biot		ts) x				
	. Additional fees apply for afterhours, weekends and holidays.**	Sho AHEF H- or Id, V	ST - Total FALS - Ar I ALS - Ar d Only (70 0A, 200.8 P, RCRA GANICS	mpyk soli O aobic o/ID, /	-Sp	amu	liquo		fred cted	cted	
Special Instructions: Samples 5 & 6, DO NOT A	NALYZE OUTER LAYER, only analyze concrete.	PLM - TEM - Wipe (- Chatfie	DUST METAI METAI Lead O 6020A, TCLP, F TCLP, F	Non A Recar (Non A Recar (Non Viables)	MEDICAL MOLD - Sp	Sample Volume (L) /	igth(or A	Matrix Code	of Containers Date Collected mm/dd/yy	me Collected hh:mm	Laboratory Analysis Instructions
Client Sample ID Number	(Sample ID's must be unique)	ASBESTOS	CHEMISTRY	MICROBIOL	OGY	Sar	Ler	Ma	# of Da n	Ē	
1 C-E17FX-ACM09-01-SM-110	420	X						В	11/04/2	20:00	
2 C-E17FX-ACM09-02-SM-110	420	X						В	11/04/20	20:05	
3 C-E17FX-ACM10-01-SM-110	420	X						В	11/04/2	20:10	
4 C-E17FX-ACM10-02-SM-110	420	X						В	11/04/2	20:15	
5 C-E17FX-ACM08-01-SM-110	420	X						В	11/04/2	20:20	
6 C-E17FX-ACM08-02-SM-110	420	X						В	11/04/2	20:25	
7 C-E17FX-ACM12-01-SM-110	420	X						В	11/04/20	20:30	
8 C-E17FX-ACM12-02-SM-110	420	X						В	11/04/20	20:35	
9 C-E17FX-ACM13-01-SM-110	420	X		[]				В	11/04/20	20:40	
10 C-E17FX-ACM13-02-SM-11	0420	X						В	11/04/20	20:45	

REI will analyze incoming samples based on information received and will not be responsible for errors or omissions in calculations resulting from the inaccuracy of original data. By signing, client/company representative agrees that submission of the following samples for requested analysis as indicated on this Chain of Custody shall constitute an analytical services agreement with payment terms of NET 30 days. Failure to comply with payment terms may result in a 1.5% monthly interest surcharge.

Relinquished By:		Jason Guerrin	Date/Time: 11/06/2020 13:11:07	Sample Condition: Acceptable	
Received By:	Addin have	Sophia Ingram	Date/Time: 11/06/2020 14:23:56	Carrier: Hand	
(303) 964-1986			5801 Logan St, Suite 100, Denver, CO 80216	ww	w.reilab.com



October 13, 2020

Subcontractor Number:Laboratory Report:RES 475329-1Project #/P.O. #:Y010118Project Description:Central 70

Jenn Pellegrini Origins Laboratory Inc 1725 W Elk Pl. Denver CO 80211

Dear Jenn,

Reservoirs Environmental, Inc. is an analytical laboratory accredited for the analysis of Industrial Hygiene and Environmental matrices by the National Voluntary Laboratory Accreditation Program (NVLAP), Lab Code 101896-0 for Transmission Electron Microscopy (TEM) and Polarized Light Microscopy (PLM) analysis and the American Industrial Hygiene Association (AIHA), Lab ID 101533 - Accreditation Certificate #480 for Phase Contrast Microscopy (PCM) analysis. This laboratory is currently proficient in both Proficiency Testing and PAT programs respectively.

Reservoirs Environmental, Inc. has analyzed the following samples for asbestos content as per your request. The analysis has been completed in general accordance with the appropriate methodology as stated in the attached analysis table. The results have been submitted to your office.

RES 475329-1 is the job number assigned to this study. This report is considered highly confidential and the sole property of the customer. Reservoirs Environmental, Inc. will not discuss any part of this study with personnel other than those of the client. The results described in this report only apply to the samples analyzed. This report must not be used to claim endorsement of products or analytical results by NVLAP or any agency of the U.S. Government. This report shall not be reproduced except in full, without written approval from Reservoirs Environmental, Inc. Samples will be disposed of after sixty days unless longer storage is requested. If you have any questions about this report, please feel free to call 303-964-1986.

Sincerely,

pluch by Piper-Lenore Murphy

Jeanne Spencer President

RESERVOIRS ENVIRONMENTAL INC.

NVLAP Lab Code 101896-0

TABLE: PLM BULK ANALYSIS, PERCENTAGE COMPOSITION BY VOLUME

RES Job Number: Client: Client Project Number / P.O.: Client Project Description: Date Samples Received:	RES 475329-1 Origins Laborator Y010118 Central 70 October 08, 2020					
Method: Turnaround: Date Samples Analyzed:	EPA 600/R-93/116 Standard October 13, 2020	- Short Report, Bulk		TR	D=None Detected =Trace, <1% Vis em/Act=Tremolite	sual Estimate
Client Sample Number	L A Y E R	Physical Description	Sub Part (%)	Asbestos Content Mineral Visual Estimate (%)	Non Asbestos Fibrous Components (%)	Fibrous Components
C-E17FX-ACM04-03-SM-100720 C-E17FX-ACM06-01-SM-100720 C-E17FX-ACM06-02-SM-100720 C-E17FX-ACM06-03-SM-100720	A A	Gray granular material Gray granular material Gray granular material Gray granular material	100 100 100 100	ND ND ND ND	TR 0 0 0	100 100 100 100

TEM Analysis recommended for organically bound material (i.e. floor tile) if PLM results are <1%.

Ruper Luon O. Murphy Piper-Lenore O. Murphy

Analyst / Data QA

REILAB Reservoirs Environmental, Inc.

RES Job #: 475329

SUBMITTED BY	INVOICE TO	CONTACT INFORMATION	SERIES
Company: Origins Laboratory Inc	Company: Origins Laboratory Inc	Contact: Jenn Pellegrini	-1 PLM Standard
Address: 1725 W Elk Pl.	Address: 1725 W Elk Pl.	Phone: (303) 433-1322	
		Fax:	
Denver, CO 80211	Denver, CO 80211	Cell:	
Project Number and/or P.O. #: Y010118		Final Data Deliverable Email Address:	
Project Description/Location: Central 70		jpellegrini@originslab.com (+ 2 ADDNL. CONTACTS)	


ASBESTOS LABORATORY HOURS: Weekdays: 7am - 7pm & Sat. 8am - 5pm			REQUESTED ANALYSIS						VALID MATRIX CODES				
PLM / PCM / TEM	DTL RUSH PRIORITY STANDARD	_	, (bi	nut			Air = A			Bulk = B			
		3794	-Liq.	C a		C	Dust = D)		Food = F	-		
CHEMISTRY LABORATOR	Y HOURS: Weekdays: 8am - 5pm	ISO 1 Tera	Non	, NP, Obio		P	aint = I	P		Soil = S			
Dust	RUSH PRIORITY STANDARD	, 312, I ed Ah	detal (7303, , pH (Liquid, can	eria, & Mo g Wa e Mici ella (F		Sur	face =	SU		Swab = S	w		
	*PRIOR NOTICE REQUIRED FOR SAME DAY TAT	승은 특	oH (L an (L	, List east inkin /iable gione		т	ape = 1	Г		Wipe = V	v		
Metals	RUSH PRIORITY STANDARD	ll, ISO RB Moc	iti Me õG), p	, 1-2) er, Dr er, Dr cid, \), Le	tion		C	Prinking	Wate	er = DW			
		or Quevel), Mu D-12f Metal	rable aure Wati Vatic A ctic A	tifica		۱	Waste \	Water	= WW			
Organics*	SAME DAY RUSH PRIORITY STANDARD	435 2(+/- ate L k +/-	vare HA II Full h	Sultu d, S. State State nutific	lden	**AS	TM E17	'92 app	roved	wipe media	only**		
MICROBIOLOGY LABORA	TORY HOURS: Weekdays: 8am - 5pm	ARB. Tovac Yam r, Bul	Foodt , OS can,	ella (C Plate coli (S ation r Qua	ulate		Aliquot)						
Viable Analysis**	PRIORITY STANDARD	rt, C, , Mic ,402, Wate	ater, F tware me S , TSS	mone ms/E. http://	artic		er Alic						
Medical Device Analysis	**TAT DEPENDENT ON SPEED OF MICROBIAL GROWTH RUSH STANDARD	, Long Repo r Quantified) ad), NIOSH 7 et, Drinking 3, OSHA	able 20, Waste Wi Water, Fooc Welding Fu	Bacillus, Sal E.coli/Colifor ount, Coliforn ater, +/-, Qua iterococcus	Bulk Mold, F		th(or Area pe						
Mold Analysis	RUSH PRIORITY STANDARD	eport (+/- o antifie e Wal	espir vte(s) 2, 742 2, 742 Vaste Scan, Ietha	cter, HT, te Cc 0), Er	Trap,	Area	Wid						
guaranteed	establish a laboratory priority, subject to laboratory volume and are not I. Additional fees apply for afterhours, weekends and holidays.**	- Short Re - AHERA, (+/- or Que field, Wast	T - Total, R ALS - Analy Only (708: A, 200.8, V RCRA 8 8	Campyloba E.coli O157 Areobic Pla Non-Drinkir (wo/ID, w/IE	D - Spore	olume (L) / .	Aliquots) x	qe	iners	ate Collected mm/dd/yy	lected		
Special Instructions:		PLM Wipe Chatf	DUST METAI METAI 6020A 6020A TCLP,	Viables	MOLD	V aldr	gth(or	ix Co	Conta	te Col	hh:mm	Laboratory Analysis Instructions	
Client Sample ID Number	(Sample ID's must be unique)	ASBESTOS	CHEMISTRY	MICROBIOLO	GY	Sam	Lenç	Matr	# of	Dat	Τi	Instructions	
1 C-E17FX-ACM04-03-SM-10	0720	x						в		10/07/20	10:12		
2 C-E17FX-ACM06-01-SM-10	0720	X						В		10/07/20	10:23		
3 C-E17FX-ACM06-02-SM-10	0720	X						В		10/07/20	10:26		
4 C-E17FX-ACM06-03-SM-10	0720	X						в		10/07/20	22:29		

REI will analyze incoming samples based on information received and will not be responsible for errors or omissions in calculations resulting from the inaccuracy of original data. By signing, client/company representative agrees that submission of the following samples for requested analysis as indicated on this Chain of Custody shall consitute an analytical services agreement with payment terms of NET 30 days. Failure to comply with payment terms may result in a 1.5% monthly interest surcharge.

Relinquished By:		Jason Guerrin	Date/Time: 10/08/2020 12:49:44	Sample Condition: Acceptable
Received By:	Applus la	Sophia Ingram	Date/Time: 10/08/2020 15:12:27	Carrier: Hand
(303) 964-1986			5801 Logan St, Suite 100, Denver, CO 80216	www.reilab.com

APPENDIX







October 15, 2020

Klewit	
Megan Wood	
3543 E. 46th Ave.	

Denver CO 80216

Project Name - Central 70

Project Number - [none]

Attached are your analytical results for Central 70 received by Origins Laboratory, Inc. October 08, 2020. This project is associated with Origins project number Y010119-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc. 303.433.1322 o-squad@oelabinc.com





1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645



3543 E. 46th Ave.

Denver

CO 80216

Megan Wood Project Number: [none] Project: Central 70

	CROS	SS REFEREN	NCE REPORT	
Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
C-E17FX-PC04-01-SM-1007	20 Y010119-01	Solid	October 7, 2020 13:24	10/08/2020 12:00
C-E17FX-PC12-01-SM-1007	20 Y010119-02	Solid	October 7, 2020 12:53	10/08/2020 12:00
C-E17FX-PC13-01-SM-1007	20 Y010119-03	Solid	October 7, 2020 12:57	10/08/2020 12:00
C-E17FX-PC14-01-SM-1007	20 Y010119-04	Solid	October 7, 2020 11:16	10/08/2020 12:00
C-E17FX-PC15-01-SM-1007	20 Y010119-05	Solid	October 7, 2020 11:38	10/08/2020 12:00
C-E17FX-PC16-01-SM-1007	20 Y010119-06	Solid	October 7, 2020 11:35	10/08/2020 12:00
C-E17FX-PC17-01-SM-1007	20 Y010119-07	Solid	October 7, 2020 11:42	10/08/2020 12:00
C-E17FX-PC18-01-SM-1007	20 Y010119-08	Solid	October 7, 2020 10:55	10/08/2020 12:00
C-E17FX-PC19-01-SM-1007	20 Y010119-09	Solid	October 7, 2020 10:48	10/08/2020 12:00

Origins Laboratory, Inc.

nevil




3543 E. 46th Ave.

Denver

80216

CO

Megan Wood Project Number: [none] Project: Central 70



Origins Laboratory, Inc.

ment



1.71	••
KIO	14/17
L/IC	VVIL

3543 E. 46th Ave.

Denver

80216

CO

Megan Wood Project Number: [none] Project: Central 70

Origins Work Order:/010119		ent:	Ki'co	C
Checklist Completed by: 56	Shij	oped Via	HA	and Delivered, Pick-up, etc.)
Date/time completed: 10/6/20 Matrix(s) Received: (Check all that apply):Soil/So		oill #:		
Cooler Number/Temperature:/c				(Describe) ° C /
$\begin{array}{l} \textbf{Requirement Description} \\ \textbf{If samples require cooling, was the temperature} \\ \textbf{between } 0^{\circ}C \ \textbf{to} \leq 6^{\circ}C^{(1)}? \end{array}$	Yes	No	N/A	Comments (if any)
Is there ice present (document if blue ice is used)			1	
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)			1	
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)			/	
Were all samples received intact ⁽¹⁾ ?	-		1	
Was adequate sample volume provided ⁽¹⁾ ?				
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?		1		
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	/			
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	1			
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	-			
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	1			
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.			~	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO3, HCL, H2SO4) / (pH <1 for samples preserved with MaAsO2+NaOH, ZnAc+NaOH)			\checkmark	
Additional Comments (if any):				
⁽¹⁾ If NO, then contact the client before proceeding with analysis action to in the additional comme				

Origins Laboratory, Inc.

nent



Kiewit

3543 E. 46th Ave.

Denver CO Megan Wood Project Number: [none] Project: Central 70

	C-E	17FX-PC04 10/7/2020							
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	G	EL Labor		•					
		Y010119)-01 (So	lid)					
RCRA 8 Metals by EPA 6010C									
Arsenic	0.501	2.90	mg/kg	1	2050620	LS	10/12/2020	10/13/2020	J
Barium	1670	4.84	"	10	"	LS	"	"	
Cadmium	0.389	0.484	"	1	"	LS	"	"	J
Chromium	3.53	0.967	"	"	"	LS	"	"	
Lead	6.77	1.93	"	"	"	LS	"	"	
Selenium	0.865	2.90	"	"	"	LS	"	"	J
Silver	ND	0.484	"	n	"	LS	n	u	U
RCRA 8 Metals by EPA 7471									
Mercury	ND	0.0217	mg/kg	1	2050501	MTM1	u	10/13/2020	U

Origins Laboratory, Inc.

nend



Denver

3543 E. 46th Ave.

CO 80216

Megan Wood Project Number: [none] Project: Central 70

	C-E	17FX-PC12	2-01-SM	-100720					
		10/7/2020	12:53:	00PM					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	G	EL Labor	atorie	s, LLC					
		Y010119)-02 (So	olid)					
RCRA 8 Metals by EPA 6010C									
Arsenic	1.46	2.95	mg/kg	1	2050620	LS	10/12/2020	10/13/2020	J
Barium	1850	4.91	"	10	"	LS	"	"	
Cadmium	0.517	0.491	"	1	"	LS	"	"	
Chromium	23.7	0.982	"	"	"	LS	"	"	
Lead	84.6	1.96	"	"	"	LS	"	"	
Selenium	1.63	2.95	"	"	"	LS	"	"	J
Silver	ND	0.491	u	"	"	LS	n	n	U
RCRA 8 Metals by EPA 7471									
Mercury	3.19	0.474	mg/kg	20	2050501	MTM1	"	10/13/2020	

Origins Laboratory, Inc.

nend



Denver

3543 E. 46th Ave.

CO 80216

Megan Wood Project Number: [none] Project: Central 70

	C-E	17FX-PC13							
		10/7/2020	12:57:	00PM					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	G	EL Labor	atorie	s, LLC					
		Y010119)-03 (So	lid)					
RCRA 8 Metals by EPA 6010C									
Arsenic	2.28	2.87	mg/kg	1	2050620	LS	10/12/2020	10/13/2020	J
Barium	898	0.478	"	"	"	LS	"	"	
Cadmium	0.444	0.478	"	"	"	LS	"	"	J
Chromium	151	0.956	"	"	"	LS	"	"	
Lead	750	1.91	"	"	"	LS	"	"	
Selenium	1.78	2.87	"	"	"	LS	"	"	J
Silver	0.228	0.478	"	"	"	LS	"	"	J
RCRA 8 Metals by EPA 7471									
Mercury	0.622	0.0240	mg/kg	1	2050501	MTM1	"	10/13/2020	

Origins Laboratory, Inc.

nend



Kiewit

3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

	C-E1	I7FX-PC14							
		10/7/2020 Reporting	11:16:	00AM					
Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	GI	EL Labor	atorie	s, LLC					
		Y010119)-04 (So	lid)					
RCRA 8 Metals by EPA 6010C									
Arsenic	2.15	3.00	mg/kg	1	2050620	LS	10/12/2020	10/13/2020	J
Barium	204	0.500	"	"	"	LS	"	"	
Cadmium	0.296	0.500	"	"	"	LS	"	"	J
Chromium	7.43	1.00	"	"	"	LS	"	"	
Lead	38.4	2.00	"	"	"	LS	"	"	
Selenium	1.36	3.00	"	"	"	LS	"	"	J
Silver	0.340	0.500	"	"	u	LS	"	"	J
RCRA 8 Metals by EPA 7471									
Mercury	1.38	0.209	mg/kg	10	2050501	MTM1	"	10/13/2020	

Origins Laboratory, Inc.

nend



Kiewit

3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

		7FX-PC15							
		10/7/2020	11:38:	00AM					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	GE	EL Labor	atories	s, LLC					
		Y010119)-05 (So	lid)					
RCRA 8 Metals by EPA 6010C									
Arsenic	12.7	2.93	mg/kg	1	2050620	LS	10/12/2020	10/14/2020	
Barium	302	0.488	"	"	"	LS	"	"	
Cadmium	0.729	0.488	"	"	"	LS	"	"	
Chromium	23.2	0.977	"	"	"	LS	"	"	
Lead	30.0	1.95	"	"	"	LS	"	"	
Selenium	1.28	2.93	"	"	"	LS	"	"	J
Silver	ND	0.488	u	"	"	LS	"	"	U
RCRA 8 Metals by EPA 7471									
Mercury	0.0205	0.0237	mg/kg	1	2050501	MTM1	"	10/13/2020	J

Origins Laboratory, Inc.

nevil



Denver

3543 E. 46th Ave.

343 L. 4001 AVE.

CO 80216

Megan Wood Project Number: [none] Project: Central 70

	C-E1	17FX-PC16							
Analyte	Result	10/7/2020 Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	GI	EL Labor	atories	s, LLC					
		Y010119)-06 (So	lid)					
RCRA 8 Metals by EPA 6010C									
Arsenic	0.964	2.95	mg/kg	1	2050620	LS	10/12/2020	10/13/2020	J
Barium	314	0.491	"	"	"	LS	"	"	
Cadmium	0.134	0.491	"	"	"	LS	"	"	J
Chromium	6.49	0.982	"	"	"	LS	"	"	
Lead	11.2	1.96	"	"	"	LS	"	"	
Selenium	1.60	2.95	"	"	"	LS	"	"	J
Silver	0.154	0.491	n	"	"	LS	"	"	J
RCRA 8 Metals by EPA 7471									
Mercury	ND	0.0204	mg/kg	1	2050501	MTM1	u	10/13/2020	U

Origins Laboratory, Inc.

nend



Denver

3543 E. 46th Ave.

CO 80216

Megan Wood Project Number: [none] Project: Central 70

		7FX-PC17							
		10/7/2020	11:42:	00AM					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	GE	EL Labor	atories	s, LLC					
		Y010119)-07 (So	lid)					
RCRA 8 Metals by EPA 6010C									
Arsenic	4.45	3.01	mg/kg	1	2050620	LS	10/12/2020	10/13/2020	
Barium	281	0.501	"	"	"	LS	"	"	
Cadmium	0.507	0.501	"	"	"	LS	"	"	
Chromium	16.6	1.00	"	"	"	LS	"	"	
Lead	8.28	2.00	"	"	"	LS	"	"	
Selenium	1.32	3.01	"	"	"	LS	"	"	J
Silver	ND	0.501	"	"	"	LS	n	"	U
RCRA 8 Metals by EPA 7471									
Mercury	ND	0.0232	mg/kg	1	2050501	MTM1	u	10/13/2020	U

Origins Laboratory, Inc.

nend



3543 E. 46th Ave.

Denver (

CO 80216

Megan Wood Project Number: [none] Project: Central 70

	C-E	17FX-PC18	8-01-SM	-100720					
		10/7/2020	10:55:	00AM					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	G	EL Labor	atorie	s, LLC					
		Y010119)-08 (So	lid)					
RCRA 8 Metals by EPA 6010C									
Arsenic	3.96	2.87	mg/kg	1	2050620	LS	10/12/2020	10/13/2020	
Barium	222	0.479	"	"	"	LS	"	"	
Cadmium	0.475	0.479	"	"	"	LS	"	"	J
Chromium	14.8	0.958	"	"	"	LS	"	"	
Lead	175	1.92	"	"	"	LS	"	"	
Selenium	1.40	2.87	"	"	"	LS	"	"	J
Silver	0.456	0.479	"	"	u	LS	"	"	J
RCRA 8 Metals by EPA 7471									
Mercury	2.89	0.432	mg/kg	20	2050501	MTM1	"	10/13/2020	

Origins Laboratory, Inc.

nenil



3543 E. 46th Ave.

Denver (

CO 80216

Megan Wood Project Number: [none] Project: Central 70

	C-E	17FX-PC19							
r		10/7/2020	10:48:	00AM					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	G	EL Labor	atorie	s, LLC					
		Y010119	-09 (So	lid)					
RCRA 8 Metals by EPA 6010C									
Arsenic	2.84	2.98	mg/kg	1	2050620	LS	10/12/2020	10/13/2020	J
Barium	121	0.496	"	"	"	LS	"	"	
Cadmium	0.594	0.496	"	"	"	LS	"	"	
Chromium	11.4	0.992	"	"	"	LS	"	"	
Lead	48.5	1.98	"	"	"	LS	"	"	
Selenium	1.94	2.98	"	"	"	LS	"	"	J
Silver	0.761	0.496	"	"	u	LS	"	"	
RCRA 8 Metals by EPA 7471									
Mercury	0.551	0.0201	mg/kg	1	2050501	MTM1	"	10/13/2020	

Origins Laboratory, Inc.

nend



Kiewit

3543 E. 46th Ave.

Denver

CO

Megan Wood Project Number: [none] Project: Central 70

RCRA 8 Metals by EPA 6010C - Quality Control GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2050620 - SW846 3050B										
BLANK (1204666269-BLK)					Prepared	: 10/12/2020	Analyzed: 10	/13/2020		
Arsenic	ND	2.86	mg/kg				-			U
Barium	ND	0.476	"				-			U
Cadmium	ND	0.476	"				-			U
Chromium	ND	0.952	"				-			U
Lead	ND	1.90	"				-			U
Selenium	0.693	2.86	"				-			J
Silver	ND	0.476	"				-			U
LCS (1204666270-BKS)					Prepared	: 10/12/2020	Analyzed: 10	/13/2020		
Selenium	48.3	3.00	mg/kg	50.0		96.6	80-120			
Arsenic	44.3	3.00	"	50.0		88.6	80-120			
Barium	47.1	0.500	"	50.0		94.3	80-120			
Cadmium	46.8	0.500	"	50.0		93.5	80-120			
Lead	48.1	2.00	"	50.0		96.1	80-120			
Silver	9.24	0.500	"	10.0		92.4	80-120			
Chromium	47.4	1.00	"	50.0		94.8	80-120			
DUP (1204666271 D)		Source: 523	997001		Prepared	: 10/12/2020	Analyzed: 10	/13/2020		
Silver	ND	0.657	mg/kg dry		<0.131		0-20	200	20	U
Barium	105	0.657	"		79.7		0-20	27.2	20	
Cadmium	ND	0.657	"		<0.131		0-20	129	20	U
Chromium	13.1	1.31	"		12.0		0-20	8.74	20	
Lead	11.7	2.63	"		10.0		0-20	15.5	20	
Selenium	0.711	3.94	"		1.51		0-20	72	20	J
Arsenic	6.03	3.94	"		4.41		0-20	31	20	
MS (1204666272 S)		Source: 523	997001		Prepared	: 10/12/2020	Analyzed: 10	/13/2020		

Origins Laboratory, Inc.

neni



Kiewit

3543 E. 46th Ave.

Denver

CO

Megan Wood Project Number: [none] Project: Central 70

RCRA 8 Metals by EPA 6010C - Quality Control GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2050620 - SW846 3050B										
MS (1204666272 S)		Source: 52	23997001		Prepared	I: 10/12/2020) Analyzed: 10/	13/2020		
Selenium	63.7	4.24	mg/kg dry	70.7	1.51	87.9	75-125			
Lead	72.2	2.83	"	70.7	10.0	88	75-125			
Chromium	76.6	1.41	"	70.7	12.0	91.3	75-125			
Cadmium	60.6	0.707	"	70.7	<0.141	85.7	75-125			
Arsenic	64.6	4.24	"	70.7	4.41	85	75-125			
Silver	12.8	0.707	"	14.1	<0.141	90.2	75-125			
Barium	160	0.707	"	70.7	79.7	114	75-125			

Origins Laboratory, Inc.

neni



3543 E. 46th Ave.

Denver

CO 80216

Megan Wood Project Number: [none] Project: Central 70

RCRA 8 Metals by EPA 7471 - Quality Control GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2050501 - SW846 7471A Prep)									
BLANK (1204665851-BLK)					Prepared	: 10/12/2020	Analyzed: 10	/13/2020		
Mercury	ND	0.0221	mg/kg				-			U
LCS (1204665852-BKS)					Prepared	: 10/12/2020	Analyzed: 10	/13/2020		
Mercury	7.36	0.585	mg/kg	7.61		96.7	80-120			
DUP (1204665853 D)		Source: 52	1680001		Prepared	: 10/12/2020	Analyzed: 10	/13/2020		
Mercury	0.0135	0.0244	mg/kg dry		0.0138		0-20	2.23	20	J
MS (1204665854 S)		Source: 52	1680001		Prepared	: 10/12/2020	Analyzed: 10	/13/2020		
Mercury	0.276	0.0262	mg/kg dry	0.262	0.0138	100	80-120			

Origins Laboratory, Inc.

neni



3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

Notes and Definitions

- U Result not detected above the detection limit
- J Greater than the detection limit but less than the reporting limit

80216

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.

rend



November 06, 2020

Kiewit	
Megan	Wood

3543 E. 46th Ave.

Denver CO 80216

Project Name - Central 70

Project Number - [none]

Attached are your analytical results for Central 70 received by Origins Laboratory, Inc. October 21, 2020. This project is associated with Origins project number Y010290-24.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc. 303.433.1322 o-squad@oelabinc.com





1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645



Kiewit

3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

	CROSS REFERENCE REPORT										
Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received							
C-E17FX-PC01-01-SM-1020	20 Y010290-24	Solid	October 20, 2020 13:27	10/21/2020 11:20							
C-E17FX-PC02-01-SM-1020	20 Y010290-25	Solid	October 20, 2020 14:15	10/21/2020 11:20							
C-E17FX-PC05-01-SM-1020	20 Y010290-26	Solid	October 20, 2020 15:30	10/21/2020 11:20							
C-E17FX-PC06-01-SM-1020	20 Y010290-27	Solid	October 20, 2020 15:55	10/21/2020 11:20							
C-E17FX-PC07-01-SM-1020	20 Y010290-28	Solid	October 20, 2020 15:56	10/21/2020 11:20							

Per the email from Megan on 10/22/20, only 6010 metals will be run on the following samples due to limited volume. JEP

C-E17FX-PC01-01-SM-102020 C-E17FX-PC02-01-SM-102020

Origins Laboratory, Inc.

efe Pellopii

Jen Pellegrini For Noelle Doyle Mathis, President




3543 E. 46th Ave.

Denver

80216

CO

Megan Wood Project Number: [none] Project: Central 70



Origins Laboratory, Inc.

eje Pellopii

Jen Pellegrini For Noelle Doyle Mathis, President




3543 E. 46th Ave.

Denver

80216

CO

Megan Wood Project Number: [none] Project: Central 70



Origins Laboratory, Inc.

efe Pellopii

Jen Pellegrini For Noelle Doyle Mathis, President




3543 E. 46th Ave.

Denver

80216

CO

Megan Wood Project Number: [none] Project: Central 70



Origins Laboratory, Inc.

eje Pellopii



1.71	• •
K ID	\ \ /IT
1110	VVIL

3543 E. 46th Ave.

Denver

80216

CO

Megan Wood Project Number: [none] Project: Central 70

Origins Work Order:/010 CAO		nt: nt Projec	Hiew	70	
Checklist Completed by: Date/time completed:10/21/20		oped Via: (UPS,		nd Delivered, Pick-up, et	c.)
N N	Airb	ill #:	Othe	er:	
Cooler Number/Temperature:/ * c Thermometer ID: N //9		°C	/	(Describe) ° C//	•
Requirement Description If samples require cooling, was the temperature	Yes	No	N/A	Comments (if any)	
between 0°C to \leq 6°C ⁽¹⁾ ?			/		
Is there ice present (document if blue ice is used)			-		
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)			/		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)			/		
Were all samples received intact ⁽¹⁾ ?	-				
Was adequate sample volume provided ⁽¹⁾ ?	1			*	
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?		-			
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	1				
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	-				
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	-				-
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	-				
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.			/	7	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (<i>note ID of confirmation</i> <i>instrument used in comments</i>) / (<i>preservation is not</i> <i>confirmed for subcontracted analyses in order to insure</i> <i>sample integrity</i>)/(<i>pH</i> <2 for <i>samples preserved with HNO3</i> , <i>HCL</i> , H2SO4) / (<i>pH</i> >10 for <i>samples preserved with</i> <i>NaAsO2+NaOH</i> , <i>znAc+NaOH</i>)			_		
Additional Comments (if any):	I				

Reviewed by (Rroject Manager)

Date/Time Reviewed

Origins Laboratory, Inc.

eje Pellepii



Kiewit

3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

C-E17FX-PC01-01-SM-102020 10/20/2020 1:27:00PM												
		0/20/202	0 1:27:	UUPM								
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes			
GEL Laboratories, LLC Y010290-24 (Solid)												
Total Metals by 6010C												
Arsenic	ND	50.8	mg/kg	10	2054527	TXT1	10/23/2020	10/26/2020	U			
Barium	2730	8.47	"	"	"	TXT1	"	"				
Cadmium	2.41	8.47	"	"	"	TXT1	"	"	J			
Chromium	5280	16.9	"	"	"	TXT1	"	"				
Lead	246	33.9	"	"	"	TXT1	"	"				
Selenium	22.7	50.8	"	"	"	TXT1	"	"	J			
Silver	ND	8.47	"	"	"	TXT1	"	"	U			

Origins Laboratory, Inc.

efe Pellopin'

Jen Pellegrini For Noelle Doyle Mathis, President



Kiewit

3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

		/FX-PC02 0/20/2020		-102020 00PM							
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes		
GEL Laboratories, LLC Y010290-25 (Solid)											
Total Metals by 6010C											
Arsenic	ND	51.7	mg/kg	10	2054527	TXT1	10/23/2020	10/26/2020	U		
Barium	1810	8.62	"	"	"	TXT1	"	"			
Cadmium	2.13	8.62	"	"	"	TXT1	"	"	J		
Chromium	11700	17.2	"	"	"	TXT1	"	"			
Lead	255	34.5	"	"	"	TXT1	"	"			
Selenium	9.78	51.7	"	"	"	TXT1	"	"	J		
Silver	ND	8.62	"	"	"	TXT1	"	"	U		

Origins Laboratory, Inc.

efe Pellopin'

Jen Pellegrini For Noelle Doyle Mathis, President



Denver

3543 E. 46th Ave.

45 L. 40(11 AVC.

CO 80216

Megan Wood Project Number: [none] Project: Central 70

C-E17FX-PC05-01-SM-102020 10/20/2020 3:30:00PM									
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
GEL Laboratories, LLC									
Y010290-26 (Solid)									
Total Metals by 6010C									
Lead	1.28	1.93	mg/kg	1	2055900	TXT1	10/26/2020	10/27/2020	J
Total Metals by 6010C									
Arsenic	ND	2.77	mg/kg	1	2054527	TXT1	10/23/2020	10/26/2020	U
Barium	7.82	0.461	"	"	"	TXT1	"	"	
Cadmium	0.203	0.461	"	"	"	TXT1	"	"	J
Chromium	1.71	0.923	"	"	"	TXT1	"	"	
Selenium	1.95	2.77	"	"	"	TXT1	"	"	J
Silver	ND	0.461	"	n	u	TXT1	u	II	U
Total Metals by 7471A									
Mercury	ND	0.0207	mg/kg	1	2054967	MTM1	u	10/26/2020	U

Origins Laboratory, Inc.

efe Pellopin'

Jen Pellegrini For Noelle Doyle Mathis, President



Kiewit

Denver

3543 E. 46th Ave.

45 L. 4011 AVE.

CO

Megan Wood Project Number: [none] Project: Central 70

		7FX-PC0 0/20/202		-102020 00PM					
		Reporting		UUPIVI					
Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	GE	L Labo	ratories	s, LLC					
		Y01029	0-27 (So	lid)					
Total Metals by 6010C									
Lead	62.5	1.91	mg/kg	1	2055900	TXT1	10/26/2020	10/27/2020	
Total Metals by 6010C									
Arsenic	ND	2.74	mg/kg	1	2054527	TXT1	10/23/2020	10/26/2020	U
Barium	61.3	0.457	"	"	"	TXT1	"	"	
Cadmium	0.743	0.457	"	"	"	TXT1	"	"	
Chromium	5.51	0.914	"	"	"	TXT1	"	"	
Selenium	2.12	2.74	"	"	"	TXT1	"	"	J
Silver	0.688	0.457	"	"	"	TXT1	"	W	
Total Metals by 7471A									
Mercury	0.00993	0.0218	mg/kg	1	2054967	MTM1	u	10/26/2020	J

Origins Laboratory, Inc.

efe Pellopin'

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Kiewit

3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

	C-E1	7FX-PC07	7-01-SM	102020					
		10/20/202		00PM					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	GE	EL Laboi		•					
		Y010290)-28 (So	lid)					
Total Metals by 6010C									
Arsenic	ND	2.98	mg/kg	1	2054527	TXT1	10/23/2020	10/26/2020	U
Barium	74.0	0.496	"	"	"	TXT1	"	"	
Cadmium	0.864	0.496	"	"	"	TXT1	"	H	
Chromium	15.5	0.992	"	"	"	TXT1	"	"	
Lead	41.9	1.98	"	"	"	TXT1	"	"	
Selenium	3.12	2.98	"	"	"	TXT1	"	H	
Silver	1.18	0.496	"	"	"	TXT1	II	n	
Total Metals by 7471A									
Mercury	ND	0.0224	mg/kg	1	2054967	MTM1	u	10/26/2020	U

Origins Laboratory, Inc.

efe Pellopin'

Jen Pellegrini For Noelle Doyle Mathis, President



3543 E. 46th Ave.

Denver

CO 80216

Megan Wood Project Number: [none] Project: Central 70

Total Metals by 6010C - Quality Control GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2055900 - SW846 3050B										
BLANK (1204679087-BLK)					Prepared	: 10/26/2020	Analyzed: 10	/27/2020		
Lead	0.663	1.98	mg/kg				-			J
LCS (1204679088-BKS)					Prepared	: 10/26/2020	Analyzed: 10	/27/2020		
Lead	50.6	1.95	mg/kg	48.6		104	80-120			
DUP (1204679718 D)		Source: 52	5062001		Prepared	: 10/26/2020	Analyzed: 10	/27/2020		
Lead	29.8	2.31	mg/kg dry		25.2		0-20	16.6	20	
MS (1204679719 S)		Source: 52	5062001		Prepared	: 10/26/2020	Analyzed: 10	/27/2020		
Lead	83.9	2.31	mg/kg dry	57.7	25.2	102	75-125			

Origins Laboratory, Inc.

eje Pellopii



Kiewit

3543 E. 46th Ave.

Denver

CO

Megan Wood Project Number: [none] Project: Central 70

	Тс	otal Metals b GEL I	by 6010C Laborator	-	•					
Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2054527 - SW846 3050B										
BLANK (1204675777-BLK)					Prepared	: 10/23/2020	Analyzed: 10	/26/2020		
Barium	ND	0.483	mg/kg				-			U
Cadmium	ND	0.483	"				-			U
Chromium	ND	0.965	"				-			U
Lead	2.40	1.93	"				-			
Selenium	0.647	2.90	"				-			J
Silver	ND	0.483	"				-			U
Arsenic	ND	2.90	"				-			U
LCS (1204675778-BKS)					Prepared	: 10/23/2020	Analyzed: 10	/26/2020		
Selenium	47.0	2.92	mg/kg	48.6		96.6	80-120			
Arsenic	45.6	2.92	"	48.6		93.8	80-120			
Barium	47.2	0.486	"	48.6		97.1	80-120			
Cadmium	46.9	0.486	"	48.6		96.5	80-120			
Lead	48.3	1.95	"	48.6		99.2	80-120			
Silver	9.70	0.486	"	9.73		99.7	80-120			
Chromium	48.7	0.973	"	48.6		100	80-120			

Origins Laboratory, Inc.

efe Pellopin'

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



3543 E. 46th Ave.

Denver

CO 80216

Megan Wood Project Number: [none] Project: Central 70

Total Metals by 7471A - Quality Control GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2054967 - SW846 7471A Prep										
BLANK (1204676746-BLK)					Prepared	: 10/23/2020	Analyzed: 10/	/26/2020		
Mercury	ND	0.0217	mg/kg				-			U
LCS (1204676747-BKS)					Prepared	: 10/23/2020	Analyzed: 10/	26/2020		
Mercury	0.234	0.0237	mg/kg	0.237		98.8	80-120			
MS (1204676748 S)		Source: 52	3028003		Prepared	: 10/23/2020	Analyzed: 10/	26/2020		
Mercury	0.293	0.0259	mg/kg dry	0.259	0.118	67.5	80-120			
MSD (1204676749 SD)		Source: 52	3028003		Prepared	: 10/23/2020	Analyzed: 10/	26/2020		
Mercury	0.308	0.0283	mg/kg dry	0.283	0.118	67.1	80-120	5.01	20	
PS (1204676751 S)		Source: 52	3028003		Prepared	: 10/23/2020	Analyzed: 10/	26/2020		
Mercury	0.00366	0.000246	mg/kg dry	0.00200		101	80-120			

Origins Laboratory, Inc.

efe Pellopii

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

Notes and Definitions

- U Result not detected above the detection limit
- J Greater than the detection limit but less than the reporting limit

80216

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.

efe Pellopii



November 16, 2020

Kiewit
Megan Wood
3543 E. 46th Ave.

Denver CO 80216

Project Name - Central 70

Project Number - [none]

Attached are your analytical results for Central 70 received by Origins Laboratory, Inc. November 05, 2020. This project is associated with Origins project number Y011093-11.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc. 303.433.1322 o-squad@oelabinc.com





1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645



17	
ĸ	ewit
1.71	CWIL

3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

	CRC	SS REFERE	NCE REPORT	
Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
C-E17FX-PC08-01-SM110420	Y011093-11	Soil	November 4, 2020 20:50	11/05/2020 11:10
C-E17FX-PC09-01-SM110420	Y011093-12	Soil	November 4, 2020 21:10	11/05/2020 11:10

Origins Laboratory, Inc.

efe Pellopin'




3543 E. 46th Ave.

Denver

80216

CO

Megan Wood Project Number: [none] Project: Central 70



Origins Laboratory, Inc.

efe Pellepii

Jen Pellegrini For Noelle Doyle Mathis, President




3543 E. 46th Ave.

Denver

80216

CO

Megan Wood Project Number: [none] Project: Central 70



Origins Laboratory, Inc.

eje Pellepii

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



3543 E. 46th Ave.

Denver

80216

CO

Megan Wood Project Number: [none] Project: Central 70

Sample Red	eipt Ch	ecklist	<i>.</i> .	
Origins Work Order:		ent: <u> </u>	tip:	70
Checklist Completed by:		ipped Via	HD	
Date/time completed:11/6/20		(UPS bill #:	NIT	nd Delivered, Pick-up, e
Matrix(s) Received: (Check all that apply):Soil/So	lid	_Water	Oth	er:(Describe)
Cooler Number/Temperature:° c	/	° C	/	° C/
Thermometer ID:				
Requirement Description If samples require cooling, was the temperature between $0^{\circ}C$ to $\leq 6^{\circ}C^{(1)}$?	Yes	No	N/A	Comments (if any
Is there ice present (document if blue ice is used)		1		
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		1		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		1		
Were all samples received intact ⁽¹⁾ ?				
Was adequate sample volume provided ⁽¹⁾ ?	1			
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?		/		
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	/			
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	/			
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	/			
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	/			
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.			/	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (<i>note</i> ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO3, HCL, H2SO4) / (pH >10 for samples preserved with NaAsO2+NaOH, ZnAc+NaOH)			/	
Additional Comments (if any):				
⁽¹⁾ If NO, then contact the client before proceeding with analysis	and note o	date/time an	d person co	ntacted as well as the c
action to in the additional comme	ents (above	e) and the c	ase narrative	11-6-2
Reviewed by	Project	Manager)		Date/Time Re

Origins Laboratory, Inc.

efe Pellopin'



Kiewit

3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

	C-E1	7FX-PC0	8-01-SM′	110420					
		11/4/2020		0PM					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	GE	L Labo	ratories	, LLC					
		Y01109)3-11 (So	il)					
RCRA 8 Metals by EPA 6010C									
Arsenic	ND	2.81	mg/kg dry	1	2060209	TXT1	11/09/2020	11/09/2020	U
Barium	26.5	0.468	"	"	"	TXT1	"	"	
Cadmium	0.140	0.468	"	"	"	TXT1	"	"	J
Chromium	4.64	0.936	"	"	"	TXT1	"	"	
Lead	11.0	1.87	"	"	"	TXT1	"	"	
Selenium	1.48	2.81	"	"	"	TXT1	"	"	J
Silver	1.05	0.468	H	"	"	TXT1	"	"	
RCRA 8 Metals by EPA 7471									
Mercury	ND	0.0201	mg/kg dry	1	2060563	MTM1	"	11/10/2020	U

Origins Laboratory, Inc.

efe Pellopin'

Jen Pellegrini For Noelle Doyle Mathis, President



3543 E. 46th Ave.

Denver C

CO 80216

Megan Wood Project Number: [none] Project: Central 70

	C-E 1	7FX-PC0							
		11/4/202		0PM					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
	GE	EL Labo	ratories	, LLC					
		Y01109	93-12 (So	il)					
RCRA 8 Metals by EPA 6010C									
Arsenic	ND	2.88	mg/kg dry	1	2060209	TXT1	11/09/2020	11/09/2020	U
Barium	22.5	0.481	"	"	"	TXT1	"	"	
Cadmium	0.106	0.481	"	"	"	TXT1	"	"	J
Chromium	3.50	0.962	"	"	"	TXT1	"	"	
Lead	1.67	1.92	"	"	"	TXT1	"	"	J
Selenium	1.45	2.88	"	"	"	TXT1	"	"	J
Silver	ND	0.481	"	"	"	TXT1	"	"	U
RCRA 8 Metals by EPA 7471									
Mercury	ND	0.0214	mg/kg dry	1	2060563	MTM1	"	11/10/2020	U

Origins Laboratory, Inc.

efe Pellopin'

Jen Pellegrini For Noelle Doyle Mathis, President



Kiewit

3543 E. 46th Ave.

Denver

CO

Megan Wood Project Number: [none] Project: Central 70

RCRA 8 Metals by EPA 6010C - Quality Control GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Note
Batch 2060209 - SW846 3050B										
BLANK (1204688652-BLK)					Prepared	: 11/09/2020	Analyzed: 11	/09/2020		
Barium	ND	0.475	mg/kg				-			U
Cadmium	ND	0.475	"				-			U
Chromium	ND	0.951	"				-			U
Lead	0.719	1.90	"				-			J
Selenium	ND	2.85	"				-			U
Silver	0.101	0.475	"				-			J
Arsenic	ND	2.85	"				-			U
LCS (1204688653-BKS)					Prepared	: 11/09/2020	Analyzed: 11	/09/2020		
Arsenic	44.0	2.91	mg/kg	48.4		90.8	80-120			
Silver	9.38	0.484	"	9.69		96.8	80-120			
Selenium	44.6	2.91	"	48.4		92	80-120			
Lead	46.2	1.94	"	48.4		95.4	80-120			
Chromium	45.7	0.969	"	48.4		94.2	80-120			
Barium	45.1	0.484	"	48.4		93.2	80-120			
Cadmium	44.4	0.484	"	48.4		91.7	80-120			
DUP (1204688654 D)		Source: 526	6729001		Prepared	: 11/09/2020	Analyzed: 11	/09/2020		
Chromium	52.9	1.12	mg/kg dry		45.2		0-20	15.6	20	
Arsenic	ND	16.9	"		<2.81		0-20	109	20	U
Lead	3.22	2.25	"		2.61		0-20	21.1	20	
Selenium	2.05	3.37	"		3.23		0-20	44.7	20	J
Silver	ND	0.562	"		<0.112		0-20	3.97	20	U
Barium	161	0.562	"		154		0-20	4.48	20	
Cadmium	0.775	0.562	"		0.727		0-20	6.41	20	
MS (1204688655 S)		Source: 520	6729001		Prepared	: 11/09/2020	Analyzed: 11	/09/2020		

Origins Laboratory, Inc.

efe Pellopii



Kiewit

3543 E. 46th Ave.

Denver

CO

Megan Wood Project Number: [none] Project: Central 70

RCRA 8 Metals by EPA 6010C - Quality Control GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2060209 - SW846 3050B										
MS (1204688655 S)		Source: 52	6729001		Prepared	1: 11/09/2020	Analyzed: 11/	09/2020		
Cadmium	42.8	0.515	mg/kg dry	51.5	0.727	81.6	75-125			
Silver	8.92	0.515	"	10.3	<0.103	86.6	75-125			
Selenium	45.2	3.09	"	51.5	3.23	81.5	75-125			
Chromium	94.3	1.03	"	51.5	45.2	95.2	75-125			
Barium	188	0.515	"	51.5	154	67.1	75-125			
Arsenic	52.7	15.5	"	51.5	<2.58	102	75-125			
Lead	43.8	2.06	"	51.5	2.61	79.9	75-125			
PS (1204690074 S)		Source: 52	6729001		Prepared	: 11/09/2020	Analyzed: 11/	09/2020		
Barium	2.04	0.00562	mg/kg dry	0.500		83.9	75-125			

Origins Laboratory, Inc.

efe Pellopii

Jen Pellegrini For Noelle Doyle Mathis, President



Kiewit

3543 E. 46th Ave.

Denver

CO

Megan Wood Project Number: [none] Project: Central 70

RCRA 8 Metals by EPA 7471 - Quality Control GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2060563 - SW846 7471A Prep	1									
BLANK (1204689532-BLK)					Prepared	: 11/09/2020) Analyzed: 11	/10/2020		
Mercury	ND	0.0218	mg/kg				-			U
LCS (1204689533-BKS)					Prepared	: 11/09/2020) Analyzed: 11	/10/2020		
Mercury	0.234	0.0223	mg/kg	0.223		105	80-120			
MS (1204689537 S)		Source: 525	102001		Prepared	: 11/09/2020) Analyzed: 11	/10/2020		
Mercury	0.217	0.0222	mg/kg	0.222	<0.00744	97.8	80-120			
MSD (1204689538 SD)	Source: 525102001 Prepared: 11/09/2020 Analyzed: 11/10/2020									
Mercury	0.228	0.0233	mg/kg	0.233	<0.00779	98	80-120	4.75	20	

Origins Laboratory, Inc.

efe Pellopii



3543 E. 46th Ave.

Denver CO

Megan Wood Project Number: [none] Project: Central 70

Notes and Definitions

- U Result not detected above the detection limit
- J Greater than the detection limit but less than the reporting limit

80216

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference

All soil results are reported at a wet weight basis.


Origins Laboratory, Inc.

efe Pellopii

APPENDIX



LABORATORY AND PERSONNEL ACCREDITATIONS



wsp

Years with the firm

<1

Years total

6

Areas of practice

Phase I Environmental Site Assessments/Due Diligence

Phase II Subsurface Investigations

Underground Storage Tank Removals

Environmental Field Sampling (Soil, Groundwater, Surface Water, Sediment, & Asbestos Containing Material)

Groundwater Monitoring Well Installations

Soil Core Logging

Soil Excavation Oversight

Environmental Compliance Oversight for Construction Projects

Geographic Information Systems (CIS)

CAREER SUMMARY

STEPHEN DER TATEVASION

Environmental Scientist

Stephen Der Tatevasion is an environmental scientist with 6 years of experience supporting environmental due diligence, site investigation/characterization, and remediation projects in the environmental consulting industry. Stephen has experience performing CERCLA site characterization and remedial action projects for Department of Defense (DOD) clients across Alaska, and Phase I, II, and III Environmental Site Assessments (ESAs) for Oil & Gas, mining, transportation, real estate, commercial, dry cleaner, and gas station clients in Texas. Prior to joining WSP, Stephen was employed as an environmental scientist with Jacobs Engineering Group, Inc. in Anchorage, AK.

EDUCATION

B.S., Environmental Studies, Virginia Commonwealth University, Richmond, VA	2009
GIS Marketable Skills Certificate, Geographic Information Systems (GIS), Houston Community College, Houston, Texas.	2010

ADDITIONAL TRAINING

40-Hour Initial OSHA HAZWOPER Training	2011
8-Hour OSHA HAZWOPER Refresher Training	2019
8-Hour Initial HAZWOPER Supervisor Training	2019
24-Hour Initial Asbestos Building Inspector Training	2019

PROFESSIONAL MEMBERSHIPS

Rocky Mountain Association of Environmental Professionals				
(RMAEP)				

PROFESSIONAL EXPERIENCE

Phase I Environmental Site Assessments/Due Diligence

- Lovett Homes, Various Properties, Houston, TX: Performed Phase I ESAs prior to commercial real-estate transactions and development. Responsibilities included site visit/site reconnaissance, report preparation, and limited Phase II follow up sampling activities.
- Linn Energy, LLC., Oil & Gas Property Acquisition, Hugoton Basin, KS: Assisted a team of assessors with a pre-acquisition environmental assessment of an oil & gas property consisting of approximately 1,200 producing oil and gas well sites and associated infrastructure. Assessed compressor and metering stations, containment equipment, generators, tank batteries, tank farms, well pads, and drill sites and assisted with a naturally occurring radioactive material (NORM) inspection of a natural gas processing plant.

Phase II Subsurface Investigations

 Confidential Client, Former Celotex Corporation Asphalt Shingle Manufacturing Plant site, Houston, TX: Provided oversight and guidance of soil test trenching

STEPHEN DER TATEVASION

Environmental Scientist

activities and collected samples of subsurface roofing shingle debris to assess the presence, location and extent of asbestos-containing material (ACM) in subsurface soil prior to planned real-estate development.

- Rush Truck Centers, Former United Rentals Leaking UST Site, Houston, TX. Advanced soil borings and installed groundwater monitoring wells to investigate subsurface soil and groundwater adjacent to a leaking underground storage tank (LUST). Site received regulatory closure shortly after completion of the investigation and subsequent reporting, which successfully demonstrated site cleanup objectives were achieved.
- Trinity Episcopal School, 2215 Church Street Site, Galveston, TX: Began as a Phase II Limited Subsurface Investigation (LSI) consisting of a ground-penetrating radar (GPR) survey to investigate locations of historical USTs, and the advancement of soil borings, installation of temporary groundwater monitoring wells, and collection of soil and groundwater samples to assess subsurface conditions. Significant soil contamination encountered due to the presence of historical contaminated fill material and former leaking underground storage tanks. Performed oversight of the removal of an unexpected underground storage tank (UST) encountered during test trenching activities and performed subsequent confirmation soil sampling. Provided oversight of soil excavation and removal activities.
- Houston METRO, Former Industrial Parcel, Houston, TX: Performed a subsurface investigation of a former industrial parcel, including the advancement of soil borings, installation of groundwater monitoring wells, and collection of soil and groundwater samples to assess subsurface environmental conditions.

Soil Excavations

- USAF, Former North River Radio Relay Station Site, Unalakleet, AK: Assisted with polychlorinated biphenyl (PCB) and Petroleum, Oil, Lubricants (POL) contaminated soil excavation activities, including soil sampling, soil excavation oversight, transportation of soil samples to a mobile laboratory for analysis, oversight of the containerization of impacted soil in super sacks, organization and proper labeling of super sacks during onsite staging, and oversight of the transportation of super sacks to an offsite staging location in preparation for final transportation to a RCRA treatment, storage, and disposal (TSD) facility via barge. Assisted with preparation of a tech memo detailing field activities and results.
- Confidential Trinity Episcopal School, Galveston, TX: Coordinated and managed the excavation and offsite disposal of several hundred cubic yards of hydrocarbon and lead contaminated non-hazardous soil delineated through extensive soil sampling and analysis.
- Confidential Client, Historical Railroad Spur Investigation, Houston, TX: Performed oversight and guidance of the excavation of lead-impacted soil and buried slag resulting from historical industrial activities adjacent to the historical railroad spur. Utilized a hand-held XRF analyzer to field screen soil for metals concentrations and collected confirmation soil samples for analysis at an offsite laboratory. Collected waste characterization samples from soil stockpiles and provided oversight for the offsite disposal of soil in accordance with RCRA regulations.

STEPHEN DER TATEVASION

Environmental Scientist

Environmental Compliance Oversight for Construction Projects

Houston METRO, Harrisburg Overpass Construction Project, Houston, TX: Performed environmental compliance oversight of construction and excavation activities throughout the subsurface phase of a concrete overpass construction project, lasting approximately one year. Responsibilities included: field screening suspect soil with a photoionization detector (PID), coordinating and managing the loading and transport of suspect soil, water, and/or construction materials to a waste staging yard, collecting waste characterization samples for waste profiling, guiding the loading, transport and manifestation of regulated soil, water, and/or construction materials immediately prior to site removal, conducting storm water pollution prevention plan (SWPPP) compliance inspections and documentation.

Groundwater Monitoring & Product Recovery

- U.S. Army, Fort Wainwright, Fairbanks, AK: Performed low-flow groundwater sampling to monitor a contaminant plume adjacent to a proposed housing development.
- U.S. Air Force, Eielson AFB, Fairbanks, AK: Performed low-flow groundwater sampling for an Installation Wide Monitoring Program (IWMP) sampling event. Utilized peristaltic pumps, YSI water quality parameter control unit/flow thru cell, oil/water interface meters, etc. to perform sampling.
- Luminant Mining Company, LLC, Monticello Winfield South Mine, Winfield, TX: Performed periodic low-flow groundwater monitoring and product recovery to demonstrate non-aqueous phase liquid (NAPL) plume stability in an effort to achieve regulatory closure through the Texas Commission on Environmental Quality (TCEQ) Leaking Petroleum Storage Tank (LPST) program. Prepared Annual Groundwater Monitoring Reports (AGMR) summarizing results from these events for submission to the TCEQ.
- Linn Energy, Inc., Oil & Gas Lease Site, Tatum, NM. Performed biannual groundwater sampling to monitor chloride concentrations in groundwater.
- Various Clients, Gas Station LUST Sites, Texas: Performed quarterly and/or biannual groundwater monitoring and product recovery at various gas station LUST sites.

Geographic Information Systems (GIS)

 United States Army Corps of Engineers (USACE), Attu Island, Anchorage, AK: Assisted with the development and organization of a Geographic Information System (GIS) database for a Formerly Used Defense Site (FUDS) using historical data to assess, delineate, and prioritize potential hazardous waste release areas for further investigation and cleanup.



Colorado Department of Public Health and Environment

ASBESTOS CERTIFICATION*

This certifies that

Stephen T. DerTatevasion

Certification No.: 25330

has met the requirements of 25-7-507, C.R.S. and Air Quality Control Commission Regulation No. 8, Part B, and is hereby certified by the state of Colorado in the following discipline:

Building Inspector*

Issued: February 05, 2020

Expires: February 20, 2021

* This certificate is valid only with the possession of a current Division-approved training course certification in the discipline specified above.

Authorized APCD Representative

SEAL

Acclaim Environmental Services, Inc.

7959 Ulster Court, Thornton, Colorado 80602 Tel: 303.424.4647 www.acclaim-enviro.com acclaim-enviro@comcast.net

CERTIFIES THAT

STEPHEN DER TATEVASION

Has successfully completed

The **EPA-Approved AHERA Annual Refresher Course** for <u>**INSPECTOR**</u>. This course is EPA-approved under Section 206 of the Toxic Substances Control Act (TSCA) and meets the requirements of Colorado Regulation No. 8.

Course Date: Exam Date: Certificate No.: Expiration Date:

01/15/20
N/A
AE20-004-BI-R-03
01/15/2021

K. Jay Gale, President



STEPHEN DER TATEVASION

In honor of successfully completing the course

HAZWOPER 2020 Refresher (8-Hour)

Awarded on 01/23/2020





STEPHEN DER TATEVASION

In honor of successfully completing the course

Hazwoper Supervisor

Awarded on 02/07/2020





7959 Ulster Court, Thornton, Colorado 80602 Tel: 303.424.4647 Fax: 303.432.8669

CERTIFIES THAT

STEPHEN DER TATEVASION

Has successfully completed

approved under Section 206 of the Toxic Substances Control Act (TSCA) and meets the The EPA-Approved AHERA Asbestos Course for INSPECTOR. This course is EPArequirements of Colorado Regulation No. 8.

Certificate No.: Course Date: Exam Date:

02/11/19 - 02/13/19 02/13/19

AE19-010-BI-I-02

K. Jay Gale President

02/13/20

Expiration Date:

ENVIRONMENTAL MANAGEMENT INCORPORATED	f Training 20503 ^{umber}	tify that Tatevasion	pleted 40 hours	Operations & Emergency Response - 40 Hours) CFR 1910.120	Class End Date: 6/17/2011	$\frac{6/17/2011}{Exam Date} \underbrace{6/17/2012}_{Cert. Exp. Date} \underbrace{Stuart M. Jacques}_{Director}$	Mary Control of the second sec
MANA MANA INCOF	Certificate of Training <u> T - 22537 - 20503</u> Certificate Number	This is to certify that Stephen Der Tatevasion	has satisfactorily completed 40 hours of	-	In compliance with 29 CFR 1910.120	Class Start Date: 6/13/2011	al Managem	N. M. C. M. C.
	•			Hazardous Waste		X	Steven Schuler Environments	Mar Mar

My Learning Portal

CERTIFICATE OF ACHIEVEMENT STEPHEN DER TATEVASION

has successfully completed

HAZWOPER-8-Hour-2019 HAZWOPER 2019 Refresher (8-Hour)

02/21/2019

My Learning Portal

CERTIFICATE OF ACHIEVEMENT STEPHEN DER TATEVASION

has successfully completed

hazwopersupervisor.1 Hazwoper Supervisor

02/25/2019

****\$D

JAMES BOWIE Senior Environmental Scientist



Years with the firm 17 Years total 17 Areas of practice

Wastewater Sampling, Croundwater and Soil Sampling, Air Monitoring and Sampling, Remediation Systems, Asbestos and Lead Based Paint Inspector

CAREER SUMMARY

James Bowie provides 16 years of experience in environmental field investigation and project management expertise, supporting a diverse spectrum of site investigation and environmental construction sites. Jim has responsibility for monitoring and site characterization; site remediation and facility closure; overseeing remediation system operation, and maintenance and construction; and hazardous and non-hazardous waste compliance. Jim implements and oversees environmental remediation projects, as well as construction and excavation tasks; conducts asbestos containing building materials inspections and sampling, lead based paint, hazardous building materials, and mold inspections; creates and implements inspection work plans and prepares sampling reports, as well as reviews the work of others.

EDUCATION

B.S., Environmental Science, Water Resource Management, Metro State University, Denver, CO

ADDITIONAL TRAINING

40-Hour OSHA HAZWOPER Training, with current annual refresher Adult and Pediatric First Aid/CPR/AED Certification CDOT Erosion Control Supervisor Certification CDPHE Lead Based Paint Inspector Certification CDPHE Lead Based Paint Assessors Certification CDPHE Asbestos Building Inspector Certification CDPHE Asbestos Management Planner Certification OSHA Confined Space Entry Certification U.S. DOT Hazardous Materials Training RCRA Hazardous Waste Management Training Hazard Communication Training

PROFESSIONAL EXPERIENCE

Hazardous Materials and Remediation

- Provide construction oversight, coordination, and technical support for remedial excavations. This
 experience includes non-hazardous and hazardous waste management, utility coordination,
 stormwater and wastewater management (storage, *in-situ* treatment, permitted discharge), and
 environmental compliance; communicates with regulatory agencies regarding field modifications to
 site work plans.
- Managed projects involving soil and groundwater remediation and pilot test studies on numerous sites involving chlorinated solvents, heavy metals, petroleum, and other industrial contaminants.
- Extensive field experience in construction oversight, ambient air monitoring, remediation system equipment installation and start-up, remediation system operation and maintenance, and implementing scheduled system and groundwater monitoring. Projects include including remediation of lead contaminated soil including large excavations, underground tank excavations, wastewater treatment and discharge systems, vapor mitigation, heated air injection, in situ bioremediation, chemical injections, and construction of groundwater remediation systems.
- Mr. Bowie routinely performs scheduled system maintenance and makes system modifications to improve system performance on systems including groundwater capture and dewatering, air stripping units, carbon filtration systems, SVE systems, air sparge systems, ART well systems, slurry

2001

JAMES BOWIE

Environmental Scientist

walls, extraction and injection wells, solid handling systems, nitrate treatment systems, and in-situ chemical injections.

Site Characterization

- Conducts air and water discharge monitoring, slug tests, indoor air monitoring, infiltration tests, and pump tests. Conducts pilot studies for multiphase and dual phase extraction systems, and soil vapor removal. Experience performing ground water remediation system evaluations.
- Environmental field manager of a large RCRA site in Colorado that included site investigation, oversight
 of scheduled monitoring, conduct daily instrument calibration and particulate monitoring, operation
 and maintenance of remediation systems, scheduled progress reports, and client support with local
 municipalities.
- Conducts environmental site assessments and participated in document reviews in support of EPA requests for information on CERCLA sites.

Occupational Safety and Health

- Conducts asbestos and lead based paint building inspections and sampling assessments. As part of the Central 70 project, Jim managed the inspection and reports for 42 commercial and residential properties for assessment of asbestos containing material, lead based paint, and hazardous building materials.
- Creates and updates Asbestos Management Plans.
- Conducts inspections for water intrusion and mold.
- Prepares and implements Health and Safety Plans.
- Conducts ambient air monitoring.
- Manages field team members and oversees the work of others.



Colorado Department of Public Health and Environment

ASBESTOS CERTIFICATION*

This certifies that

Jim Bowie

Certification No.: 21144

has met the requirements of 25-7-507, C.R.S. and Air Quality Control Commission Regulation No. 8, Part B, and is hereby certified by the state of Colorado in the following discipline:

Building Inspector*

Issued: March 10, 2020

Expires: April 24, 2021

* This certificate is valid only with the possession of a current Division-approved training course certification in the discipline specified above.

APCD Representative

SEAL

ଲାାଲି।।ଲି।।ଜ



certifies that

JAMES BOWIE

has successfully completed

Hazwoper Refresher 2018

In accordance with the requirements of 29 CFR 1910.120(e) and has earned 0.8 IACET CEUs and 8 Contact Hours.

ACCREDI

1

STUDENT SIGNATURE

ROVIDER

COURSE DURATION

COMPLETION DATE

10/29/2018

8 HOURS

I confirm that I personally took the course listed above.

SERIAL NUMBER 26947619

eTraining, Inc.



Certificate of Completion

This certifies that

James Bowie

has received 8 hours of training for successfully completing the

HAZWOPER 8 Hour Supervisor Course 29 CFR 1910.120 - 8 Hours

February 21, 2018

Certificate Number: 96305

www.etraintoday.com

Niall O'Malley, President

Farry A. Baylor

Larry A. Baylor, VP Content Development

State of Utah

Environmental Laboratory Certification Program Certification is hereby granted to Department of Health

Origins Laboratory, Inc.

1725 Elk Place Denver, CO 80211 Has conformed with the 2009 TNI Standard Scope of accreditation is limited to the State of Utah accredited fields that accompany this Certificate

EPA Number:CO01082Expiration Date:4/30/2021Certificate Number:CO010822020-9

Robyn M. Atkinson, Ph.D, HCLD Director, Utah Public Health Laboratory ASTRACT . .

Continued accredited status depends on successful ongoing participation in the program.







Colorado Department of Public Health and Environment

ASBESTOS LABORATORY

This certifies that

Reservoirs Environmental, Inc.

Registration No.: AL - 14820

has met the registration requirements of 25-7-507, C.R.S. and the Air Quality Control Commission Regulation No. 8, Part B, and is hereby authorized to perform asbestos laboratory testing activities, as required by Regulation No 8, Part B, in the state of Colorado.


February 12, 2020 Expires: Issued:

February 14, 2021

Authorized APCD Representative

SEAL

United States Department of Commerce National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2017

NVLAP LAB CODE: 101896-0

Reservoirs Environmental, Inc.

Denver, CO

is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:

Asbestos Fiber Analysis

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).

2020-07-01 through 2021-06-30

Effective Dates



For the National Voluntary Laboratory Accreditation Program