

Exhibit 13-A Pipe Table

Mile Post	Approx. Station	FLOC NUM	Existing Size (in.)*	Pipe Material*	Type	Pricing Recommendations [Reference Documents]	Pictures (Summer 2025)	Video (Summer 2025)	Acceptable Alternatives
91.64	145+XX	37703	24	CSP	Mixed	Remove and replace with 30" pipe	☒	☒	Replace to meet minimum size. Lining is not acceptable.
91.92	145+XX	40646	24	CSP	Mixed	Remove and replace with 24" pipe	☒	☒	Replace to meet minimum size. Lining is not acceptable.
91.93	146+XX	Un-labeled Culvert 2	24	CSP	Drainage	Remove and replace with 30" pipe	☒	☒	Replace to meet minimum size. Lining is not acceptable.
92.15	157+XX	40179	24 ^a	CSP	Drainage	Remove and replace with 30" pipe	☒	☐	Replace to meet minimum size. Lining is not acceptable.
92.42	171+XX	38859	24	CSP	Mixed	Remove and replace with 30" pipe	☒	☒	Replace to meet minimum size. Lining is not acceptable.
92.50	177+XX	41649	48	CSP	Mixed	Remove and replace with 48" pipe	☒	☒	Will accept alternative design/ rehabilitation options that meet criteria.
92.85	196+XX	38181	24 ^a	CSP	Mixed	Remove and replace with 30" pipe	☒	☒	Replace to meet minimum size. Lining is not acceptable.
93.09	209+XX	40703	30 ^a	CSP	Mixed	Remove and replace with 30" pipe	☒	☒	Will accept alternative design/ rehabilitation options that meet criteria.
93.38	225+XX	Un-labeled Culvert 1	48 ^a	CSP	Mammal crossing	Remove. All required mammal crossings will be newly added	☒	☒	-
93.60	233+XX	36039	18	CSP	Drainage	Remove and replace with 30" pipe	☒	☐	Replace to meet minimum size. Lining is not acceptable.
93.62	237+XX	38797	18	CSP	Drainage	Remove and Replace with 30" pipe	☐	☐	Replace to meet minimum size. Lining is not acceptable.
94.00	254+XX	42225	60	CSP	Drainage	Extending	☒	☒	-
94.31	272+XX	37117	120	CSP	Drainage	Remove and replace with 120" pipe	☒	☒	Will accept alternative design/ rehabilitation options that meet criteria.

Exhibit 13-A Pipe Table

Mile Post	Approx. Station	FLOC NUM	Existing Size (in.)*	Pipe Material*	Type	Pricing Recommendations [Reference Documents]	Pictures (Summer 2025)	Video (Summer 2025)	Acceptable Alternatives
94.37	275+XX	38557	48	CMP	Drainage	Modify manhole / Extend & Treat invert approximate 25 LF	☒	☒	-
94.45	279+XX	36430	84	CSP	Drainage	Protect in place	☒	☒	-
94.62	288+XX	39546	48	CSP	Drainage	Protect in place	☒	☒	-
94.95	306+XX	Un-labeled Culvert 4	24"	CSP	Drainage	Remove and replace with 30" pipe	☒	☒	Replace to meet minimum size. Lining is not acceptable.
94.99	308+XX	40971	24	CSP	Drainage	Remove and replace with 30" pipe	☒	☒	Replace to meet minimum size. Lining is not acceptable.
95.25	323+XX	41327	36	CSP	Drainage	Line and extend pipe.	☒	☒	-
95.38	329+XX	36258	84	CSP	Drainage	Remove and replace with 84" pipe	☒	☒	Will accept alternative design/ rehabilitation options that meet criteria.
95.42	331+XX	39987	24	CSP	Drainage	Remove and replace with 30" pipe	☒	☒	Replace to meet minimum size. Lining is not acceptable.
95.58	339+XX	38925	24	CSP	Drainage	Remove and replace with 30" pipe	☒	☒	Replace to meet minimum size. Lining is not acceptable.
95.70	346+XX	38294	24	CSP	Drainage	Remove and replace with 30" pipe	☒	☒	Replace to meet minimum size. Lining is not acceptable.
95.81	352+XX	38505	36	CSP	Drainage	Extend	☒	☒	-
96.05	364+XX	37723	60	CSP	Drainage	Line and extend pipe.	☒	☒	-
96.09	366+XX	38843	84	CSP	Drainage	Line and extend pipe.	☒	☒	-
96.29	377+XX	37806	36	CSP	Drainage	Line and extend pipe.	☒	☒	-
96.60	389+XX	N/A	24	CSP	Drainage	Remove and replace with 30" pipe	☐	☐	Replace to meet minimum size. Lining is not acceptable.

Exhibit 13-A Pipe Table

Mile Post	Approx. Station	FLOC NUM	Existing Size (in.)*	Pipe Material*	Type	Pricing Recommendations [Reference Documents]	Pictures (Summer 2025)	Video (Summer 2025)	Acceptable Alternatives
96.74	401+XX	40227	24 ^a	CSP	Drainage	Remove and replace with 30" pipe	☒	☐	Replace to meet minimum size. Lining is not acceptable.
96.87	407+XX	41335	36	CSP	Drainage	Line and extend pipe.	☒	☐	-
97.06	416+XX	40893	36 ^{a e}	HDPE ^{a e}	Drainage	Protect in place. As-Built plans available.	☒	☒	-
97.19	423+XX	Un-labeled Culvert 6	36 ^{a e}	HDPE ^{a e}	Drainage	Protect in place. As-Built Plans available.	☒	☒	-
97.21	424+XX	Un-labeled Culvert 8	24X14 ^{a e}	RCP ^{a e}	Drainage	Protect in place. As-Built plans available.	☒	☐	-
97.22	425+XX	Un-labeled Culvert 7	48 ^{a e}	CSP ^e	Mammal crossing	Protect in place. As-Built plans available.	☒	☒	-
97.33	430+XX	37459	36 ^{a e}	CSP ^e	Drainage	Protect in place. As-Built plans available.	☒	☒	-
97.39	433+XX	N/A	18 ^e	Not specified	Drainage	Protect in place. As-Built plans available.	☐	☐	-
97.51	440+XX	39182	60 ^e	Not specified	Drainage	Protect in place. As-Built plans available.	☐	☐	-
97.53	441+XX	N/A	18 ^e	RCP ^e	Drainage	Extend. As-Built plans available.	☐	☐	-
97.66	448A+XX	N/A	48 ^e	Not specified	Mammal crossing	Extend. As-Built plans available. Outside of Basic Configuration. For Information Only.	☐	☐	-
97.68	482+XX	37299	24 ^b	CSP ^b	Irrigation	Remove and replace with a 30" pipe. Outside of Basic Configuration. For Information Only.	☐	☐	-
97.75	453+XX	36058	60 ^b	CSP ^b	Drainage	Remove and replace with a 10' X 8' CBC. Outside of Basic Configuration. For Information Only.	☐	☐	-
97.88	459+XX	39609	18 ^b	CSP ^b	Drainage	Remove and replace with a 30" pipe. Outside of Basic Configuration. For Information Only.	☐	☐	Replace to meet minimum size. Lining is not acceptable.
97.96	463+XX	37891	18 ^b	CSP ^b	Drainage	Remove and replace with a 30" pipe. Outside of Basic Configuration. For Information Only.	☐	☐	Replace to meet minimum size. Lining is not acceptable.

Exhibit 13-A Pipe Table

Mile Post	Approx. Station	FLOC NUM	Existing Size (in.) ^a	Pipe Material ^a	Type	Pricing Recommendations [Reference Documents]	Pictures (Summer 2025)	Video (Summer 2025)	Acceptable Alternatives
98.02	467+XX	38382	36 ^b	CSP ^b	Drainage	Line and extend pipe. Outside of Basic Configuration. For Information Only.	☐	☐	-
98.25	478+XX	38690	23X14 ^b	HERCP ^b	Drainage	Remove and replace with a 30" pipe. Outside of Basic Configuration. For Information Only.	☐	☐	Replace to meet minimum size. Lining is not acceptable.
98.31	481+XX	37950	7' X 6" ^b	CSP ^b	Cattle Crossing	Protect in place. Outside of Basic Configuration. For Information Only.	☐	☐	-
98.32	482+XX	N/A	18 ^b	CSP ^b	Drainage	Protect in place. Outside of Basic Configuration. For Information Only.	☐	☐	-
98.38	485+XX	41875	18 ^b	CSP ^b	Drainage	Protect in place. Outside of Basic Configuration. For Information Only.	☐	☐	-

* All pipe sizes and materials were determined according to the Elmore's survey file

a 20980 Culvert Review revised 8.8.25 (Inspection file received from CDOT)

b 19362 US 160 Dry Creek Passing Lanes _Shelf Set - 2019-09-03

c HDR SUE Plans, Dated December 2025

e 20980_RD_As-Built Plans_20430_ACP_US 160 MP 97.00-97.72