



**CRASHES AND RATES
ON STATE HIGHWAYS
2012**

**COLORADO DEPARTMENT OF TRANSPORTATION
SAFETY AND TRAFFIC ENGINEERING BRANCH
Accident Data Management Unit**



INTRODUCTION

INTRODUCTION

This report describes traffic crash severities, i.e., Property Damage Only (PDO), Injuries, and Fatalities and associated rates on the Colorado State Highway System for Calendar year 2012. Two major sources of data were required to produce this report: The computerized traffic volume data supplied by the Division of Transportation Development, and computerized crash data gathered and maintained by the Traffic Records Unit of the Safety and Traffic Engineering Branch.

REPORT FORMAT AND DEFINITION OF TERMS

SHXXXX	State Highway Number followed by a Highway Section designation, e.g., SH006G, SH050B, SH318A.
MP	The milepost location of the section terminus as described in the aforementioned Colorado Roadway Information System (CORIS) Report.
Section Length	The distance in miles (to two decimal places) between the indicated section terminus and the previous section terminus. (Note that this distance is not necessarily the same as the difference in mile points of the two section termini.) The limits of a section of highway as used in the CORIS. These limits have been established at State Highway Junctions, urban limits, city limits, county lines, Engineering Region Boundaries, construction projects, and other points where there are material changes in traffic volumes.
SPF Classification	"U" denotes that the section is within a designated urban area, and "R" denotes that the section is outside a designated urban area, or in a rural area. The number (2, 4, 6, etc.) denotes number of lanes. "M" denotes that the section is in mountainous terrain, "F" denotes that the section is in flat terrain, and "R" denotes that the section is in the rolling terrain.
MVMT	Million Vehicle Miles Traveled (MVMT).
AADT	Average Annual Daily Traffic, the average number of vehicles using a given highway section in one day.
PDO	Property Damage Only (PDO) type accidents (severity type).

INTRODUCTION

PDO Rate Rates for sections are indicated in units of crashes per million vehicle-miles, computed from:

$$M = (365 \text{ days})(\text{Avg. Daily Traffic})(\text{Section Length})$$

$$PDO \text{ Rate} = \frac{(\# \text{ of PDO Crashes})(1,000,000)}{M}$$

Injury Injury type accidents (severity type)

Injury Rate The number of injury-producing crashes per million vehicle miles of travel computed from:

$$Injury \text{ Crash Rate} = \frac{(\# \text{ of Injury Crashes})(1,000,000)}{M}$$

Fatal Fatal type accidents (severity type)

Fatal Rate The number of fatality-producing crashes per 100 million vehicle miles of travel computed from:

$$Fatal \text{ Crash Rate} = \frac{(\# \text{ of Fatal Crashes})(100,000,000)}{M}$$

Total The number of total crashes per million vehicle miles of travel computed from:

$$Total \text{ Crash Rate} = PDO \text{ Rate} + Injury \text{ Crash Rate} + (0.01)Fatal \text{ Crash Rate}$$

USING THE REPORT

The information shown on each line refers to the highway section bounded by the section termini described on the line and by the previous termini. All sections (except the first section for highway or alpha section letter change) exclude the crashes at the beginning terminus but include the crash data at the ending terminus. For example, on SH002A, 27 crashes occurred with the section from, but not including, "RD W (9TH AVE)" up to and including "RD W (7TH AVE)". However, for the first section on SH002A, 18 crashes occurred within the section from, and including, "JCT U.S. 285 E AND W (E HAMPDEN AVE)" up to and including "MILEPOST 1".

The ending mile point of a highway and the total section length are not the same on some highways. The reasons for this apparent discrepancy are as follows:

INTRODUCTION

Section changes (indicated by a change in the alpha section letter under the column "Section Length") result when a given highway overlaps another highway, which takes precedence. For example, Highway 2 has an overlapping non-chargeable section with SH006H between mile points 9.84 and 10.86 during which time mile points on Highway 2 continue to increase but crashes are charged to SH006H.

A section of highway may contain an equation (either positive or negative) so the difference between the ending mile points is not equal to the given section length. For example, between Sheridan Blvd (SH095A) and Federal Blvd (SH287C) on Colfax Ave (SH040C) 0.42 mile has been added to the segment in order to concur with the original posted mile markers.

Using the following procedure, it is possible to compute the various rates for combined highway sections. The equations used to compute Total Crash Rate (shown below) when combining sections, the total number of crashes, total section length, and average daily traffic for the combined sections must be determined before the rates can be computed. Given the following definitions:

Number of crashes in an individual highway section	= A_i
Number of total crashes in the combined section	= A_s
Individual section length (miles to two decimal places)	= L_i
Length of combined section	= L_s
Individual section Average Daily Traffic Volume	= ADT_i
Combined section Average Daily Traffic Volume	= ADT_s
Total Crash Rate for the combined section per million vehicles or per million vehicle-miles as appropriate	= R_s

The necessary calculations are:

$$A_s = \sum A_i$$

$$L_s = \sum L_i$$

$$ADT_s = \sum \frac{(ADT_i)(L_i)}{L_s}$$

$$R_s = \frac{(A_s)(1,000,000)}{(365)(L_s)(ADT_s)}$$

INTRODUCTION

For example, to determine the Total Crash Rate on SH050A from the “JCT SH 67 SW” (MP 285.62) to “JCT SH 120 S RD N (CO RD 368)” (MP 294.33) three sections are involved:

Section Termini	Section Length (mile)	AADT	Total Crashes
JCT SH067B SW	N/A	N/A	N/A
INTERCHANGE STR (K-16-CC) JCT SH115A NE AND (MP 289.76)	4.10	13,000	15
RD N AND S (K ST) (CO RD 221) (MP 292.12)	2.34	8,100	7
JCT SH120 S RD N (CO RD 368) (MP 294.33)	2.12	8,400	5
Total	$L_s = 8.56$		$A_s = 27$

The combined ADT's for this section is then;

$$ADT_s = \frac{(13,000)(4.10) + (8,100)(2.34) + (8,400)(2.12)}{8.56}$$

$$ADT_s = 10,521 \text{ Vehicles}$$

The Total Crash Rate for the combined section is then;

$$R_s = \frac{(27)(1,000,000)}{(365)(8.56)(10,521)}$$

$$R_s = 0.821 \text{ Crashes}$$

In a similar manner, Injury Crash Rates for combined sections may be computed by replacing "A_s" with the total number of injury crashes in the combined sections. Likewise, Fatal Crash rates can be computed by substituting the total number of fatal crashes in the combined section for "A_s" and using the constant 100,000,000 rather than 1,000,000 since Fatal Crash Rates are computed on the basis of 100 Million Vehicles or 100 Million Vehicle Miles of Travel.

This document can be obtained electronically at:

<http://www.coloradodot.info/library/traffic/traffic-manuals-guidelines/safety-crash-data/accident-rates-books-coding>

M. R. Marandi
Colorado Department of Transportation
HQ Safety and Traffic Engineering
Accident Data Management Unit
4201 E. Arkansas Avenue
Denver, CO 80222
303-757-9876 Voice
303-512-5113 Fax
MR.Marandi@state.co.u

AVERAGE TRAFFIC CRASH RATES ON STATE HIGHWAYS
Functional Class

Functional Class	Miles	MVMT	ADT	PDO		Injury			Fatal			Total	
				#	Rate	#	Injured	Rate	#	Killed	Rate	#	Rate
Interstate	952	11,989	34,503	11,337	0.95	1,206	1,545	0.10	57	67	0.48	12,600	1.05
Other Freeways and Expressways	332	4,426	36,524	6,518	1.47	632	825	0.14	32	35	0.72	7,182	1.62
Other Principal Arterial	2,883	8,395	7,978	20,752	2.47	2,302	2,896	0.27	116	126	1.38	23,170	2.76
Minor Arterial	3,391	2,512	2,030	3,754	1.49	577	703	0.23	55	57	2.19	4,386	1.75
Major Collector	1,408	716	1,393	963	1.35	162	207	0.23	12	12	1.68	1,137	1.59
Minor Collector	119	33	760	40	1.21	5	8	0.15	2	2	6.06	47	1.42
Local	21	14	1,826	8	0.57	4	4	0.29	0	0	0.00	12	0.86
Total State Highway	9,106	28,085	8,450	43,372	1.54	4,888	6,188	0.17	274	299	0.98	48,534	1.73



COLORADO DEPARTMENT OF TRANSPORTATION
ACCIDENTS AND RATES BOOK FOR 2012



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH001A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT U.S. 287C NW AND S (COLLEGE AVE) IN FORT										
0.34	0.32	U-2-R	RD E (COUNTRY CLUB RD) (CO RD 50E)	1.07	9,100	4	1	0	5	3.73	0.93	0.00	4.66
1.07	0.75	U-2-R	RD E (GREGORY RD) (CO RD 52C)	1.62	5,900	3	0	0	3	1.86	0.00	0.00	1.86
1.83	0.74	U-2-R	RD E AND W (CO RD 54) (DOUGLAS RD)	1.68	6,200	4	0	0	4	2.38	0.00	0.00	2.38
2.85	1.01	U-2-R	LEAVE FORT COLLINS URBAN AREA BOUNDARY	2.11	5,700	5	0	0	5	2.38	0.00	0.00	2.38
3.69	0.89	R-2-R	MINORSTR (001A003760BL) IRRIGATION CANAL -	1.86	5,700	2	0	0	2	1.08	0.00	0.00	1.08
7.41	3.63	R-2-R	RD E AND W (CO RD 60) (BUSH AVE)	5.05	3,801	3	1	0	4	0.59	0.20	0.00	0.79
8.64	1.23	R-2-R	CHANGE ROADWAY DIRECTION (E) - HISTORIC	1.80	4,000	1	2	0	3	0.56	1.11	0.00	1.67
9.40	0.74	R-2-R	RD N AND S (1ST ST)	1.11	4,100	1	1	0	2	0.90	0.90	0.00	1.80
10.05	0.61	R-4-R	RD N AND S (FRONTAGE ROAD) - END SH001A	1.76	7,869	5	0	0	5	2.85	0.00	0.00	2.85
Totals:		9.92				28	5	0	33	1.55	0.28	0.00	1.83

SH002A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-3-R	JCT U.S. 285 E AND W (E HAMPDEN AVE) - RD S (S										
1.00	0.98	U-3-R	MILEPOST 1	8.97	25,000	15	3	0	18	1.67	0.33	0.00	2.01
1.39	0.40	U-6-R	RD E (E WESLEY AVE)	4.78	32,659	19	4	0	23	4.01	0.85	0.00	4.86
1.74	0.34	U-6-R	RD E AND W (E EVANS AVE)	4.84	38,906	24	1	0	25	4.94	0.21	0.00	5.15
2.06	0.27	U-6-R	LOOP RAMP ON (FROM 1-25 SB TO SH 002A SB	3.93	39,799	25	0	0	25	6.26	0.00	0.00	6.26
2.37	0.34	U-6-R	RD E (E IOWA AVE)	7.37	59,255	40	6	0	46	5.41	0.81	0.00	6.22
2.68	0.30	U-8-R	REGIONAL SECTION POLITICAL BOUNDARY OR	6.61	60,202	56	3	0	59	8.42	0.45	0.00	8.87
3.73	1.04	U-7-R	RD NW (CHERRY CREEK DR NORTH) - RD E (E	22.46	59,000	157	9	0	166	6.99	0.40	0.00	7.39
4.13	0.28	U-6-R	RD E AND W (E ALAMEDA AVE)	4.82	47,043	59	6	0	65	12.33	1.25	0.00	13.58
4.46	0.32	U-6-R	RD E AND W (ELLSWORTH AVE)	5.60	47,808	49	3	0	52	8.83	0.54	0.00	9.37
4.78	0.31	U-6-R	RD E AND W (3RD AVE)	6.25	55,087	41	3	0	44	6.52	0.48	0.00	6.99
5.04	0.40	U-6-R	RD W (7TH AVE)	7.75	52,963	61	1	0	62	7.87	0.13	0.00	8.00
5.32	0.24	U-6-R	RD W (9TH AVE)	4.86	55,333	23	4	0	27	4.79	0.83	0.00	5.63
5.75	0.43	U-6-R	RD E AND W (E 13TH AVE)	8.13	51,687	20	0	0	20	2.49	0.00	0.00	2.49
6.05	0.30	U-6-R	RD E (16TH AVE)	5.25	47,809	48	6	0	54	9.05	1.13	0.00	10.18
6.38	0.32	U-6-F	RD E (19TH AVE)	5.21	44,523	41	2	0	43	7.79	0.38	0.00	8.17
6.71	0.32	U-6-F	RD E AND W (23RD AVE)	6.00	51,190	24	0	0	24	3.99	0.00	0.00	3.99
6.99	0.26	U-6-F	MILEPOST 7	4.40	46,212	18	2	0	20	4.03	0.45	0.00	4.48
7.35	0.35	U-6-F	RD E (30TH AVE)	5.97	46,610	15	0	0	15	2.51	0.00	0.00	2.51



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH002A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
7.65	0.29	U-6-F	RD E AND W (E 34TH AVE) (BRUCE RANDOLPH	4.74	44,622	26	4	0	30	5.53	0.85	0.00	6.38
8.23	0.57	U-6-F	RD W (E 40TH AVE) MAJOR STR (E-17-AH) TWO	9.39	45,000	19	0	0	19	2.04	0.00	0.00	2.04
8.72	0.49	U-6-F	I-70/COLORADO BOULEVARD INTERCHANGE	9.51	53,000	18	2	0	20	1.89	0.21	0.00	2.10
8.97	0.25	U-6-F	RD E AND W (48TH AVE)	2.93	32,000	12	2	0	14	4.13	0.69	0.00	4.82
9.84	0.90	U-6-F	DIRECT CONNECTION RAMP -- JCT U.S. 006H	8.56	26,000	10	2	0	12	1.17	0.23	0.00	1.40
Totals:		9.70				820	63	0	883	5.18	0.40	0.00	5.58

SH002B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
10.86		U-3-F	JCT U.S. 006H NW AND SE (VASQUEZ BLVD) --										
11.14	0.29	U-3-F	SLIP RAMP OFF (TO SH 006H) NB	1.17	11,000	4	0	0	4	3.46	0.00	0.00	3.46
12.23	1.21	U-2-F	RD E (71ST AVE)	4.87	11,000	3	1	0	4	0.62	0.21	0.00	0.82
12.50	0.30	U-4-F	RD E (73RD AVE) - RD S (LOCUST ST)	1.13	10,270	10	1	0	11	8.93	0.89	0.00	9.82
13.35	0.83	U-2-F	JCT SH 002C - RD S (QUEBEC ST) -- END SH 002B	2.89	9,500	6	1	0	7	2.07	0.35	0.00	2.42
Totals:		2.63				23	3	0	26	2.29	0.30	0.00	2.59

SH002C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
13.35		U-2-F	JCT SH 002B - RD S (QUEBEC ST) -- END SH 002B										
13.65	0.30	U-2-F	SLIP RAMPS OFF (TO 80TH AVE AND QUEBEC	1.21	11,000	1	1	0	2	0.84	0.84	0.00	1.67
14.83	1.18	U-2-F	RD N AND S (YOSEMITE ST) - OFFSET	6.05	14,000	17	1	0	18	2.81	0.17	0.00	2.98
15.41	0.57	U-2-F	CHANGE IN ROADWAY WIDTH OR DESIGNED	2.65	12,690	5	1	0	6	1.89	0.38	0.00	2.26
16.38	0.95	U-2-F	RD E AND W (96TH AVE)	4.17	12,000	3	1	0	4	0.72	0.24	0.00	0.96
17.41	1.03	U-2-F	RE-ENTER COMMERCE CITY CITY LIMIT	3.24	8,600	7	0	0	7	2.17	0.00	0.00	2.17
17.74	0.32	U-2-F	JCT SH 044A WEST - RD E (104TH AVE)	1.01	8,600	2	0	0	2	1.99	0.00	0.00	1.99
18.99	1.25	U-2-F	MILEPOST 19 -- MISSING -- (NEW MILEPOST	3.57	7,800	2	1	0	3	0.56	0.28	0.00	0.84
19.94	0.95	U-2-F	WEST SIDE RAMPS - END SH 002C - BEGIN	2.71	7,800	4	0	0	4	1.48	0.00	0.00	1.48
Totals:		6.55				41	5	0	46	1.67	0.20	0.00	1.87



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH003A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-M	JCT U.S. 160 NW AND SE -- BEGIN SH 003A -										
1.38	1.43	U-2-M	LEAVE DURANGO CITY LIMITS	4.71	9,000	5	2	0	7	1.06	0.42	0.00	1.48
1.66	0.27	U-2-M	MINORSTR (003A001670BR) UNNAMED DRAINAGE	0.89	9,000	4	0	0	4	4.46	0.00	0.00	4.46
2.18	0.56	U-2-M	RD NE (8TH AVE) - CHANGE ROADWAY DIRECTION	1.84	9,000	3	1	0	4	1.63	0.54	0.00	2.18
2.44	0.26	U-4-M	JCT U.S. 160A NORTH AND SOUTH - RD W (SANTA	0.69	7,228	8	0	0	8	11.77	0.00	0.00	11.77
Totals:		2.52				20	3	0	23	2.46	0.37	0.00	2.83

SH005A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH 103 NE AND NW (ECHO LAKE) -- BEGIN SH										
9.05	8.98	R-2-M	RD NW (CO RD 60) (USFS - SUMMIT LAKE LOOP	1.25	380	0	0	0	0	0.00	0.00	0.00	0.00
14.89	5.45	R-2-M	SUMMIT OF MT EVANS ELEVATION 14,264 FT -	0.76	380	0	1	0	1	0.00	1.32	0.00	1.32
Totals:		14.43				0	1	0	1	0.00	0.50	0.00	0.50

SH006A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
11.08		R-2-R	RAMP ON AND OFF (TO/FROM EB I-70 EXIT 11) --										
11.69	0.66	R-2-R	RD W (0.00 RD) (M.80 RD)	0.16	673	2	0	0	2	12.40	0.00	0.00	12.40
12.99	1.26	R-2-R	MILEPOST 13	0.38	820	1	0	0	1	2.64	0.00	0.00	2.64
13.86	0.84	R-2-R	RD N AND S (12.00 RD)	0.26	840	0	1	0	1	0.00	3.88	0.00	3.88
15.12	1.24	R-2-R	JCT SH 139 N AND S (LOMA)	0.59	1,300	1	0	0	1	1.70	0.00	0.00	1.70
16.32	1.21	R-2-R	RD N (14.00 RD)	0.97	2,199	6	2	0	8	6.17	2.06	0.00	8.22
18.74	2.42	R-2-R	RD N AND S (16.00 RD)	2.66	3,000	0	3	0	3	0.00	1.13	0.00	1.13
19.16	0.38	R-2-R	ENTER FRUITA CITY LIMITS	0.76	5,487	0	0	0	0	0.00	0.00	0.00	0.00
20.17	1.02	U-2-R	RD N (PLUM ST)	2.05	5,500	0	0	0	0	0.00	0.00	0.00	0.00
20.45	0.27	U-2-R	RD N (ELM ST)	0.77	7,764	1	0	0	1	1.33	0.00	0.00	1.33
21.25	0.69	U-2-R	MINORSTR (006A021260BL) RD N AND S (PINE ST)	2.15	8,500	3	1	1	5	1.40	0.47	46.79	2.34
21.59	0.34	U-2-R	MINORSTR (006A021580BL) DRAINAGE	1.06	8,500	3	0	0	3	2.84	0.00	0.00	2.84
22.45	0.86	R-2-R	RD N (19.00 RD) (ABANDONED SB ACCESS)	2.68	8,500	3	0	0	3	1.12	0.00	0.00	1.12
23.65	1.19	R-2-R	RD N AND S (20.00 RD)	5.66	13,000	7	2	0	9	1.24	0.35	0.00	1.60
24.85	1.19	R-2-R	RD N AND S (21.00 RD)	6.53	15,000	2	0	0	2	0.31	0.00	0.00	0.31
25.76	0.91	R-2-R	MAJOR STR (H-02-D) PERSIGO WASH - ENTER	4.66	14,000	3	0	0	3	0.64	0.00	0.00	0.64

Safety Performance Function (SPF) Definition
Rural/Urban - # of Lanes - Terrain
R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
Fatal Rate in 100 Million Vehicle Miles Traveled
** PDO = Property Damage Only



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH006A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
26.08	0.29	U-4-R	I-70 INTERCHANGE STRS (H-02-FU) WB AND	1.73	16,266	5	1	0	6	2.90	0.58	0.00	3.48
Totals:										1.12	0.30	3.02	1.45

SH006B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
30.12		U-4-R	I-70 GRAND JUNCTION BUSINESS LOOP OFF										
30.40	0.28	U-4-R	RD N (FRONTAGE RD TO MOTOR ST) - RD S (AUTO	1.94	18,961	1	1	0	2	0.52	0.52	0.00	1.03
30.65	0.24	U-4-R	RD N (SHERWOOD DR) - RD S (2ND ST)	1.80	20,533	11	1	0	12	6.10	0.55	0.00	6.65
30.99	0.25	U-4-R	MILEPOST 31	2.01	22,000	22	4	0	26	10.93	1.99	0.00	12.92
31.28	0.28	U-4-R	RD S (8TH ST)	2.80	27,361	33	5	0	38	11.90	1.80	0.00	13.70
31.55	0.27	U-4-R	RD S (11TH ST)	2.47	25,000	21	2	0	23	8.66	0.82	0.00	9.49
31.88	0.34	U-4-R	RD N (15TH ST)	2.74	22,009	29	6	0	35	10.68	2.21	0.00	12.89
32.62	0.74	U-4-R	MINORSTR (006B032900BL) RD N AND S (28TH ST)	6.23	22,996	19	4	0	23	3.03	0.64	0.00	3.67
33.10	0.49	U-4-R	RD N AND S (28.50 RD)	4.66	25,982	21	3	0	24	4.50	0.64	0.00	5.14
34.07	1.00	U-4-R	RD N (29.50 RD)	9.88	26,999	59	5	0	64	5.99	0.51	0.00	6.50
34.54	0.33	U-4-R	JCT I-70B (GRAND JUNCTION BUSINESS LOOP) NE	1.81	15,000	12	2	0	14	6.73	1.12	0.00	7.85
Totals:										6.27	0.91	0.00	7.18

SH006C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
37.16		U-4-R	RD NE (FRONTAGE ROAD) - RD E AND W (CO RD										
37.65	0.22	U-4-R	RD N AND S (32.50 RD)	0.99	12,233	7	1	1	9	7.27	1.04	103.88	9.35
38.14	0.49	U-2-R	RD N AND S (33.00 RD)	2.15	12,000	7	1	0	8	3.25	0.46	0.00	3.72
39.22	1.03	U-2-R	RD N AND S (34.00 RD) - LEAVE GRAND JUNCTION	2.30	6,106	5	2	0	7	2.16	0.87	0.00	3.03
40.33	1.03	U-2-R	RD N AND S (35.00 RD)	2.30	6,100	2	2	0	4	0.87	0.87	0.00	1.73
41.35	1.06	U-2-R	RD N (36.00 RD)	2.06	5,301	4	0	0	4	1.94	0.00	0.00	1.94
42.03	0.66	U-2-R	RD W (G.00 RD)	1.28	5,300	2	1	0	3	1.56	0.78	0.00	2.34
43.07	1.03	U-2-R	RD S (PORTOBELLO RD) - RD N (PEACH AVE)	2.34	6,198	0	0	0	0	0.00	0.00	0.00	0.00
43.27	0.18	U-4-R	LEAVE PALISADE CITY LIMITS	0.30	4,479	1	0	0	1	3.41	0.00	0.00	3.41
43.86	0.60	R-2-R	RD S (38.50 RD)	0.36	1,656	1	1	0	2	2.76	2.76	0.00	5.53
46.06	2.01	R-2-R	DIRECT CONNECTION (ON RAMP) - OVER	0.92	1,254	0	0	0	0	0.00	0.00	0.00	0.00
Totals:										1.93	0.53	6.67	2.53

Safety Performance Function (SPF) Definition
Rural/Urban - # of Lanes - Terrain
R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
Fatal Rate in 100 Million Vehicle Miles Traveled
** PDO = Property Damage Only



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH006D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
92.00		U-2-M	JCT U.S. 006L EAST - JCT SH 013C SOUTH - RD N										
92.76	0.76	U-2-M	RD NW (HOSPITAL HILL RD)	1.36	4,883	8	0	0	8	5.91	0.00	0.00	5.91
93.99	1.24	U-2-M	MILEPOST 94	2.24	4,941	3	0	0	3	1.34	0.00	0.00	1.34
95.16	1.13	U-2-M	RD N (CO RD 223) (PETERSON LN) - LEAVE RIFLE	2.07	5,000	4	0	0	4	1.94	0.00	0.00	1.94
98.73	3.59	R-2-M	RD N (1ST ST) - REENTER SILT CITY LIMITS -	6.57	5,000	6	1	0	7	0.91	0.15	0.00	1.07
99.28	0.54	R-2-M	RD N (DOMELBY DR)	1.14	5,756	1	0	0	1	0.88	0.00	0.00	0.88
104.42	5.13	R-2-M	RD NW (CO RD 214) (PEACH VALLEY RD)	10.14	5,400	4	3	0	7	0.39	0.30	0.00	0.69
105.90	1.47	R-2-M	RD N (7TH ST)	1.35	2,500	2	0	0	2	1.49	0.00	0.00	1.49
107.11	1.09	R-2-M	RD S (BURNING MOUNTAIN AVE)	2.15	5,400	9	1	0	10	4.18	0.46	0.00	4.64
110.81	3.84	R-2-M	SOUTH SIDE RAMP ON AND OFF (TO/FROM I-70A) -	2.25	1,600	4	0	0	4	1.78	0.00	0.00	1.78
Totals:	18.79					41	5	0	46	1.40	0.17	0.00	1.57

SH006E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
141.82		R-2-M	MINORSTR (070A139470BL) RD W (FRONTAGE RD)										
142.37	0.52	R-2-M	MAJOR STR (F-09-D) D AND RGW RR --	1.44	7,585	3	0	0	3	2.10	0.00	0.00	2.10
142.99	0.59	R-2-M	CHANGE SPEED LIMIT (55)	1.91	8,832	5	1	0	6	2.63	0.53	0.00	3.16
145.49	2.30	R-2-M	MAJOR STR (F-09-G) ALKALI CREEK	8.17	9,700	3	0	0	3	0.37	0.00	0.00	0.37
149.13	3.81	R-2-M	RD E (5TH ST) AND RD NW (BROOKS LN)	11.57	8,300	14	0	0	14	1.21	0.00	0.00	1.21
149.66	0.55	R-2-M	JCT SH 070F NORTH (EAGLE BUSINESS SPUR) -	2.12	10,532	2	0	0	2	0.94	0.00	0.00	0.94
158.99	9.30	R-2-M	MILEPOST 159	9.53	2,800	6	3	0	9	0.63	0.31	0.00	0.94
163.33	4.34	R-2-M	RD SW (CO RD 23) (SQUAW CREEK RD)	4.94	3,107	10	1	0	11	2.03	0.20	0.00	2.23
164.06	0.61	R-2-M	RD N (HILLCREST DR) - ENTER SMALL URBAN	2.11	9,447	1	1	0	2	0.47	0.47	0.00	0.95
165.12	1.12	U-2-M	MAJOR STR (F-10-C) EAST LAKE CREEK	3.89	9,500	3	2	0	5	0.77	0.51	0.00	1.29
165.45	0.33	U-2-M	RD S (PRIVATE DRIVE)	1.23	10,222	1	0	0	1	0.82	0.00	0.00	0.82
165.99	0.53	U-2-M	JCT I-70G NORTH (EDWARDS BUSINESS SPUR) -	2.13	11,000	3	0	0	3	1.40	0.00	0.00	1.40
166.99	0.92	U-2-M	MILEPOST 167	3.37	10,000	13	1	0	14	3.87	0.30	0.00	4.17
168.26	1.25	U-2-M	MINORSTR (006E168290BR) PEDESTRIAN	4.58	10,000	5	1	0	6	1.09	0.22	0.00	1.31
169.29	1.01	U-2-M	REGIONAL SECTION POLITICAL BOUNDARY OR	3.70	10,000	7	1	0	8	1.89	0.27	0.00	2.16
170.03	0.73	U-2-M	RD N (AVON RD) ROUNDABOUT (OLD STATE HWY	2.67	10,000	3	0	0	3	1.12	0.00	0.00	1.12
171.09	1.02	U-2-M	MINORSTR (006E172120BR) PEDESTRIAN / GOLF	4.11	10,998	11	3	0	14	2.67	0.73	0.00	3.40
171.42	0.35	U-4-M	RD N (RIVERSIDE RD)	0.47	3,648	1	0	0	1	2.12	0.00	0.00	2.12
172.99	1.53	U-2-M	MILEPOST 173	1.85	3,300	1	1	0	2	0.54	0.54	0.00	1.08



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH006E

MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
174.54	1.58	U-2-M	DOWD JUNCTION (MINTURN/LEADVILLE)	1.91	3,300	5	0	0	5	2.62	0.00	0.00	2.62
Totals:						97	15	0	112	1.35	0.21	0.00	1.56

SH006F

MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
208.66		U-4-M	(DILLON/SILVERTHORNE) INTERCHANGE STRS										
208.94	0.25	U-4-M	RD NE (LITTLE BEAVER TRAIL)	2.38	26,000	15	0	0	15	6.23	0.00	0.00	6.23
209.83	0.91	U-4-M	SLIP RAMP OFF	5.00	15,000	16	0	0	16	3.20	0.00	0.00	3.20
210.65	0.83	U-4-M	RD E (ELK HORN ST) - RD W (TENDERFOOT ST)	3.35	11,019	5	1	0	6	1.49	0.30	0.00	1.78
211.68	1.00	U-4-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	4.39	11,998	2	0	0	2	0.46	0.00	0.00	0.46
212.85	1.17	U-4-M	MAJOR STR (F-12-I) SNAKE RIVER	5.14	12,000	1	0	0	1	0.19	0.00	0.00	0.19
213.22	0.25	U-4-M	RD S (CO RD 1) (SWAN MTN RD) - RD N (COVE	0.97	10,611	1	0	0	1	1.02	0.00	0.00	1.02
213.49	0.40	U-4-M	RD S (ELK DR) (CO RD 157)	1.35	9,200	2	1	0	3	1.50	0.75	0.00	2.24
215.99	2.35	R-4-M	MILEPOST 216	7.91	9,200	7	0	0	7	0.88	0.00	0.00	0.88
216.50	0.60	R-4-M	RAMP ON - RAMP OFF (TO/FROM MONTEZUMA	0.76	3,451	0	0	1	1	0.00	0.00	131.73	1.32
225.99	9.26	R-2-M	MILEPOST 226	4.07	1,200	14	1	0	15	3.44	0.25	0.00	3.69
229.90	4.11	R-2-M	JCT SH070A EB ON RAMP -- END U.S. 006F	1.81	1,200	9	0	0	9	4.99	0.00	0.00	4.99
Totals:						72	3	1	76	1.94	0.08	2.69	2.05

SH006G

MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
257.08		R-2-M	SIGN BRIDGE STR (SIGN-F-15-DF) -- DIRECT										
257.63	0.51	R-2-M	RD NE (MINE ENTERENCE) - MINORSTR STR	0.67	3,608	1	0	0	1	1.49	0.00	0.00	1.49
258.54	0.91	R-2-M	MAJOR STR (F-15-CO) CLEAR CREEK	1.38	4,141	8	0	0	8	5.78	0.00	0.00	5.78
260.07	1.48	R-2-M	MAJOR STRS (F-15-AB) NORTH CLEAR CREEK --	2.28	4,200	4	0	0	4	1.75	0.00	0.00	1.75
269.40	9.33	R-2-M	MINORSTR (006G269400BL) UNNAMED DRAINAGE	37.56	11,000	43	10	1	54	1.15	0.27	2.66	1.44
271.38	2.00	R-2-M	ENTER GOLDEN CITY LIMITS - IN JEFFERSON	8.05	11,000	9	1	0	10	1.12	0.12	0.00	1.24
271.67	0.32	U-4-M	RAMP OFF	1.86	15,845	14	1	0	15	7.50	0.54	0.00	8.03
272.63	0.85	U-4-M	RD NE AND SW (19TH ST)	8.09	26,000	8	0	0	8	0.99	0.00	0.00	0.99
273.95	1.31	U-4-R	RD N (10TH AVE) (JEFFERSON COUNTY PKWY) -	18.21	37,982	32	2	0	34	1.76	0.11	0.00	1.87
274.87	0.90	U-4-R	RD N (ULYSSES ST)	12.19	37,000	23	3	0	26	1.88	0.25	0.00	2.13
275.12	0.27	U-4-R	JCT U.S.040C NE AND SW	3.46	35,000	17	0	0	17	5.01	0.00	0.00	5.01

Safety Performance Function (SPF) Definition
 Rural/Urban - # of Lanes - Terrain
 R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
 Fatal Rate in 100 Million Vehicle Miles Traveled
 ** PDO = Property Damage Only



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH006G													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
275.64	0.50	U-4-R	I-70 INTERCHANGE STR (F-16-AT) WB - JCT I-70A	5.49	30,000	21	5	0	26	3.80	0.91	0.00	4.71
276.72	1.14	U-4-R	SIGN BRIDGE STR (F-16-UZ) -- RAMP ON - (FROM	25.73	61,661	31	4	0	35	1.20	0.16	0.00	1.36
277.77	1.00	U-6-R	MINORSTR (006G277800BR) UNNAMED DRAINAGE	22.33	61,000	9	1	0	10	0.40	0.04	0.00	0.45
278.22	0.44	U-6-R	SIMMS STREET/UNION BOULEVARD	9.82	61,000	15	2	0	17	1.52	0.20	0.00	1.72
279.28	1.06	U-6-R	LOOP RAMPS ON AND OFF (FROM TO KIPLING)	35.27	90,915	55	3	0	58	1.56	0.08	0.00	1.64
279.57	0.28	U-6-R	RD (INDEPENDENCE) - OFFSET REFERENCE	10.04	98,000	19	2	0	21	1.89	0.20	0.00	2.09
279.98	0.37	U-6-R	SIGN BRIDGE STR (SIGN-F-16-VX) - WBND ML	13.14	97,049	16	1	0	17	1.23	0.08	0.00	1.31
280.35	0.37	U-6-R	RD (CARR ST) - OFFSET REFERENCE	12.59	93,000	6	0	0	6	0.48	0.00	0.00	0.48
280.83	0.49	U-6-R	LOOP RAMP ON - (FROM SH 121A SB TO US 006G	20.09	112,000	27	1	0	28	1.34	0.05	0.00	1.39
281.87	0.99	U-6-R	RD (HARLAN ST) - OFFSET REFERENCE	40.94	113,000	45	5	0	50	1.10	0.12	0.00	1.23
282.32	0.49	U-6-R	SHERIDAN BLVD INTERCHANGE STR (F-16-FL) -	20.27	113,000	31	0	0	31	1.54	0.00	0.00	1.54
283.34	0.98	U-6-R	RAMP OFF - (FROM W 6TH AVE TO US 006G EB)	41.96	116,988	47	6	0	53	1.12	0.14	0.00	1.26
283.67	0.30	U-6-R	RAMP ON (FROM SH 088A/FEDERAL BLVD) WB --	13.63	124,159	26	1	0	27	1.94	0.07	0.00	2.01
283.96	0.32	U-7-R	SIGN BRIDGE STR (SIGN-F-16-GZ) POSTED	15.36	131,113	53	3	0	56	3.47	0.20	0.00	3.67
284.23	0.26	U-7-R	SIGN BRIDGE STR (F-16-NP) EB -- RAMP OFF -	12.95	136,118	41	4	1	46	3.13	0.31	7.63	3.51
284.88	0.64	U-5-R	RD N (N SEMINOLE ST) - RD S (N OSAGE ST) --	33.26	142,000	21	0	0	21	0.63	0.00	0.00	0.63
Totals:	27.51					622	55	2	679	1.46	0.13	0.47	1.59

SH006H													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
290.98		U-4-R	RAMP ON AND OFF (FROM I-70 EB AT 45TH S) --										
291.99	1.00	U-4-R	MILEPOST 292	6.59	18,000	35	2	0	37	5.30	0.30	0.00	5.60
292.27	0.27	U-4-R	MAJOR STR (E-17-CB) - D AND RGW RRX	2.67	27,026	4	1	0	5	1.48	0.37	0.00	1.85
292.56	0.28	U-6-R	RAMP ON - (FROM SH 270A EB TO US 006H SB	4.30	41,936	34	1	0	35	7.86	0.23	0.00	8.09
292.85	0.27	U-7-R	PAVEMENT GORE TO (RAMP ON)	4.32	43,732	10	0	0	10	2.32	0.00	0.00	2.32
293.11	0.25	U-6-R	RD E AND W (E 60TH AVE)	3.75	41,000	6	1	0	7	1.57	0.26	0.00	1.84
293.66	0.51	U-6-R	HANSEN BLVD INTERCHANGE STR (E-17-MU) SB -	5.98	32,035	30	3	0	33	5.03	0.50	0.00	5.53
294.23	0.60	U-4-R	JCT SH 265 WEST - RD E (E 69TH AVE)	5.27	24,000	6	2	0	8	1.14	0.38	0.00	1.52
294.64	0.40	U-4-R	ENTER COMMERCE CITY CITY LIMITS - IN ADAMS	3.81	26,000	11	2	0	13	2.91	0.53	0.00	3.44
294.90	0.26	U-4-R	JCT SH 224 WEST	2.76	28,988	17	2	0	19	6.23	0.73	0.00	6.97
295.23	0.37	U-4-R	RD E AND W (E 77TH AVE)	3.52	26,000	15	4	0	19	4.21	1.12	0.00	5.34
296.32	0.94	U-4-R	DIRECT CONNECTION ON RAMP (NB) - MAJOR	6.88	20,006	11	2	0	13	1.61	0.29	0.00	1.90
Totals:	5.15					179	20	0	199	3.59	0.40	0.00	3.99



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH006I													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
343.52		R-2-F	RAMP ON (TO WB I-76) - RD (CR 3.00) - IN UPPER										
344.07	0.49	R-2-F	RD (CR 8)	0.18	993	0	0	0	0	0.00	0.00	0.00	0.00
344.70	0.61	R-2-F	RD N (PEARL ST) - RD S (MAIN ST)	0.22	1,000	0	0	0	0	0.00	0.00	0.00	0.00
346.70	1.98	R-2-F	JCT I-76 E (EB ON RAMP) -- END U.S. 006I - BEGIN	1.28	1,762	1	0	0	1	0.78	0.00	0.00	0.78
Totals:		3.08				1	0	0	1	0.60	0.00	0.00	0.60

SH006J													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
371.69		R-2-R	I-76 INTERCHANGE (AKRON/YUMA/BRUSH) STRS										
376.21	4.51	R-2-R	RD E AND W (CO RD W.0)	1.82	1,100	4	2	1	7	2.21	1.10	55.14	3.86
385.14	8.96	R-2-R	RD NW (CO RD R)	3.21	980	6	2	0	8	1.87	0.62	0.00	2.49
391.76	6.62	R-2-R	RD NW (LINCOLN AVE)	1.70	700	4	0	0	4	2.36	0.00	0.00	2.36
392.99	1.20	R-2-R	MILEPOST 393	0.68	1,542	3	0	0	3	4.45	0.00	0.00	4.45
397.95	5.00	R-2-R	JCT SH 63 S - RD E (FRONT AVE) (CO RD 16.5)	2.93	1,600	3	1	0	4	1.03	0.34	0.00	1.37
402.28	4.29	R-4-R	RD E AND W (CO RD 24.0)	5.18	3,300	8	0	0	8	1.54	0.00	0.00	1.54
402.65	0.38	R-4-R	MAJOR STR (B-24-A) AND (B-24-F) STERLING	0.58	4,200	1	0	0	1	1.73	0.00	0.00	1.73
403.49	0.81	U-4-R	RD N (3RD AVE)	1.25	4,200	3	2	0	5	2.40	1.60	0.00	4.00
403.85	0.34	U-4-R	RD NE (S FRONT ST)	0.50	4,000	0	0	0	0	0.00	0.00	0.00	0.00
404.14	0.28	U-2-R	JCT SH006Z - RD N (DIVISION AVE) - BEGIN 1-WAY	0.34	3,300	0	0	0	0	0.00	0.00	0.00	0.00
404.45	0.30	U-2-R	JCT SH 014C NW RD SE (MAIN ST)	0.31	2,800	4	0	0	4	12.88	0.00	0.00	12.88
404.72	0.28	U-3-F	RD NE (N FRONT ST)	0.72	7,000	9	1	0	10	12.59	1.40	0.00	13.99
405.87	1.20	U-4-F	MAJOR STR (B-24-K) HENDERSON CANAL	4.83	11,000	5	0	0	5	1.04	0.00	0.00	1.04
406.27	0.29	U-4-F	RAMP ON (FROM WB I 76 TO WB U.S. 6)	1.17	11,000	0	0	0	0	0.00	0.00	0.00	0.00
406.56	0.35	U-4-F	I-76 (STERLING/HOLYOKE) INTERCHANGE STRS	1.41	11,000	0	0	0	0	0.00	0.00	0.00	0.00
406.89	0.31	U-4-F	CHANGE ROADWAY WIDTH (LANES 4 TO 2) -	0.53	4,687	0	0	0	0	0.00	0.00	0.00	0.00
407.42	0.53	U-2-F	CHANGE IN ROADWAY WIDTH OR DESIGNED	0.43	2,242	2	0	0	2	4.59	0.00	0.00	4.59
416.99	9.49	R-2-F	MILEPOST 417	7.29	2,100	5	0	0	5	0.69	0.00	0.00	0.69
424.95	7.99	R-2-F	RD N AND S (LOGAN ST)	6.14	2,100	5	0	0	5	0.81	0.00	0.00	0.81
433.99	9.10	R-2-F	MILEPOST 434	6.09	1,830	4	0	0	4	0.66	0.00	0.00	0.66
436.18	2.17	R-2-F	RD S (FAIRVIEW AVE)	1.51	1,900	1	0	0	1	0.66	0.00	0.00	0.66
436.74	0.53	R-4-F	RD N (COOPER AVE)	0.41	2,133	0	0	0	0	0.00	0.00	0.00	0.00
444.75	7.97	R-2-F	RD N AND S (CO RD 21)	4.67	1,600	2	0	0	2	0.43	0.00	0.00	0.43
453.03	8.27	R-2-F	RD N AND S (CO RD 37) - ENTER HOLYOKE CITY	5.15	1,700	1	0	0	1	0.19	0.00	0.00	0.19



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH006J

MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
453.83	0.79	R-2-F	RD S (BOWMAN AVE)	0.64	2,200	0	0	0	0	0.00	0.00	0.00	0.00	
454.34	0.50	R-4-F	RD N AND S (HIGH SCHOOL AVE)	0.72	3,908	2	1	0	3	2.79	1.40	0.00	4.19	
454.88	0.54	R-2-F	LEAVE HOLYOKE CITY LIMITS	0.60	3,024	0	0	0	0	0.00	0.00	0.00	0.00	
459.07	4.21	R-2-F	RD N AND S (CO RD 49)	3.24	2,100	2	1	0	3	0.62	0.31	0.00	0.93	
465.10	6.03	R-2-F	RD N AND S (CO RD 61)	2.16	980	3	0	0	3	1.39	0.00	0.00	1.39	
466.27	1.17	R-2-F	RD N AND S (CO RD 63)	0.38	880	0	0	0	0	0.00	0.00	0.00	0.00	
467.28	0.98	R-2-F	RD N AND S (CO RD 65) COLORADO-NEBRASKA	0.28	790	1	0	0	1	3.52	0.00	0.00	3.52	
Totals:						95.39	78	10	1	89	1.17	0.15	1.50	1.33

SH006K

MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
0.00		U-2-M	MILEPOST 0 -- RD SW (DEVEREUX RD) -- BEGIN SH											
0.34	0.33	U-2-M	JCT SH 82 SW AND E (6TH ST) - RD N (LAUREL ST)	1.45	12,000	8	2	0	10	5.57	1.39	0.00	6.96	
Totals:						0.33	8	2	0	10	5.52	1.38	0.00	6.90

SH006L

MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
88.90		R-2-M	INTERCHANGE STRS (F-05-N) EB (F-05-M) WB -											
89.64	1.03	R-2-M	MINORSTR (006D089570BL) DRAINAGE	1.70	4,500	1	0	0	1	0.59	0.00	0.00	0.59	
90.38	0.74	U-2-M	RD N (2ND ST) (SWALLOW LN)	1.22	4,500	0	0	0	0	0.00	0.00	0.00	0.00	
91.24	0.85	U-2-M	JCT SH013A NORTH -- END U.S.006L	1.49	4,799	2	0	0	2	1.34	0.00	0.00	1.34	
Totals:						2.62	3	0	0	3	0.68	0.00	0.00	0.68

SH006M

MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
62.31		R-2-M	RD W (CO RD V.50) - RD S (FRONTAGE ROAD) -										
65.40	3.29	R-2-M	MAJOR STR (G-04-AH) - JCT I-70 -- OVERPASS	1.17	970	1	0	0	1	0.86	0.00	0.00	0.86
74.48	9.11	R-2-M	REGION BOUNDARY OR CLASSIFICATION	2.37	710	3	0	0	3	1.27	0.00	0.00	1.27
74.99	0.42	R-2-M	MILEPOST 75	0.20	1,307	0	0	0	0	0.00	0.00	0.00	0.00
75.99	0.95	R-4-M	MILEPOST 76	1.50	4,309	0	0	0	0	0.00	0.00	0.00	0.00



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH006M													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
85.01	8.34	R-2-M	MINORSTR (006M084120BL) DRAINAGE	14.65	4,800	0	1	0	1	0.00	0.07	0.00	0.07
88.90	3.61	R-2-M	INTERCHANGE STRS (F-05-N) EB AND (F-05-M) WB	6.34	4,800	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		25.72				4	1	0	5	0.15	0.04	0.00	0.19

SH006Z													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT SH 138 NE (3RD ST) AND SH 6 SE (CHESTNUT										
0.27	0.27	U-2-R	JCT SH 14 NW AND SE (MAIN ST)	0.51	5,177	7	1	0	8	13.63	1.95	0.00	15.58
0.60	0.34	U-3-R	JCT SH 6 SOUTH (DIVISION AVE) AND NE (3RD ST)	0.28	2,218	2	0	0	2	7.25	0.00	0.00	7.25
Totals:		0.61				9	1	0	10	11.43	1.27	0.00	12.70

SH007A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-M	JCT U.S.36 SH 36 NW AND SE (ST VRRAIN AVE) --										
0.45	0.42	U-2-M	RD E (WOODSTOCK DR) - RD W (STANLEY AVE)	1.43	9,300	2	1	0	3	1.39	0.69	0.00	2.08
1.47	1.00	U-2-M	RD W (TRANQUIL LN)	3.66	10,000	5	0	0	5	1.37	0.00	0.00	1.37
1.74	0.26	U-2-M	RD W (HIGH ACRES DR N)	0.64	6,753	1	1	0	2	1.57	1.57	0.00	3.15
2.99	1.20	U-2-M	MILEPOST 3	2.11	4,800	2	0	0	2	0.95	0.00	0.00	0.95
3.47	0.50	U-2-M	RD NW (MARYS LAKE RD)	0.88	4,800	0	1	0	1	0.00	1.13	0.00	1.13
3.87	0.39	U-2-M	RD SE (FISH CREEK RD) (CO RD 63)	0.43	3,009	2	0	0	2	4.62	0.00	0.00	4.62
4.99	1.11	U-2-M	MILEPOST 5	0.73	1,800	2	1	0	3	2.73	1.37	0.00	4.10
6.32	1.33	U-2-M	RD S (SERENITY LN) - MINOR STR (007A006330BR)	0.88	1,800	0	1	0	1	0.00	1.14	0.00	1.14
14.90	8.52	R-2-M	JCT SH 7 ALLENSPARK-FERNCLIFFE BUSINESS	5.61	1,800	1	5	0	6	0.18	0.89	0.00	1.07
19.24	4.33	R-2-M	JCT SH 72 SW (RAYMOND)	2.54	1,600	4	1	0	5	1.58	0.39	0.00	1.97
28.99	10.09	R-2-M	MILEPOST 29	4.80	1,300	9	2	1	12	1.87	0.42	20.83	2.50
33.08	4.11	R-2-M	JCT SH036B N AND E (BROADWAY ST) -- END	2.20	1,465	6	2	0	8	2.72	0.91	0.00	3.63
Totals:		33.26				34	15	1	50	1.31	0.58	3.86	1.93



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH007B													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
49.51		U-4-R	JCT SH 119A WEST - JCT (CANYON BLVD) - JCT SH										
49.86	0.35	U-4-R	RD N AND S (17TH ST)	2.69	21,000	23	1	0	24	8.65	0.38	0.00	9.02
50.64	0.76	U-4-R	JCT U.S.36 SH 36 N AND S (28TH ST) -- END SH 7 -	7.11	25,567	41	6	0	47	5.75	0.84	0.00	6.59
Totals:		1.11				64	7	0	71	6.53	0.71	0.00	7.24

SH007C													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
52.29		U-5-R	JCT SH036B N AND S (28TH ST) -- BEGIN SH007C										
53.45	0.93	U-5-R	JCT SH 157 NORTH AND SOUTH (FOOTHILLS	8.94	26,265	63	7	0	70	7.06	0.78	0.00	7.85
53.91	0.46	U-6-R	RD N (COMMERCE ST) - RD S (EISENHOWER DR)	5.22	31,000	28	1	0	29	5.42	0.19	0.00	5.62
54.91	1.00	U-6-R	RD S (CO RD 39) (CHERRYVALE RD) (60TH ST)	9.16	25,018	18	6	0	24	1.97	0.66	0.00	2.62
55.24	0.33	U-5-R	RD N AND S (63RD ST)	2.54	21,000	8	0	0	8	3.14	0.00	0.00	3.14
56.30	1.04	U-2-R	RD N (CO RD 33A) (VALTEC LN)	7.61	20,000	15	0	0	15	1.98	0.00	0.00	1.98
56.74	0.43	U-2-R	REGIONAL SECTION POLITICAL BOUNDARY OR	3.15	20,000	6	0	0	6	1.93	0.00	0.00	1.93
58.79	2.02	R-2-R	RD S (WICKLOW ST) (CO RD SE1)	14.79	20,000	16	1	0	17	1.08	0.07	0.00	1.15
59.14	0.33	U-2-R	RD (CROSS CREEK DR) - ENTER LAFAYETTE CITY	2.33	19,280	1	0	0	1	0.44	0.00	0.00	0.44
59.45	0.32	U-2-R	RD N (GALT WAY) - RD S (FOREST PARK CI)	1.99	16,978	9	1	0	10	4.54	0.50	0.00	5.04
60.68	1.32	U-2-R	JCT U.S.287 NORTH AND SOUTH - RD E (CO RD 54)	7.73	16,000	11	1	1	13	1.42	0.13	12.93	1.68
Totals:		8.18				175	17	1	193	2.76	0.27	1.58	3.04

SH007D													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
61.88		U-2-R	JCT U.S.287 NORTH AND SOUTH - RD W										
62.37	0.49	U-2-R	RD S (CHRISTOPHER ST)	3.23	18,000	28	0	0	28	8.71	0.00	0.00	8.71
62.64	0.28	U-2-R	RD S (GOUGH AVE)	1.50	14,680	4	0	0	4	2.71	0.00	0.00	2.71
63.21	0.71	U-2-R	RD N (119TH ST) - RD S (120TH ST) (OLD CO RD 5)	3.38	13,000	4	3	0	7	1.18	0.88	0.00	2.06
64.13	0.72	U-2-R	RD NE (EAST COUNTY LINE RD) (OLD CO RD 1)	4.74	18,000	12	1	0	13	2.52	0.21	0.00	2.73
65.34	1.23	U-2-R	RD N (BONANZA DR) - RD S (LOWELL BLVD) -	9.00	19,994	13	4	0	17	1.44	0.44	0.00	1.88
66.40	1.03	U-3-R	RD N (MOUNTAINVIEW BLVD)	7.54	20,000	10	0	0	10	1.33	0.00	0.00	1.33
67.48	1.07	U-3-R	RD S (HURON ST)	7.83	20,000	22	1	1	24	2.81	0.13	12.78	3.07
68.34	0.85	U-2-R	I-25 INTERCHANGE STR (E-17-MW) - JCT I-25	6.22	20,000	12	0	0	12	1.93	0.00	0.00	1.93
68.55	0.26	U-4-R	BROOMFIELD - ADAMS COUNTY LINE - ENTER	2.09	21,977	6	1	0	7	2.91	0.49	0.00	3.40

Safety Performance Function (SPF) Definition
Rural/Urban - # of Lanes - Terrain
R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
Fatal Rate in 100 Million Vehicle Miles Traveled
** PDO = Property Damage Only



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH007D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
69.85	1.32	R-4-R	RD N AND S (YORK ST)	10.63	22,000	9	0	0	9	0.85	0.00	0.00	0.85
75.88	6.07	R-2-R	RD SW (RIVERDALE RD)	26.67	12,003	20	6	1	27	0.75	0.22	3.75	1.01
76.58	0.72	R-2-R	ENTER BRIGHTON CITY LIMITS - ENTER	3.69	14,000	3	0	0	3	0.82	0.00	0.00	0.82
77.05	0.47	U-2-R	ROTARY TRAFFIC CIRCLE - ISLAND AND	2.78	16,150	36	0	0	36	13.07	0.00	0.00	13.07
Totals:		15.22				179	16	2	197	2.00	0.18	2.24	2.21

SH007E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH 7 NW AND SE IN ROOSEVELT NATIONAL										
0.56	0.54	R-2-M	RD S (CO RD 107E) (SKI RD)	0.15	780	0	0	0	0	0.00	0.00	0.00	0.00
1.59	0.94	R-2-M	JCT SH 007A NW AND SE - END	0.09	270	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		1.48				0	0	0	0	0.00	0.00	0.00	0.00

SH008A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH285D EB (RAMP FROM SH285D EB TO										
0.23	0.29	R-2-M	RAMP OFF	0.41	3,880	0	0	0	0	0.00	0.00	0.00	0.00
0.55	0.39	U-2-M	RD E (CO RD 60) (TURKEY CREEK RD) - RD W	0.63	4,436	0	0	1	1	0.00	0.00	156.33	1.56
1.59	1.10	U-2-M	RD (HAUL RD)	1.81	4,500	4	0	0	4	2.20	0.00	0.00	2.20
2.15	0.56	U-2-M	RAMP ON EB	0.92	4,500	2	0	0	2	2.16	0.00	0.00	2.16
2.49	0.37	U-2-M	RD NW (MT VERNON AVE) (CO RD 93)	1.65	12,160	7	0	0	7	4.31	0.00	0.00	4.31
3.53	1.08	U-2-M	MINORSTR (008A003630BL) ROONEY GULCH -- RD	4.11	10,407	7	2	0	9	1.70	0.49	0.00	2.19
4.67	1.11	U-4-R	MINORSTR (008A004780BL) UNNAMED DRAINAGE	4.06	10,000	1	1	0	2	0.25	0.25	0.00	0.49
4.99	0.31	U-4-R	MILEPOST 5	1.13	10,000	3	1	0	4	2.66	0.89	0.00	3.55
6.21	1.22	U-5-R	WIDTH CHANGE (LANE CHANGE)	5.36	12,000	1	0	0	1	0.19	0.00	0.00	0.19
6.90	0.71	U-3-R	ENTER LAKEWOOD CITY LIMITS - IN JEFFERSON	3.12	12,000	4	1	0	5	1.28	0.32	0.00	1.61
7.27	0.40	U-4-R	RD N (JELLISON ST)	1.43	9,755	7	0	0	7	4.89	0.00	0.00	4.89
7.91	0.62	U-2-R	RD S (ESTES ST) - RD N (GARRISON ST)	1.77	7,800	1	0	0	1	0.56	0.00	0.00	0.56
8.68	0.77	U-2-R	JCT SH 121 N AND S (WADSWORTH BLVD) -- END	2.00	7,103	6	1	0	7	2.99	0.50	0.00	3.49
Totals:		8.93				43	6	1	50	1.51	0.21	3.52	1.76



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH009A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT U.S. 50 E AND W -- BEGIN SH009A - CHANGE										
8.62	8.53	R-2-M	RD N (CO RD 11) (HIGH PARK RD)	4.68	1,500	7	1	0	8	1.49	0.21	0.00	1.71
17.99	9.29	R-2-M	MILEPOST 18	2.72	800	6	0	0	6	2.21	0.00	0.00	2.21
21.24	3.18	R-2-M	RD NE (CO RD 102)	0.93	800	2	1	0	3	2.15	1.07	0.00	3.22
30.99	9.87	R-2-R	CURRANT CREEK PASS SUMMIT - ELEVATION	1.99	550	0	0	0	0	0.00	0.00	0.00	0.00
40.99	9.81	R-2-R	MILEPOST 41	1.97	550	3	0	0	3	1.52	0.00	0.00	1.52
44.92	3.95	R-2-R	RD SW (CO RD 53)	0.80	550	0	0	0	0	0.00	0.00	0.00	0.00
46.98	1.99	R-2-R	JCT U.S.24 SH 24 NE AND SW (HARTSEL) -- END	0.47	640	1	0	0	1	2.15	0.00	0.00	2.15
Totals:	46.62					19	2	0	21	1.40	0.15	0.00	1.55

SH009B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
47.58		R-2-R	JCT SH-24A E AND W -- BEGIN SH 009B										
56.99	9.40	R-2-R	MILEPOST 57	4.47	1,300	12	0	0	12	2.68	0.00	0.00	2.68
63.73	6.72	R-2-R	JCT U.S.285 NORTH AND SOUTH -- END SH 009B -	3.20	1,300	6	1	0	7	1.88	0.31	0.00	2.19
Totals:	16.12					18	1	0	19	2.35	0.13	0.00	2.48

SH009C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
64.67		R-2-R	JCT U.S.285 SH 285 NE AND S END OVERLAPPING										
65.18	0.51	R-2-R	RD NE AND SW (5TH ST)	0.88	4,704	3	0	0	3	3.40	0.00	0.00	3.40
65.99	0.80	R-2-M	MILEPOST 66	1.07	3,662	3	1	0	4	2.80	0.93	0.00	3.73
70.47	4.40	R-2-M	RD SW (1ST ST SO) (CO RD 19)	5.80	3,600	7	3	0	10	1.21	0.52	0.00	1.72
78.79	8.31	R-2-M	RD NW (BLUE LAKES RD) (CO RD 850)	12.17	4,000	22	0	1	23	1.81	0.00	8.22	1.89
84.86	6.12	R-2-M	RD W (CO RD 790) (GRN MT DR) - RD S (HORIXON	11.65	5,200	11	2	0	13	0.94	0.17	0.00	1.12
86.16	1.19	R-2-M	MINORSTR (009C086090BR) ILLINOIS GULCH -- RD	3.09	7,098	1	0	0	1	0.32	0.00	0.00	0.32
86.73	0.71	R-2-M	MINORSTR (009C086770BL) SAWMILL GULCH - RD	2.69	10,350	22	0	0	22	8.21	0.00	0.00	8.21
87.26	0.70	R-2-M	MAJOR STR (F-12-CA) BLUE RIVER SECONDARY	2.79	10,882	18	0	0	18	6.50	0.00	0.00	6.50
89.05	1.62	R-3-M	RD SE (CO RD 400) - RD NE (FAIRVIEW BLVD) -	12.45	21,000	19	1	0	20	1.53	0.08	0.00	1.61
90.24	1.28	R-2-M	RD E AND W (TIGER RD) - RD NE (SHORES LN)	8.44	18,012	5	0	0	5	0.59	0.00	0.00	0.59
92.88	2.55	R-4-M	RD E (CO RD 1) SWAN MOUNTAIN ROAD	19.59	20,993	14	1	0	15	0.72	0.05	0.00	0.77
94.30	1.34	R-2-M	ENTER FRISCO URBAN AREA - ENTER FRISCO	8.83	18,004	7	3	0	10	0.79	0.34	0.00	1.13



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH009C														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
95.44	1.19	U-2-M	RD N (WATERDANCE DR) LOOP DRIVE - RD S	7.84	18,000	2	0	0	2	0.25	0.00	0.00	0.25	
95.96	0.41	U-2-M	RD W (GRANITE ST)	2.70	18,000	2	0	0	2	0.75	0.00	0.00	0.75	
97.23	1.30	U-4-M	NORTH SIDE ROUNDABOUT (TO/FROM I-70) -- END	10.39	21,844	20	0	0	20	1.93	0.00	0.00	1.93	
Totals:							156	11	1	168	1.41	0.10	0.91	1.52

SH009D														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
101.56		U-4-M	(DILLON/SILVERTHORNE) INTERCHANGE STR											
101.91	0.35	U-4-M	RD W (3RD ST)	3.54	27,669	17	3	0	20	4.76	0.84	0.00	5.59	
102.27	0.36	U-4-M	RD W (6TH ST) (DILLON AVE)	3.03	23,000	1	0	0	1	0.33	0.00	0.00	0.33	
102.57	0.30	U-4-M	RD W (9TH ST)	1.49	13,553	3	0	0	3	2.04	0.00	0.00	2.04	
103.43	0.85	U-4-M	RD SW (WILLOWBROOK RD)	3.08	9,900	2	0	0	2	0.65	0.00	0.00	0.65	
103.97	0.53	U-4-M	RD NE (CO RD 1900) (HAMILTON CREEK RD)	1.71	8,800	1	0	0	1	0.59	0.00	0.00	0.59	
104.99	0.99	U-4-M	MILEPOST 105	2.03	5,600	1	0	0	1	0.49	0.00	0.00	0.49	
105.74	0.75	U-2-M	REGIONAL SECTION OR DISTRICT BOUNDARY -	1.54	5,600	2	0	0	2	1.30	0.00	0.00	1.30	
110.30	4.58	R-2-M	RD W (CO RD 1375) (BOULDER CREEK RD)	9.39	5,600	6	2	0	8	0.64	0.21	0.00	0.85	
114.15	3.82	R-2-M	RD E (CO RD 15) (UTE PASS RD)	5.31	3,800	4	1	0	5	0.75	0.19	0.00	0.94	
118.13	4.08	R-2-M	RD NW (CO RD 30) (HEENEY RD)	5.08	3,400	4	1	0	5	0.79	0.20	0.00	0.98	
126.03	7.74	R-2-M	RD SW (GREEN MTN RESERVOIR RD) (HEENEY	7.93	2,800	5	1	0	6	0.63	0.13	0.00	0.76	
135.16	9.09	R-2-M	MINORSTR (009D135170BR) ELLIOTT CREEK	11.64	3,500	20	1	0	21	1.72	0.09	0.00	1.80	
136.60	1.46	R-2-M	RD SW (CO RD 1)	1.87	3,500	1	0	0	1	0.54	0.00	0.00	0.54	
138.23	1.52	R-2-M	RD N (13TH ST)	1.61	2,900	0	0	0	0	0.00	0.00	0.00	0.00	
138.92	0.69	R-2-M	JCT U.S.40 EAST AND WEST (PARK AVE) - RD N	0.85	3,347	0	0	0	0	0.00	0.00	0.00	0.00	
Totals:							67	9	0	76	1.11	0.15	0.00	1.26

SH010A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	I-25 INTERCHANGE STRS (N-17-AC) (N-17-AD) JCT										
5.11	5.13	R-2-R	RD N (CO RD 120)	1.13	600	0	0	0	0	0.00	0.00	0.00	0.00
14.75	9.66	R-2-F	MINORSTR (010A014910BR) STOCK PASS	1.77	500	1	1	0	2	0.57	0.57	0.00	1.13
23.99	9.16	R-2-F	MILEPOST 24	1.68	500	1	1	0	2	0.60	0.60	0.00	1.19
33.08	9.01	R-2-F	MINORSTR (010A033343BL M-20-P MINOR) DRAW	1.65	500	3	0	0	3	1.82	0.00	0.00	1.82

Safety Performance Function (SPF) Definition
Rural/Urban - # of Lanes - Terrain
R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
Fatal Rate in 100 Million Vehicle Miles Traveled
** PDO = Property Damage Only



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH010A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
42.99	9.93	R-2-F	MILEPOST 43	1.82	500	0	0	0	0	0.00	0.00	0.00	0.00
44.14	1.10	R-2-F	RD N (CO RD 2)	0.20	500	0	0	0	0	0.00	0.00	0.00	0.00
53.63	9.58	R-2-R	MINORSTR (010A053740BR) UNNAMED DRAINAGE	1.40	400	1	1	0	2	0.71	0.71	0.00	1.43
54.19	0.53	R-2-R	MINORSTR (010A054240BR) UNNAMED DRAINAGE	0.08	412	1	0	0	1	12.56	0.00	0.00	12.56
61.36	7.20	R-2-R	RD N AND S (CO RD 18)	1.13	430	0	0	0	0	0.00	0.00	0.00	0.00
62.36	1.00	R-2-R	JCT SH 071A SOUTH - RD N (CO RD 19.00)	0.20	550	1	0	0	1	4.99	0.00	0.00	4.99
62.87	0.50	R-2-R	JCT SH 071B NORTH - RD S (CO RD 19.50)	0.12	640	0	0	0	0	0.00	0.00	0.00	0.00
68.01	5.00	R-2-R	RD N (CO RD 24.5)	1.19	650	1	0	0	1	0.84	0.00	0.00	0.84
70.53	2.48	R-2-R	RD N AND S (CO RD 27) - ENTER LA JUNTA URBAN	0.83	910	1	1	0	2	1.21	1.21	0.00	2.42
71.02	0.43	U-2-R	RD E (CO RD AA.00) (6TH ST)	0.14	910	0	0	0	0	0.00	0.00	0.00	0.00
71.55	0.57	U-2-R	RD S (DALTON AVE) (CO RD 28)	0.19	900	0	0	0	0	0.00	0.00	0.00	0.00
71.97	0.34	U-2-R	JCT U.S.50 NW AND E -- END SH 010A	0.09	741	1	0	0	1	10.78	0.00	0.00	10.78
Totals:		71.62				11	4	0	15	0.81	0.29	0.00	1.10

SH011A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.138 EAST AND WEST -- BEGIN SH 011A -										
1.35	1.34	R-2-R	COLORADO-NEBRASKA STATE LINE -- END	0.24	485	1	0	0	1	4.19	0.00	0.00	4.19
Totals:		1.34				1	0	0	1	4.20	0.00	0.00	4.20

SH012A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.160 EAST AND WEST -- BEGIN SH012A -										
4.59	4.58	R-2-R	RD E AND W (RYUS AVE)	3.02	1,800	3	0	0	3	0.99	0.00	0.00	0.99
5.38	0.71	R-2-R	RD E (CUCHARAS ST) - CHANGE ROADWAY	0.62	2,400	1	0	0	1	1.59	0.00	0.00	1.59
14.99	9.68	R-2-R	RD (CUCHARA AVE) - MILEPOST 15 - (1.018 MILE	7.44	2,100	2	1	0	3	0.27	0.13	0.00	0.40
15.99	0.54	R-2-M	MILEPOST 16	0.26	1,340	1	0	0	1	3.80	0.00	0.00	3.80
25.82	9.84	R-2-M	MINORSTR (012A025700BL) STOCK PASS	3.96	1,100	5	1	0	6	1.26	0.25	0.00	1.51
33.05	7.35	R-2-M	RD E (CO RD 9.6)	2.96	1,100	0	1	0	1	0.00	0.34	0.00	0.34
42.75	9.76	R-2-M	MAJOR STR (P-17-F) NORTH FORK PURGATOIRE	3.50	980	2	2	0	4	0.57	0.57	0.00	1.14
43.29	0.40	R-2-M	MINORSTR (012A043200BL) UNNAMED DRAINAGE	0.13	858	0	0	0	0	0.00	0.00	0.00	0.00
52.31	9.10	R-2-M	MINORSTR (012A052330BL) UNNAMED DRAINAGE	2.13	640	4	1	0	5	1.88	0.47	0.00	2.35



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH012A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
56.84	4.55	R-2-M	RD S (CO RD 47.7)	1.07	640	8	0	0	8	7.51	0.00	0.00	7.51
61.38	4.45	R-2-M	RD N (CO RD 55.7)	3.75	2,300	1	0	0	1	0.27	0.00	0.00	0.27
68.39	6.91	R-2-M	RD NW (CO RD 67.3) (JANSEN)	7.59	3,000	6	1	0	7	0.79	0.13	0.00	0.92
69.04	0.62	R-2-F	RD SE (CO RD 22.9) - ENTER SMALL URBAN AREA	0.79	3,500	0	0	0	0	0.00	0.00	0.00	0.00
69.35	0.32	U-2-F	RD N AND S (ARTHUR ST)	0.41	3,500	0	1	0	1	0.00	2.42	0.00	2.42
70.23	0.87	U-2-F	RD N (PROSPECT ST) - RD W (UNIVERSITY ST)	1.53	4,797	5	0	0	5	3.28	0.00	0.00	3.28
70.83	0.53	U-2-F	SIGN BRIDGE STR (SIGN-P-18-CG) WEST SIDE	1.57	8,100	6	1	0	7	3.85	0.64	0.00	4.49
Totals:										1.08	0.22	0.00	1.30

SH013A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-M	RD E (AIRPORT RD) AND RD W (7TH) - RD S										
0.28	0.40	U-2-M	MAJOR STR (F-05-R) COLORADO RIVER	2.49	17,000	18	0	0	18	7.31	0.00	0.00	7.31
0.64	0.33	U-2-M	JCT U.S. 006D EAST (1ST ST) - RD N (RAILROAD	1.59	13,188	7	0	0	7	4.42	0.00	0.00	4.42
1.05	0.74	U-2-M	JCT U.S. 006L WEST (CHANGE ROADWAY	1.05	3,892	8	1	0	9	7.58	0.95	0.00	8.53
1.31	0.30	U-3-M	SLIP RAMP OFF (TO SH 013A) WB	0.58	5,300	1	0	0	1	1.71	0.00	0.00	1.71
1.99	0.81	R-2-M	LEAVE DISTRICT (3) - LEAVE MAINTSECTION (2)	1.57	5,300	1	0	0	1	0.64	0.00	0.00	0.64
2.21	0.18	R-2-M	MAJOR STR (F-05-AA) HUBBARD GULCH	0.30	4,600	0	0	0	0	0.00	0.00	0.00	0.00
2.60	0.52	U-2-M	RAMP OFF	0.88	4,600	2	0	0	2	2.28	0.00	0.00	2.28
2.93	0.46	U-2-M	RD N (WILLOW CIR) RD S (26TH ST)	1.83	10,854	5	0	0	5	2.75	0.00	0.00	2.75
3.66	0.95	U-4-M	RD SE (CO RD 188)	1.99	5,712	4	0	0	4	2.02	0.00	0.00	2.02
3.94	0.35	U-2-M	RD N (CO RD 296)	0.56	4,400	0	0	0	0	0.00	0.00	0.00	0.00
4.95	1.03	R-2-M	RD NE (CO RD 469)	1.38	3,673	3	0	0	3	2.16	0.00	0.00	2.16
13.99	9.79	R-2-M	MILEPOST 14	12.54	3,500	19	6	0	25	1.52	0.48	0.00	1.99
18.26	4.25	R-2-M	RD E (CO RD 5) (PICEANCE CREEK) (CO RD 5)	5.44	3,500	3	2	0	5	0.55	0.37	0.00	0.92
27.99	9.70	R-2-M	MILEPOST 28	9.94	2,800	8	1	0	9	0.80	0.10	0.00	0.91
37.56	9.56	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	9.80	2,800	6	3	0	9	0.61	0.31	0.00	0.92
39.00	1.41	R-2-M	MILEPOST 39	1.44	2,800	2	0	0	2	1.38	0.00	0.00	1.38
40.74	1.76	R-2-M	RD NE (CO RD 18) (MAIN ST)	2.45	3,800	5	0	0	5	2.05	0.00	0.00	2.05
41.41	0.66	R-2-M	RD N AND S (10TH ST)	1.52	6,289	0	0	0	0	0.00	0.00	0.00	0.00
41.94	0.51	R-2-M	RD N AND S (3RD ST)	1.16	6,200	0	0	0	0	0.00	0.00	0.00	0.00
42.70	0.77	R-2-M	RD NE (MEEKER AIRPORT - AIRPORT RD) (CO RD	1.11	3,924	0	0	0	0	0.00	0.00	0.00	0.00
43.36	0.65	R-2-M	RD SE (CO RD 8)	0.81	3,400	0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH013A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents			Accident Rates *				
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
44.44	1.00	R-2-M	RD N (CO RD 15)	0.84	2,303	0	0	0	0	0.00	0.00	0.00	0.00
53.92	9.46	R-2-M	MINORSTR (013A053930BL) UNNAMED DRAINAGE	5.89	1,700	5	1	0	6	0.85	0.17	0.00	1.02
62.99	9.10	R-3-M	MINORSTR (013A063000BL) -- MILEPOST 63	5.66	1,700	11	1	1	13	1.94	0.18	17.65	2.29
64.15	1.16	R-2-M	RD NW (CO RD 17)	0.72	1,700	1	0	0	1	1.39	0.00	0.00	1.39
73.18	9.07	R-2-R	MINORSTR (013A073280BL) UNNAMED DRAINAGE	5.98	1,800	15	0	0	15	2.51	0.00	0.00	2.51
75.78	2.58	R-2-R	JCT SH 317 E (HAMILTON)	1.70	1,800	6	1	0	7	3.53	0.59	0.00	4.12
84.99	9.06	R-2-R	MILEPOST 85	7.30	2,200	8	0	0	8	1.10	0.00	0.00	1.10
85.76	0.70	R-2-R	MAJOR STR (C-06-R) RR SPUR	0.72	2,824	1	0	0	1	1.39	0.00	0.00	1.39
87.29	1.58	R-2-R	ENTER CRAIG URBAN LIMIT	1.73	3,000	2	1	0	3	1.15	0.57	0.00	1.72
88.31	0.92	U-2-R	MAJOR STR (C-06-P) PINE RIDGE GULCH - RD SE	1.01	3,000	1	0	0	1	0.99	0.00	0.00	0.99
88.64	0.42	U-2-R	JCT U.S.40 EAST AND WEST -- END SH013A -	0.80	5,200	1	1	0	2	1.25	1.25	0.00	2.49
Totals:	90.18					143	18	1	162	1.54	0.19	1.08	1.75

SH013B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents			Accident Rates *				
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
89.58		U-2-R	JCT U.S. 040A EAST- RD E AND W (4TH ST) - RD S										
89.82	0.24	U-2-R	RD E AND W (6TH ST)	0.29	3,268	0	0	0	0	0.00	0.00	0.00	0.00
90.10	0.25	U-2-R	RD E AND W (8TH ST)	0.48	5,248	4	1	0	5	8.36	2.09	0.00	10.45
90.54	0.44	U-2-R	RD W (11TH ST)	0.81	5,005	3	0	0	3	3.76	0.00	0.00	3.76
90.85	0.29	U-2-R	RD E (14TH ST)	0.43	4,084	0	1	0	1	0.00	2.29	0.00	2.29
91.36	0.49	U-2-R	RD SW (CO RD 183) ACCESS TO (RANNEY ST)	0.56	3,100	1	1	0	2	1.80	1.80	0.00	3.60
91.71	0.32	U-2-R	LEAVE SMALL URBAN AREA	0.20	1,700	0	0	0	0	0.00	0.00	0.00	0.00
96.94	5.18	R-2-R	RD E (CO RD S-18)	3.22	1,700	9	2	0	11	2.79	0.62	0.00	3.41
105.99	9.04	R-2-R	MILEPOST 106	4.63	1,400	6	0	0	6	1.30	0.00	0.00	1.30
115.16	9.12	R-2-R	RD NE (CO RD 38)	4.67	1,400	8	1	0	9	1.71	0.21	0.00	1.93
124.26	9.02	R-2-R	MINORSTR (013B124270BR) DRAINAGE	3.63	1,100	4	0	0	4	1.10	0.00	0.00	1.10
128.07	3.83	R-2-R	COLORADO-WYOMING STATE LINE -- END SH013B	1.54	1,100	3	1	0	4	1.95	0.65	0.00	2.59
Totals:	38.22					38	7	0	45	1.86	0.34	0.00	2.20



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH014A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT U.S.40 EAST AND WEST - MUDDY PASS										
9.23	9.19	R-2-M	RD S (INDIAN CREEK RD) (CO RD 53)	3.36	1,000	7	2	0	9	2.08	0.59	0.00	2.67
18.78	9.32	R-2-M	RD W (CO RD 26)	3.41	1,000	5	0	0	5	1.47	0.00	0.00	1.47
21.63	2.86	R-2-M	RD SW (CO RD 24)	1.05	1,000	1	0	0	1	0.96	0.00	0.00	0.96
30.99	9.40	R-2-M	MILEPOST 31	4.47	1,300	4	0	0	4	0.89	0.00	0.00	0.89
32.97	1.98	R-2-M	JCT SH 125 N AND S END SH 14 BEGIN	0.94	1,300	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	32.75					17	2	0	19	1.28	0.15	0.00	1.44

SH014B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
34.09		R-2-R	JCT SH 125 NORTH AND SOUTH (MAIN ST) -- END										
34.71	0.62	R-2-R	RD E (CO RD 36)	0.28	1,219	3	1	0	4	10.83	3.61	0.00	14.44
43.94	9.12	R-2-M	MINORSTR (014B043930BR) IRRIGATION CANAL	3.67	1,100	2	1	0	3	0.54	0.27	0.00	0.82
51.31	7.36	R-2-M	RD W (CO RD 27)	2.96	1,100	5	1	0	6	1.69	0.34	0.00	2.02
60.61	9.05	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	2.72	820	2	1	0	3	0.74	0.37	0.00	1.10
69.99	9.59	R-2-M	MILEPOST 70	2.88	820	4	0	0	4	1.39	0.00	0.00	1.39
71.53	1.53	R-2-M	RD NW (CO RD 103)	0.46	820	0	0	0	0	0.00	0.00	0.00	0.00
80.97	9.65	R-2-M	MINORSTR (014B080980BL) UNNAMED DRAINAGE	2.40	680	5	1	0	6	2.08	0.42	0.00	2.50
89.99	9.19	R-2-M	MILEPOST 90	2.29	680	2	1	0	3	0.87	0.44	0.00	1.31
90.95	0.94	R-2-M	MINORSTR (014B091130BL) SEVENMILE CREEK	0.23	680	2	0	0	2	8.56	0.00	0.00	8.56
99.99	9.17	R-2-M	MILEPOST 100	4.03	1,200	3	0	0	3	0.74	0.00	0.00	0.74
109.06	9.21	R-2-M	MAJOR STR (B-15-I) YOUNGS GULCH	4.05	1,200	5	3	1	9	1.24	0.74	24.73	2.23
111.76	2.72	R-2-M	RD N (CO RD 60D)	1.19	1,200	0	1	2	3	0.00	0.84	167.42	2.51
121.71	10.04	R-2-M	JCT SH-287C N AND S (TEDS PLACE) -- END SH	9.19	2,500	6	2	1	9	0.65	0.22	10.89	0.98
Totals:	88.19					39	12	4	55	1.07	0.33	11.01	1.51



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH014C														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents			Accident Rates *					
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
134.77		U-2-R	JCT U.S. 287C NORTH AND SOUTH (COLLEGE											
135.12	0.37	U-2-R	RD NE AND SW (MOUNTAIN AVE)	1.63	12,000	8	0	0	8	4.98	0.00	0.00	4.98	
135.70	0.58	U-4-R	RD W (MULBERRY ST) - RD SE (RIVERSIDE AVE)	3.82	18,000	13	1	0	14	3.42	0.26	0.00	3.68	
136.04	0.33	U-4-R	RD S (LEMAY ST) (CR 13)	3.50	28,966	19	1	0	20	5.48	0.29	0.00	5.77	
137.29	1.24	U-4-R	MAJOR STR (B-16-GL) DRY CREEK	14.98	33,000	41	7	0	48	2.75	0.47	0.00	3.22	
137.61	0.31	U-4-R	RD NW AND SE (SUMMIT VIEW DR)	3.74	33,000	13	3	0	16	3.49	0.81	0.00	4.30	
138.74	1.13	U-4-R	RD N AND S (FRONTAGE RD)	11.99	29,000	13	0	0	13	1.09	0.00	0.00	1.09	
138.99	0.25	U-4-R	MILEPOST 139	3.24	35,368	11	0	0	11	3.40	0.00	0.00	3.40	
140.02	0.97	U-4-R	RD S (CO RD 5) (TO TIMNATH) (CAMINO REAL)-	7.10	20,000	10	1	0	11	1.41	0.14	0.00	1.55	
140.22	0.14	U-2-R	MAJOR STR (B-17-DK) LARIMER-WELD CANAL--	1.02	20,000	0	0	0	0	0.00	0.00	0.00	0.00	
142.17	1.77	R-2-R	RD N (CR 13) LARIMER CO - RD S (CR 1)	6.09	9,407	2	0	0	2	0.33	0.00	0.00	0.33	
144.14	1.92	R-2-R	JCT SH 257 S RD N (CO RD 17)	5.69	8,101	2	0	0	2	0.35	0.00	0.00	0.35	
146.99	2.88	R-2-R	MILEPOST 147	6.22	5,901	12	0	0	12	1.93	0.00	0.00	1.93	
152.15	5.17	R-2-R	RD N AND S (CO RD 33)	12.11	6,400	7	2	0	9	0.58	0.17	0.00	0.74	
153.21	1.03	R-2-R	RD N AND S (1ST AVE)	1.77	4,703	1	1	0	2	0.56	0.56	0.00	1.12	
153.99	0.79	R-2-R	MILEPOST 154	0.84	2,891	11	0	0	11	13.23	0.00	0.00	13.23	
157.34	3.20	R-2-R	RD N AND S (CO RD 43)	2.81	2,400	1	0	0	1	0.36	0.00	0.00	0.36	
166.99	9.73	R-2-R	MILEPOST 167	5.70	1,600	3	0	0	3	0.53	0.00	0.00	0.53	
176.05	9.06	R-2-R	RD N (CO RD 77) LEAVE PAWNEE NATIONAL	5.31	1,600	4	1	0	5	0.75	0.19	0.00	0.94	
185.99	9.96	R-2-F	MILEPOST 186	5.46	1,499	3	2	0	5	0.55	0.37	0.00	0.92	
192.87	6.82	R-2-F	RD NW (CO RD 390)	3.74	1,500	0	0	0	0	0.00	0.00	0.00	0.00	
201.99	9.08	R-2-F	MILEPOST 202	6.31	1,900	1	0	0	1	0.16	0.00	0.00	0.16	
203.26	1.16	R-2-F	RD N AND S (CO RD 129) - LEAVE RAYMER CITY	0.81	1,900	0	0	0	0	0.00	0.00	0.00	0.00	
205.23	2.15	R-2-F	JCT SH-52 S AND RD N (CO RD 133)	1.42	1,800	1	0	0	1	0.71	0.00	0.00	0.71	
211.80	6.55	R-2-F	JCT SH 71 N (WEIGH STATION)	3.36	1,400	0	0	0	0	0.00	0.00	0.00	0.00	
215.82	4.01	R-2-F	JCT SH 71 S RD N (CO RD 155)	2.20	1,500	1	0	0	1	0.45	0.00	0.00	0.45	
224.99	9.04	R-2-F	MILEPOST 225	4.07	1,230	3	0	0	3	0.74	0.00	0.00	0.74	
229.22	4.24	R-2-F	RD N AND S (CO RD 25)	2.02	1,300	1	0	0	1	0.50	0.00	0.00	0.50	
233.14	4.01	R-2-R	RD N AND S (CO RD 33)	5.28	3,598	1	0	0	1	0.19	0.00	0.00	0.19	
234.25	1.00	U-2-R	RD S (CO RD 35) ENTER STERLING URBAN LIMIT	1.32	3,600	0	0	0	0	0.00	0.00	0.00	0.00	
235.22	0.96	U-2-R	RD N AND S (CO RD 37)	1.26	3,600	1	0	0	1	0.79	0.00	0.00	0.79	
236.22	0.99	U-4-R	RD N (N 7TH AVE)	2.65	7,300	13	3	0	16	4.92	1.14	0.00	6.06	
236.54	0.31	U-4-R	RD N (N 3RD AVE) AND S (S 3RD AVE)	1.68	14,810	10	0	0	10	6.01	0.00	0.00	6.01	
236.92	0.37	U-4-R	JCT U.S.6 NE (3RD ST) - RD SE (MAIN ST) -- END	1.19	8,785	14	0	0	14	11.83	0.00	0.00	11.83	
Totals:														
101.52							220	22	0	242	1.57	0.16	0.00	1.72



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH015A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S. 160A (215.698) E AND W (1ST AVE) - JCT										
0.51	0.51	R-2-R	RD E (7TH AVE)	0.62	3,323	1	1	0	2	1.60	1.60	0.00	3.20
1.38	0.87	R-2-R	RD E AND W (CO RD 1S)	0.46	1,453	2	0	0	2	4.35	0.00	0.00	4.35
2.38	0.98	R-2-R	RD E AND W (CO RD 2S)	0.39	1,100	0	0	0	0	0.00	0.00	0.00	0.00
8.41	6.01	R-2-R	RD E AND W (CO RD 8S)	1.21	550	3	0	0	3	2.48	0.00	0.00	2.48
10.40	2.00	R-2-R	JCT SH 370 E RD W (CO RD 10S)	0.30	410	2	0	0	2	6.67	0.00	0.00	6.67
12.37	1.96	R-2-R	RD E AND W (CO RD 12S) RIO GRANDE-CONEJOS	0.16	230	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	12.33					8	1	0	9	2.54	0.32	0.00	2.85

SH015B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
20.40		R-2-R	RD N (CO RD 9) END OVERLAPPING										
22.47	2.05	R-2-R	RD N AND S (CO RD 8) (CAPULIN)	0.83	1,100	0	0	0	0	0.00	0.00	0.00	0.00
26.55	4.02	R-2-R	JCT SH 371A NORTH -- MINORSTR (371A000010BL)	1.31	890	0	0	0	0	0.00	0.00	0.00	0.00
27.57	1.01	R-2-R	RD N AND S (CO RD 13)	0.52	1,399	1	0	0	1	1.94	0.00	0.00	1.94
30.92	3.36	R-2-R	JCT U.S.285 SH 285 NE AND SW -- END SH 015B	2.09	1,700	2	0	0	2	0.96	0.00	0.00	0.96
Totals:	10.44					3	0	0	3	0.63	0.00	0.00	0.63

SH016A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	RD S (FRONTAGE RD) BEGIN SH016A -- BEGIN SH										
0.39	0.43	U-2-R	MAJOR STR (J-18-BI) AND (J-18-BO) CREWS	3.46	21,988	2	0	0	2	0.58	0.00	0.00	0.58
0.91	0.47	U-3-R	RAMP ON AND OFF - ENTER FOUNTAIN CITY	3.44	20,000	0	0	0	0	0.00	0.00	0.00	0.00
1.95	1.07	U-2-R	RD N AND S (FOUNTAIN MESA RD)	7.05	18,000	1	0	0	1	0.14	0.00	0.00	0.14
3.12	1.18	U-4-R	JCT SH021A (OLD POWERS BLVD) (MESA RIDGE	4.10	9,500	1	0	0	1	0.24	0.00	0.00	0.24
Totals:	3.15					4	0	0	4	0.22	0.00	0.00	0.22



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH017A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	NEW MEXICO-COLORADO STATE LINE BEGIN SH										
9.47	9.50	R-2-M	MINORSTR (017A009510BL) UNNAMED DRAINAGE	1.63	470	1	0	0	1	0.61	0.00	0.00	0.61
17.27	7.74	R-2-M	RD W (CO RD 250) (PLATORO RD)	1.33	470	1	1	0	2	0.75	0.75	0.00	1.50
26.28	8.90	R-2-M	LEAVE RIO GRANDE NATIONAL FOREST	2.70	830	1	0	0	1	0.37	0.00	0.00	0.37
29.04	2.74	R-2-M	RD SE (CO RD 10)	0.83	830	0	0	0	0	0.00	0.00	0.00	0.00
34.54	5.58	R-2-R	RD SE (CO RD 15)	2.45	1,200	3	0	0	3	1.22	0.00	0.00	1.22
39.05	4.41	R-2-R	JCT SH285A N AND S -- END SH 017A	2.44	1,514	1	2	0	3	0.41	0.82	0.00	1.23
Totals:										0.61	0.26	0.00	0.88

SH017B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
69.02		U-2-R	JCT U.S.160 SW AND E -- BEGIN SH017B RUNNING										
69.53	0.51	U-2-R	RD E (CURTIS LN)	0.99	5,300	4	0	0	4	4.07	0.00	0.00	4.07
70.14	0.51	U-2-R	RD E AND W (CO RD 6S) - LEAVE ALAMOSA	0.71	3,800	0	0	0	0	0.00	0.00	0.00	0.00
76.11	6.00	R-2-R	RD E AND W (CO RD O.O) (STANLEY RD)	6.15	2,800	3	2	1	6	0.49	0.33	16.26	0.98
81.13	5.01	R-2-R	RD E AND W (CO RD 5N) (MOSCA)	4.22	2,300	6	0	0	6	1.42	0.00	0.00	1.42
82.12	1.01	R-2-R	RD E AND W (CO RD 6N) - TO SAND DUNES	0.81	2,200	2	0	0	2	2.46	0.00	0.00	2.46
83.11	1.00	R-2-R	RD E AND W (CO RD 7N)	0.84	2,300	0	0	0	0	0.00	0.00	0.00	0.00
87.89	4.71	R-2-R	RD E (MADISON ST)	3.10	1,800	2	2	0	4	0.64	0.64	0.00	1.29
88.70	0.80	R-2-R	MINORSTR (017B088560BL) FARMERS UNION	0.46	1,588	0	0	0	0	0.00	0.00	0.00	0.00
91.13	2.49	R-2-R	RD E AND W (CO RD D)	1.28	1,400	1	0	0	1	0.78	0.00	0.00	0.78
100.99	9.80	R-2-R	MILEPOST 101	4.66	1,300	1	2	0	3	0.21	0.43	0.00	0.64
105.47	4.45	R-2-R	RD E (MOFFAT WAY) AND RD W (CO RD U60)	2.12	1,300	3	0	0	3	1.42	0.00	0.00	1.42
112.41	6.99	R-2-R	RD E AND W (CO RD AA)	3.07	1,200	0	0	0	0	0.00	0.00	0.00	0.00
118.86	6.31	R-2-R	JCT U.S. 285B N AND SW (NB SH 017B TO NB U.S.	3.23	1,400	1	0	0	1	0.31	0.00	0.00	0.31
Totals:										0.73	0.19	3.16	0.95



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH021A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
131.81		U-4-F	RD E (MESA RIDGE PKY) - LEAVE FOUNTAIN CITY										
132.93	1.11	U-4-F	RD E AND W (FONTAINE BLVD)	4.06	10,000	1	0	0	1	0.25	0.00	0.00	0.25
133.99	1.07	U-4-F	MILEPOST 134	5.87	14,995	4	1	0	5	0.68	0.17	0.00	0.85
135.43	1.47	U-4-F	MINORSTR (021A135460BR) UNNAMED DRAINAGE	8.07	15,000	10	4	0	14	1.24	0.49	0.00	1.73
136.60	1.19	U-4-F	RD S (GRINNELL BLVD) (CO RD 969) - ROADWAY	6.53	15,000	4	2	0	6	0.61	0.31	0.00	0.92
137.99	1.36	U-4-F	MILEPOST 138	14.93	30,000	30	10	0	40	2.01	0.67	0.00	2.68
139.07	1.05	U-4-F	RD E AND W (ASTROZON BLVD)	11.91	31,000	16	4	0	20	1.35	0.34	0.00	1.68
139.58	0.50	U-4-F	JCT U.S. 024G WEST AND NORTH - RD E	5.67	31,000	15	0	0	15	2.66	0.00	0.00	2.66
Totals:		7.75				80	21	0	101	1.40	0.37	0.00	1.77

SH021B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
141.74		U-6-F	JCT U.S. 024G SOUTH AND EAST - RUNNING										
142.93	1.19	U-6-F	RAMP ON (FROM HWY 24G WB) NB	21.56	49,494	61	4	0	65	2.83	0.19	0.00	3.02
143.32	0.40	U-6-F	MAJOR STR (XX-XX-87) SAND CREEK	9.31	63,609	30	0	0	30	3.21	0.00	0.00	3.21
144.36	1.03	U-6-F	RD W AND E (CAREFREE CIRCLE SOUTH)	24.50	65,000	53	3	0	56	2.17	0.12	0.00	2.30
145.40	1.02	U-6-F	MINORSTR (021B145350BL) UNNAMED DRAINAGE	24.27	65,000	62	7	0	69	2.55	0.29	0.00	2.84
145.99	0.60	U-6-F	MILEPOST 146	10.14	46,169	58	1	0	59	5.75	0.10	0.00	5.85
147.46	1.44	U-6-F	LEAVE COLORADO SPRINGS CITY LIMITS	22.66	43,000	52	0	0	52	2.29	0.00	0.00	2.29
148.48	1.02	U-6-F	SIGN BRIDGE STR (SIGN-I-18-A) - 0021B NBND	16.05	43,000	29	2	0	31	1.81	0.13	0.00	1.94
148.99	0.55	U-6-F	MILEPOST 149	8.66	43,000	10	3	0	13	1.15	0.35	0.00	1.50
150.01	0.90	U-4-F	RD SW AND NE (RESEARCH PRKY) 4-WAY	12.19	37,000	5	0	0	5	0.41	0.00	0.00	0.41
151.19	1.18	U-4-F	RD SW AND NE (BRIARGATE PRKY)	15.98	37,000	12	1	0	13	0.75	0.06	0.00	0.81
151.64	0.46	U-4-F	RD SW AND NE (UNION BLVD)	6.23	37,000	18	0	0	18	2.91	0.00	0.00	2.91
152.72	1.09	U-4-F	MINORSTR (021B152720SR) UNNAMED DRAINAGE	9.97	25,000	15	1	0	16	1.51	0.10	0.00	1.61
154.11	1.45	U-4-F	JCT SH 083A SOUTH AND NORTH - END SH 021B	13.27	25,000	16	4	1	21	1.21	0.30	7.56	1.59
Totals:		12.33				421	26	1	448	2.16	0.13	0.51	2.30



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH022A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT SH 002D NORTH AND SOUTH (SABLE BD) --										
1.05	1.05	U-2-R	RD N AND S (LEVI CI) (CO RD 211.35) (CO RD	0.96	2,500	2	0	0	2	2.08	0.00	0.00	2.08
1.49	0.44	U-2-R	RD S (CO RD 211) (PEORIA ST)	0.40	2,500	0	0	0	0	0.00	0.00	0.00	0.00
1.83	0.33	U-2-R	JCT SH085C NORTH AND SOUTH	0.42	3,500	0	0	0	0	0.00	0.00	0.00	0.00
2.48	0.64	U-2-R	RD NW AND SW (CR 208.51) (BRIGHTON RD)	1.87	8,000	3	1	0	4	1.60	0.53	0.00	2.13
Totals:		2.46				5	1	0	6	1.37	0.27	0.00	1.64

SH023A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	JCT U.S.385 SH 385 N AND S BEGIN SH 23										
9.38	9.39	R-2-F	RD N (CO RD 51.85) (MONMOUTH AVE) - RD SE	1.82	530	1	0	0	1	0.55	0.00	0.00	0.55
9.99	0.58	R-2-F	RD E AND W (CO RD 36)	0.10	489	0	0	0	0	0.00	0.00	0.00	0.00
15.99	5.95	R-2-F	MILEPOST 16	1.02	470	0	0	0	0	0.00	0.00	0.00	0.00
17.51	1.51	R-2-F	RD N AND S (CO RD 63.2) COLORADO-NEBRASKA	0.16	290	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		17.43				1	0	0	1	0.32	0.00	0.00	0.32

SH024A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
143.40		R-2-M	DOWD JUNCTION (MINTURN/LEADVILLE)										
145.17	1.74	R-2-M	RD N (EAGLE ST) - RD NE (MINTURN RD)	3.76	5,900	1	2	0	3	0.27	0.53	0.00	0.80
145.81	0.64	R-2-M	RD E (CO RD 113) (CEMETARY RD)	0.98	4,197	3	0	0	3	3.03	0.00	0.00	3.03
150.86	4.97	R-2-M	RD SW (CO RD 109) (GILMAN RD)	4.73	2,600	6	3	0	9	1.27	0.63	0.00	1.90
153.39	2.59	R-2-M	RD E (HIGH ST) (CO RD 124A)	2.28	2,400	3	0	0	3	1.32	0.00	0.00	1.32
156.11	2.61	R-2-M	RD SW (TO BUDGET CAMPGROUND) (HOMESTAKE	2.01	2,100	2	0	0	2	1.00	0.00	0.00	1.00
165.25	9.04	R-2-M	MINORSTR (024A165290BL) PINEY GULCH	5.96	1,800	9	3	0	12	1.51	0.50	0.00	2.01
171.42	6.20	R-2-M	CHANGE BOUNDARY LINE	4.08	1,800	5	0	0	5	1.22	0.00	0.00	1.22
171.99	0.51	U-2-M	MILEPOST 172	0.43	2,317	0	0	0	0	0.00	0.00	0.00	0.00
173.00	1.00	U-2-M	MILEPOST 173	0.92	2,500	1	0	0	1	1.10	0.00	0.00	1.10
174.18	1.15	U-2-M	LEGACY PATROL BOUNDRY	1.05	2,500	1	1	0	2	0.95	0.95	0.00	1.90
174.64	0.45	U-2-M	JCT SH-091A NE	0.41	2,500	0	0	0	0	0.00	0.00	0.00	0.00
175.07	0.42	U-4-M	RD W (CO RD 17) (MOUNTAIN VIEW DR)	1.08	7,000	0	0	0	0	0.00	0.00	0.00	0.00
175.99	0.96	U-3-M	RD W (WEST 4TH ST)	2.95	8,400	9	1	0	10	3.06	0.34	0.00	3.40



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH024A													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
176.38	0.35	U-4-M	RD N (PINE ST)	0.81	6,320	1	0	0	1	1.22	0.00	0.00	1.22
176.99	0.55	U-2-M	MILEPOST 177	1.01	5,000	0	0	0	0	0.00	0.00	0.00	0.00
178.13	1.11	U-2-M	RD SE (CO RD 23) (AIRPORT RD)	1.58	3,900	1	0	0	1	0.63	0.00	0.00	0.63
179.53	1.42	U-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	2.03	3,900	0	0	0	0	0.00	0.00	0.00	0.00
180.09	0.34	U-2-M	JCT SH 300 W (MALTA)	0.49	3,900	0	0	0	0	0.00	0.00	0.00	0.00
181.58	1.42	U-2-M	LEAVE LEADVILLE URBAN AREA	2.39	4,600	0	1	0	1	0.00	0.42	0.00	0.42
181.99	0.46	U-2-M	MILEPOST 182	0.77	4,600	0	0	0	0	0.00	0.00	0.00	0.00
183.59	1.56	R-2-M	RD SE (CO RD 7)	2.63	4,600	2	0	0	2	0.76	0.00	0.00	0.76
191.18	7.55	R-2-M	JCT SH 82 W	8.84	3,200	5	2	0	7	0.57	0.23	0.00	0.79
195.48	4.27	R-2-M	RD SW (CO RD 390)	4.06	2,600	4	1	0	5	0.98	0.25	0.00	1.23
204.50	8.77	R-2-M	MINORSTR (024A204510BR) STOCK PASS	10.91	3,400	10	0	0	10	0.92	0.00	0.00	0.92
205.04	0.53	R-2-M	MINORSTR (024A205040BR) FERRIS CREEK	0.83	4,273	0	0	0	0	0.00	0.00	0.00	0.00
210.22	5.16	R-2-M	RD W (CO RD 350) (CROSSMAN AVE)	16.81	8,900	8	2	0	10	0.48	0.12	0.00	0.59
210.78	0.56	R-4-M	RD E AND W (PINE ST)	2.46	11,980	8	0	0	8	3.28	0.00	0.00	3.28
211.61	0.93	R-4-M	RD W (STEELE DR) (CO RD 319)	4.42	13,000	7	2	0	9	1.58	0.45	0.00	2.03
212.89	1.28	R-2-M	JCT U.S.285 SOUTH - CHANGE ROADWAY	3.98	8,500	5	0	0	5	1.26	0.00	0.00	1.26
213.47	0.70	R-2-M	MAJOR STR (I-12-T) ARKANSAS RIVER	1.72	6,731	2	0	0	2	1.17	0.00	0.00	1.17
213.99	0.51	R-2-M	MILEPOST 214	0.92	4,948	2	0	0	2	2.18	0.00	0.00	2.18
223.87	9.82	R-2-M	MINORSTR (024A223890BR) UNNAMED DRAINAGE	13.66	3,800	14	5	1	20	1.03	0.37	7.32	1.46
226.54	2.61	R-2-M	JCT U.S.285D NORTH	3.63	3,800	7	1	0	8	1.93	0.28	0.00	2.21
235.99	9.33	R-2-R	MILEPOST 236	4.78	1,400	5	2	0	7	1.05	0.42	0.00	1.46
238.23	2.26	R-2-R	JCT SH 009B NORTH (TO FAIRPLAY)	1.16	1,400	1	1	0	2	0.86	0.86	0.00	1.73
239.31	1.09	R-2-R	JCT SH 009A SE - RD N (CO RD HB2) (TO CANON	1.12	2,800	1	0	0	1	0.89	0.00	0.00	0.89
248.40	9.05	R-2-R	MAJOR STR (H-14-B) CHASE GULCH	8.28	2,500	3	1	0	4	0.36	0.12	0.00	0.48
249.78	1.44	R-2-R	RD N AND S (CO RD SP56) (GLENTIVAR RD)	1.32	2,500	0	0	0	0	0.00	0.00	0.00	0.00
258.99	9.15	R-2-R	MILEPOST 259	6.70	2,000	5	4	0	9	0.75	0.60	0.00	1.34
264.10	5.07	R-2-M	RD NE (CO RD 77) (TARRYALL RD)	3.71	2,000	1	3	0	4	0.27	0.81	0.00	1.08
264.99	0.90	R-2-M	MINORSTR (024A265040BL) -- MILEPOST 265 --	0.79	2,400	1	1	0	2	1.26	1.26	0.00	2.52
265.53	0.47	R-2-M	RD NE (CO RD 94)	0.59	3,420	1	0	0	1	1.69	0.00	0.00	1.69
268.30	2.80	R-2-M	RD N (CR 47) (STOHL RD) - RD S (CR WE30)	3.79	3,700	5	1	0	6	1.32	0.26	0.00	1.58
269.15	0.83	R-2-M	RD S (BLUE MTN RD) (CO RD 46)	1.09	3,600	2	1	0	3	1.83	0.92	0.00	2.75
269.83	0.67	R-2-M	RD N (CO RD 31) - RD S (CO RD 1)	1.13	4,600	3	0	0	3	2.65	0.00	0.00	2.65
276.56	6.62	R-2-M	RD S (CO RD 42) (TWIN ROCK RD)	13.33	5,500	10	1	0	11	0.75	0.08	0.00	0.83
278.10	1.55	R-2-M	UTE PASS DIVIDE PASS SUMMIT - ELEVATION	5.22	9,200	8	4	0	12	1.53	0.77	0.00	2.30
281.99	3.93	R-3-M	CHANGE BOUNDARY LINE	24.45	17,000	21	3	0	24	0.86	0.12	0.00	0.98



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH024A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
282.82	0.92	U-4-M	RD E (CO RD 26) (BLUEBIRD HILL RD) (ELK PARK	6.61	19,620	5	1	0	6	0.76	0.15	0.00	0.91
283.99	1.08	U-4-M	MILEPOST 284	7.91	20,000	13	0	0	13	1.65	0.00	0.00	1.65
284.76	0.80	U-4-M	RD W (BROWNING AVE)	5.86	20,000	10	1	0	11	1.72	0.17	0.00	1.89
285.03	0.19	U-4-M	RD NW (MIDLAND AVE)	1.65	23,694	7	0	0	7	4.18	0.00	0.00	4.18
285.32	0.28	U-4-M	RD E (MIDLAND AVE)	2.75	26,859	3	2	0	5	1.08	0.72	0.00	1.80
285.83	0.49	U-4-M	RD W (SHERIDAN AVE)	4.66	26,000	14	2	0	16	3.02	0.43	0.00	3.45
286.92	1.08	U-4-M	MINORSTR (024A286980BL) UNNAMED DRAINAGE	10.67	26,994	22	4	0	26	2.07	0.38	0.00	2.44
287.99	1.01	U-4-M	MILEPOST 288	9.98	27,000	24	3	0	27	2.40	0.30	0.00	2.70
289.13	1.24	U-4-M	CHANGE MEDIAN (CROSSOVER)	12.25	27,000	13	0	0	13	1.06	0.00	0.00	1.06
289.53	0.32	U-4-M	RD S (UTE PASS AVE)	3.16	27,000	3	0	0	3	0.95	0.00	0.00	0.95
289.84	0.37	U-4-R	MINORSTR (024A289840WL) UNNAMED DRAINAGE	2.98	22,000	1	1	0	2	0.34	0.34	0.00	0.68
292.37	2.56	R-4-R	REGION OR DISTRICT BOUNDARY	20.61	22,000	15	1	0	16	0.73	0.05	0.00	0.78
293.47	1.04	U-4-R	CHANGE SPEED LIMIT (45)	8.37	22,000	3	0	0	3	0.36	0.00	0.00	0.36
293.68	0.23	U-4-R	MINORSTR (024A293730BL) PIKES PEAK AREA	1.90	22,529	0	0	0	0	0.00	0.00	0.00	0.00
293.99	0.26	R-4-R	MILEPOST 294 - SPEED LIMIT (45)	2.47	26,000	1	0	0	1	0.41	0.00	0.00	0.41
294.41	0.48	U-4-R	MAJOR STR (I-17-V) FOUNTAIN CREEK EB LANE	4.57	26,000	4	3	1	8	0.88	0.66	22.08	1.77
297.07	2.61	R-4-R	MAJOR STR (I-17-GL) -- U.S. 024A EBND ML	24.84	26,000	34	8	0	42	1.37	0.32	0.00	1.69
297.29	0.21	R-4-R	ENTER COLORADO SPRINGS URBAN AREA	2.00	26,000	1	0	0	1	0.51	0.00	0.00	0.51
298.95	1.64	U-4-R	EL PASO BOULEVARD INTERCHANGE STRS	15.61	26,000	10	2	0	12	0.64	0.13	0.00	0.77
299.21	0.32	U-4-R	RAMP ON (BUENA VISTA ON RAMP) EB	3.39	28,938	4	0	0	4	1.18	0.00	0.00	1.18
300.43	1.17	U-4-R	MAJOR STR (I-17-IG) CAMP CREEK -- JCT U.S. 24	13.27	31,000	13	4	1	18	0.98	0.30	7.54	1.36
301.99	0.99	U-4-R	MILEPOST 302	11.96	33,000	18	3	0	21	1.50	0.25	0.00	1.75
302.47	0.42	U-4-R	MINORSTR (024A302620BL) UNNAMED DRAINAGE	5.73	37,305	14	3	0	17	2.46	0.53	0.00	2.99
303.42	0.79	U-4-R	RD N (LIMIT ST) - RD NE AND S (8TH ST)	10.99	38,000	13	0	0	13	1.18	0.00	0.00	1.18
303.84	0.42	U-4-R	RD SE (CIMARRON ST) -- RAMP ON RAMP OFF	6.91	44,950	61	5	0	66	8.79	0.72	0.00	9.51
Totals:	158.26					489	89	3	581	1.24	0.23	0.76	1.48

SH024B													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
419.95		R-2-F	RD N AND S (CO RD 12) -- (FRONTAGE ALONG I-70										
422.70	3.33	R-2-F	JCT SH 059A NORTH AND SOUTH	0.11	90	0	0	0	0	0.00	0.00	0.00	0.00
423.50	0.81	R-2-F	RD W (1ST ST)	0.07	239	0	0	0	0	0.00	0.00	0.00	0.00
429.59	6.17	R-2-F	JCT I-70 VONA BUSINESS SPUR SH 70 S RD N (1ST	0.32	140	1	0	0	1	3.17	0.00	0.00	3.17



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH024B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
437.20	7.44	R-2-F	JCT SH 057A SOUTH - JCT SH024C EAST - RD N	0.87	318	3	0	0	3	3.47	0.00	0.00	3.47
Totals:						4	0	0	4	2.94	0.00	0.00	2.94

SH024C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
437.20		R-2-F	JCT SH024B W JCT SH057A S RD N (COLORADO										
437.70	0.50	R-2-F	RD N AND S (CO RD 31) - LEAVE STRATTON CITY	0.15	827	0	0	0	0	0.00	0.00	0.00	0.00
446.84	9.12	R-2-F	RD N AND S (CO RD 40) (NORTH RD) - ENTER	2.17	650	1	0	0	1	0.46	0.00	0.00	0.46
450.79	4.00	R-2-F	RD N (CO RD 44)	1.38	940	0	0	0	0	0.00	0.00	0.00	0.00
453.86	3.00	R-2-F	RD N AND S (CO RD 47) ENTER BURLINGTON CITY	1.24	1,133	1	0	0	1	0.81	0.00	0.00	0.81
454.83	1.00	R-2-F	JCT SH 385C (187.886) S AND E - RD N (LINCOLN	0.81	2,208	4	0	0	4	4.95	0.00	0.00	4.95
Totals:						6	0	0	6	1.04	0.00	0.00	1.04

SH024D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
455.88		R-3-F	JCT SH385C NORTH AND WEST - RD N (8TH ST) -										
456.43	0.55	R-3-F	RD N (2ND ST)	0.47	2,350	0	0	0	0	0.00	0.00	0.00	0.00
457.29	0.87	R-2-F	BEGIN I-70 FRONTAGE ROAD -- END U.S. 024D	0.41	1,272	0	0	0	0	0.00	0.00	0.00	0.00
Totals:						0	0	0	0	0.00	0.00	0.00	0.00

SH024E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	U.S. 24 INTERCHANGE (MIDLAND EXPRESSWAY)										
0.30	0.38	R-2-M	ENTER COLORADO SPRINGS URBAN LIMIT -	0.22	1,600	0	0	0	0	0.00	0.00	0.00	0.00
0.61	0.29	U-3-R	RD N (CAVE-OF-THE-WINDS RD) (SERPENTINE RD)	0.17	1,600	1	0	0	1	5.89	0.00	0.00	5.89
1.22	0.25	U-2-R	RD E (PARK AVE)	0.41	4,500	1	0	0	1	2.48	0.00	0.00	2.48
1.53	0.30	U-2-R	RD N (LAFAYETTE RD) - RD S (OTOE PL)	0.63	5,756	17	1	0	18	26.72	1.57	0.00	28.29
1.83	0.29	U-2-R	RD S (SOUTH PATH)	0.70	6,583	8	1	0	9	11.33	1.42	0.00	12.75
2.56	0.67	U-2-R	RD S (CRYSTAL PARK RD) (POPLAR PLACE)	3.19	13,000	5	1	0	6	1.56	0.31	0.00	1.88
2.99	0.43	U-4-R	RD N (BECKER LN)	2.16	13,694	11	1	0	12	5.16	0.47	0.00	5.63



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH024E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
3.50	0.47	U-4-R	MAJOR STR (I-17-GC) FOUNTAIN CREEK	2.24	13,000	7	1	0	8	3.14	0.45	0.00	3.59
4.32	0.73	U-4-R	JCT U.S. 024A NW AND SE - MAJOR STR (I-17-FM)	4.50	16,832	19	3	0	22	4.22	0.67	0.00	4.89
Totals:		3.81				69	8	0	77	4.86	0.56	0.00	5.42

SH024F													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-4-F	JCT U.S. 040G WEST - JCT U.S. 024G SW AND E --										
0.55	0.44	R-4-F	RD N (MARKET PLACE) - RAMPS ON AND OFF	1.09	6,791	2	1	0	3	1.84	0.92	0.00	2.76
Totals:		0.44				2	1	0	3	1.83	0.91	0.00	2.74

SH024G													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
303.41		U-3-R	SIGN BRIDGE STR (SIGN-I-17-MV) -- GORE POINT Y										
304.34	1.10	U-3-R	MAJOR STRS (I-17-JM) AND (I-17-JD) - RD N AND S	18.12	45,000	35	2	0	37	1.94	0.11	0.00	2.05
304.70	0.35	U-4-R	INTERCHANGE STRS (I-17-IX) AND (I-17-IY) - RD N	4.49	35,029	8	1	0	9	1.78	0.22	0.00	2.01
305.33	0.59	U-4-R	MAJOR STRS (I-17-JG) AND (I-17-KB) AND (I-17-JY) -	10.37	48,000	4	3	0	7	0.39	0.29	0.00	0.68
305.78	0.49	U-4-R	RD W (FOUNTAIN BD) OFFSET REFERENCE	5.20	29,000	20	2	0	22	3.83	0.38	0.00	4.21
306.45	0.65	U-4-R	RD N (ACADEMY PARK LOOP) - RD S (ALVARADO	9.04	38,000	31	5	0	36	3.41	0.55	0.00	3.96
306.99	0.54	U-4-R	MILEPOST 307	7.31	37,000	32	4	0	36	4.36	0.54	0.00	4.90
307.25	0.26	U-4-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	3.23	33,988	9	0	0	9	2.82	0.00	0.00	2.82
307.56	0.30	U-4-R	RD NE AND SW (JETWING DR)	3.62	33,000	3	0	0	3	0.83	0.00	0.00	0.83
308.90	1.33	U-4-R	RD E AND W (AEROPLAZA RD)	10.22	21,000	26	7	0	33	2.55	0.69	0.00	3.24
309.99	1.16	U-4-R	MILEPOST 310	16.98	40,000	65	5	1	71	3.84	0.30	5.90	4.19
310.87	0.50	U-4-R	PLATTE AVE INTERCHANGE STR (I-18-AC) -- JCT	9.15	50,000	9	0	0	9	0.98	0.00	0.00	0.98
311.31	0.60	U-4-R	RD N (HATHAWAY DR) - RD S (FRONTAGE RD)	7.82	35,592	17	1	1	19	2.16	0.13	12.73	2.42
311.74	0.42	U-4-R	PETERSON FIELD INTERCHANGE STRS (I-18-AU)	4.92	32,000	3	0	0	3	0.61	0.00	0.00	0.61
312.42	0.62	U-4-R	JCT SH094A EAST - RD NW (MEADOWBROOK	7.26	32,000	7	2	0	9	0.97	0.28	0.00	1.25
313.17	0.78	U-4-R	RD N AND S (MARKSHEFFEL ROAD) (CO RD 423)	4.85	17,000	8	2	0	10	1.64	0.41	0.00	2.05
314.58	1.28	R-4-R	RD NW (CONSTITUTION DR) (CO RD 2600) - ENTER	7.03	15,000	4	1	0	5	0.57	0.14	0.00	0.71
319.63	4.95	R-4-R	RD E (CO RD 132) (FALCON PRKY) 3-WAY SIGNALS	28.99	16,000	12	4	1	17	0.41	0.14	3.45	0.59
322.53	2.87	R-2-F	RD SE (CO RD 1152) (BLUEGILL DR)	13.66	13,000	31	6	0	37	2.27	0.44	0.00	2.71
325.83	3.29	R-2-F	RD N AND S (CO RD 91) (CHEYENNE AVE) (ELBERT	10.25	8,512	9	1	0	10	0.88	0.10	0.00	0.98



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH024G													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
329.54	3.77	R-2-F	RD NW (CO RD 978) (BRADSHAW RD)	8.97	6,500	11	5	0	16	1.23	0.56	0.00	1.78
330.94	1.40	R-2-F	MAJOR STR (H-19-B) DRAW	2.46	4,796	2	2	0	4	0.82	0.82	0.00	1.63
334.80	3.79	R-2-F	RD N AND S (CO RD 493) (ELLICOT DR)	6.10	4,400	2	2	0	4	0.33	0.33	0.00	0.66
339.62	4.82	R-2-F	RD N AND S (COLORADO ST)	7.94	4,500	5	0	0	5	0.63	0.00	0.00	0.63
340.56	0.99	R-4-F	MINORSTR (024G340590BR) UNNAMED DRAINAGE	1.68	4,638	1	0	0	1	0.60	0.00	0.00	0.60
341.31	0.76	R-2-F	RD SE (CO RD 48) (HARRISVILLE RD)	1.00	3,600	0	0	0	0	0.00	0.00	0.00	0.00
347.90	6.51	R-2-F	RD N AND S (CO RD 565) (BLASINGAME RD)	6.91	2,900	6	1	0	7	0.87	0.14	0.00	1.01
350.37	2.47	R-2-F	RD N AND S (CO RD 577) (RAMAH HWY)	3.53	3,900	2	0	0	2	0.57	0.00	0.00	0.57
353.73	3.35	R-2-F	RD N AND S (SIOUX AVE)	4.17	3,400	2	0	1	3	0.48	0.00	24.00	0.72
354.33	0.64	R-2-F	LEAVE SIMLA CITY LIMITS	0.59	2,513	0	0	0	0	0.00	0.00	0.00	0.00
355.73	1.30	R-2-F	RD S (CO RD 133)	1.09	2,300	0	0	0	0	0.00	0.00	0.00	0.00
360.49	4.72	R-2-F	RD N AND S (CO RD 149)	3.80	2,200	1	0	0	1	0.26	0.00	0.00	0.26
369.99	9.58	R-2-F	MILEPOST 370	7.71	2,200	5	1	0	6	0.65	0.13	0.00	0.78
376.63	6.62	R-2-F	CHANGE IN ROADWAY WIDTH OR DESIGNED	5.33	2,200	2	0	0	2	0.38	0.00	0.00	0.38
377.17	0.64	R-2-F	RD N AND S (PORT OF ENTRY)	1.03	4,411	1	0	0	1	0.96	0.00	0.00	0.96
377.74	0.54	R-5-F	RD N (J AVE)	0.80	4,070	0	0	0	0	0.00	0.00	0.00	0.00
378.29	0.43	R-5-F	RD N AND S (D AVE)	0.95	6,065	0	0	0	0	0.00	0.00	0.00	0.00
378.97	0.76	R-5-F	RD N (COLORADO AVE)	1.46	5,242	0	1	0	1	0.00	0.69	0.00	0.69
379.55	0.53	R-5-F	MAJOR STR (G-22-CD) DRAW	0.56	2,877	0	0	0	0	0.00	0.00	0.00	0.00
380.46	1.00	R-4-F	LIMON INTERCHANGE STRS (G-22-BT) WB AND	0.59	1,601	1	1	0	2	1.71	1.71	0.00	3.43
Totals:	76.70					374	59	4	437	1.50	0.24	1.61	1.75

SH025A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-4-M	NEW MEXICO-COLORADO STATE LINE -- BEGIN										
9.56	9.50	R-4-M	MINORSTR (025A009500BR) UNNAMED DRAINAGE	29.90	8,600	29	2	0	31	0.97	0.07	0.00	1.04
11.00	1.44	R-4-F	MILEPOST 11	4.53	8,600	6	0	0	6	1.32	0.00	0.00	1.32
11.21	0.22	R-4-F	RD (WEIGH STATION)	0.95	11,770	1	0	0	1	1.05	0.00	0.00	1.05
12.23	0.96	U-4-F	ENTER TRINIDAD CITY LIMITS	4.22	12,000	7	1	0	8	1.67	0.24	0.00	1.91
12.99	0.75	U-4-F	VAN BUREN DR INTERCHANGE STR (P-18-AD) -	3.29	12,000	3	0	0	3	0.91	0.00	0.00	0.91
14.00	0.98	U-4-F	MILEPOST 14	4.07	11,336	4	1	0	5	0.99	0.25	0.00	1.23
15.10	1.17	U-4-F	MINORSTR (025A015500BR) BRICKYARD ROAD	4.82	11,258	5	0	0	5	1.03	0.00	0.00	1.03
16.50	1.28	U-4-F	MINORSTR (025A016440BL) UNNAMED DRAINAGE	5.62	12,000	6	0	0	6	1.07	0.00	0.00	1.07



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH025A													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
17.17	0.66	U-4-F	REGIONAL SECTION OR DISTRICT BOUNDARY -	2.90	12,000	1	0	0	1	0.35	0.00	0.00	0.35
17.72	0.64	R-4-F	EL MORO ROAD INTERCHANGE STR (P-19-BA) -	2.81	12,000	1	0	0	1	0.36	0.00	0.00	0.36
26.73	8.94	R-4-F	RAMP OFF (EXIT 27 - TO CO RD 63.2 NE) NB --	27.81	8,500	26	4	3	33	0.93	0.14	10.79	1.19
34.14	7.35	R-4-R	AGUILAR INTERCHANGE STRS (O-18-BE) SB AND	22.87	8,500	12	0	0	12	0.53	0.00	0.00	0.53
43.16	8.95	R-4-R	MINORSTR (025A043080BL) UNNAMED DRAINAGE	36.03	11,000	14	3	1	18	0.39	0.08	2.78	0.50
48.99	5.89	R-4-R	WALSENBURG INTERCHANGE STR (N-17-AE) - JCT	23.71	11,000	17	2	1	20	0.72	0.08	4.22	0.84
50.04	1.06	R-4-R	WALSENBURG INTERCHANGE STRS (N-17-AD) SB	3.49	9,000	2	0	0	2	0.57	0.00	0.00	0.57
52.31	2.24	R-4-R	WALSENBURG INTERCHANGE BUSINESS LOOP	6.81	8,302	3	0	0	3	0.44	0.00	0.00	0.44
61.37	9.08	R-4-R	MINORSTR (025A061400BL) UNNAMED DRAINAGE	41.26	12,416	20	6	0	26	0.48	0.15	0.00	0.63
66.74	5.36	R-4-R	APACHE INTERCHANGE STRS (M-17-AV) AND	21.58	11,000	4	3	0	7	0.19	0.14	0.00	0.32
74.36	7.62	R-4-R	RYE/SAN ISABEL INTERCHANGE STR (M-17-AN)	36.26	13,000	29	6	0	35	0.80	0.17	0.00	0.97
83.45	9.06	R-4-R	BRANTZELL INTERCHANGE STR (L-18-CC) - RD E	49.74	15,000	33	6	0	39	0.66	0.12	0.00	0.78
92.77	9.24	R-4-R	MAJOR STR (L-18-AY) SB AND (L-18-AX) NB - CF	50.73	15,000	30	5	0	35	0.59	0.10	0.00	0.69
92.99	0.24	R-4-R	MILEPOST 93	1.32	15,000	0	1	0	1	0.00	0.76	0.00	0.76
94.00	0.96	U-4-R	MILEPOST 94	5.27	15,000	2	0	0	2	0.38	0.00	0.00	0.38
94.76	0.82	U-4-R	PUEBLO BOULEVARD INTERCHANGE STR	4.50	15,000	2	0	0	2	0.44	0.00	0.00	0.44
95.34	0.62	U-4-R	RAMP OFF (TO ILLINOIS AVE) SB LANE ONLY	7.72	34,000	8	1	0	9	1.04	0.13	0.00	1.17
95.89	0.49	U-4-R	INDIANA AVENUE INTERCHANGE STRS (L-18-M)	6.10	34,000	5	1	1	7	0.83	0.17	16.50	1.16
96.94	1.02	U-4-R	MAJOR STR (L-18-AU) RD E AND W (MESA AVE)	15.14	40,543	18	3	0	21	1.19	0.20	0.00	1.38
97.52	0.58	U-4-R	MAJOR STR (L-18-AW) - RD N AND S (SH 340)	9.58	45,111	31	2	0	33	3.26	0.21	0.00	3.47
97.85	0.37	U-4-R	MAJOR STR (K-18-CL K-18-GY) AND (K-18-CK) RD	8.26	61,000	13	1	0	14	1.56	0.12	0.00	1.68
98.54	0.63	U-4-R	1ST STREET INTERCHANGE STRS (K-18-CN) NB	12.69	55,019	20	1	0	21	1.58	0.08	0.00	1.66
98.87	0.33	U-4-R	RAMP OFF (TO 6TH STREET) SB	6.76	56,000	21	2	0	23	3.10	0.30	0.00	3.40
99.38	0.43	U-4-R	MAJOR STR (K-18-EN) - RD W (13TH STREET	10.38	65,977	8	2	0	10	0.77	0.19	0.00	0.97
99.97	0.60	U-4-R	U.S.50 INTERCHANGE STR (K-18-J) SH050B (LA	15.37	70,000	32	1	1	34	2.07	0.06	6.48	2.20
100.67	0.76	U-4-R	29TH STREET INTERCHANGE STR (K-18-EB) SB	19.47	70,000	20	0	0	20	1.02	0.00	0.00	1.02
101.38	0.65	U-4-R	CANON CITY INTERCHANGE STRS (K-18-GG) NB	11.90	50,031	36	1	0	37	3.03	0.08	0.00	3.11
102.49	1.11	U-4-R	RAMP OFF - (TO EAGLERIDGE BLVD EB RAMP D)	14.63	36,000	20	0	0	20	1.37	0.00	0.00	1.37
103.58	1.00	U-4-R	RD W (DILLON DR)	13.18	36,000	2	0	0	2	0.15	0.00	0.00	0.15
103.89	0.35	U-4-R	EDEN INTERCHANGE STRS (K-18-DO) SB (K-18-DP)	3.73	29,079	2	1	0	3	0.53	0.27	0.00	0.80
104.99	1.12	U-4-R	MILEPOST 105	11.89	29,000	1	1	0	2	0.08	0.08	0.00	0.17
106.01	1.07	U-4-R	MAJOR STRS (K-18-GQ) SB AND (K-18-CH)	11.36	29,000	5	2	0	7	0.44	0.18	0.00	0.62
107.04	0.91	U-4-R	MAJOR STR (K-18-S) UNDERPASS AT AND SF RRX	9.66	29,000	3	0	0	3	0.31	0.00	0.00	0.31
108.13	1.08	U-4-R	RAMPS ON AND OFF - (TO/FROM PW 655/GOBATTI	11.46	29,000	10	2	0	12	0.87	0.17	0.00	1.05
108.95	0.78	U-4-R	LEAVE PUEBLO URBAN AREA	8.28	29,000	1	0	0	1	0.12	0.00	0.00	0.12



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH025A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
117.99	9.05	R-4-R	MILEPOST 118	96.06	29,000	44	7	0	51	0.46	0.07	0.00	0.53
121.45	3.48	R-4-R	PIKES PEAK MEADOWS INTERCHANGE STR	38.86	30,512	16	2	1	19	0.41	0.05	2.57	0.49
127.85	6.38	R-4-R	FOUNTAIN INTERCHANGE STR (J-18-Q) SH-85A NE	63.05	27,000	38	8	0	46	0.60	0.13	0.00	0.73
128.92	0.99	U-4-R	RD NE (CO RD 235) (DAVIS PT) - ENTER TPR (14) -	14.13	39,000	17	1	0	18	1.21	0.07	0.00	1.28
129.99	1.09	U-4-R	MILEPOST 130	15.56	39,000	8	2	0	10	0.52	0.13	0.00	0.64
131.12	1.14	U-4-R	MINORSTR (025A131100BL) UNNAMED DRAINAGE	16.27	39,000	6	5	0	11	0.37	0.31	0.00	0.68
131.64	0.59	U-4-R	WIDFIELD - SECURITY INTERCHANGE STR	8.42	39,000	2	0	0	2	0.24	0.00	0.00	0.24
132.88	1.15	U-4-R	MINORSTR (025A132870BL) UNNAMED DRAINAGE	20.61	48,974	16	2	0	18	0.78	0.10	0.00	0.87
133.93	1.04	U-4-R	SIGN BRIDGE STR (SIGN-I-17-OE) - MEDIAN	18.65	49,000	5	0	0	5	0.27	0.00	0.00	0.27
134.98	1.04	U-4-R	RAMP OFF (TO ACADEMY BLVD) NB	18.65	49,000	12	0	0	12	0.65	0.00	0.00	0.65
135.25	0.34	U-4-R	ACADEMY BOULEVARD INTERCHANGE STRS	6.10	49,000	12	0	0	12	1.99	0.00	0.00	1.99
136.36	1.06	U-4-R	MAJOR STR (I-17-BI) D&RGW RR (905-065V)	29.46	75,923	70	5	0	75	2.38	0.17	0.00	2.55
137.38	1.02	U-4-R	SIGN BRIDGE STR (SIGN-I-17-MA) - NBND ML	28.37	76,000	13	1	0	14	0.46	0.04	0.00	0.49
137.74	0.34	U-4-R	MAJOR STR (I-17-LY)	9.46	76,000	6	0	0	6	0.64	0.00	0.00	0.64
138.73	1.00	U-6-R	MAJOR STR (I-17-JC) - JCT U.S. 024G E AND W --	29.64	80,990	63	8	0	71	2.12	0.27	0.00	2.39
139.74	1.01	U-6-R	SOUTH NEVADA AVENUE INTERCHANGE STR	37.68	101,938	21	4	0	25	0.56	0.11	0.00	0.66
139.99	0.33	U-6-R	SIGN BRIDGE STR (I-17-MW) -- MILEPOST 140	11.84	98,006	20	0	0	20	1.72	0.00	0.00	1.72
141.00	0.87	U-6-R	MILEPOST 141	34.39	108,000	44	1	0	45	1.29	0.03	0.00	1.32
141.29	0.32	U-6-R	RAMP ON (FROM CIMARRON ST) NB	12.88	109,994	32	3	0	35	2.48	0.23	0.00	2.71
141.84	0.50	U-5-R	BIJOU STREET INTERCHANGE MAJOR STR	20.50	112,000	17	6	0	23	0.83	0.29	0.00	1.12
142.82	0.95	U-6-R	UINTAH STREET INTERCHANGE STRS (I-17-LS) SB	36.16	104,000	59	2	0	61	1.64	0.06	0.00	1.69
143.51	0.70	U-6-R	FONTANERO STREET INTERCHANGE STRS	29.71	115,966	29	2	0	31	0.98	0.07	0.00	1.05
144.57	1.03	U-6-R	MAJOR STR (I-17-L) UP RR -- OFFSET REFERENCE	40.34	107,000	20	2	0	22	0.50	0.05	0.00	0.55
144.99	0.40	U-6-R	MILEPOST 145	16.19	110,575	56	5	1	62	3.50	0.31	6.26	3.88
146.06	1.09	U-6-R	GARDEN OF THE GODS INTERCHANGE STRS	44.28	111,000	34	6	0	40	0.77	0.14	0.00	0.91
147.07	0.98	U-6-R	REGIONAL SECTION POLITICAL BOUNDARY OR	41.24	114,975	50	2	0	52	1.21	0.05	0.00	1.26
147.42	0.42	U-6-R	MAJOR STRS (I-17-NN) SB AND (I-17-NO) NB AND	15.55	101,147	19	1	0	20	1.23	0.06	0.00	1.30
147.69	0.20	U-6-R	MINORSTR (025A147710NR) UNNAMED DRAINAGE	8.37	114,398	24	3	0	27	2.85	0.36	0.00	3.21
148.71	1.02	U-6-R	SIGN BRIDGE STR (SIGN-I-17-NZ) POSTED	48.53	130,000	30	3	0	33	0.62	0.06	0.00	0.68
148.99	0.26	U-6-R	MILEPOST 149	10.69	112,326	88	8	0	96	8.30	0.75	0.00	9.05
150.00	0.97	U-6-R	MILEPOST 150	35.50	100,000	34	3	0	37	0.96	0.08	0.00	1.05
150.29	0.33	U-4-R	AIR FORCE ACADEMY SOUTH INTERCHANGE	12.08	100,000	17	0	0	17	1.40	0.00	0.00	1.40
151.44	1.12	U-4-R	SIGN BRIDGE STR (I-17-IS) -- LOOP RAMP OFF -	37.32	91,032	45	7	0	52	1.21	0.19	0.00	1.40
151.73	0.28	U-4-R	RAMPS NB C ON AND SB D OFF	9.13	89,099	18	1	0	19	1.94	0.11	0.00	2.05
152.90	1.12	U-4-R	RAMP ON - (FROM INTERQUEST PKWY RAMP E)	33.61	82,000	41	4	0	45	1.22	0.12	0.00	1.34



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH025A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
153.19	0.35	U-4-R	INTERQUEST PKWY INTERCHANGE STRS (I-17-JO)	10.50	82,000	20	2	0	22	1.90	0.19	0.00	2.09
154.20	0.92	U-4-R	MINORSTR (025A154170BR) UNNAMED DRAINAGE	26.60	79,000	49	6	0	55	1.84	0.22	0.00	2.06
155.44	1.23	U-4-R	MINORSTR (025A155390SR) UNNAMED DRAINAGE	35.56	79,000	16	3	0	19	0.45	0.08	0.00	0.54
155.92	0.47	U-4-R	AIR FORCE ACADEMY NORTH INTERCHANGE	13.59	79,000	21	1	0	22	1.53	0.07	0.00	1.61
156.99	1.05	U-4-R	MAJOR STR (H-17-M) DRAW - MILEPOST 157	25.75	67,000	26	0	0	26	1.01	0.00	0.00	1.01
158.19	1.25	U-4-R	MAJOR STR (H-17-DC) -- RD E AND W (CO RD 32)	30.65	67,000	41	0	0	41	1.34	0.00	0.00	1.34
159.33	1.10	U-4-R	MAJOR STR (H-17-BK) TEACHOUT CREEK	27.78	69,000	39	6	0	45	1.40	0.22	0.00	1.62
160.39	1.03	U-4-R	RAMP OFF (TO 105A) NB	26.01	69,000	25	4	0	29	0.96	0.15	0.00	1.12
160.75	0.37	U-4-R	MONUMENT INTERCHANGE STR (H-17-CZ) -- JCT	9.34	69,000	20	2	1	23	2.16	0.22	10.82	2.49
161.92	1.15	U-4-R	MONUMENT WEIGH STATION (SB RAMP OFF)	24.84	59,026	26	3	0	29	1.05	0.12	0.00	1.17
162.99	1.02	U-4-R	BLACK FOREST DIVIDE PASS SUMMIT -	22.03	59,000	20	1	0	21	0.90	0.05	0.00	0.95
163.31	0.41	U-4-R	PALMER DIVIDE INTERCHANGE STR (H-17-CF) -	8.85	59,000	9	0	0	9	1.03	0.00	0.00	1.03
167.45	4.07	R-4-R	GREENLAND INTERCHANGE MINORSTR	99.80	66,998	53	10	0	63	0.53	0.10	0.00	0.63
171.81	4.41	R-4-R	SOUTH LAKE GULCH ROAD INTERCHANGE STRS	95.24	59,009	48	7	0	55	0.50	0.07	0.00	0.58
172.37	0.53	R-4-R	RAMP OFF (TO SPRUCE MOUNTAIN RD) SB	10.27	52,931	11	1	0	12	1.06	0.10	0.00	1.16
173.78	1.39	R-4-R	SKYVIEW/BEARDANCE INTERCHANGE STR	30.02	59,000	14	0	0	14	0.47	0.00	0.00	0.47
178.99	5.17	R-4-R	MILEPOST 179	113.53	60,000	54	4	0	58	0.48	0.04	0.00	0.51
180.03	1.04	U-4-R	SIGN BRIDGE STR (SIGN-G-18-BR) - I-25 NBND	22.84	60,000	9	1	0	10	0.39	0.04	0.00	0.44
180.87	0.82	U-6-R	EXIT 181 / CASTLE ROCK INTERCHANGE STRS	18.01	60,000	2	1	1	4	0.11	0.06	5.53	0.22
181.84	0.96	U-6-R	WOLFENBERGER INTERCHANGE STRS (G-17-BH)	23.88	67,967	21	2	0	23	0.88	0.08	0.00	0.97
182.86	1.00	U-6-R	SIGN BRIDGE STR (SIGN-G-17-DR) - I-25 NBND ML	29.26	79,940	32	2	0	34	1.09	0.07	0.00	1.16
183.29	0.40	U-6-R	MAJOR STR (G-17-BG) SEDALIA/LITTLETON - JCT	11.71	80,000	5	0	0	5	0.43	0.00	0.00	0.43
184.20	0.90	U-6-R	FOUNDERS PARKWAY INTERCHANGE STR	26.68	81,000	16	3	1	20	0.60	0.11	3.75	0.75
185.70	1.55	U-6-R	SIGN BRIDGE STR (SIGN-G-17-DI) - I-25 NBND ML	62.95	110,961	22	2	0	24	0.35	0.03	0.00	0.38
186.72	0.98	U-6-R	RAMP ON - (FROM HAPPY CANYON RD EB RAMP	39.81	111,000	13	2	0	15	0.33	0.05	0.00	0.38
186.99	0.24	U-6-R	MILEPOST 187	9.42	107,231	9	0	0	9	0.96	0.00	0.00	0.96
188.14	1.14	U-6-R	SIGN BRIDGE STR (G-17-DN) -- RAMP OFF - (TO	36.72	88,000	29	4	0	33	0.79	0.11	0.00	0.90
188.48	0.35	U-6-R	CASTLE PINES PARKWAY INTERCHANGE STR	11.27	88,000	4	1	0	5	0.36	0.09	0.00	0.45
189.60	1.13	U-6-R	SIGN BRIDGE STR (SIGN-G-17-AZ) - I-25 SBND ML	50.87	123,000	24	2	0	26	0.47	0.04	0.00	0.51
189.99	0.35	U-6-R	MILEPOST 190	13.90	108,503	9	1	0	10	0.66	0.07	0.00	0.73
191.12	1.15	U-6-R	MAJOR STRS (F-17-CR) ML -- HAPPY CANYON	42.51	101,000	42	2	0	44	0.99	0.05	0.00	1.04
191.33	0.18	U-6-R	ENTER LONE TREE URBAN AREA	6.65	101,000	1	1	0	2	0.15	0.15	0.00	0.30
191.88	0.55	U-6-R	RAMP ON DIVE TAPER - PAINTED GORE (FROM	21.00	104,333	19	5	0	24	0.91	0.24	0.00	1.15
192.98	1.09	R-6-R	LINCOLN AVE INTERCHANGE STR (F-17-JM) - RD E	41.89	105,000	59	3	0	62	1.41	0.07	0.00	1.48
193.99	1.00	U-7-R	MILEPOST 194	55.63	152,000	110	1	0	111	1.98	0.02	0.00	2.00



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH025A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
194.30	0.30	U-6-R	SH-470A/SH-470B MAJOR INTERCHANGE STRS	16.69	152,000	16	1	0	17	0.96	0.06	0.00	1.02
195.15	0.84	U-6-R	SIGN BRIDGE STR (F-17-IP) MEDIAN	49.79	161,952	111	11	0	122	2.23	0.22	0.00	2.45
196.13	0.92	U-10-R	DRY CREEK ROAD INTERCHANGE STR (F-17-IV) -	66.67	198,000	48	0	0	48	0.72	0.00	0.00	0.72
197.14	1.02	U-10-R	LOOP RAMP ON (FROM ARAPAHOE RD / SH 088B	75.78	202,995	74	5	0	79	0.97	0.07	0.00	1.04
197.39	0.25	U-10-R	RAMP OFF - (TO ARAPAHOE RD WB RAMP D) EXIT	20.02	218,833	44	2	0	46	2.18	0.10	0.00	2.28
198.28	0.87	U-10-R	ORCHARD ROAD INTERCHANGE STRS (F-17-ON)	70.69	222,000	50	4	0	54	0.71	0.06	0.00	0.76
199.34	1.04	U-10-R	SIGN BRIDGE STR (SIGN-F-17-TB) - I-25 NBND ML	89.82	235,973	85	9	0	94	0.95	0.10	0.00	1.05
199.62	0.27	U-10-R	EASTSIDE RAMP DIVIDE (J RAMP SPLITS WITH C	22.26	225,303	27	1	0	28	1.21	0.04	0.00	1.25
200.12	0.53	U-9-R	MAJOR RAMP FLYOVER STR (F-17-FW) TO I-225	43.26	223,000	34	3	0	37	0.79	0.07	0.00	0.86
201.21	1.09	U-8-R	MINORSTR (025A200960BL) DRAINAGE	88.96	223,000	43	5	0	48	0.48	0.06	0.00	0.54
201.58	0.33	U-8-R	HAMPDEN AVENUE INTERCHANGE STR (F-17-NV)	26.93	223,000	23	4	0	27	0.85	0.15	0.00	1.00
202.59	1.00	U-8-R	SIGN BRIDGE STR (SIGN-F-17-TY) - I-25 NBND ML	74.68	204,038	44	2	0	46	0.59	0.03	0.00	0.62
202.92	0.27	U-8-R	RAMP ON (FROM E YALE AVE) NB	19.65	198,816	22	3	0	25	1.14	0.15	0.00	1.29
203.53	0.66	U-8-R	EVANS AVENUE INTERCHANGE STR (F-17-NS) -	47.59	197,000	31	4	0	35	0.66	0.08	0.00	0.74
204.03	0.48	U-8-R	I-25/COLORADO BOULEVARD INTERCHANGE STR	33.03	188,000	47	7	0	54	1.44	0.21	0.00	1.65
205.05	1.02	U-8-R	UNIVERSITY BOULEVARD INTERCHANGE STR	73.17	196,000	83	7	0	90	1.14	0.10	0.00	1.24
205.91	0.83	U-8-R	MAJOR STR (F-17-NH) RD N AND S (S DOWNING	57.11	188,000	87	9	0	96	1.53	0.16	0.00	1.68
206.21	0.31	U-8-R	MAJOR STR (F-17-NE) RD E AND W (LOUISIANA	22.47	198,038	36	6	0	42	1.59	0.27	0.00	1.86
206.47	0.26	U-8-R	MINORSTR (025A206400BR) UNNAMED DRAINAGE	17.49	183,767	20	2	0	22	1.15	0.12	0.00	1.27
206.98	0.50	U-8-R	BROADWAY INTERCHANGE STRS (F-16-JK) AND	32.76	179,000	54	3	0	57	1.65	0.09	0.00	1.74
207.57	0.58	U-8-R	RAMP OFF (TO U.S. 085B/SANTA FE/KALAMATH	40.12	188,983	85	8	0	93	2.13	0.20	0.00	2.33
207.98	0.39	U-7-R	ALAMEDA AVENUE INTERCHANGE STR (F-16-XU	29.68	207,952	92	5	0	97	3.07	0.17	0.00	3.23
208.99	1.01	U-7-R	MILEPOST 209	81.33	220,000	237	13	0	250	2.90	0.16	0.00	3.06
209.26	0.26	U-8-R	MAJOR STR (F-16-OE) SOUTH SIDE E RAMP --	20.88	219,448	103	8	1	112	4.91	0.38	4.77	5.34
209.53	0.30	U-8-R	RAMP ON - (FROM US 006G WB FLYOVER RAMP	24.16	220,030	33	5	0	38	1.38	0.21	0.00	1.59
210.30	0.70	U-8-R	MAJOR STRS (F-16-QJ) (F-16-OB) (F-16-RI)	63.79	249,000	72	7	0	79	1.13	0.11	0.00	1.24
210.66	0.36	U-8-R	RAMP ON (FROM (W 23RD AVE) AND (W 20TH AVE)	26.74	202,925	67	8	1	76	2.51	0.30	3.75	2.85
211.10	0.46	U-8-R	23RD AVENUE INTERCHANGE STR (F-16-DA) - RD	32.16	191,000	30	2	0	32	0.93	0.06	0.00	1.00
211.45	0.33	U-8-R	MISCSTR (E-16-QR) PEDESTRIAN OVERPASS	25.12	208,000	27	2	0	29	1.07	0.08	0.00	1.14
212.09	0.59	U-8-R	20TH STREET INTERCHANGE STR (E-16-OO) - RD	42.77	198,068	95	7	0	102	2.23	0.16	0.00	2.39
212.76	0.72	U-8-R	38TH AVENUE INTERCHANGE STR (E-16-FA) - RD	62.72	238,000	157	11	1	169	2.52	0.18	1.60	2.71
213.64	0.92	U-8-R	MAJOR STR (E-16-MR) I 70 ML EBND - UNDERPASS	80.81	240,000	143	8	0	151	1.77	0.10	0.00	1.86
214.78	1.05	U-8-R	MINORSTR (025A214860BL) UNNAMED DRAINAGE	73.79	192,000	79	4	0	83	1.07	0.05	0.00	1.13
215.23	0.46	U-8-R	SIGN BRIDGE STR (SIGN-E-17-VM) POSTED	32.33	192,000	42	2	0	44	1.29	0.06	0.00	1.35
216.25	1.08	U-8-R	SIGN BRIDGE STR (E-17-RK) -- RAMP OFF (EXIT	81.41	205,948	60	3	0	63	0.74	0.04	0.00	0.77



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH025A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
216.51	0.18	U-7-R	SIGN BRIDGE STR (SIGN-E-17-ACY) - I-25 RAMP TO	15.22	230,972	16	1	0	17	1.05	0.07	0.00	1.12
216.77	0.25	U-6-R	SIGN BRIDGE STR (SIGN-E-17-WW) POSTED	21.50	235,000	11	0	0	11	0.52	0.00	0.00	0.52
217.03	0.33	U-6-R	BOULDER TURNPIKE INTERCHANGE STRS	25.87	214,216	42	5	0	47	1.60	0.19	0.00	1.79
218.10	1.04	U-6-R	SIGN BRIDGE STR (SIGN-E-17-XT) - I-25 NBND ML	65.47	172,000	48	4	0	52	0.73	0.06	0.00	0.80
218.45	0.34	U-7-R	84TH AVENUE INTERCHANGE STR (E-17-EZ	21.40	172,000	33	0	0	33	1.54	0.00	0.00	1.54
219.46	0.89	U-6-R	RAMP OFF (EXIT 220 - TO THORNTON PARKWAY)	51.48	158,047	120	5	0	125	2.33	0.10	0.00	2.43
219.85	0.42	U-6-R	THORNTON PARKWAY INTERCHANGE STRS	24.29	158,000	22	2	0	24	0.91	0.08	0.00	0.99
220.99	1.13	U-6-R	MILEPOST 221	60.38	146,000	83	6	0	89	1.37	0.10	0.00	1.47
221.28	0.26	U-6-R	RAMPS ON AND OFF	13.16	138,320	61	5	0	66	4.65	0.38	0.00	5.03
222.51	1.23	U-6-R	SIGN BRIDGE STR (SIGN-E-17-YD) - I-25 NBND ML	61.67	137,000	56	1	0	57	0.91	0.02	0.00	0.93
223.04	0.54	U-6-R	120TH AVENUE INTERCHANGE STR (E-17-HE)	27.08	137,000	36	2	0	38	1.33	0.07	0.00	1.40
224.07	1.01	U-6-R	128TH STREET INTERCHANGE STR (E-17-ADM) -	32.53	88,000	24	2	1	27	0.74	0.06	3.09	0.83
225.07	0.99	U-6-R	136TH AVENUE INTERCHANGE STR (E-17-ZL) - RD	31.89	88,000	13	2	0	15	0.41	0.06	0.00	0.47
226.08	1.00	U-6-R	144TH AVE INTERCHANGE STR (E-17-ABU) - RD E	30.38	83,010	29	3	1	33	0.95	0.10	3.29	1.09
227.10	1.00	U-6-R	RAMP OFF (EXIT 227 - TO NORTHWEST PARKWAY)	30.38	83,000	21	3	0	24	0.69	0.10	0.00	0.79
227.74	0.64	U-6-R	MAJOR STR (E-17-ABJ) AND (E-17-ZD)	19.44	83,000	8	1	0	9	0.41	0.05	0.00	0.46
228.76	1.01	U-6-R	SIGN BRIDGE STR (SIGN-E-17-AAO) POSTED	35.12	95,000	23	6	0	29	0.66	0.17	0.00	0.83
229.10	0.32	U-6-R	168TH STREET INTERCHANGE STR (E-17-MW) -	11.13	95,000	20	0	0	20	1.78	0.00	0.00	1.78
232.09	2.99	R-6-R	ERIE INTERCHANGE MAJOR STR (D-17-DY) - RD E	103.96	95,000	38	3	0	41	0.37	0.03	0.00	0.39
234.11	2.01	R-6-R	MINORSTR (025A234140BL) RD (CO RD 12) (EST) -	61.80	84,000	33	1	0	34	0.53	0.02	0.00	0.55
235.10	0.98	U-6-R	DACONO/FORT LUPTON INTERCHANGE STR	30.13	84,000	14	2	0	16	0.46	0.07	0.00	0.53
236.35	1.25	U-6-R	SIGN BRIDGE STR (SIGN-D-17-FF) POSTED	31.59	69,060	10	2	0	12	0.32	0.06	0.00	0.38
237.99	1.64	U-6-R	MILEPOST 238	41.42	69,000	12	0	0	12	0.29	0.00	0.00	0.29
238.62	0.60	U-6-R	REGION BOUNDARY OR CLASSIFICATION	15.15	69,000	3	0	0	3	0.20	0.00	0.00	0.20
243.14	4.53	R-6-R	LONGMONT/LYONS INTERCHANGE STR (D-17-EP)	114.40	69,000	83	5	0	88	0.73	0.04	0.00	0.77
245.21	2.00	R-6-R	MEAD INTERCHANGE STR (D-17-DC) - RD E AND W	51.97	71,000	49	4	0	53	0.94	0.08	0.00	1.02
248.21	2.99	R-4-R	MAJOR STR (C-17-AT) (C-17-AS) - ENTER SMALL	70.04	64,000	43	4	0	47	0.61	0.06	0.00	0.67
249.31	1.12	U-4-R	MINORSTR (025A249460BL) UNNAMED DRAINAGE	26.23	64,000	20	3	0	23	0.77	0.11	0.00	0.88
250.23	0.89	U-4-R	BERTHOUD INTERCHANGE STR (C-17-AJ) -- JCT	20.85	64,000	31	5	0	36	1.49	0.24	0.00	1.72
251.48	1.25	U-4-R	SIGN BRIDGE STR (SIGN-C-17-EF) - I-25 NBND ML -	29.28	64,000	24	1	0	25	0.82	0.03	0.00	0.85
252.25	0.75	U-4-R	MAJOR STR (C-17-BB) JCT SH60B EAST - RD W (TO	17.57	64,000	19	1	0	20	1.08	0.06	0.00	1.14
253.34	1.07	U-4-R	MINORSTR (025A253350BL) UNNAMED IRRIGATION	26.24	66,997	24	1	0	25	0.92	0.04	0.00	0.95
254.21	0.89	U-4-R	CAMPION INTERCHANGE STRS (C-17-EI) NB AND	21.82	67,000	13	0	0	13	0.60	0.00	0.00	0.60
255.26	1.06	U-4-R	LOVELAND INTERCHANGE STRS (C-17-DD) NB	24.05	62,000	13	3	0	16	0.54	0.12	0.00	0.67
256.27	0.99	U-4-R	LEAVE JOHNSTOWN CITY LIMITS	24.63	67,988	21	1	0	22	0.85	0.04	0.00	0.89



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH025A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	Accidents			Accident Rates *				
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
257.27	0.94	U-4-R	LOOP RAMPS ON AND OFF	23.39	68,000	25	6	1	32	1.06	0.26	4.26	1.36
257.84	0.57	U-4-R	MAJOR STR (C-17-CI) - LOVELAND-GREELY DITCH	14.38	68,920	37	1	0	38	2.59	0.07	0.00	2.66
258.99	1.14	U-4-R	ENTER LOVELAND URBAN LIMIT - MILEPOST 259	28.79	69,000	20	1	0	21	0.69	0.03	0.00	0.73
259.30	0.30	U-4-R	CROSSROADS INTERCHANGE STRS (C-17-ES) NB	7.58	69,000	6	1	0	7	0.79	0.13	0.00	0.92
260.75	1.44	U-4-R	RD W (ROCKWELL AVE) - OFFSET REFERENCE	35.84	68,000	18	3	0	21	0.50	0.08	0.00	0.59
261.99	1.23	U-4-R	MILEPOST 262	30.61	68,000	7	0	0	7	0.23	0.00	0.00	0.23
262.29	0.31	U-4-R	WINDSOR INTERCHANGE STR (C-17-ER C-17-FK)	7.72	68,000	8	1	0	9	1.05	0.13	0.00	1.19
263.56	1.25	U-4-R	LEAVE (FORT COLLINS) URBAN AREA - RD E (CO	28.37	62,000	20	2	0	22	0.70	0.07	0.00	0.77
264.31	0.73	R-4-R	MAJOR STR (B-17-BN) UNDERPASS - RD E AND W	16.57	62,000	12	1	0	13	0.72	0.06	0.00	0.78
265.30	1.00	U-4-R	HARMONY ROAD INTERCHANGE STR (B-17-DS) -	22.69	62,000	25	1	0	26	1.10	0.04	0.00	1.14
266.43	1.12	U-4-R	MAJOR STRS (B-17-BC) NB AND (B-17-BD) SB	20.10	49,046	47	3	0	50	2.34	0.15	0.00	2.49
267.47	0.99	U-4-R	RAMP OFF (TO - PORTS OF ENTRY LANES) NB	17.75	49,000	16	3	0	19	0.90	0.17	0.00	1.07
268.47	0.91	U-4-R	MAJOR STR (B-16-AM) RD E AND W (CO RD 44)	16.32	49,000	21	2	0	23	1.29	0.12	0.00	1.41
269.36	0.99	U-4-R	AULT/FORT COLLINS INTERCHANGE STRS	18.84	52,000	11	3	0	14	0.58	0.16	0.00	0.74
270.36	0.99	U-4-R	MAJOR STR (B-16-EU) UNDERPASS SEPARATION -	10.87	30,000	12	0	0	12	1.10	0.00	0.00	1.10
271.36	1.00	U-4-R	MOUNTAIN VISTA DRIVE INTERCHANGE STR	10.98	30,000	4	2	1	7	0.37	0.18	9.15	0.64
272.37	0.98	U-4-R	MAJOR STR (B-16-FL) UNDERPASS - RD E AND W	9.33	26,012	5	1	0	6	0.53	0.11	0.00	0.64
273.75	1.37	U-4-R	LEAVE FORT COLLINS URBAN AREA	13.04	26,000	3	0	0	3	0.23	0.00	0.00	0.23
277.87	4.10	R-4-R	I-25/WELLINGTON INTERCHANGE STR (B-16-FN) -	39.02	26,000	15	4	0	19	0.38	0.10	0.00	0.49
286.99	9.10	R-4-R	MILEPOST 287	63.29	19,003	29	5	1	35	0.46	0.08	1.58	0.55
292.57	5.60	R-4-R	CARR INTERCHANGE STR (A-17-Z) - RD NW-SE	38.94	19,000	15	5	1	21	0.38	0.13	2.57	0.54
298.88	6.32	R-4-R	COLORADO-WYOMING STATE LINE -- END I-025A	39.33	17,001	34	6	2	42	0.86	0.15	5.08	1.07
Totals:		296.64				6,264	564	23	6,851	1.02	0.09	0.37	1.11

SH025B													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	Accidents			Accident Rates *				
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	RD NW AND SE (CR60) BEGIN SH025B -- BEGIN SH										
0.83	0.84	R-2-R	MINORSTR (25BA000850BR) UNNAMED DRAINAGE	0.14	455	0	0	0	0	0.00	0.00	0.00	0.00
1.95	1.13	R-2-R	RD NE AND SW (MAIN ST) - RD SE (FIR ST) -- END	0.22	544	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		1.97				0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH025C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	RD N AND S (FRONTAGE ROAD) BEGIN SH025C --										
0.53	0.57	R-2-R	MAJOR STR (N-17-L) I 25 ML - BEAR CREEK	0.46	2,190	0	0	0	0	0.00	0.00	0.00	0.00
1.04	0.52	R-2-R	RD SW (11TH ST)	0.44	2,305	0	0	0	0	0.00	0.00	0.00	0.00
1.57	0.46	R-2-R	RRX (245-089K) C AND S RRXAND D AND RGW RR	0.94	5,584	10	0	0	10	10.66	0.00	0.00	10.66
2.14	0.58	R-2-R	RD NE AND SW (GRAND ST)	1.77	8,327	3	1	0	4	1.69	0.56	0.00	2.26
2.81	0.68	R-2-R	RD E (CUERNO VERDE DR)	1.56	6,265	0	0	0	0	0.00	0.00	0.00	0.00
4.04	1.49	R-2-R	RAMPS ON AND OFF (TO/FROM I-25 NB) (NB ON	2.91	5,335	2	0	0	2	0.69	0.00	0.00	0.69
Totals:		4.30				15	1	0	16	1.86	0.12	0.00	1.98

SH026B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
11.17		U-4-R	JCT SH 095A (3.975) NORTH AND SOUTH										
12.17	0.97	U-4-R	RD N AND S (LOWELL BLVD)	8.52	24,000	35	8	0	43	4.10	0.94	0.00	5.04
12.44	0.26	U-4-R	RD N AND S (IRVING ST)	2.43	25,494	11	1	0	12	4.62	0.42	0.00	5.04
12.69	0.25	U-5-R	JCT SH 88 N AND S (FEDERAL BLVD)	2.47	27,000	10	2	0	12	4.05	0.81	0.00	4.86
13.44	0.73	U-6-R	RD S (S TEJON ST)	7.48	28,000	49	10	0	59	6.52	1.33	0.00	7.85
14.14	0.67	U-5-R	RD N AND S (KALAMATH ST) - RD E ALAMEDA AVE	9.75	39,777	55	9	0	64	5.61	0.92	0.00	6.53
Totals:		2.88				160	30	0	190	5.22	0.98	0.00	6.20

SH030A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.08		U-6-R	JCT DIRECT CONNECTION WITH U.S. 285D WEST										
0.51	0.42	U-6-R	RD N AND S (ONEIDA ST)	6.78	44,106	63	3	0	66	9.38	0.45	0.00	9.83
1.66	1.13	U-6-R	RD N (WILLOW ST)	17.37	42,000	56	9	0	65	3.23	0.52	0.00	3.75
2.33	0.64	U-6-R	RD N (DAYTON ST)	9.84	42,000	27	5	1	33	2.77	0.51	10.24	3.38
3.08	0.89	U-6-R	RD E (DARTMOUTH AVE)	14.01	43,000	32	4	0	36	2.30	0.29	0.00	2.58
3.82	0.72	U-5-R	JCT SH 083A NW AND SE (PARKER RD) - LEAVE	8.71	33,042	27	6	0	33	3.11	0.69	0.00	3.81
4.27	0.27	U-6-R	RD E AND W (E ILIFF AVE)	3.26	33,000	20	4	0	24	6.23	1.25	0.00	7.47
5.28	1.00	U-6-R	RD E AND W (E FLORIDA AVE)	16.10	44,000	110	7	0	117	6.84	0.44	0.00	7.28
5.78	0.48	U-6-R	RD E AND W (E MISSISSIPPI AVE)	7.73	44,000	36	4	0	40	4.67	0.52	0.00	5.19
6.81	1.07	U-6-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	13.43	34,296	64	15	0	79	4.79	1.12	0.00	5.91
7.31	0.41	U-6-R	RD E AND W (E 1ST AVE)	5.85	39,000	10	0	0	10	1.71	0.00	0.00	1.71



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH030A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
7.83	0.50	U-5-R	RD N (HAVANA ST) - RD W (6TH AVE) - CHANGE	5.68	31,048	23	2	0	25	4.06	0.35	0.00	4.42
8.68	0.82	U-4-R	RD N AND S (W DELMAR CIRCLE)	8.41	28,015	25	7	0	32	2.96	0.83	0.00	3.79
8.99	0.32	U-4-R	MILEPOST 9	3.28	27,966	23	6	0	29	6.96	1.81	0.00	8.77
9.88	0.84	U-4-R	RD N AND S (POTOMAC ST)	10.15	33,000	27	8	0	35	2.67	0.79	0.00	3.47
10.15	0.45	U-5-R	RD N (DILLON WAY)	6.09	37,000	72	19	0	91	11.79	3.11	0.00	14.90
10.41	0.26	U-5-R	RD N (ELKHART ST)	2.78	29,245	21	5	0	26	7.52	1.79	0.00	9.31
10.77	0.32	U-4-R	RD (HELENA ST)	3.36	28,654	22	3	0	25	6.47	0.88	0.00	7.36
11.08	0.39	U-4-R	RD N (LAREDO ST)	4.00	28,000	2	0	0	2	0.50	0.00	0.00	0.50
11.56	0.49	U-4-R	RD N AND S (BUCKLEY RD) (AIRPORT RD)	2.87	16,000	5	0	0	5	1.76	0.00	0.00	1.76
12.58	0.99	U-2-R	RD (TOWER RD)	5.80	16,000	14	2	0	16	2.41	0.34	0.00	2.75
13.65	1.01	U-2-R	MINORSTR (030A013670BR) STOCK PASS	3.11	8,400	5	1	0	6	1.61	0.32	0.00	1.93
14.99	1.29	U-2-R	MILEPOST 15	3.97	8,400	0	0	0	0	0.00	0.00	0.00	0.00
15.94	0.95	U-2-R	MAJOR STR (F-18-V) E-470 OVERPASS	5.45	15,686	3	0	0	3	0.55	0.00	0.00	0.55
16.99	1.07	U-2-R	MILEPOST 17	6.27	16,000	3	1	0	4	0.48	0.16	0.00	0.64
18.26	1.25	U-2-R	REGIONAL SECTION POLITICAL BOUNDARY OR	7.32	16,000	11	0	0	11	1.50	0.00	0.00	1.50
19.28	1.03	U-2-R	RD W (CO RD 26) (HAMPDEN AVE)	6.03	16,000	2	0	0	2	0.33	0.00	0.00	0.33
20.42	1.01	U-2-R	RD E AND W (QUINCY AVE) -- END SH030A	5.91	16,000	22	4	0	26	3.73	0.68	0.00	4.40
Totals:	20.02					725	115	1	841	3.75	0.59	0.52	4.35

SH034A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH040A NW AND SE - MILEPOST 0 -- BEGIN										
5.21	5.15	R-2-R	RD W (CO RD 40)	7.92	4,200	10	2	0	12	1.26	0.25	0.00	1.52
5.99	0.75	R-2-R	MILEPOST 6	1.39	5,066	0	0	0	0	0.00	0.00	0.00	0.00
10.01	3.95	R-2-R	RD S (CR 64) (LAKE FOREST 442)	7.37	5,100	5	1	0	6	0.68	0.14	0.00	0.81
10.70	0.67	R-2-R	RD S (CO RD 64)	1.23	5,000	1	0	0	1	0.82	0.00	0.00	0.82
14.67	3.90	R-2-R	RD E WEST PORTAL RD	7.28	5,100	8	1	0	9	1.10	0.14	0.00	1.24
23.99	9.41	R-2-R	MILEPOST 24	16.19	4,700	0	0	0	0	0.00	0.00	0.00	0.00
33.99	10.06	R-2-M	MILEPOST 34	17.31	4,700	0	0	0	0	0.00	0.00	0.00	0.00
43.76	9.74	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	16.75	4,700	0	0	0	0	0.00	0.00	0.00	0.00
51.30	7.52	R-2-M	RD W (CO RD 20E)	12.94	4,700	1	0	0	1	0.08	0.00	0.00	0.08
53.75	2.45	R-2-M	JCT SH-36A SE (DEER RIDGE)	2.42	2,700	0	0	0	0	0.00	0.00	0.00	0.00
57.84	4.10	R-2-M	LEAVE ROCKY MOUNTAIN NATIONAL PARK	3.45	2,300	0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH034A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
58.99	1.14	U-2-M	MILEPOST 59	0.96	2,300	0	2	0	2	0.00	2.08	0.00	2.08
59.30	0.32	U-2-M	RD SW (DAVID DR)	0.37	3,147	0	1	0	1	0.00	2.69	0.00	2.69
60.96	1.63	U-2-M	JCT U.S.34 ESTES PARK BUSINESS LOOP SH 34	2.80	4,700	5	0	0	5	1.79	0.00	0.00	1.79
61.93	0.98	U-2-M	RD S (VIRGINIA LN)	1.26	3,500	3	0	0	3	2.40	0.00	0.00	2.40
62.28	0.38	U-2-M	RD NE (STEAMER PKY) STANLEY HOTEL ((THE	0.73	5,281	5	0	0	5	6.79	0.00	0.00	6.79
62.79	0.50	U-2-M	RD NW (STEAMER DR)	2.23	12,185	7	3	0	10	3.15	1.35	0.00	4.50
63.18	0.25	U-3-M	RD N (SUMMIT DR)	1.56	17,000	2	0	0	2	1.30	0.00	0.00	1.30
63.45	0.28	U-3-M	RD S (GRAND ESTATES DR) - RD N (ELK TRAIL CT)	0.90	8,817	1	0	0	1	1.09	0.00	0.00	1.09
64.22	0.74	U-3-M	RD N (CO RD 63E) (DRY GULCH RD) LEAVE ESTES	2.14	7,902	3	0	1	4	1.39	0.00	46.47	1.86
64.79	0.54	U-2-M	RD S (CO RD 63) (MALL RD)	1.32	6,704	3	1	0	4	2.25	0.75	0.00	3.00
65.36	0.45	U-2-M	ENTER ROOSEVELT NATIONAL FOREST	0.82	5,004	4	1	0	5	4.83	1.21	0.00	6.04
74.66	9.29	R-2-M	MINORSTR (034A074670BL) DRAINAGE	17.00	5,000	21	10	0	31	1.24	0.59	0.00	1.82
75.57	0.89	R-2-M	RD NW (CO RD 43) (GLEN HAVEN) (DEVILS GULCH	1.63	5,000	2	1	0	3	1.22	0.61	0.00	1.84
84.58	9.07	R-2-M	MAJOR STR (C-16-AG) HOME SUPPLY DITCH	18.59	5,600	21	7	0	28	1.13	0.38	0.00	1.51
85.14	0.48	R-2-M	MAJOR STR (C-16-DA) BIG THOMPSON RIVER --	1.19	6,775	1	2	0	3	0.84	1.68	0.00	2.52
85.93	0.77	R-2-M	MAJOR STR (C-16-R) LOUDEN DITCH	2.24	7,949	4	1	0	5	1.78	0.44	0.00	2.22
86.65	0.69	R-2-M	ENTER FORT COLLINS URBAN AREA	2.22	8,800	4	2	0	6	1.79	0.90	0.00	2.69
87.66	1.11	U-2-M	MAJOR STR (C-16-AR) DRAW -- REPLACED	3.58	8,800	7	1	0	8	1.96	0.28	0.00	2.24
87.99	0.29	U-2-M	MILEPOST 88	1.13	10,671	1	0	0	1	0.87	0.00	0.00	0.87
88.67	0.69	U-2-M	RD N (CO RD 19J) (MORNING DR)	2.78	11,000	3	1	0	4	1.07	0.36	0.00	1.43
89.38	0.69	U-4-M	RD S (CO RD 19E) (NAMAQUA RD)	4.04	16,000	8	0	1	9	1.97	0.00	24.64	2.22
89.93	0.54	U-4-R	RD N AND S (WILSON AVE)	3.95	20,000	3	1	0	4	0.76	0.25	0.00	1.01
90.27	0.33	U-4-R	RD N AND S (VAN BUREN AVE)	2.65	21,976	3	1	0	4	1.12	0.37	0.00	1.50
90.65	0.37	U-4-R	RD N AND S (TAFT AVE)	3.66	27,000	5	1	0	6	1.39	0.28	0.00	1.66
91.66	1.01	U-4-R	RD W (14TH ST)	10.35	28,000	6	4	0	10	0.58	0.39	0.00	0.97
91.91	0.24	U-4-R	JCT U.S.287 SH 287 SB (CLEVELAND AVE)	2.35	26,736	4	0	0	4	1.71	0.00	0.00	1.71
92.20	0.28	U-4-R	RD N (ADAMS AVE)	3.34	32,597	6	5	0	11	1.78	1.48	0.00	3.26
92.75	0.53	U-4-R	RD N AND S (MADISON AVE)	6.40	33,000	7	3	0	10	1.09	0.47	0.00	1.56
93.05	0.26	U-6-R	RD N AND S (N BOISE AVE)	3.70	38,908	13	4	0	17	3.51	1.08	0.00	4.59
94.22	1.13	U-6-R	MINORSTR (034A094180BL) UNNAMED DRAINAGE	16.96	41,000	25	3	0	28	1.47	0.18	0.00	1.65
94.80	0.57	U-4-R	RD N AND S (BOYD LAKE RD) (CO RD 9)	8.55	41,000	3	0	0	3	0.35	0.00	0.00	0.35
95.81	0.98	U-4-R	RD (ROCKY MTN WAY)	14.35	40,000	24	11	0	35	1.67	0.77	0.00	2.43
96.10	0.29	U-4-R	SIGN BRIDGE STR (C-17-ED) NB - VMS	4.23	39,848	4	2	0	6	0.95	0.47	0.00	1.42
96.39	0.32	U-4-R	PAVEMENT GORE (BOTH DIAMOND RAMPS)	4.95	42,251	11	2	0	13	2.26	0.41	0.00	2.67
97.64	1.21	U-4-R	RRX (804-498W) UP RR	20.81	47,000	15	4	0	19	0.72	0.19	0.00	0.91



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH034A													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents			Accident Rates *				
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
97.99	0.35	U-4-R	MILEPOST 98	6.02	47,000	2	0	0	2	0.33	0.00	0.00	0.33
98.83	0.84	R-4-R	RD N (LARIMER CO RD 901) - RD S (WELD CO RD	14.45	47,000	3	1	0	4	0.21	0.07	0.00	0.28
100.81	1.96	R-4-R	RD N AND S (CO RD 17)	26.54	37,000	19	2	0	21	0.72	0.08	0.00	0.79
101.87	1.05	U-4-R	SIGN BRIDGE STR (C-17-FB) SB AND RAMP	14.22	37,000	29	1	0	30	2.05	0.07	0.00	2.12
102.47	0.59	U-4-R	GREELEY INTERCHANGE U.S.34 GREELEY	7.99	37,000	3	1	0	4	0.38	0.13	0.00	0.50
102.79	0.30	U-4-R	MAJOR STR (C-17-FO) - JCT SH 257 NORTH AND	2.96	27,000	2	0	0	2	0.69	0.00	0.00	0.69
103.99	1.17	U-4-R	MILEPOST 104	11.14	26,003	7	0	0	7	0.63	0.00	0.00	0.63
104.77	0.80	U-4-R	MAJOR STR (C-17-FR) SHEEP DRAW -- RD N AND S	7.61	26,000	3	0	1	4	0.40	0.00	13.17	0.53
105.90	1.12	U-4-R	RD N AND S(CO RD 27) (83RD AVE)	11.48	28,000	8	1	0	9	0.70	0.09	0.00	0.79
106.99	1.07	U-4-R	MILEPOST 107	10.97	28,000	9	0	0	9	0.82	0.00	0.00	0.82
107.60	0.59	U-4-R	RD S (MILLIKIN RD) (CR 29.5) (65TH AVE)	6.05	28,000	11	0	1	12	1.82	0.00	16.54	1.98
108.81	1.20	U-4-R	MAJOR STR (C-17-EX) EB LOVELAND-GREELEY	13.61	30,995	13	2	0	15	0.95	0.15	0.00	1.10
109.10	0.28	U-4-R	RD N AND S (CO RD 33) (47TH AVE)	3.18	31,000	5	0	0	5	1.59	0.00	0.00	1.59
110.22	1.11	U-4-R	RD N AND S (35TH AVE)	12.59	31,000	34	2	0	36	2.70	0.16	0.00	2.86
111.02	0.79	U-4-R	RAMP ON AND OFF (FROM 27TH ST /TO 23RD AVE)	10.11	34,980	27	1	1	29	2.69	0.10	9.95	2.89
111.48	0.39	U-4-R	RAMP ON (FROM 33RD AVE) EB	5.25	36,776	12	2	0	14	2.29	0.38	0.00	2.67
112.22	0.80	U-4-R	RD N AND S (11TH AVE)	9.96	34,000	30	0	0	30	3.01	0.00	0.00	3.01
112.70	0.47	U-4-R	INTERCHANGE STR (C-18-BB) JCT SH 85 -	5.16	30,025	29	3	0	32	5.57	0.58	0.00	6.14
113.13	0.46	U-4-R	INTERCHANGE STRS (C-18-EL) WB AND (C-18-EM)	5.39	32,000	4	2	0	6	0.74	0.37	0.00	1.11
114.24	1.09	U-2-R	RD (CO RD 43)	5.19	13,000	3	0	0	3	0.58	0.00	0.00	0.58
115.20	1.01	U-4-R	RD S (CO RD 45)	4.81	13,000	2	0	0	2	0.42	0.00	0.00	0.42
116.20	0.97	U-4-R	ENTER KERSEY CITY LIMITS - IN WELD COUNTY	4.26	12,000	5	0	0	5	1.18	0.00	0.00	1.18
116.74	0.54	U-4-R	RD N (CO RD 47 1/2)	2.37	12,000	0	0	0	0	0.00	0.00	0.00	0.00
117.24	0.50	R-4-R	RD S (CO RD 49)	2.20	12,000	0	0	0	0	0.00	0.00	0.00	0.00
119.17	1.97	R-4-R	RD N AND S (1ST ST)(CO RD 53) (ABANDONED SH	7.93	11,001	5	2	0	7	0.63	0.25	0.00	0.88
124.54	4.93	R-4-R	MAJOR STR (C-19-AJ) BOX ELDER CREEK --	11.82	6,552	10	3	0	13	0.85	0.25	0.00	1.10
133.99	9.39	R-2-R	MILEPOST 134	18.21	5,300	6	0	1	7	0.33	0.00	5.49	0.38
135.60	1.91	R-4-R	RD S (CO RD 386)	3.71	5,300	4	0	0	4	1.08	0.00	0.00	1.08
144.46	8.83	R-2-R	JCT SH 144 N AND S	13.90	4,300	14	0	1	15	1.01	0.00	7.19	1.08
149.63	5.03	R-2-R	JCT U.S. 0061 AT RAMP CONNECTION ONTO I-76	8.09	4,397	4	1	0	5	0.49	0.12	0.00	0.62
Totals:	148.45					562	102	7	671	1.05	0.19	1.30	1.25



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH034B													
Section MP	SPF Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
158.49		R-2-R	RD N (CR 14) - RD S (FRONTAGE RD) -- BEGIN										
158.99	0.50	R-2-R	MILEPOST 159	0.54	2,959	1	0	0	1	1.84	0.00	0.00	1.84
160.46	1.47	R-2-R	RD N AND S (CO RD 16)	1.56	2,900	0	0	0	0	0.00	0.00	0.00	0.00
161.45	0.99	R-2-R	MINORSTR (034B161460BR) IRRIGATION CANAL	1.20	3,299	3	0	0	3	2.52	0.00	0.00	2.52
162.25	0.78	U-2-R	RD N (LANE ST)	0.94	3,300	1	0	0	1	1.07	0.00	0.00	1.07
162.54	0.30	U-4-R	RD N AND S (WALNUT ST)	0.49	4,418	4	0	0	4	8.30	0.00	0.00	8.30
162.80	0.24	U-4-R	RD N AND S (MEEKER ST)	0.71	8,087	4	0	0	4	5.61	0.00	0.00	5.61
163.12	0.23	U-4-R	RD N AND S (STATE ST)	0.87	10,293	9	0	0	9	10.62	0.00	0.00	10.62
163.45	0.39	U-4-R	RD N AND S (SHERMAN ST)	1.57	11,000	7	0	0	7	4.45	0.00	0.00	4.45
164.20	0.75	U-4-R	RD S (CO RD 19.70) (BEEF PLANT RD)	2.50	9,100	16	1	0	17	6.41	0.40	0.00	6.81
164.45	0.24	U-4-R	RD N (CO RD 20) (BARLOW RD)	0.57	6,500	2	0	0	2	3.52	0.00	0.00	3.52
165.47	0.98	U-4-R	MINORSTR (034B165440BR) UNNAMED DRAINAGE	2.22	6,201	4	0	0	4	1.80	0.00	0.00	1.80
165.99	0.57	U-2-R	MILEPOST 166	1.29	6,200	1	0	0	1	0.78	0.00	0.00	0.78
168.46	2.43	R-2-R	RD N AND S (CO RD 24.00)	5.51	6,200	8	0	0	8	1.45	0.00	0.00	1.45
170.35	1.93	R-2-R	RD N AND S (CO RD 26) ENTER BRUSH	3.81	5,400	3	2	0	5	0.79	0.52	0.00	1.31
171.01	0.65	U-2-R	RD N (CAMBRIDGE ST)	1.28	5,400	2	0	0	2	1.55	0.00	0.00	1.55
171.37	0.33	U-2-R	RD N AND S (HOSPITAL RD)	0.60	5,000	1	0	0	1	1.66	0.00	0.00	1.66
172.12	0.75	U-2-R	RD N AND S (CUSTER ST)	1.62	5,900	2	0	0	2	1.24	0.00	0.00	1.24
172.40	0.28	U-2-R	JCT SH 071E NORTH - RD S (COLORADO AVE)	0.51	5,000	2	0	0	2	3.92	0.00	0.00	3.92
172.73	0.32	U-2-R	RD NW (EDMUNDS ST)	0.60	5,099	1	0	0	1	1.70	0.00	0.00	1.70
173.56	0.81	U-2-R	JCT SH 071D S (CO RD 29)	1.78	5,996	1	0	0	1	0.56	0.00	0.00	0.56
174.99	1.36	R-4-F	MILEPOST 175	1.45	2,912	0	0	0	0	0.00	0.00	0.00	0.00
184.85	9.84	R-3-F	RD N AND S (CO RD S)	10.08	2,800	0	0	0	0	0.00	0.00	0.00	0.00
193.99	9.18	R-2-F	MILEPOST 194	9.41	2,800	5	0	0	5	0.53	0.00	0.00	0.53
195.28	1.23	R-2-F	RD N AND S (CO RD BB)	1.26	2,800	0	0	0	0	0.00	0.00	0.00	0.00
195.83	0.54	R-2-F	RD N AND S (CUSTER AVE)	0.55	2,800	0	0	0	0	0.00	0.00	0.00	0.00
196.40	0.50	R-4-F	RD N AND S (DATE AVE)	0.77	4,182	6	0	0	6	7.81	0.00	0.00	7.81
196.99	0.63	R-4-F	MILEPOST 197	0.94	4,070	1	0	0	1	1.07	0.00	0.00	1.07
204.05	7.06	R-2-F	RD N AND S (CO RD KK.8)	11.63	4,500	4	0	0	4	0.34	0.00	0.00	0.34
209.30	5.25	R-2-F	JCT SH 61 N RD S (DADE ST)	4.80	2,500	5	0	0	5	1.04	0.00	0.00	1.04
218.34	9.02	R-2-F	RD N AND S (CO RD B)	9.24	2,800	2	1	0	3	0.22	0.11	0.00	0.32
220.52	2.14	R-2-F	RD E AND W (CO RD 39)	2.19	2,800	2	0	0	2	0.91	0.00	0.00	0.91
222.76	2.30	R-2-F	RD N AND S (DATE ST)	2.27	2,700	1	0	0	1	0.44	0.00	0.00	0.44
223.29	0.50	R-4-F	RD N AND S (COLUMBUS ST)	1.16	6,314	1	0	0	1	0.87	0.00	0.00	0.87
223.83	0.52	R-3-F	RD N (IDLEWILD ST)	1.33	7,000	4	0	0	4	3.03	0.00	0.00	3.03



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH034B																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
232.99	9.18	R-2-F	MILEPOST 233	10.42	3,101	4	0	0	4	0.38	0.00	0.00	0.38				
235.59	2.55	R-2-F	RD N (MAIN ST)	2.89	3,100	1	0	0	1	0.35	0.00	0.00	0.35				
236.42	0.86	R-2-F	RD S (CO RD U)	0.72	2,300	1	0	0	1	1.38	0.00	0.00	1.38				
245.33	8.95	R-2-F	RD W (CO RD 35)	7.53	2,300	0	1	0	1	0.00	0.13	0.00	0.13				
248.05	2.62	R-2-F	RD SE (CO RD 35)	2.97	3,100	4	0	0	4	1.35	0.00	0.00	1.35				
249.92	1.88	R-2-F	JCT U.S.385 - JCT SH 385D - RD N AND S (DEXTER	3.10	4,499	3	0	0	3	0.97	0.00	0.00	0.97				
250.47	0.56	R-2-F	RD S (DOUGLAS ST)	0.96	4,700	2	0	0	2	2.09	0.00	0.00	2.09				
250.99	0.53	R-2-F	MILEPOST 251	0.63	3,244	0	0	0	0	0.00	0.00	0.00	0.00				
256.53	5.61	R-2-F	RD N AND S (CO RD PP.5)	4.52	2,200	2	0	0	2	0.44	0.00	0.00	0.44				
259.53	2.99	R-2-F	COLORADO-NEBRASKA STATE LINE -- END U.S.	1.31	1,201	3	1	0	4	2.28	0.76	0.00	3.04				
Totals:						100.74				123	6	0	129	1.01	0.05	0.00	1.05

SH034C																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		U-2-M	JCT U.S. 034A E AND W (DIRECT CONNECTION)														
1.10	1.09	U-2-M	RD N (SPRUCE ST) (PROSPECT DR)	0.88	2,200	0	0	0	0	0.00	0.00	0.00	0.00				
1.39	0.28	U-2-M	RD NW (VIRGINIA DR)	0.78	7,576	6	0	0	6	7.78	0.00	0.00	7.78				
1.69	0.29	U-4-M	JCT U.S. 034A NORTH - RD (W WONDERVIEW AVE)	1.93	18,201	7	0	0	7	3.64	0.00	0.00	3.64				
Totals:						1.66				13	0	0	13	3.63	0.00	0.00	3.63

SH034D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	SIGN BRIDGE STR (C-17-FB) OFF RAMP (PRIMARY										
0.26	0.61	U-2-R	MAJOR STR (C-17-FA) - U.S. 034A EAST AND WEST	2.23	10,000	0	0	0	0	0.00	0.00	0.00	0.00
0.54	0.53	U-3-R	HIGHMAST STR (HMLC17K) - (GROUND REF 1.121)	2.85	14,685	1	0	0	1	0.35	0.00	0.00	0.35
1.74	1.09	U-4-R	JCT SH 257B (BUSINESS SPUR) NORTH - RD S	6.78	17,000	4	0	0	4	0.59	0.00	0.00	0.59
2.99	1.31	U-4-R	MILEPOST 3	7.67	16,002	2	0	0	2	0.26	0.00	0.00	0.26
4.12	1.14	U-4-R	RD (77TH AVE)	6.68	16,000	1	0	0	1	0.15	0.00	0.00	0.15
4.66	0.49	U-4-R	RD N AND S (CO RD 29) (71ST AVE)	2.87	16,000	1	0	0	1	0.35	0.00	0.00	0.35
5.60	1.00	U-4-R	RD N AND S (CO RD 31) (59TH AVE)	5.86	16,000	15	2	0	17	2.56	0.34	0.00	2.91
6.61	0.99	U-5-R	RD N AND S (47TH AVE)	10.14	27,976	19	1	0	20	1.87	0.10	0.00	1.97
7.73	1.00	U-5-R	RD N (36TH AVE)	9.15	25,000	45	2	0	47	4.93	0.22	0.00	5.15



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH034D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
8.24	0.57	U-5-R	RD N AND S (28TH AVE)	5.42	26,000	33	0	0	33	6.14	0.00	0.00	6.14
8.76	0.44	U-4-R	JCT SH 034Z -- BEGIN 1 WAY RECIPROCAL EB	3.72	23,103	26	0	0	26	7.02	0.00	0.00	7.02
9.02	0.27	U-3-R	RD N AND S (21ST AVE)	1.02	10,353	10	0	0	10	9.92	0.00	0.00	9.92
9.53	0.50	U-3-R	RD N AND S (14TH AVE)	1.83	10,000	6	0	0	6	3.30	0.00	0.00	3.30
9.99	0.37	U-3-R	JCT SH 034Z RD N AND S (10TH AVE) - MILEPOST	1.14	8,400	21	1	0	22	18.31	0.87	0.00	19.18
10.28	0.28	U-4-R	RD E AND W (11TH ST)	0.85	8,310	10	0	0	10	11.70	0.00	0.00	11.70
10.79	0.50	U-4-R	RD E AND W (16TH ST)	2.20	12,000	15	3	0	18	6.84	1.37	0.00	8.21
11.05	0.26	U-4-R	JCT U.S. 085G SOUTH (8TH AVE) - CHANGE	1.52	16,000	15	2	0	17	10.05	1.34	0.00	11.38
11.31	0.25	U-4-R	MINORSTR (C-18-D) GREELEY CANAL NO 3	0.34	3,749	9	0	0	9	26.56	0.00	0.00	26.56
11.63	0.31	U-3-R	RD N AND S (2ND AVE) (FRONTAGE RD)	0.41	3,600	1	0	0	1	2.44	0.00	0.00	2.44
11.91	0.34	U-2-R	LEAVE GREELEY CITY LIMITS	0.49	3,971	3	0	0	3	6.13	0.00	0.00	6.13
12.34	0.25	U-2-R	RD N AND S (CO RD 41.5) (BALSAM ST)	0.31	3,400	1	0	0	1	3.19	0.00	0.00	3.19
12.88	0.50	U-2-R	RD S (CO RD 43.00) (CHERRY ST)	0.44	2,400	2	0	0	2	4.54	0.00	0.00	4.54
13.94	1.11	U-2-R	MINORSTR (034D013980BR) PATTERSON DITCH /	0.81	2,000	1	1	0	2	1.23	1.23	0.00	2.45
14.71	0.63	U-2-R	JCT U.S. 034A EAST AND WEST (END GREELEY	0.46	2,000	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		14.74				241	12	0	253	3.20	0.16	0.00	3.36

SH034E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S. 034B EAST AND WEST - MILEPOST 0 --										
0.93	0.99	R-2-R	I-76 INTERCHANGE STRS (C-22-BG) EB AND	0.94	2,600	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		0.99				0	0	0	0	0.00	0.00	0.00	0.00

SH034Z													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	JCT SH 34 (1-WAY RECIPROCAL EB) E AND W										
0.27	0.27	U-4-R	RD N AND S (12TH AVE)	0.69	7,021	12	0	0	12	17.17	0.00	0.00	17.17
0.56	0.27	U-3-R	RD N AND S (15TH AVE)	1.04	10,535	9	0	0	9	8.52	0.00	0.00	8.52
1.30	0.76	U-3-R	JCT SH 34 E AND W (10TH ST) (GREELEY	2.69	9,673	23	1	1	25	8.54	0.37	37.12	9.28
Totals:		1.30				44	1	1	46	9.94	0.23	22.60	10.39



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH035A

Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
8.44		U-6-R	RD S (N QUEBEC STREET) - SOUTH SIDE SLIP										
8.74	0.35	U-6-R	MAJOR STR (E-17-HD) SAND CREEK	7.34	57,303	40	2	0	42	5.45	0.27	0.00	5.72
8.99	0.23	U-6-R	SIGN BRIDGE STR (SIGN-E-17-ABM) - NBND ML	3.76	44,652	14	0	0	14	3.77	0.00	0.00	3.77
9.70	0.71	U-6-R	RD N (QUEBEC STREET) - RD E AND W (53RD PL)	7.28	28,000	9	0	0	9	1.24	0.00	0.00	1.24
Totals:		1.29				63	2	0	65	3.43	0.11	0.00	3.54

SH036A

Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT U.S.34 N AND NW (DEER RIDGE) IN ROCKY										
2.89	2.91	R-2-M	RD SE (CO RD 16G) (TO MORAINÉ PARK)	3.41	3,200	1	0	0	1	0.29	0.00	0.00	0.29
4.95	2.02	R-2-M	JCT SH 66 SW	3.40	4,600	0	2	0	2	0.00	0.59	0.00	0.59
5.43	0.58	R-4-M	RD NW (ELM RD) (CO RD 63F)	2.34	11,000	1	0	0	1	0.43	0.00	0.00	0.43
6.37	0.87	U-2-M	RD N (DAVIS ST)	3.50	11,000	5	1	0	6	1.42	0.28	0.00	1.71
6.98	0.30	U-2-M	JCT U.S. 34 (ESTES PARK BUSINESS LOOP) EAST	1.10	10,007	4	0	0	4	3.60	0.00	0.00	3.60
Totals:		6.68				11	3	0	14	0.80	0.22	0.00	1.02

SH036B

Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-M	JCT U.S.34 SH 34 NW (WONDERVIEW AVE) AND NE										
0.39	0.41	U-4-M	JCT SH 007A SE (ST VRAIN AVE)	2.25	15,000	5	0	0	5	2.22	0.00	0.00	2.22
1.36	0.94	U-4-M	RD SW (CO RD 63) (FISH CREEK RD) LEAVE	2.20	6,400	5	0	0	5	2.27	0.00	0.00	2.27
1.99	0.61	U-2-M	MILEPOST 2	1.41	6,326	3	1	0	4	2.14	0.71	0.00	2.86
2.37	0.37	U-2-M	REGION BOUNDARY OR CLASSIFICATION	0.80	5,900	0	0	0	0	0.00	0.00	0.00	0.00
10.74	8.32	R-2-M	RD W (CO RD 47) (BIG ELK MEADOWS RD)	17.97	5,900	9	0	1	10	0.50	0.00	5.57	0.56
16.21	5.60	R-2-M	RD S (CO RD 80)	12.71	6,200	16	3	1	20	1.26	0.24	7.87	1.57
20.28	3.93	R-2-M	RD N (5TH AVE)	14.24	9,900	14	3	0	17	0.98	0.21	0.00	1.19
20.84	0.55	R-4-M	RD W (PARK ST)	1.77	8,790	4	0	0	4	2.28	0.00	0.00	2.28
21.75	1.00	R-4-M	JCT SH 66 SE RD N (CO RD 49)	4.76	13,000	4	1	0	5	0.84	0.21	0.00	1.05
26.90	5.18	R-2-R	RD E (CO RD 20) (NELSON RD)	15.55	8,203	18	3	0	21	1.16	0.19	0.00	1.35
27.69	0.78	R-2-R	RD W (CO RD 94) (LEFT HAND CANYON)	2.40	8,400	4	1	0	5	1.67	0.42	0.00	2.09
29.97	2.26	R-2-R	RD E (NEVA RD)	9.10	11,000	8	0	0	8	0.88	0.00	0.00	0.88
32.11	2.32	R-2-R	RD N (CO RD 65A) (BROADWAY)	11.04	13,000	10	1	0	11	0.91	0.09	0.00	1.00



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH036B

MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
32.83	0.48	U-2-R	RD W (CO RD 106) (LEE HILL RD)	2.04	11,628	1	0	0	1	0.49	0.00	0.00	0.49
33.62	0.78	U-2-R	RD W AND E (CO RD 42.5) (VIOLET ST)	5.42	18,980	3	0	1	4	0.55	0.00	18.36	0.73
33.98	0.37	U-2-R	RD E AND W (CO RD 44) (JAY RD)	2.84	20,989	4	1	0	5	1.42	0.36	0.00	1.78
34.50	0.51	U-2-R	RD W ((WINDING TRAIL DR) - R E (PALO PKWY)	3.17	17,000	6	0	0	6	1.89	0.00	0.00	1.89
34.81	0.30	U-2-R	MINORSTR (036B034810BR) UNNAMED DRAINAGE	2.30	20,906	7	1	0	8	3.07	0.44	0.00	3.51
35.10	0.28	U-4-R	RD (GART BROTHERS DRIVEWAY)	2.67	26,018	24	6	0	30	9.00	2.25	0.00	11.25
35.50	0.39	U-4-R	RD E AND W (VALMONT RD) - MINOR STR (D-15-B	4.00	28,000	11	0	0	11	2.77	0.00	0.00	2.77
35.97	0.46	U-4-R	RD NE AND SW (PEARL ST)	5.72	33,947	33	3	0	36	5.82	0.53	0.00	6.35
36.52	0.53	U-4-R	JCT SH 007C EAST - RD W (ARAPAHOE AVE) -	7.95	40,973	41	3	0	44	5.19	0.38	0.00	5.57
37.03	0.44	U-4-R	RD E AND W (COLORADO AVE)	6.44	40,007	42	5	0	47	6.50	0.77	0.00	7.28
37.59	0.53	U-4-R	BASELINE ROAD INTERCHANGE STR (D-15-AZ) -	8.73	44,991	24	1	0	25	2.73	0.11	0.00	2.85
38.97	1.43	U-4-R	RAMP ON RAMP OFF (TO/FROM TABLE MASA DR)	25.12	47,998	20	4	0	24	0.80	0.16	0.00	0.96
39.22	0.31	U-4-R	LEAVE BOULDER CITY LIMITS	5.62	49,574	17	0	0	17	3.07	0.00	0.00	3.07
40.37	1.17	U-4-R	MAJOR STR (E-16-QT) - RD N AND S (CHERRYVALE	30.83	72,000	28	2	0	30	0.91	0.06	0.00	0.97
42.09	1.69	R-4-R	ENTER LAFAYETTE-LOUISVILLE URBAN AREA	44.53	72,000	30	5	1	36	0.67	0.11	2.24	0.81
43.15	1.07	U-4-R	REGIONAL SECTION POLITICAL BOUNDARY OR	28.20	72,000	17	2	0	19	0.61	0.07	0.00	0.68
43.45	0.28	U-4-R	RAMP OFF	8.35	81,480	9	0	0	9	1.10	0.00	0.00	1.10
44.45	0.97	U-4-R	SIGN BRIDGE STR (SIGN-E-16-JE) POSTED	29.47	83,000	20	4	0	24	0.68	0.14	0.00	0.82
45.29	0.78	U-4-R	FLATIRON INTERCHANGE STR (E-16-HK) - RD N	23.69	83,000	11	2	0	13	0.47	0.08	0.00	0.55
45.82	0.58	U-4-R	MAJOR STR (E-16-QI) INTERLOCKEN LOOP	16.35	77,000	15	0	0	15	0.92	0.00	0.00	0.92
46.57	0.71	U-4-R	LEGACY RAMPS ON/OFF (FLATIRON CIRCLE)	18.19	70,000	44	2	0	46	2.42	0.11	0.00	2.53
47.59	1.06	U-4-R	SIGN BRIDGE STR (SIGN-E-16-RP) POSTED	31.81	82,000	32	5	0	37	1.01	0.16	0.00	1.17
48.03	0.41	U-4-R	BROOMFIELD INTERCHANGE STRS (E-16-FK) SB	12.30	82,000	40	3	0	43	3.26	0.24	0.00	3.50
49.19	1.13	U-4-R	SIGN BRIDGE STR (SIGN-E-16-WV) - US 36B WBND	33.91	82,000	30	5	0	35	0.88	0.15	0.00	1.03
50.37	1.19	U-4-R	CHURCHRANCH ROAD INTERCHANGE STR	35.71	82,000	41	5	0	46	1.15	0.14	0.00	1.29
50.67	0.30	U-4-R	MAJOR STR (E-16-FS) PEDESTRIAN UNDERPASS -	9.00	82,000	30	1	0	31	3.38	0.11	0.00	3.49
51.73	1.01	U-4-R	MINORSTR (036B051830BR) AND (036B051820BR) -	31.79	86,000	21	4	0	25	0.66	0.13	0.00	0.79
52.56	0.75	U-4-R	SIGN BRIDGE STR (SIGN-E-16-QP) POSTED	23.61	86,000	34	2	1	37	1.44	0.08	4.23	1.57
53.92	1.44	U-5-R	MAJOR STR (E-16-YF) - RD E AND W (80TH AVE)	61.13	115,979	68	3	1	72	1.11	0.05	1.64	1.18
54.85	0.92	U-5-R	FEDERAL BOULEVARD INTERCHANGE STR	39.06	116,000	27	5	0	32	0.70	0.13	0.00	0.82
55.88	1.02	U-4-R	SIGN BRIDGE STR (SIGN-E-16-RK) - 036B EBND	46.29	124,000	40	4	0	44	0.87	0.09	0.00	0.96
56.13	0.24	U-4-R	SIGN BRIDGE STR (SIGN-E-16-NT) POSTED	11.78	134,082	57	4	0	61	4.76	0.33	0.00	5.09
56.98	0.80	U-5-R	RAMP ON AND OFF (BROADWAY/SH224A) EB	39.82	136,000	26	2	0	28	0.65	0.05	0.00	0.70
57.42	0.23	U-5-R	EAST SIDE (C)G) RAMP CONNECTIONS ON AND	11.70	139,000	17	0	0	17	1.43	0.00	0.00	1.43
Totals:	56.83					970	97	6	1,073	1.27	0.13	0.78	1.40



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH036C												
Section MP	SPF Length Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
						Injury	Fatal	Total	** PDO	Injury	Fatal	Total
76.39		R-2-R RD E AND W (FRONTAGE) (COLFAX AVE) -- BEGIN										
76.99	0.60	R-2-R MILEPOST 77	0.15	686	0	0	0	0	0.00	0.00	0.00	0.00
78.68	1.68	R-2-R RD N (CO RD 23N) (CR 223) (HUDSON RD)	0.41	670	0	0	1	1	0.00	0.00	242.59	2.43
79.72	1.01	R-2-R JCT I-70 WATKINS BUSINESS SPUR SH 70 S RD N	0.44	1,200	0	0	0	0	0.00	0.00	0.00	0.00
80.81	1.06	R-2-R RD N (CO RD 25N) (IMBODEN RD)	1.13	2,900	0	1	0	1	0.00	0.89	0.00	0.89
83.70	3.03	R-2-R RD N AND S (CO RD 28N) (228) (MANILA RD)	1.33	1,200	3	1	0	4	2.25	0.75	0.00	3.00
89.21	5.30	R-2-R JCT SH079B N RD N AND S (ADAMS ST) - JCT	2.68	1,380	1	2	0	3	0.37	0.75	0.00	1.12
Totals:	12.68				4	4	1	9	0.65	0.65	16.29	1.47

SH036D												
Section MP	SPF Length Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
						Injury	Fatal	Total	** PDO	Injury	Fatal	Total
89.21		R-2-R JCT SH079B N RD N AND S (ADAMS ST) - JCT										
90.31	1.15	R-2-R RD SW (CO RD 34N) (KIOWA - BENNET RD)	1.01	2,400	2	1	0	3	1.97	0.99	0.00	2.96
91.33	1.04	R-2-R RAMP OFF (WB)	0.65	1,700	0	0	0	0	0.00	0.00	0.00	0.00
94.99	3.64	R-2-R JCT I-70 (STRASBURG BUSINESS SPUR) SOUTH -	4.00	3,000	1	0	0	1	0.25	0.00	0.00	0.25
95.51	0.53	R-2-R MAJOR STR (F-19-C) LITTLE COMANCHE CREEK	0.80	4,142	2	1	0	3	2.47	1.24	0.00	3.71
100.97	5.45	R-2-R RD W (CEDAR ST)	6.78	3,400	2	0	0	2	0.30	0.00	0.00	0.30
101.99	1.31	R-2-R MILEPOST 102	1.66	3,455	2	1	0	3	1.21	0.61	0.00	1.82
103.56	1.55	R-2-R RD N AND S (CO RD 185) (CR 46N) (CALHOUN -	1.82	3,200	0	0	0	0	0.00	0.00	0.00	0.00
109.50	5.99	R-2-R RD N (CO RD 52N) (RECTOR-LEADER RD)	2.08	950	0	0	0	0	0.00	0.00	0.00	0.00
111.59	1.99	R-2-R RD N AND S (CO RD 54N) (CR 217)	0.57	780	1	0	0	1	1.76	0.00	0.00	1.76
120.83	9.28	R-2-R MINORSTR (036D120830BL) UNNAMED DRAINAGE	2.75	810	1	0	0	1	0.36	0.00	0.00	0.36
124.78	3.87	R-2-R RD S (CO RD 269)	1.15	810	0	0	0	0	0.00	0.00	0.00	0.00
133.99	9.21	R-2-R MILEPOST 134	2.00	594	0	0	0	0	0.00	0.00	0.00	0.00
135.57	1.57	R-2-R MINORSTR (071D137940BR) JCT SH 71 N AND S	0.34	600	1	0	0	1	2.91	0.00	0.00	2.91
144.63	8.99	R-2-R RD N (CO RD R) ACCESS REMOVED	2.37	720	2	0	0	2	0.84	0.00	0.00	0.84
145.58	1.01	R-2-F RD N AND S (CO RD S)	0.27	720	0	0	0	0	0.00	0.00	0.00	0.00
154.60	8.99	R-2-F RD N AND S (CO RD BB)	2.30	700	1	0	0	1	0.43	0.00	0.00	0.43
155.60	0.99	R-2-F JCT SH 063A NORTH - RD S (CO RD CC) (ANTON)	0.25	700	1	0	0	1	3.96	0.00	0.00	3.96
164.81	9.22	R-2-F RD N AND S (CO RD LL) - RD W (CO RD 9)	2.83	840	1	0	0	1	0.35	0.00	0.00	0.35
170.05	5.35	R-2-F RD N (CO RD RR)	1.57	800	1	0	0	1	0.64	0.00	0.00	0.64
177.05	6.85	R-2-F RD N AND S (1ST ST) - RD E (CO RD 6.9) (MONROE	1.45	580	0	0	0	0	0.00	0.00	0.00	0.00
178.04	0.99	R-2-F JCT SH 59 W	0.36	1,000	0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH036D																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
185.37	7.34	R-2-F	JCT SH 59 N RD S (CO RD F)	1.85	690	0	0	0	0	0.00	0.00	0.00	0.00				
191.45	6.08	R-2-F	RD N AND S (CO RD M)	1.76	790	1	0	0	1	0.57	0.00	0.00	0.57				
194.47	3.01	R-2-F	RD N AND S (CO RD Q)	0.58	530	0	0	0	0	0.00	0.00	0.00	0.00				
203.85	9.35	R-2-F	RD N AND S (CO RD Y)	2.29	670	0	0	0	0	0.00	0.00	0.00	0.00				
205.87	2.01	R-2-F	RD N AND S (CO RD AA)	0.49	670	0	0	0	0	0.00	0.00	0.00	0.00				
211.10	5.17	R-2-F	JCT U.S.385 SH 385 S RD E	1.76	930	2	0	0	2	1.14	0.00	0.00	1.14				
213.64	2.52	R-2-F	JCT U.S.385 SH 385 N RD W	0.84	910	0	0	0	0	0.00	0.00	0.00	0.00				
216.68	3.04	R-2-F	RD N AND S (CO RD JJ)	0.57	511	1	0	0	1	1.76	0.00	0.00	1.76				
224.72	8.04	R-2-F	COLORADO-KANSAS STATE LINE -- END SH036D	1.21	410	0	0	0	0	0.00	0.00	0.00	0.00				
Totals:						135.53				22	3	0	25	0.45	0.06	0.00	0.52

SH036E																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		U-4-R	JCT SH093A NW AND SW (BROADWAY) - RD W														
0.36	0.36	U-4-R	EAST SIDE RAMPS ON AND OFF (TO/FROM SH	3.95	30,000	32	2	0	34	8.07	0.50	0.00	8.58				
Totals:						0.36				32	2	0	34	8.10	0.51	0.00	8.60

SH036Z																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		R-4-M	JCT SH036B (END EB 1-WAY RECIP) IN LYON CITY														
0.30	0.31	R-4-M	JCT SH 36 N AND S END WB 1-WAY RECIPROCAL	0.76	6,728	2	0	0	2	2.63	0.00	0.00	2.63				
Totals:						0.31				2	0	0	2	2.62	0.00	0.00	2.62

SH039A																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		R-2-F	JCT SH 600I NE AND SW - JCT SH052A SOUTH -														
0.99	1.00	R-2-F	MILEPOST 1	0.63	1,728	5	0	0	5	7.90	0.00	0.00	7.90				
1.99	1.00	R-2-R	MILEPOST 2	0.32	882	0	0	0	0	0.00	0.00	0.00	0.00				
3.34	1.30	R-2-R	RD E AND W (CO RD U.00)	0.39	830	0	0	0	0	0.00	0.00	0.00	0.00				
7.57	4.23	R-2-R	JCT SH 144 NE AND SW (GOODRICH) -- END SH 39	0.88	570	4	0	0	4	4.54	0.00	0.00	4.54				

Safety Performance Function (SPF) Definition
Rural/Urban - # of Lanes - Terrain
R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
Fatal Rate in 100 Million Vehicle Miles Traveled
** PDO = Property Damage Only



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH039A														
Section MP	SPF Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
Totals:						7.53	9	0	0	9	4.03	0.00	0.00	4.03

SH040A														
Section MP	SPF Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
0.00		R-2-M	UTAH-COLORADO STATE LINE -- BEGIN U.S. 040A -											
2.90	2.91	R-2-M	JCT SH 64 S - RD N (STEGOSAURUS FREEWAY)	2.13	2,000	1	0	0	1	0.47	0.00	0.00	0.47	
4.88	1.90	R-2-M	RD N (DINOSAUR NAT MONUMENT)	0.65	932	1	0	0	1	1.54	0.00	0.00	1.54	
13.99	9.09	R-2-M	MILEPOST 14	3.66	1,100	1	0	0	1	0.27	0.00	0.00	0.27	
23.06	9.06	R-2-R	MINORSTR (040A023050BL) BOX ELDER CREEK	3.65	1,100	5	1	0	6	1.37	0.27	0.00	1.64	
32.10	8.65	R-2-R	RD SW (CO RD M4)	3.48	1,100	0	1	0	1	0.00	0.29	0.00	0.29	
41.35	9.17	R-2-R	RD NE (CO RD - OLD SH 40L)	3.69	1,100	3	1	0	4	0.81	0.27	0.00	1.08	
45.59	4.23	R-2-R	RD N AND S (CO RD 85)	1.70	1,100	6	1	0	7	3.53	0.59	0.00	4.12	
54.65	8.98	R-2-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	2.10	640	3	1	0	4	1.43	0.48	0.00	1.90	
59.77	5.10	R-2-R	JCT SH 318A NW (GATES OF LADORE - BROWNS	1.19	640	4	1	0	5	3.35	0.84	0.00	4.19	
68.99	9.36	R-2-R	MILEPOST 69	4.11	1,200	5	1	1	7	1.22	0.24	24.32	1.70	
72.34	3.31	R-2-R	RD N (CO RD 14)	1.45	1,200	1	0	0	1	0.69	0.00	0.00	0.69	
81.52	9.11	R-2-R	MINORSTR (040A081530BL) DRAINAGE	3.03	910	5	1	0	6	1.65	0.33	0.00	1.98	
83.20	1.69	R-2-R	RD N AND S (CO RD 201)	0.56	910	1	1	0	2	1.78	1.78	0.00	3.55	
87.14	4.09	R-3-R	RD S (CO RD 64) - ENTER CRAIG URBAN LIMIT	3.59	2,400	7	1	0	8	1.95	0.28	0.00	2.23	
88.16	0.77	U-2-R	RD N (WICKES AV) - RD S (CO RD 30)	0.68	2,400	1	0	0	1	1.48	0.00	0.00	1.48	
88.99	0.85	U-2-R	MILEPOST 89 - RD N (FRONTAGE RD)	1.06	3,400	4	0	0	4	3.80	0.00	0.00	3.80	
89.31	0.25	U-2-R	JCT SH 013A SOUTH - RD N (GREAT DIVIDE RD)	0.49	5,400	3	0	0	3	6.00	0.00	0.00	6.00	
89.62	0.30	U-4-R	RD N (5TH AVE)	1.09	9,969	0	0	0	0	0.00	0.00	0.00	0.00	
89.94	0.31	U-4-R	RD N (FINLEY LN) - RD S (MACK LN)	1.25	10,994	1	1	0	2	0.79	0.79	0.00	1.59	
90.35	0.38	U-4-R	JCT SH 040Z (END OF WB 1-WAY RECIPROCAL -	1.95	14,000	8	2	0	10	4.08	1.02	0.00	5.10	
90.64	0.31	U-2-R	RD N AND S (BARCLAY ST)	0.69	6,125	1	0	0	1	1.45	0.00	0.00	1.45	
90.96	0.32	U-2-R	RD N AND S (TUCKER ST)	0.78	6,687	2	0	0	2	2.58	0.00	0.00	2.58	
91.21	0.25	U-2-R	MAJOR STR (B-06-A) FORTIFICATION CREEK	0.52	5,656	0	0	0	0	0.00	0.00	0.00	0.00	
91.52	0.36	U-1-R	RD E (VICTORY WAY)	1.04	7,899	1	0	0	1	0.97	0.00	0.00	0.97	
92.06	0.56	U-2-R	RD NE (CO RD C9) (1ST ST)	1.66	8,100	0	0	0	0	0.00	0.00	0.00	0.00	
93.07	1.05	U-2-R	LEAVE CRAIG CITY LIMITS - LEAVE CRAIG URBAN	2.19	5,700	4	0	0	4	1.82	0.00	0.00	1.82	
93.70	0.66	R-2-R	RD N (CO RD 225) (OLD VICTORY WAY)	1.38	5,700	2	0	0	2	1.44	0.00	0.00	1.44	
96.69	2.95	R-2-R	RD NE (CO RD 29)	4.53	4,200	6	0	0	6	1.32	0.00	0.00	1.32	



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH040A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
105.99	9.49	R-2-R	MILEPOST 106	19.45	5,600	34	2	0	36	1.75	0.10	0.00	1.85
107.05	1.02	R-2-R	MAJOR STR (C-07-S) DRY CREEK -- REPLACED	2.09	5,600	2	0	0	2	0.96	0.00	0.00	0.96
107.57	0.51	R-2-R	RD N AND S (WALNUT ST)	1.12	6,026	1	1	0	2	0.90	0.90	0.00	1.80
108.26	0.51	R-2-R	RD N AND S (SHELTON ST)	1.19	6,400	1	0	0	1	0.83	0.00	0.00	0.83
112.57	4.48	R-2-F	RD S (CO RD 27)	9.02	5,500	16	1	0	17	1.77	0.11	0.00	1.88
121.85	9.19	R-2-F	RD S (CO RD 178)	16.14	4,800	26	2	0	28	1.61	0.12	0.00	1.73
123.78	1.93	R-2-F	RD W (CO RD 44)	3.39	4,800	2	0	0	2	0.59	0.00	0.00	0.59
125.15	1.39	R-2-F	RD S (CO RD 33A) - ENTER STEAMBOAT SPRINGS	2.59	5,100	8	1	0	9	3.09	0.39	0.00	3.48
126.40	1.23	U-2-F	MINORSTR (040A126410BL) UNNAMED DITCH	2.30	5,100	5	0	0	5	2.18	0.00	0.00	2.18
126.67	0.26	R-2-F	MINORSTR (040A126680BL) UNNAMED DITCH	0.49	5,100	0	0	0	0	0.00	0.00	0.00	0.00
127.56	0.89	U-2-F	RD N (CO RD 204N) (ANCHOR WAY) MOONLIGHT	1.66	5,100	3	0	0	3	1.81	0.00	0.00	1.81
128.77	1.19	U-2-F	ENTER STEAMBOAT SPRINGS CITY LIMITS	5.23	12,000	8	0	0	8	1.53	0.00	0.00	1.53
129.79	0.89	U-2-F	RD (CONESTOGA RD) - SPEED LIMIT (40)	3.91	12,000	6	0	0	6	1.53	0.00	0.00	1.53
130.56	0.72	U-2-R	RD S (SHIELD RD)	3.16	12,000	6	0	0	6	1.91	0.00	0.00	1.91
131.65	1.19	U-2-M	SPEED LIMIT (25)	7.40	17,000	9	1	0	10	1.21	0.13	0.00	1.35
131.95	0.33	U-2-M	RD NE (12TH ST)	2.17	17,955	3	0	0	3	1.37	0.00	0.00	1.37
132.34	0.38	U-4-M	RD NE AND SW (7TH ST)	3.20	23,000	47	1	0	48	14.73	0.31	0.00	15.05
132.63	0.28	U-4-F	RD NE AND SW (3RD ST)	2.25	21,920	40	0	0	40	18.06	0.00	0.00	18.06
133.63	0.92	U-4-F	RD E (HIGHPOINT DR)	8.08	24,000	23	1	0	24	2.84	0.12	0.00	2.96
133.97	0.32	U-4-M	RD E AND W (PINE GROVE RD)	2.81	24,000	17	0	0	17	5.99	0.00	0.00	5.99
134.40	0.44	U-4-M	MOUNT WERNER INTERCHANGE STR (C-09-AS) -	3.22	20,000	9	1	0	10	2.82	0.31	0.00	3.13
135.11	0.70	U-4-M	RD E (WALTON CREEK RD)	5.12	20,000	4	0	0	4	0.78	0.00	0.00	0.78
135.39	0.29	U-4-M	RD (SUPER 8 MOTEL DRIVEWAY)	1.18	11,115	6	0	0	6	5.18	0.00	0.00	5.18
136.10	0.69	U-2-M	REGION BOUNDARY OR CLASSIFICATION	1.97	7,800	5	0	0	5	2.53	0.00	0.00	2.53
136.63	0.51	R-2-M	RD E AND W (CO RD 24)	1.41	7,558	2	0	0	2	1.43	0.00	0.00	1.43
145.99	9.36	R-2-M	MILEPOST 146	15.07	4,400	27	2	0	29	1.79	0.13	0.00	1.92
153.67	7.66	R-3-M	RD S (CO RD 19) (BUFFALO RD)	12.34	4,400	15	2	1	18	1.22	0.16	8.11	1.46
157.32	3.49	R-2-M	JCT SH-14A NE - CONTINENTAL DIVIDE - MUDDY	2.94	2,300	20	2	0	22	6.81	0.68	0.00	7.49
166.80	9.45	R-3-M	MINORSTR (040A166810BL) BADGER CREEK	6.57	1,900	25	0	0	25	3.81	0.00	0.00	3.81
175.99	9.14	R-2-M	MILEPOST 176	6.36	1,900	7	4	0	11	1.10	0.63	0.00	1.73
178.25	2.17	R-2-M	JCT SH 134A NW	1.51	1,900	1	1	0	2	0.66	0.66	0.00	1.33
183.59	5.31	R-2-M	RD W (CO RD 12)	4.28	2,200	5	0	0	5	1.17	0.00	0.00	1.17
184.20	0.61	R-2-M	RD N AND S (1ST ST)	0.65	2,897	0	1	0	1	0.00	1.55	0.00	1.55
184.78	0.57	R-4-M	RD N AND S (10TH ST)	0.98	4,680	1	0	0	1	1.03	0.00	0.00	1.03
185.42	0.79	R-2-M	RD N (22ND ST) (CO RD 22 N)	0.63	2,195	0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH040A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
194.62	9.12	R-2-M	RD N (CORRAL CREEK) (CO RD 21)	6.68	2,000	10	0	0	10	1.50	0.00	0.00	1.50
197.31	2.66	R-2-M	RD S (CO RD 3) (WILLIAMS FORK RD)	1.95	2,000	2	1	0	3	1.03	0.51	0.00	1.54
201.70	4.36	R-2-M	RD N AND S (ASPEN ST)	3.99	2,500	4	0	0	4	1.00	0.00	0.00	1.00
202.35	0.63	R-2-M	LEAVE HOT SULPHUR SPRINGS CITY LIMITS - IN	0.69	2,971	0	0	0	0	0.00	0.00	0.00	0.00
209.16	6.83	R-2-M	JCT SH 125A NORTH	7.75	3,100	3	0	0	3	0.39	0.00	0.00	0.39
211.07	1.91	R-2-M	JCT U.S. 034A NORTH	3.08	4,400	1	0	0	1	0.33	0.00	0.00	0.33
211.87	0.79	R-3-R	RD N (MESA ST) - ENTER GRANBY CITY LIMITS	1.82	6,298	4	1	0	5	2.19	0.55	0.00	2.73
212.49	0.61	R-4-R	RD N (6TH ST) - RD E (CO RD 60) LEAVE GRANBY	1.76	7,900	1	1	0	2	0.56	0.56	0.00	1.13
221.61	9.07	R-3-R	RD S (MEADOW BD) (CO RD 5151)	30.87	9,300	25	6	0	31	0.81	0.19	0.00	1.00
223.02	1.34	R-2-R	RD N AND S (CO RD 522)	4.56	9,300	1	0	0	1	0.22	0.00	0.00	0.22
226.18	3.30	R-2-R	RD E AND W (CO RD 5)	8.53	7,059	14	3	1	18	1.64	0.35	11.72	2.11
226.83	0.65	R-2-R	RD W (EISENHOWER DR)	2.28	9,600	0	2	0	2	0.00	0.88	0.00	0.88
229.61	2.72	R-2-R	RD (COOPER CK WAY) (VALLEY HI MOTEL)	11.95	12,000	28	1	0	29	2.35	0.08	0.00	2.43
232.05	2.39	R-4-M	RD (DENVER WATER-WORKS RD) (MIDDLE	7.17	8,202	8	2	0	10	1.12	0.28	0.00	1.40
232.72	0.65	R-4-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	1.29	5,427	1	0	0	1	0.78	0.00	0.00	0.78
233.70	1.02	R-4-M	LEAVE WINTER PARK CITY LIMITS	2.39	6,390	2	0	0	2	0.84	0.00	0.00	0.84
242.88	9.15	R-2-M	MINORSTR (040A242910BR) BERTHOUD PASS	21.43	6,400	30	3	0	33	1.40	0.14	0.00	1.54
248.71	5.74	R-2-M	RD W (CO RD 202) (HENDERSON MINE RD) -	13.45	6,400	18	4	0	22	1.34	0.30	0.00	1.64
254.30	5.59	R-2-M	RD SW (CO RD 232)	12.28	6,000	9	1	0	10	0.73	0.08	0.00	0.81
256.16	1.81	R-3-M	RD N AND S (MAIN ST)	3.18	4,803	0	1	0	1	0.00	0.31	0.00	0.31
258.26	1.96	R-2-M	MAJOR STR (E-14-BE) JCT SH070A (I-70 WB) -- END	4.23	5,894	6	0	0	6	1.42	0.00	0.00	1.42
Totals:	256.57					627	62	3	692	1.71	0.17	0.82	1.88

SH040B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
269.44		R-2-M	JCT U.S. 006G NW AND SE -- END OVERLAPPING										
271.48	2.05	R-2-M	RD S (TO I-70 HYLAND HILLS INTERCHANGE) --	1.43	1,900	5	0	0	5	3.51	0.00	0.00	3.51
272.54	1.05	R-2-M	RD S (CO RD 65)	2.11	5,500	3	0	0	3	1.42	0.00	0.00	1.42
276.92	4.26	R-2-M	JCT SH074A (EVERGREEN PKWY) NE AND SW --	1.05	674	4	3	0	7	3.81	2.86	0.00	6.67
Totals:	7.36					12	3	0	15	2.61	0.65	0.00	3.27



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH040C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
279.21		R-2-R	RAMPS ON AND OFF (TO/FROM EB I-70)										
279.99	0.77	R-2-R	MILEPOST 280	0.48	1,710	3	0	0	3	6.23	0.00	0.00	6.23
281.81	1.82	R-2-R	RD N (CO RD LM9) (PARADISE RD)	1.13	1,700	5	0	0	5	4.42	0.00	0.00	4.42
282.09	0.27	U-2-R	MINORSTR (070A256120BL) DRAINAGE	0.23	2,300	1	0	0	1	4.34	0.00	0.00	4.34
283.22	1.09	U-2-R	RD N (CO RD LM42)	0.92	2,300	3	0	0	3	3.26	0.00	0.00	3.26
284.30	1.07	U-2-R	REGIONAL SECTION POLITICAL BOUNDARY OR	0.90	2,300	1	0	0	1	1.11	0.00	0.00	1.11
284.69	0.37	U-2-R	RD E (TO PARK-N-RIDE)	0.31	2,300	0	0	0	0	0.00	0.00	0.00	0.00
285.18	0.80	U-3-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	1.90	6,495	1	0	0	1	0.53	0.00	0.00	0.53
286.22	0.98	U-3-R	RD N (WEST ST) - RD SE (ROONEY RD)	3.59	10,000	6	2	0	8	1.67	0.56	0.00	2.22
286.47	0.27	U-3-R	RD S (CORPORATE DR)	1.37	13,894	7	2	0	9	5.19	1.48	0.00	6.68
286.86	0.37	U-4-R	JCT U.S. 006G E AND W (6TH AVE)	2.17	16,000	10	2	0	12	4.57	0.91	0.00	5.48
287.69	0.82	U-4-R	RD N AND S (CO RD 15) (MC INTYRE ST)	6.90	22,991	11	0	1	12	1.59	0.00	14.44	1.73
287.99	0.27	U-4-R	MILEPOST 288	2.80	28,286	16	2	0	18	5.66	0.71	0.00	6.37
288.38	0.40	U-4-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	3.46	23,605	21	4	0	25	6.03	1.15	0.00	7.18
289.37	0.98	U-6-R	RD N AND S (KINGSBURY CT) (YOUNGFIELD ST)	8.25	23,000	43	3	0	46	5.22	0.36	0.00	5.58
290.01	0.73	U-4-R	RD S (UNION ST)	5.61	21,000	4	0	0	4	0.71	0.00	0.00	0.71
290.32	0.30	U-5-R	RD N (ROUTT ST)	3.39	30,875	24	2	0	26	6.99	0.58	0.00	7.57
291.43	0.91	U-6-R	JCT SH 391 N AND S (KIPLING ST)	8.66	26,000	41	3	0	44	4.72	0.35	0.00	5.06
291.94	0.50	U-6-R	RD S (GARRISON ST) - RD N (GLEN GYLE DR)	4.58	25,008	25	2	0	27	5.48	0.44	0.00	5.92
292.93	0.99	U-6-R	JCT SH 121 N AND S (WADSWORTH BLVD)	9.78	27,000	37	5	0	42	3.79	0.51	0.00	4.31
293.26	0.49	U-6-R	RD N AND S (PIERCE ST)	4.66	26,006	43	5	0	48	9.24	1.07	0.00	10.31
294.26	0.99	U-6-R	JCT SH 95 N AND S (SHERIDAN BLVD)	9.78	26,997	54	10	1	65	5.55	1.03	10.27	6.68
295.27	0.60	U-5-R	RD N AND S (RALEIGH ST)	6.80	30,980	56	4	1	61	8.18	0.58	14.60	8.91
296.15	0.87	U-5-R	FEDERAL BLVD INTERCHANGE STRS (F-16-YQ) --	9.87	31,000	43	7	0	50	4.35	0.71	0.00	5.05
296.40	0.19	U-5-R	SIGN BRIDGE STR (F-16-SJ) -- RD S (ELLIOT	3.20	46,016	7	0	0	7	2.22	0.00	0.00	2.22
296.99	0.63	U-6-R	RAMP OFF - (FLYOVER RAMPS TO I-25 NB AND SB)	11.07	48,000	33	2	0	35	2.97	0.18	0.00	3.15
297.24	0.24	U-6-R	SIGN BRIDGE STR (SIGN-F-16-LU) - EB&WB ML	3.80	43,263	18	3	0	21	4.74	0.79	0.00	5.53
297.55	0.30	U-6-R	RD N AND S (SPEER BLVD SB)	4.89	44,577	54	9	1	64	11.11	1.85	20.57	13.16
297.81	0.31	U-6-R	RD NW (13TH ST) - RD S (DELAWARE ST)	4.25	37,466	50	2	0	52	11.88	0.48	0.00	12.35
298.10	0.30	U-6-R	SIGN BRIDGE STR (SIGN-F-16-KC) POSTED	3.24	29,477	21	0	0	21	6.53	0.00	0.00	6.53
298.40	0.28	U-6-R	RD N AND S (LOGAN ST)	2.88	28,076	45	9	0	54	15.75	3.15	0.00	18.90
298.65	0.24	U-4-R	RD N AND S (CLARKSON ST)	2.38	27,071	44	1	0	45	18.66	0.42	0.00	19.08
298.93	0.28	U-4-R	RD N (MARION ST)	2.99	29,148	33	9	0	42	11.17	3.05	0.00	14.21
299.20	0.26	U-4-R	RD N AND S (GILPIN ST)	2.68	28,113	34	5	0	39	12.91	1.90	0.00	14.81
299.59	0.38	U-4-R	RD S (YORK ST)	4.45	32,000	54	10	0	64	12.07	2.24	0.00	14.30



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH040C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
300.62	1.02	U-4-R	JCT SH 002A - RD N AND S (COLORADO BLVD)	10.83	29,009	98	6	0	104	9.04	0.55	0.00	9.59
301.63	1.00	U-4-R	RD S (IVANHOE ST)	9.15	25,000	32	3	0	35	3.49	0.33	0.00	3.81
302.10	0.46	U-4-R	RD N AND S (MONACO PKWY) SB	4.21	25,000	17	3	0	20	4.04	0.71	0.00	4.75
302.59	0.48	U-4-R	RD N AND S (QUEBEC ST)	4.74	27,000	22	2	0	24	4.61	0.42	0.00	5.03
303.60	1.00	U-4-R	RD N AND S (YOSEMITE ST) LEAVE DENVER	11.34	30,988	39	5	0	44	3.45	0.44	0.00	3.89
304.10	0.49	U-4-R	RD N AND S (DAYTON ST)	5.02	28,000	42	5	0	47	8.36	1.00	0.00	9.36
304.60	0.49	U-4-R	RD N AND S (HAVANA ST)	5.02	28,000	44	11	1	56	8.74	2.19	19.87	11.13
305.60	0.99	U-4-R	RD N AND S (PEORIA ST)	11.23	31,000	65	4	1	70	5.79	0.36	8.91	6.24
306.33	1.14	U-4-R	SIGN BRIDGE STR (SIGN-E-17-MF) POSTED	20.03	48,000	120	14	2	136	6.02	0.70	10.03	6.82
306.65	0.31	U-6-R	RD N AND S (SABLE AVE)	4.21	37,072	30	2	0	32	7.23	0.48	0.00	7.71
307.13	0.50	U-4-R	RD N AND S (CHAMBERS RD)	4.40	24,026	14	6	0	20	3.21	1.38	0.00	4.59
308.07	0.49	U-4-R	RD N AND S (LAREDO ST) - ADAMS - ARAPAHOE	3.95	22,000	24	6	0	30	6.07	1.52	0.00	7.59
308.56	0.48	U-4-R	RD N AND S (AIRPORT RD)	2.99	17,000	7	5	1	13	2.33	1.66	33.28	4.33
309.25	0.99	U-4-R	RD N (TOWER ROAD) - LEAVE REGION (6)	7.60	20,988	28	1	0	29	3.67	0.13	0.00	3.80
310.53	0.95	U-4-R	ARAPAHOE - ADAMS COUNTY LINE	2.12	6,100	7	1	0	8	3.30	0.47	0.00	3.77
311.55	0.95	U-4-R	RAMP ON (FROM EB I-70)	2.12	6,100	4	0	0	4	1.90	0.00	0.00	1.90
312.14	0.50	U-4-R	MAJOR STR (F-18-T) EB - JCT I-70 NW AND E -	0.99	5,401	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	32.31					1,441	177	9	1,627	5.69	0.70	3.55	6.42

SH040D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
338.57		R-2-R	JCT U.S. 036D NORTH - RD S (MAIN ST) -- END										
340.38	1.80	R-2-R	RD N AND S (CO RD 185.00) (S CALHOUN BYERS)	0.52	790	0	1	0	1	0.00	1.93	0.00	1.93
Totals:	1.80					0	1	0	1	0.00	1.92	0.00	1.92

SH040E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
346.29		R-2-R	JCT I-70 FRONTAGE ROAD (MP-324) SEPARATION										
350.59	4.30	R-2-R	RD NE (FIR ST)	0.19	120	0	0	0	0	0.00	0.00	0.00	0.00
351.13	0.48	R-2-R	RD E AND W (BURTON ST)	0.09	501	0	0	0	0	0.00	0.00	0.00	0.00
352.25	1.13	R-2-R	RD E AND W (CO RD 42) - RD E (WALL RD) (TO I-70)	0.07	160	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	5.91					0	0	0	0	0.00	0.00	0.00	0.00

Safety Performance Function (SPF) Definition
Rural/Urban - # of Lanes - Terrain
R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
Fatal Rate in 100 Million Vehicle Miles Traveled
** PDO = Property Damage Only



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH040F													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
360.20		R-2-R	JCT I-70 FRONTAGE ROAD SEPARATION -- BEGIN										
363.00	2.07	R-2-R	JCT I-70 (O AGATE BUSINESS SPUR) EAST - RD W	0.07	90	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		2.07				0	0	0	0	0.00	0.00	0.00	0.00

SH040G													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
380.69		R-2-F	I-70 FRONTAGE ROAD SEPARATION (MP-358) -										
382.18	1.49	R-2-F	JCT U.S. 024G SW AND EAST - JCT U.S. 024F	0.06	102	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		1.49				0	0	0	0	0.00	0.00	0.00	0.00

SH040H													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
386.01		R-2-F	I-70 INTERCHANGE STRS (G-22-BU) EB AND										
395.70	9.66	R-2-F	MINORSTR (040H395710BR) STOCK PASS	10.25	2,900	3	0	0	3	0.29	0.00	0.00	0.29
397.82	2.12	R-2-F	RD N (CO RD 31) (CO RD 109)	2.25	2,900	0	0	0	0	0.00	0.00	0.00	0.00
399.08	1.24	R-3-F	RD NE AND SW (3RD AVE) (BARRON ST)	2.17	4,777	0	1	0	1	0.00	0.46	0.00	0.46
399.62	0.56	R-4-F	LEAVE HUGO	1.01	4,907	0	0	0	0	0.00	0.00	0.00	0.00
400.31	0.63	R-2-F	RD E (CO RD 2W)	0.85	3,700	0	0	0	0	0.00	0.00	0.00	0.00
409.62	9.44	R-2-F	MAJOR STR (H-23-AP) DRAW -- REPLACED	10.71	3,100	3	2	0	5	0.28	0.19	0.00	0.47
413.63	3.88	R-2-F	RD N AND S (CO RD 42)	4.40	3,100	1	0	1	2	0.23	0.00	22.70	0.45
422.99	9.52	R-2-F	MILEPOST 423	6.62	1,900	0	0	0	0	0.00	0.00	0.00	0.00
425.46	2.28	R-2-F	JCT SH 94 W	1.59	1,900	1	0	0	1	0.63	0.00	0.00	0.63
433.01	7.52	R-2-F	RD N AND S (CO RD 9) (FLAGLER RD)	7.16	2,600	2	0	1	3	0.28	0.00	13.98	0.42
442.19	9.18	R-2-F	RD N (CO RD 17)	13.10	3,900	6	1	1	8	0.46	0.08	7.63	0.61
444.88	2.70	R-2-F	RD S (GRAND AVE)	3.85	3,900	0	0	0	0	0.00	0.00	0.00	0.00
445.44	0.55	R-4-F	RD N AND S (DEPOT ST)	1.04	5,188	0	0	0	0	0.00	0.00	0.00	0.00
445.99	0.32	R-4-F	MILEPOST 446	0.53	4,550	1	0	0	1	1.86	0.00	0.00	1.86
446.99	1.26	R-2-F	MILEPOST 447	0.57	1,242	0	0	0	0	0.00	0.00	0.00	0.00
456.65	9.60	R-2-F	RD S (CO RD 31)	2.32	660	0	0	0	0	0.00	0.00	0.00	0.00
459.64	3.03	R-2-F	RD N AND S (CO RD 34)	0.73	660	0	0	0	0	0.00	0.00	0.00	0.00
465.81	6.12	R-2-F	RD N AND S (CO RD 40)	1.32	590	0	0	1	1	0.00	0.00	75.69	0.76
469.61	3.83	R-2-F	RD N AND S (GRAHAM ST) (W 6TH ST S)	1.23	880	0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH040H																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
470.30	0.75	R-2-F	JCT U.S. 385C NORTH	0.33	1,200	0	0	0	0	0.00	0.00	0.00	0.00				
470.88	0.57	R-2-F	JCT U.S. 385B SOUTH	0.48	2,298	1	0	0	1	2.07	0.00	0.00	2.07				
479.99	9.03	R-2-F	MILEPOST 480	2.41	730	1	0	0	1	0.41	0.00	0.00	0.41				
480.99	0.95	R-2-F	MINORSTR (040H481010BL) -- MILEPOST 481	0.20	588	0	0	0	0	0.00	0.00	0.00	0.00				
486.92	5.97	R-2-F	COLORADO-KANSAS STATE LINE -- END SH040H	1.09	500	0	0	0	0	0.00	0.00	0.00	0.00				
Totals:						100.71				19	4	4	27	0.25	0.05	5.25	0.35

SH040Z																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		U-3-R	JCT SH040A S (END 1-WAY RECIP EB) RD N														
0.26	0.25	U-3-R	RD N AND S (RUSSELL ST)	0.56	6,107	0	1	0	1	0.00	1.83	0.00	1.83				
0.73	0.48	U-3-R	JCT SH040A AND US 40 S (BEGIN 1-WAY RECIP	1.43	8,145	1	0	0	1	0.70	0.00	0.00	0.70				
Totals:						0.73				1	1	0	2	0.50	0.50	0.00	1.01

SH041A																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		R-2-R	JCT U.S.160 SH 160 NE AND SW IN UTE MOUNTAIN														
9.51	9.52	R-2-R	COLORADO-UTAH STATE LINE -- END SH041A	2.54	730	1	1	0	2	0.39	0.39	0.00	0.79				
Totals:						9.52				1	1	0	2	0.39	0.39	0.00	0.79

SH042A																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		U-2-R	JCT SH 007C EAST AND WEST - BEGIN SH 042A														
0.95	0.99	U-2-R	RD E AND W (BASELINE RD) (CR 56) ENTER	5.80	16,000	2	2	0	4	0.34	0.34	0.00	0.69				
1.95	0.96	U-2-R	RD E AND W (BOULDER RD)	5.97	17,000	12	1	0	13	2.02	0.17	0.00	2.19				
2.61	0.64	U-2-R	RD W (PINE ST) AND RD E (EMPIRE RD)	3.75	16,000	20	2	1	23	5.32	0.53	26.60	6.12				
3.79	1.28	U-2-R	RD S (104TH ST) - RD N (EMPIRE RD)	3.57	7,626	8	0	0	8	2.24	0.00	0.00	2.24				
4.88	1.01	U-2-R	JCT U.S. 287C NORTH AND SOUTH - RD E	2.81	7,600	5	3	0	8	1.77	1.06	0.00	2.84				
Totals:						4.88				47	8	1	56	2.15	0.37	4.57	2.56



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH044A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT SH 2 SW AND NE IN DENVER URBAN LIMIT										
1.07	1.10	U-2-R	MAJOR STR (E-17-VR) I 76 ML	3.99	9,900	7	0	1	8	1.76	0.00	25.16	2.01
1.79	0.69	U-2-R	JCT U.S.85 SH 85 NE AND SW	2.50	9,900	10	0	0	10	3.99	0.00	0.00	3.99
2.89	1.04	U-2-R	MAJOR STR (E-17-CA E-17-VA) SOUTH PLATTE	4.57	12,000	21	1	0	22	4.58	0.22	0.00	4.80
3.73	0.83	U-2-R	RD S (MCKAY RD)	3.65	12,000	9	2	0	11	2.48	0.55	0.00	3.03
4.29	0.55	U-2-R	MINORSTR (044A004300BL) LOWER CLEAR CREEK	2.82	14,000	11	1	0	12	3.88	0.35	0.00	4.23
4.96	0.65	U-2-R	RD N AND S (COLORADO BLVD) - RD W (104TH)	4.28	17,988	11	0	0	11	2.57	0.00	0.00	2.57
Totals:		4.86				69	4	1	74	3.17	0.18	4.59	3.40

SH045A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	RD SW (GREENHORN DR) -- BEGIN SH045A - LRS										
1.03	1.13	U-4-R	RD N (ACERO AVE)	7.31	17,666	18	2	0	20	2.47	0.27	0.00	2.74
1.30	0.27	U-4-R	RD N AND S (PRAIRIE AVE)	1.78	18,000	4	0	0	4	2.27	0.00	0.00	2.27
1.99	0.69	U-4-R	MILEPOST 2	5.05	20,000	15	1	0	16	2.99	0.20	0.00	3.19
2.96	0.94	U-4-R	RD E (IVYWOOD LANE)	4.13	12,000	13	1	0	14	3.15	0.24	0.00	3.39
3.31	0.35	U-4-R	RD W (GLENROYAL DR)	2.74	21,362	39	1	1	41	14.33	0.37	36.75	15.07
3.72	0.40	U-4-R	RD W (SOVEREIGN CIR)	3.81	26,000	13	4	0	17	3.45	1.06	0.00	4.51
4.26	0.53	U-4-R	RD E (ST CLAIR AVE) - RD W (PLAIN VIEW ST)	5.24	27,000	18	1	0	19	3.42	0.19	0.00	3.61
4.72	0.44	U-4-R	JCT SH 096A E AND W (THATCHER AVE)	4.19	26,000	13	1	0	14	3.08	0.24	0.00	3.31
5.06	0.37	U-4-R	RD E AND W (GOODNIGHT AVE)	3.25	24,022	27	2	0	29	8.37	0.62	0.00	8.99
6.03	0.89	U-4-R	RD E (11TH ST) AND RD W (NATURE CENTER RD)	9.12	28,000	22	0	0	22	2.42	0.00	0.00	2.42
7.11	1.04	U-4-R	MINORSTR (045A007100BL) RD E (24TH ST)	9.14	24,000	11	3	0	14	1.21	0.33	0.00	1.54
8.12	1.07	U-4-R	RD E (TUXEDO BLVD) (SPAULDING AVE)	9.01	23,000	19	3	0	22	2.10	0.33	0.00	2.44
8.73	0.71	U-4-R	NORTH SIDE FRONTAGE ROADS - RD NW	5.98	23,000	14	2	0	16	2.36	0.34	0.00	2.69
Totals:		8.83				226	21	1	248	3.20	0.30	1.41	3.51



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH046A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH 119 NE AND SW IN ARAPAHO NATIONAL										
3.84	3.78	R-2-M	RD NW (CO RD GC1) (MOUNTAIN BASE RD) -	2.35	1,700	2	0	0	2	0.85	0.00	0.00	0.85
6.61	2.68	R-2-M	RD SE (CO RD 70) -- END SH 046A	1.16	1,178	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		6.46				2	0	0	2	0.57	0.00	0.00	0.57

SH047A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-6-R	I-25 INTERCHANGE STRS (K-18-GG) JCT I-25 ML										
0.31	0.34	U-6-R	MINORSTR (047A000310BR) UNNAMED DRAINAGE	4.39	35,271	31	1	0	32	7.08	0.23	0.00	7.31
0.83	0.48	U-6-R	INTERCHANGE STR (K-18-EY) - RD N AND S	6.68	38,000	41	1	0	42	6.18	0.15	0.00	6.33
1.86	1.01	U-4-R	MAJOR STR (K-18-EL) -- RD NE AND SW (8.51	23,030	12	1	1	14	1.41	0.12	11.73	1.64
2.40	0.55	U-4-R	TROY AVENUE INTERCHANGE STRS (K-18-GA	3.22	16,000	3	0	0	3	0.94	0.00	0.00	0.94
3.61	1.19	U-4-R	REGIONAL SECTION POLITICAL BOUNDARY OR	4.36	10,020	4	0	0	4	0.92	0.00	0.00	0.92
3.99	0.40	U-4-R	MILEPOST 4	1.46	10,000	3	0	0	3	2.05	0.00	0.00	2.05
4.64	0.61	U-2-R	U.S. 50 INTERCHANGE (4TH ST/EASTERN AVE)	2.04	9,143	8	0	0	8	3.95	0.00	0.00	3.95
Totals:		4.58				102	3	1	106	3.33	0.10	3.26	3.46

SH050A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
31.76		U-4-R	JCT SH 070Z (BUSINESS LOOP) E AND W (UTE										
32.08	0.32	U-4-R	MAJOR STR (H-02-GK) D AND RGW RRX --	1.64	14,000	15	4	0	19	9.15	2.44	0.00	11.59
32.35	0.27	U-4-R	RAMP OFF (TO RIVERSIDE PKWY EB) NB	2.12	21,473	9	2	0	11	4.19	0.93	0.00	5.13
32.94	0.57	U-4-R	RD E AND W (UNAWEEP AVE)	6.68	32,000	7	2	0	9	1.05	0.30	0.00	1.35
33.78	0.83	U-4-R	RD N AND S (27 RD)	8.81	29,000	14	1	0	15	1.60	0.11	0.00	1.71
34.09	0.27	U-4-R	RD E (B 1/2 RD)	2.08	21,000	4	0	0	4	1.90	0.00	0.00	1.90
35.37	1.29	U-4-R	RD N AND S (CO RD 28.50	8.03	17,000	7	1	0	8	0.87	0.12	0.00	0.99
36.03	0.59	U-4-R	RD N AND S (29 RD)	3.67	17,000	1	0	0	1	0.27	0.00	0.00	0.27
37.04	1.02	U-4-R	RD S (BURNS DR)	4.85	13,004	4	0	0	4	0.82	0.00	0.00	0.82
37.52	0.44	U-4-R	MINORSTR (050A037530BR) UNNAMED DRAINAGE	1.68	10,406	1	0	0	1	0.59	0.00	0.00	0.59
38.49	0.94	U-4-R	JCT SH 141 NE	3.44	10,000	1	0	0	1	0.29	0.00	0.00	0.29
41.13	2.61	R-4-R	JCT SH 141 SW	12.41	12,995	5	1	1	7	0.40	0.08	8.05	0.56
41.88	0.77	R-4-R	RD SE (CO RD DS.00)	3.10	11,000	0	0	0	0	0.00	0.00	0.00	0.00

Safety Performance Function (SPF) Definition
Rural/Urban - # of Lanes - Terrain
R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
Fatal Rate in 100 Million Vehicle Miles Traveled
** PDO = Property Damage Only



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH050A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
44.99	3.21	R-4-R	MILEPOST 45	11.51	9,800	2	1	0	3	0.17	0.09	0.00	0.26
54.22	9.07	R-4-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	27.55	8,300	10	5	0	15	0.36	0.18	0.00	0.54
59.32	5.17	R-4-R	RD SW (CO RD 6.50) - POINT OF INTEREST	15.71	8,300	1	1	1	3	0.06	0.06	6.37	0.19
64.94	5.59	R-4-R	RD SE (CO RD G.50)	19.64	9,600	1	1	0	2	0.05	0.05	0.00	0.10
65.99	1.03	U-4-R	MILEPOST 66	3.20	8,500	2	0	0	2	0.63	0.00	0.00	0.63
67.38	1.38	U-4-R	RD S (CO RD H.25)	4.29	8,500	2	1	0	3	0.47	0.23	0.00	0.70
68.89	1.48	U-4-R	RD N (1400 LN)	4.60	8,500	0	1	0	1	0.00	0.22	0.00	0.22
69.39	0.49	U-4-R	RD N (CO RD 15.25)	1.52	8,500	1	0	0	1	0.65	0.00	0.00	0.65
69.98	0.55	U-4-R	RD E (CO RD H.25)	2.21	10,995	0	0	0	0	0.00	0.00	0.00	0.00
70.91	1.00	U-4-R	SIGN BRIDGE STR (SIGN-J-04-AW) POSTED	4.39	12,000	5	0	0	5	1.14	0.00	0.00	1.14
71.42	0.43	U-4-R	JCT SH 348 E RD W (6TH ST)	2.71	17,192	38	0	0	38	14.14	0.00	0.00	14.14
71.87	0.44	U-4-R	RD E AND W (11TH ST)	2.58	16,000	6	0	0	6	2.32	0.00	0.00	2.32
72.18	0.33	U-4-R	RD N (GRAND ST)	1.69	14,000	4	0	0	4	2.40	0.00	0.00	2.40
73.21	1.01	U-4-R	LEAVE DELTA CITY LIMITS	5.18	14,000	7	2	0	9	1.36	0.39	0.00	1.74
80.28	7.04	R-5-R	RD E AND W (CARNATION RD)	31.02	12,038	14	3	0	17	0.45	0.10	0.00	0.55
82.60	2.25	R-4-R	JCT SH 348A WEST - RD E (DAVID RD) (CO RD	9.06	11,000	8	0	0	8	0.88	0.00	0.00	0.88
83.14	0.50	R-4-R	JCT U.S. 050D (OLATHE BUSINESS RT) NORTH -	2.19	11,994	4	0	0	4	1.82	0.00	0.00	1.82
83.79	0.74	R-4-R	MEDIAN CROSSOVER - (HERMAN RD)	3.87	14,303	1	1	0	2	0.26	0.26	0.00	0.52
87.94	4.18	R-4-R	RD W (JAY JAY RD)	22.95	15,000	9	1	0	10	0.39	0.04	0.00	0.44
88.99	1.05	U-4-R	MILEPOST 89 ENTER MONTROSE URBAN LIMIT -	5.76	15,000	4	2	0	6	0.69	0.35	0.00	1.04
90.09	1.09	U-4-R	FRONTAGE RD	5.98	15,000	4	1	0	5	0.67	0.17	0.00	0.83
90.53	0.44	U-4-R	RD W (CO RD M LA SALLE RD)	2.42	15,000	3	1	0	4	1.26	0.42	0.00	1.67
91.64	1.09	U-4-R	RD SW (MERCHANT CR) (M.88 RD)	8.77	21,987	7	1	0	8	0.80	0.11	0.00	0.91
91.91	0.27	U-4-R	SLIP RAMP ON (FROM U.S. 550B / TOWNSEND AVE	2.06	20,827	18	0	0	18	8.68	0.00	0.00	8.68
92.16	0.23	U-4-R	RD NW (CO RD 64.50) AND SE (PARK AVE)	0.93	11,000	1	0	0	1	1.07	0.00	0.00	1.07
93.13	0.78	U-4-R	RD SE (7TH STREET)	2.37	8,300	5	0	0	5	2.10	0.00	0.00	2.10
93.55	0.30	U-4-R	RD SE (SAN JUAN AVE) - RD SW (MAIN STREET) -	0.98	8,900	3	1	0	4	3.08	1.03	0.00	4.11
93.99	0.44	U-4-R	RD S (ROSE LN)	2.33	14,474	8	0	0	8	3.46	0.00	0.00	3.46
94.33	0.34	U-4-R	CHANGE ROADWAY WIDTH (LANES 2) (JOHN	1.28	10,294	4	0	0	4	3.10	0.00	0.00	3.10
95.10	0.76	U-2-R	RD N AND S (CO RD 67.00) ENTER MONTROSE	2.50	9,000	1	0	0	1	0.40	0.00	0.00	0.40
96.21	1.01	U-2-R	LEAVE URBAN AREA (MONTROSE)	1.48	4,000	3	0	0	3	2.03	0.00	0.00	2.03
97.14	0.91	R-2-R	RD S (MIGUEL RD) (CO RD 69.00) LOOP ROAD	1.33	4,000	2	0	0	2	1.51	0.00	0.00	1.51
98.20	1.06	U-2-R	LEAVE MONTROSE CITY LIMITS	1.55	4,000	1	0	0	1	0.64	0.00	0.00	0.64
100.54	2.31	R-2-M	JCT SH347A NORTH	3.38	4,000	1	1	0	2	0.30	0.30	0.00	0.59
109.70	9.02	R-2-M	RD SW (VEO RD)	10.23	3,100	13	1	0	14	1.27	0.10	0.00	1.37



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH050A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
114.82	5.15	R-2-M	RD SW (CO RD V81)	5.84	3,100	1	1	0	2	0.17	0.17	0.00	0.34
123.99	9.08	R-2-M	MILEPOST 124	7.98	2,400	9	2	0	11	1.13	0.25	0.00	1.38
133.37	9.43	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	8.69	2,518	27	0	0	27	3.11	0.00	0.00	3.11
135.51	2.24	R-2-M	RD S (CO RD 26)	2.38	2,900	6	0	0	6	2.52	0.00	0.00	2.52
137.95	2.31	R-2-M	RD NW (CO RD 723 RED CREEK RD) (TO RED CRK	2.45	2,900	5	0	0	5	2.04	0.00	0.00	2.04
146.99	9.01	R-2-M	MILEPOST 147	10.55	3,200	6	0	0	6	0.57	0.00	0.00	0.57
148.04	1.04	R-2-M	JCT SH 149A SOUTH	1.22	3,200	3	0	0	3	2.47	0.00	0.00	2.47
153.00	4.94	R-2-M	MILEPOST 153	6.87	3,800	6	1	1	8	0.87	0.15	14.55	1.16
155.17	2.15	R-2-M	RD S (CO RD 33)	5.11	6,500	4	0	0	4	0.78	0.00	0.00	0.78
155.75	0.62	U-2-M	RD N AND S (CO RD 38)	1.47	6,500	4	0	0	4	2.73	0.00	0.00	2.73
156.38	0.47	U-2-M	RD E (RIO GRANDE AVE AIRPORT RD)	1.46	8,483	3	0	0	3	2.06	0.00	0.00	2.06
156.93	0.54	U-4-M	RD N AND S (11TH ST)	1.60	8,100	1	0	0	1	0.62	0.00	0.00	0.62
157.38	0.49	U-4-M	JCT SH 135 N RD S (MAIN ST)	1.79	9,988	7	1	0	8	3.92	0.56	0.00	4.48
157.66	0.27	U-4-M	RD N AND S (TELLER ST)	0.86	8,655	3	0	0	3	3.49	0.00	0.00	3.49
157.96	0.28	U-4-M	LEAVE GUNNISON CITY LIMITS	0.68	6,600	0	0	0	0	0.00	0.00	0.00	0.00
158.99	0.97	U-2-M	MILEPOST 159	1.53	4,300	0	0	0	0	0.00	0.00	0.00	0.00
159.75	0.76	U-2-M	REGION BOUNDARY OR CLASSIFICATION	1.20	4,300	1	0	0	1	0.83	0.00	0.00	0.83
163.33	3.56	R-2-M	RD S (CO RD 42)	5.60	4,300	4	0	0	4	0.71	0.00	0.00	0.71
165.59	2.23	R-2-M	JCT SH 114 S	2.37	2,900	3	1	0	4	1.27	0.42	0.00	1.69
169.00	3.47	R-2-M	MILEPOST 169	3.56	2,800	3	0	0	3	0.84	0.00	0.00	0.84
176.60	7.53	R-2-M	RD S (CO RD 45)	7.44	2,700	5	2	0	7	0.67	0.27	0.00	0.94
185.83	9.28	R-2-M	MINORSTR (050A185840BL) DAWSON CREEK --	8.83	2,600	2	3	0	5	0.23	0.34	0.00	0.57
194.99	9.17	R-2-M	MILEPOST 195	8.73	2,600	21	3	0	24	2.41	0.34	0.00	2.75
204.16	9.11	R-3-M	SIGN BRIDGE STR (SIGN-J-11-E) -- EMERGENCY	8.67	2,600	17	2	1	20	1.96	0.23	11.54	2.31
204.75	0.59	R-3-M	RD N (CO RD 228)	0.56	2,600	0	0	0	0	0.00	0.00	0.00	0.00
210.55	5.84	R-2-M	RD N (CO RD 240)	4.70	2,200	8	2	0	10	1.70	0.43	0.00	2.13
215.03	4.51	R-2-M	RD N (CO RD 250)	4.62	2,799	8	0	0	8	1.73	0.00	0.00	1.73
216.99	1.81	R-2-M	MILEPOST 217	2.45	3,700	4	0	0	4	1.64	0.00	0.00	1.64
217.22	0.25	R-2-M	RAMP ON (FROM WB SH-50A)	0.38	4,100	2	0	0	2	5.42	0.00	0.00	5.42
217.50	0.28	U-2-M	MINORSTR (050A217450BR) UNNAMED DRAINAGE	0.50	4,909	3	0	0	3	6.01	0.00	0.00	6.01
217.89	0.42	U-4-M	RD S (PONCHA SPRINGS LN)	1.14	7,384	0	0	0	0	0.00	0.00	0.00	0.00
218.40	0.46	U-4-M	REGIONAL SECTION OR DISTRICT BOUNDARY -	1.26	7,500	0	0	0	0	0.00	0.00	0.00	0.00
219.71	1.30	R-4-M	RD N (CO RD 125)	3.57	7,500	5	0	0	5	1.40	0.00	0.00	1.40
220.93	1.22	U-4-M	RD S (CO RD 110)	3.35	7,500	6	2	0	8	1.80	0.60	0.00	2.39
221.27	0.33	U-4-M	RD NE (G ST) - RD NW (16TH ST)	0.94	7,762	3	2	0	5	3.20	2.13	0.00	5.33



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH050A													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
221.53	0.26	U-4-M	RD NW (14TH ST)	1.18	12,389	3	0	0	3	2.53	0.00	0.00	2.53
221.97	0.42	U-4-M	RD N (TELLER ST)	1.69	11,000	2	0	0	2	1.20	0.00	0.00	1.20
222.22	0.24	U-4-M	RD N (2 NEW ST)	0.81	9,200	1	0	0	1	1.26	0.00	0.00	1.26
222.64	0.43	U-4-M	RD N AND S (CR 104)	0.99	6,303	5	0	0	5	5.09	0.00	0.00	5.09
231.99	9.33	R-4-M	MILEPOST 232	17.76	5,200	14	4	2	20	0.79	0.23	11.27	1.13
233.61	1.63	R-2-M	RD E (CO RD 4) - RD W (CO RD 45)	3.10	5,200	2	0	0	2	0.65	0.00	0.00	0.65
242.64	8.97	R-2-M	MAJOR STR (K-14-Z) COTTONWOOD CREEK	9.19	2,800	10	1	0	11	1.09	0.11	0.00	1.20
245.39	2.72	R-2-M	RD N (CO RD 12) - RD S (CO RD 1A)	2.79	2,800	4	1	0	5	1.43	0.36	0.00	1.79
252.65	7.21	R-2-M	JCT SH 069A SOUTH (TEXAS CREEK)	7.12	2,700	8	1	0	9	1.12	0.14	0.00	1.26
261.84	9.22	R-2-M	MINORSTR (050A261960BR) UNNAMED DRAINAGE	10.12	3,000	11	2	0	13	1.09	0.20	0.00	1.28
267.32	5.35	R-2-M	RD SW (CO RD 3)	5.87	3,000	4	0	0	4	0.68	0.00	0.00	0.68
269.12	1.76	R-2-M	JCT SH 009A NORTH	2.96	4,600	5	1	0	6	1.68	0.34	0.00	2.02
270.25	1.19	R-2-M	RD S (CO RD 3A)	2.44	5,600	2	0	0	2	0.82	0.00	0.00	0.82
274.26	3.91	R-4-M	RD SW AND NE (CO RD 69)	11.88	8,300	9	2	0	11	0.76	0.17	0.00	0.93
274.62	0.35	R-2-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	1.02	8,000	0	0	0	0	0.00	0.00	0.00	0.00
275.99	1.54	U-4-R	MILEPOST 276	4.51	8,000	4	0	0	4	0.89	0.00	0.00	0.89
277.28	1.22	U-4-R	MAJOR STR (K-15-R) SAND CREEK SR	3.57	8,000	5	1	0	6	1.40	0.28	0.00	1.69
277.59	0.22	U-4-R	SODA PT CURVE	0.72	8,959	0	0	0	0	0.00	0.00	0.00	0.00
278.24	0.58	U-4-R	RD SE (4TH ST)	2.34	11,000	3	1	0	4	1.29	0.43	0.00	1.72
278.69	0.44	U-4-R	JCT SH 115 SE RD NW (9TH ST)	2.57	15,977	10	1	0	11	3.87	0.39	0.00	4.26
279.21	0.49	U-4-R	RD NW AND SE (15TH ST)	3.58	19,967	32	2	0	34	9.01	0.56	0.00	9.57
279.61	0.39	U-4-R	RD N (19TH ST RAINBOW LN)	2.63	18,433	5	1	0	6	1.91	0.38	0.00	2.29
280.30	0.73	U-4-R	RD N AND S (REYNOLDS AVE)	5.34	20,000	20	1	0	21	3.74	0.19	0.00	3.92
281.06	0.70	U-4-R	RD N AND S (DOZIER AVE)	4.36	17,000	17	1	0	18	3.89	0.23	0.00	4.12
281.95	0.88	U-4-R	RD N (CO RD 168 FOUR MILE LANE CO RD 123) -	5.80	17,998	21	1	0	22	3.61	0.17	0.00	3.78
282.99	1.02	U-4-R	MILEPOST 283 - MISSING	5.23	14,016	6	2	0	8	1.15	0.38	0.00	1.53
283.20	0.20	U-4-R	RD S (EVANS BLVD) - RD N (FOUR MILE WAY)	1.02	14,000	0	0	0	0	0.00	0.00	0.00	0.00
285.62	2.38	R-4-R	JCT SH 67B SW	12.20	14,000	5	0	0	5	0.41	0.00	0.00	0.41
289.76	4.10	R-4-R	INTERCHANGE STR (K-16-CC) JCT SH115A NE AND	19.51	13,000	12	3	0	15	0.62	0.15	0.00	0.77
292.12	2.34	R-4-R	RD N AND S (K ST CO RD 221)	6.94	8,100	6	1	0	7	0.87	0.14	0.00	1.01
294.33	2.12	R-4-R	JCT SH 120 S RD N (CO RD 368)	6.52	8,400	5	0	0	5	0.77	0.00	0.00	0.77
300.39	6.12	R-4-R	RD N (CO RD 111) (STONECITY RD)	18.59	8,300	8	2	0	10	0.43	0.11	0.00	0.54
301.51	1.12	U-4-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	3.40	8,300	1	0	0	1	0.29	0.00	0.00	0.29
302.99	1.49	U-4-R	MILEPOST 303	4.53	8,300	3	0	0	3	0.66	0.00	0.00	0.66
304.90	1.90	U-4-R	MINORSTR (050A304930BR) UNNAMED CANAL	5.77	8,300	2	0	0	2	0.35	0.00	0.00	0.35



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH050A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
305.80	0.88	U-4-R	RD S (MC CULLOCH BLVD-WEST)	2.67	8,300	2	0	0	2	0.74	0.00	0.00	0.74
306.99	1.11	U-4-R	MILEPOST 307	5.28	12,996	12	0	0	12	2.28	0.00	0.00	2.28
307.33	0.31	U-4-R	RD N AND S (MC CULLOCH BLVD-EAST)	1.47	13,000	7	0	0	7	4.72	0.00	0.00	4.72
308.99	1.70	U-4-R	MILEPOST 309	13.07	21,000	5	3	0	8	0.38	0.23	0.00	0.61
309.77	0.74	U-4-R	RD N AND S (PURCELL BLVD)	5.69	21,000	11	0	0	11	1.92	0.00	0.00	1.92
310.98	1.28	U-4-R	ENTER PUEBLO URBAN LIMIT	17.33	37,000	29	1	1	31	1.68	0.06	5.78	1.79
311.99	0.80	U-4-R	MILEPOST 312	10.83	37,000	9	0	0	9	0.83	0.00	0.00	0.83
312.33	0.42	U-4-R	MAJOR STR (K-18-CZ) EB AND (K-18-O) WB	6.45	41,991	18	1	0	19	2.78	0.15	0.00	2.93
313.14	0.82	U-4-R	RD N (WILLS BLVD)	13.81	46,000	5	0	0	5	0.36	0.00	0.00	0.36
313.51	0.35	U-4-R	RD S (BALTIMORE AVE)	5.12	40,000	19	0	0	19	3.70	0.00	0.00	3.70
314.22	0.80	U-4-R	RD N AND S (CLUB MANOR DR)	10.84	37,015	53	2	0	55	4.89	0.18	0.00	5.07
314.60	0.38	U-6-R	INTERCHANGE STR (K-18-GG) - JCT SH047A EAST	6.33	45,515	55	2	0	57	8.76	0.32	0.00	9.08
Totals:													
	280.58					911	96	7	1,014	1.27	0.13	0.98	1.42

SH050B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
315.71		U-2-R	SIGN BRIDGE STR (SIGN-K-18-CC) SB DIRECT										
315.95	0.29	U-2-R	I-25 INTERCHANGE STR (K-18-J) - JCT I-25 NORTH	3.40	32,000	5	0	0	5	1.49	0.00	0.00	1.49
316.54	0.50	U-2-R	RD N (BONFORTE BD) - RD S (HUDSON AVE)	5.31	29,000	15	1	0	16	2.83	0.19	0.00	3.01
317.04	0.64	U-4-R	RD N AND S (NORWOOD AVE)	3.75	16,020	27	1	1	29	7.17	0.27	26.57	7.70
317.74	0.69	U-4-R	RD N AND S (TROY AVE)	2.53	10,000	6	1	0	7	2.38	0.40	0.00	2.77
318.70	1.00	U-4-R	4TH ST/EASTERN AVE INTERCHANGE MAJOR STR	2.78	7,600	6	2	0	8	2.16	0.72	0.00	2.88
319.87	1.15	U-4-R	MINORSTR (050B319910BL) UNNAMED DRAINAGE	6.31	15,000	8	0	0	8	1.27	0.00	0.00	1.27
320.88	1.01	U-4-R	RD S (28TH LANE)	5.54	15,000	3	0	0	3	0.54	0.00	0.00	0.54
321.63	0.75	U-4-R	MAJOR STR (K-18-FL) OVERPASS (TO PUEBLO	4.12	15,000	3	1	0	4	0.73	0.24	0.00	0.98
322.12	0.50	U-4-R	JCT SH 233 SOUTH - RD N (KEELER BLVD) (CO RD	2.38	13,000	0	1	0	1	0.00	0.42	0.00	0.42
322.93	0.80	U-4-R	RD S (COTTONWOOD LN) (CO RD 3095)	3.22	11,000	3	0	1	4	0.93	0.00	31.05	1.24
323.98	0.93	U-4-R	MAJOR STR (K-19-F) WASH	3.40	10,000	3	0	0	3	0.88	0.00	0.00	0.88
324.33	0.64	U-4-R	MINORSTR (050B324530BL) UNNAMED DRAINAGE	2.19	9,339	0	0	0	0	0.00	0.00	0.00	0.00
324.87	0.36	U-4-R	RD N (38TH LN) - LEAVE PUEBLO URBAN LIMIT	1.11	8,400	0	0	0	0	0.00	0.00	0.00	0.00
329.32	4.45	R-4-R	JCT SH 096B NE - RD SW (CO RD 487)	13.68	8,400	11	1	1	13	0.80	0.07	7.31	0.95
330.67	1.33	R-4-R	MINORSTR (050B330670BL) DRAINAGE	2.24	4,606	1	0	0	1	0.45	0.00	0.00	0.45
332.24	1.70	R-2-R	JCT U.S. 050C (PUEBLO BUSINESS LOOP) WEST --	2.49	4,000	4	1	0	5	1.61	0.40	0.00	2.01



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH050B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
334.01	1.58	R-2-R	RD S (CO RD 39 ASBURY LN)	2.89	5,000	7	0	0	7	2.41	0.00	0.00	2.41
335.75	1.73	R-2-R	JCT SH 209 N RD W (CO RD 474)	2.53	4,000	9	2	0	11	3.56	0.79	0.00	4.35
343.65	7.96	R-2-R	RD NE (CO RD 613)	10.78	3,700	5	3	1	9	0.46	0.28	9.28	0.84
350.75	6.99	R-2-R	RD N AND S (8TH ST)	8.44	3,300	8	0	0	8	0.95	0.00	0.00	0.95
354.02	3.25	R-2-R	RD S (CO RD 6.00)	4.58	3,854	3	1	0	4	0.65	0.22	0.00	0.87
359.63	5.57	R-2-R	RD NE AND SW (GRAND ST)	6.93	3,400	11	0	0	11	1.59	0.00	0.00	1.59
360.29	0.64	R-4-R	RD N AND S (CO RD 12) - MAJOR STR (L-21-K)	1.33	5,659	0	0	0	0	0.00	0.00	0.00	0.00
366.96	6.63	R-4-R	JCT SH 071C NORTH - RD S (10TH STREET) (CO	14.56	6,000	9	3	0	12	0.62	0.21	0.00	0.82
368.10	1.13	R-4-R	JCT SH202A NE AND SW (2ND ST)	1.57	3,800	4	2	0	6	2.54	1.27	0.00	3.81
368.61	0.50	R-2-R	RD NE AND SW (9TH ST)	0.79	4,326	2	0	0	2	2.52	0.00	0.00	2.52
369.23	0.62	R-2-R	RD NW (RAILROAD AVE)	1.52	6,710	3	0	0	3	1.96	0.00	0.00	1.96
369.75	0.51	R-2-R	RD N (CO RD 20.5)	1.67	8,923	2	0	0	2	1.20	0.00	0.00	1.20
374.49	4.67	R-4-R	RD N AND S (COLUMBIA AVE) (CR 24.5)	16.58	9,700	10	1	0	11	0.60	0.06	0.00	0.66
375.01	0.57	R-4-R	RD S (CO RD 25)	1.94	9,316	1	0	0	1	0.52	0.00	0.00	0.52
376.68	1.66	R-4-R	RD S (CO RD 26.5) (CONLEY RD) - ENTER LA	6.01	9,900	2	0	0	2	0.33	0.00	0.00	0.33
376.94	0.26	U-4-R	MAJOR STRS (M-22-A) AND (M-22-K) CROOKED	0.94	9,900	5	0	0	5	5.31	0.00	0.00	5.31
377.99	1.04	U-4-R	MILEPOST 378	4.57	11,998	2	0	0	2	0.44	0.00	0.00	0.44
378.41	0.39	U-4-R	JCT SH 010A SOUTH (AT CHECKER AUTO PARTS)	1.71	12,000	1	0	0	1	0.59	0.00	0.00	0.59
378.73	0.32	U-4-R	MAJOR STR (M-22-R) AT AND SF RR --	1.64	14,000	0	1	0	1	0.00	0.61	0.00	0.61
378.96	0.25	R-4-R	RD NW (BARNES AVE)	1.17	12,805	1	0	0	1	0.87	0.00	0.00	0.87
379.23	0.23	U-4-R	RD N AND S (ANDERSON AVE)	0.86	10,251	0	0	0	0	0.00	0.00	0.00	0.00
379.54	0.30	U-4-R	RD S (SAN JUAN AVE)	1.25	11,354	0	1	0	1	0.00	0.80	0.00	0.80
379.82	0.27	U-4-R	RD S (CIMARRON AVE)	1.05	10,636	1	0	0	1	0.95	0.00	0.00	0.95
380.22	0.39	U-4-R	JCT SH-109B S (BRADISH AVE) -- SIGN BRIDGE	1.31	9,200	3	0	0	3	2.29	0.00	0.00	2.29
380.79	0.56	U-4-R	RD N AND S (LACEY AVE)	0.92	4,508	0	0	0	0	0.00	0.00	0.00	0.00
381.41	0.61	U-4-R	REGIONAL SECTION OR DISTRICT BOUNDARY -	0.98	4,400	1	0	0	1	1.01	0.00	0.00	1.01
381.99	0.58	R-4-R	MILEPOST 382	0.75	3,555	1	0	0	1	1.33	0.00	0.00	1.33
384.13	2.14	R-4-F	MINORSTR (050B384150BR) UNNAMED DRAINAGE	2.58	3,300	2	0	0	2	0.78	0.00	0.00	0.78
393.48	9.26	R-4-F	RD N (CO RD 5.5)	12.54	3,700	2	5	1	8	0.16	0.40	7.98	0.64
398.18	4.76	R-2-R	RD N AND S (POPLAR AVE)	6.45	3,700	1	0	0	1	0.16	0.00	0.00	0.16
398.69	0.50	R-4-R	RD N AND S (ELM AVE)	0.94	5,150	0	0	0	0	0.00	0.00	0.00	0.00
399.27	0.57	R-4-R	RD E AND W (2ND ST)	1.16	5,567	1	0	0	1	0.87	0.00	0.00	0.87
399.84	0.61	R-4-R	LEAVE LAS ANIMAS CITY LIMIT	0.92	4,103	0	0	0	0	0.00	0.00	0.00	0.00
400.44	0.60	R-4-R	RD N (CO RD 11)	0.87	3,943	0	0	0	0	0.00	0.00	0.00	0.00
403.55	3.08	R-4-R	RD N AND S (CO RD 14)	4.73	4,200	4	0	0	4	0.85	0.00	0.00	0.85



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH050B													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
404.62	1.06	R-4-R	JCT SH 183 S RD N (CO RD 15)	1.32	3,400	0	0	0	0	0.00	0.00	0.00	0.00
413.99	9.38	R-3-R	MILEPOST 414	11.33	3,300	7	1	0	8	0.62	0.09	0.00	0.71
414.85	0.80	R-2-R	RD N AND S (CO RD 24)	0.97	3,300	0	0	0	0	0.00	0.00	0.00	0.00
420.73	5.84	R-2-R	JCT SH 196 N RD S (CO RD 30)	5.13	2,400	5	0	0	5	0.97	0.00	0.00	0.97
427.73	7.00	R-2-R	JCT SH-287B MAJOR STR (L-26-BU) - UNDERPASS	7.00	2,733	7	0	0	7	1.00	0.00	0.00	1.00
432.88	5.12	R-4-R	RD N (CO RD 7)	14.80	7,900	9	1	0	10	0.61	0.07	0.00	0.68
434.11	1.34	R-4-R	MAJOR STRS (L-26-BW) NB (L-26-H) SB --	4.65	9,473	5	0	0	5	1.08	0.00	0.00	1.08
434.43	0.30	U-4-R	RD E (CRYSTAL ST)	1.00	9,100	2	0	0	2	2.01	0.00	0.00	2.01
435.06	0.62	U-4-R	RD E AND W (MAPLE ST)	3.62	15,966	7	1	0	8	1.94	0.28	0.00	2.22
435.38	0.28	U-4-R	JCT U.S. 287A SOUTH - RD W (OLIVE ST) - CHANGE	1.74	17,000	7	0	0	7	4.02	0.00	0.00	4.02
435.68	0.29	U-4-R	RD S (1ST ST)	0.65	6,152	7	1	0	8	10.68	1.53	0.00	12.21
435.95	0.26	U-4-R	RD N AND S (DIVISION ST)	0.60	6,300	2	0	0	2	3.36	0.00	0.00	3.36
436.25	0.29	U-3-R	LEAVE LAMAR CITY LIMIT AND URBAN AREA	0.27	2,500	0	0	0	0	0.00	0.00	0.00	0.00
436.99	0.73	R-2-R	MILEPOST 437	0.69	2,578	0	0	0	0	0.00	0.00	0.00	0.00
440.87	3.84	R-2-R	RD N (CO RD 13)	3.79	2,700	1	0	0	1	0.26	0.00	0.00	0.26
446.81	5.95	R-2-R	RD N AND S (CO RD 19)	3.27	1,500	14	0	0	14	4.29	0.00	0.00	4.29
450.77	3.94	R-2-R	RD N (CO RD 22.5)	3.61	2,500	1	0	0	1	0.28	0.00	0.00	0.28
452.76	1.99	R-2-R	JCT U.S. 385A NORTH - RD S (MAIN ST)	1.75	2,400	1	0	0	1	0.57	0.00	0.00	0.57
453.99	1.22	R-2-R	MILEPOST 454	0.82	1,845	0	0	0	0	0.00	0.00	0.00	0.00
458.48	4.47	R-2-R	RD N (CO RD 30)	2.78	1,700	5	1	0	6	1.80	0.36	0.00	2.16
462.86	4.37	R-2-R	RD N AND S (10TH ST)	3.68	2,300	2	0	0	2	0.54	0.00	0.00	0.54
463.50	0.62	R-2-R	JCT SH-89A S RD N (1ST AVE) LEAVE HOLLY	0.82	3,598	0	0	1	1	0.00	0.00	121.89	1.22
465.54	2.04	R-2-R	RD N (CO RD 37)	1.34	1,800	0	0	0	0	0.00	0.00	0.00	0.00
466.41	0.86	R-2-R	RD (REST AREA)	0.51	1,636	0	0	0	0	0.00	0.00	0.00	0.00
467.58	1.17	R-2-R	RD N AND S (CO RD 39) COLORADO-KANSAS	0.77	1,800	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	151.25					278	33	6	317	1.03	0.12	2.22	1.17

SH050C													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	JCT SH 96 E AND W (4TH ST) - RD N (SANTA FE)										
0.25	0.25	U-4-R	RD E (RIVER ST)	1.14	12,466	29	0	0	29	25.53	0.00	0.00	25.53
0.53	0.27	U-4-R	MAJOR STR (K-18-ER) BNSF RR DRGW RR	1.40	14,167	5	0	0	5	3.57	0.00	0.00	3.57
0.78	0.24	U-4-R	RD SW (CLARK ST) - RD NW (CO RD D ST)	1.35	15,407	3	0	0	3	2.21	0.00	0.00	2.21



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH050C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
1.03	0.20	U-4-R	MAJOR STRS (K-18-AX) AND (K-18-AY) - JCT I-25 N	1.43	19,589	11	1	0	12	7.79	0.71	0.00	8.50
1.35	0.32	U-4-R	RD (MOFFAT ST)	2.45	20,904	7	0	0	7	2.84	0.00	0.00	2.84
2.08	0.72	U-4-R	RD SW (NORTHERN AVE) LEAVE PUEBLO CITY	4.48	17,000	5	0	0	5	1.12	0.00	0.00	1.12
2.34	0.26	U-4-R	JCT SH 227A NORTH AND SOUTH -- OVERPASS	2.22	23,322	16	1	1	18	7.18	0.45	44.89	8.08
3.40	1.06	U-4-R	RD S (HOLLY ST)	9.07	23,368	18	2	0	20	1.99	0.22	0.00	2.22
3.84	0.43	U-4-R	RD N AND S (21ST LANE)	2.99	19,000	2	2	1	5	0.67	0.67	33.36	1.67
4.36	0.50	U-4-R	MINORSTR (050C004370BR) RD N AND S (23RD LN)	2.56	14,010	1	0	0	1	0.39	0.00	0.00	0.39
4.85	0.48	U-4-R	MINORSTR (050C004880BR) RD N AND S (25TH	2.28	13,000	2	0	0	2	0.87	0.00	0.00	0.87
5.36	0.50	U-4-R	RD N AND S (27TH LANE)	2.02	11,012	1	0	0	1	0.50	0.00	0.00	0.50
6.37	0.99	U-4-R	RD N AND S (29TH LANE)	3.30	9,100	4	1	0	5	1.21	0.30	0.00	1.51
6.87	0.48	U-4-R	RD N AND S (30TH LANE)	1.60	9,100	4	1	0	5	2.49	0.62	0.00	3.11
7.38	0.50	U-4-R	JCT SH-233A N (BAXTER RD)	1.24	6,800	3	0	0	3	2.40	0.00	0.00	2.40
8.67	1.26	R-4-R	RD N AND S (34TH LANE)	2.49	5,400	6	2	0	8	2.40	0.80	0.00	3.20
9.44	0.75	R-4-R	JCT SH 231 N RD S (CO RD 331) (VINELAND)	1.13	4,102	2	1	0	3	1.77	0.88	0.00	2.65
11.45	1.98	R-2-R	RD S (CO RD 323)	2.25	3,100	1	0	0	1	0.45	0.00	0.00	0.45
15.66	4.20	R-2-R	RD N AND S (CO RD 327) (48TH LN) (AVONDALE	2.77	1,801	6	0	0	6	2.17	0.00	0.00	2.17
16.95	1.49	R-2-R	DIRECT CONNECTION RAMP (EAST BOUND) - JCT	0.54	990	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	16.88					126	11	2	139	2.59	0.23	4.11	2.85

SH050D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S. 050A SE AND NW (OLATHE BUSINESS										
0.84	0.85	R-2-R	RD E (S 4TH ST)	0.44	1,400	0	0	0	0	0.00	0.00	0.00	0.00
1.54	0.67	R-2-R	JCT U.S. 050A SE AND NW - END (OLATHE	0.37	1,504	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	1.52					0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH050Z													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH050A (END 1-WAY RECIP EB) (SWINK AVE)										
0.60	0.62	R-2-R	JCT SH 266 NE AND SW	1.04	4,600	1	0	0	1	0.96	0.00	0.00	0.96
1.11	0.50	R-2-R	MINORSTR (L-22-D MINOR) ROCKY FORD CANAL	0.87	4,771	1	0	0	1	1.14	0.00	0.00	1.14
2.60	1.46	R-2-R	JCT SH 50 NW END 1-WAY RECIPROCAL WB	1.88	3,511	1	0	0	1	0.53	0.00	0.00	0.53
Totals:		2.58				3	0	0	3	0.79	0.00	0.00	0.79

SH052A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT SH-119B NE AND SW RD (IBM DR) IN										
0.39	0.40	U-2-R	REGIONAL SECTION POLITICAL BOUNDARY OR	1.35	9,222	6	0	0	6	4.50	0.00	0.00	4.50
1.46	1.04	U-2-R	MINORSTR (052A001420BR) UNNAMED DRAINAGE	3.46	9,100	2	1	0	3	0.58	0.29	0.00	0.87
1.99	0.56	U-2-R	MILEPOST 2	1.87	9,100	3	0	0	3	1.60	0.00	0.00	1.60
3.15	1.12	R-2-R	RD N AND S (CO RD 19) (HOVER RD) (N 95TH ST)	3.73	9,100	3	0	0	3	0.81	0.00	0.00	0.81
4.66	1.50	R-2-R	JCT U.S.287 SH 287 N AND S	5.22	9,500	4	1	0	5	0.76	0.19	0.00	0.96
10.18	5.51	R-3-R	RD N AND S (CO RD 7)	30.24	14,997	25	9	2	36	0.83	0.30	6.62	1.19
11.20	1.01	U-2-R	RAMPS ON AND OFF	6.67	18,033	19	3	0	22	2.84	0.45	0.00	3.29
12.22	1.00	U-4-R	RD N AND S (CO RD 11) (SILVER BIRCH BLVD)	6.95	19,000	23	3	0	26	3.30	0.43	0.00	3.73
13.23	1.01	U-2-R	RD S (RAILROAD AVE)	7.02	19,000	28	4	0	32	4.00	0.57	0.00	4.57
13.82	0.57	U-2-R	RD S (GLEN CREIGHTON DR) - RD N (FREDERICK	2.92	14,000	10	2	0	12	3.44	0.69	0.00	4.13
14.81	1.11	U-2-R	RD E (CO RD 14)	4.47	11,005	3	2	0	5	0.67	0.45	0.00	1.11
15.28	0.36	R-2-R	REGION BOUNDARY OR CLASSIFICATION	1.45	11,000	0	0	0	0	0.00	0.00	0.00	0.00
15.66	0.33	U-2-R	RD W (CO RD 12.5)	1.33	11,000	0	0	0	0	0.00	0.00	0.00	0.00
18.43	2.76	R-2-R	RD N AND S (CO RD 23)	11.11	11,000	4	2	1	7	0.36	0.18	9.00	0.63
19.86	1.45	R-2-R	MAJOR STR (D-17-I) SOUTH PLATTE RIVER	4.67	8,800	5	1	0	6	1.07	0.21	0.00	1.29
20.22	0.31	U-2-R	RD S (ELBOW CT)	1.29	11,409	7	1	0	8	5.37	0.77	0.00	6.14
20.48	0.28	U-2-R	RD N AND S (MAIN AVE)	1.21	11,774	7	0	0	7	5.74	0.00	0.00	5.74
20.99	0.44	U-2-R	MINORSTR (052A020950BR) -- MILEPOST 21	1.70	10,540	5	0	0	5	2.95	0.00	0.00	2.95
22.42	1.47	U-2-R	LEAVE URBAN AREA	5.16	9,600	0	1	0	1	0.00	0.19	0.00	0.19
25.45	3.02	R-2-R	RD N AND S (CO RD 37)	10.61	9,600	6	2	0	8	0.57	0.19	0.00	0.75
29.27	3.83	R-2-R	HUDSON INTERCHANGE STR (D-18-BR) JCT I-76	6.31	4,503	15	3	1	19	2.38	0.48	15.85	3.01
29.83	0.54	R-2-R	RD S (EVERGREEN ST)	1.05	5,332	3	0	0	3	2.83	0.00	0.00	2.83
31.99	2.03	R-2-R	MINORSTR (052A031900BL) -- MILEPOST 32	2.60	3,500	0	0	0	0	0.00	0.00	0.00	0.00
36.91	4.76	R-2-R	RD N AND S (CO RD 59)	4.18	2,400	7	1	0	8	1.68	0.24	0.00	1.91



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH052A																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
41.93	5.00	R-2-R	MINORSTR (052A041940BR) JCT SH 79 S - RD N	3.48	1,900	2	0	0	2	0.58	0.00	0.00	0.58				
43.96	2.00	R-2-R	RD N AND S (CO RD 73)	0.73	1,000	0	0	0	0	0.00	0.00	0.00	0.00				
52.99	9.27	R-2-F	MILEPOST 53	2.31	680	1	0	0	1	0.43	0.00	0.00	0.43				
58.88	5.63	R-2-F	RD N AND S (CO RD 3)	1.40	680	0	0	0	0	0.00	0.00	0.00	0.00				
60.89	2.00	R-2-F	CHANGE ROADWAY DIRECTION (N) --	0.27	370	0	0	1	1	0.00	0.00	369.96	3.70				
69.90	8.97	R-2-F	RD E (CO RD O)	1.58	480	3	2	0	5	1.90	1.27	0.00	3.17				
70.89	0.99	R-2-F	RD E AND W (CO RD P)	0.17	480	0	0	0	0	0.00	0.00	0.00	0.00				
72.58	1.66	R-2-F	LEAVE WIGGINS CITY LIMITS - ENTER WIGGINS	0.84	1,380	1	0	0	1	1.19	0.00	0.00	1.19				
Totals:						71.93				192	38	5	235	1.40	0.28	3.64	1.71

SH052B																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
86.48		U-4-R	JCT U.S. 034B EAST AND WEST (PLATTE AVE) - RD														
86.97	0.49	U-4-R	JCT SH144A WEST - RD E (RIVERVIEW AVE)	1.49	8,300	15	1	0	16	10.18	0.68	0.00	10.86				
87.23	0.25	U-4-R	MAJOR STR (C-21-AV) BEAVER CANAL	0.75	8,158	12	0	0	12	16.21	0.00	0.00	16.21				
87.55	0.32	U-2-R	MISCSTR STR (C-21-C) SOUTH PLATTE RIVER	0.48	4,067	1	0	0	1	2.11	0.00	0.00	2.11				
87.76	0.21	U-2-R	REGION BOUNDARY OR CLASSIFICATION	0.31	4,000	0	0	0	0	0.00	0.00	0.00	0.00				
88.46	0.68	R-4-R	RD E AND W (CO RD T.50)	1.00	4,000	1	0	0	1	1.00	0.00	0.00	1.00				
91.06	2.52	R-4-F	RD E AND W (CO RD W.0)	1.48	1,604	1	1	0	2	0.68	0.68	0.00	1.35				
99.48	8.40	R-2-F	RD E (CO RD EE.00)	2.37	770	4	0	1	5	1.69	0.00	42.25	2.11				
108.55	9.06	R-2-F	RD E AND W (CO RD 80)	2.25	680	4	2	0	6	1.77	0.89	0.00	2.66				
111.57	3.00	R-2-F	JCT SH014C E AND W RD N (CO RD 133) -- END	0.75	680	1	0	0	1	1.34	0.00	0.00	1.34				
Totals:						24.93				39	4	1	44	3.59	0.37	9.21	4.05

SH053A																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		U-4-R	RD E (58TH AVE) - RAMP OFF NORTH (TO I-25) NB -														
0.38	0.39	U-4-R	RD W (CO RD 58.51)	2.35	16,435	35	2	0	37	14.88	0.85	0.00	15.73				
0.99	0.64	U-4-R	MILEPOST 1	3.28	14,000	11	0	0	11	3.33	0.00	0.00	3.33				
1.66	0.68	U-2-R	JCT SH 224A NORTH AND EAST - RD W (70TH AVE)	2.49	10,000	7	0	0	7	2.82	0.00	0.00	2.82				
Totals:						1.71				53	2	0	55	6.53	0.25	0.00	6.78



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH055A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH138A E (2ND AVE) W RD N (1ST ST) IN										
0.52	0.52	R-2-R	MINORSTR (055A000540BR) SELLERS DITCH	0.06	301	0	0	0	0	0.00	0.00	0.00	0.00
2.41	1.82	R-2-F	INTERCHANGE STRS WB (A-25-J) AND EB (A-25-K)	0.18	270	0	0	0	0	0.00	0.00	0.00	0.00
5.66	3.26	R-2-F	RD S (CO RD 81) -- END SH055A	0.86	720	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		5.60				0	0	0	0	0.00	0.00	0.00	0.00

SH056B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
2.82		U-2-R	JCT U.S. 287C NORTH AND SOUTH -- BEGIN										
3.82	0.74	U-2-R	RD S (TENTH ST)	4.06	15,000	2	0	0	2	0.49	0.00	0.00	0.49
4.48	0.65	U-2-R	RD N AND S (2ND STREET)	3.57	15,000	4	0	0	4	1.12	0.00	0.00	1.12
5.51	1.09	U-2-R	LEAVE BERTHOUD URBAN AREA - ENTER WELD	2.58	6,472	7	0	0	7	2.71	0.00	0.00	2.71
6.99	1.46	U-2-R	MILEPOST 7	3.47	6,500	1	0	0	1	0.29	0.00	0.00	0.29
7.50	0.50	U-2-R	RD N AND S (CO RD 5)	1.19	6,500	0	0	0	0	0.00	0.00	0.00	0.00
8.50	0.99	U-2-R	RD N AND S (CO RD 7)	1.78	4,900	0	1	0	1	0.00	0.57	0.00	0.57
9.53	1.01	U-2-R	RD N AND S (FRONTAGE RD) - RD E (CR 44) -- END	1.81	4,900	3	1	0	4	1.65	0.55	0.00	2.20
Totals:		6.44				17	2	0	19	0.92	0.11	0.00	1.03

SH057A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	RAMPS ON AND OFF (TO/FROM I-70 EB) -- BEGIN										
0.53	0.50	R-2-F	END SH057A JCT SH024B W RD N (COLORADO	0.28	1,509	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		0.50				0	0	0	0	0.00	0.00	0.00	0.00

SH058A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	JCT SH006G W AND S SH093A N IN GOLDEN CITY										
0.71	0.67	U-4-R	MAJOR STR (E-16-XR E-16-FX) - RD N AND S	2.94	12,000	3	0	0	3	1.02	0.00	0.00	1.02
1.40	0.50	U-4-R	RAMP OFF (TO CLEARVIEW PKWY/BOYD ST)	3.48	19,000	7	0	0	7	2.01	0.00	0.00	2.01
2.35	0.92	U-4-R	RAMP ON (FROM EASLEY RD)	6.73	20,000	4	0	0	4	0.60	0.00	0.00	0.60



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH058A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
3.56	1.18	U-4-R	RAMP ON	8.21	19,000	5	1	0	6	0.61	0.12	0.00	0.73
3.97	0.49	U-4-R	RAMP ON	4.55	25,348	11	1	0	12	2.40	0.22	0.00	2.62
4.99	1.02	U-4-R	MILEPOST 5	13.07	35,000	2	0	1	3	0.15	0.00	7.68	0.23
5.63	0.67	U-4-R	MAJOR STR (E-16-JK) RD E AND W (44TH AVE) --	8.58	35,000	14	7	0	21	1.63	0.82	0.00	2.45
Totals:		5.45				46	9	1	56	0.97	0.19	2.10	1.18

SH059A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	JCT U.S.40 SH 40 E AND W BEGIN SH 59 MILEPOST										
0.98	0.99	R-2-F	RD W (CO RD N)	0.17	474	0	0	0	0	0.00	0.00	0.00	0.00
9.99	9.00	R-2-F	MILEPOST 10	1.19	360	1	0	0	1	0.84	0.00	0.00	0.84
15.01	5.01	R-2-F	RD E AND W (CO RD CC.00)	0.66	360	0	0	0	0	0.00	0.00	0.00	0.00
24.99	9.91	R-2-F	MILEPOST 25	0.80	220	2	0	0	2	2.51	0.00	0.00	2.51
32.99	8.03	R-2-F	MILEPOST 33	0.65	220	0	0	0	0	0.00	0.00	0.00	0.00
40.95	7.31	R-2-F	RAMPS ON AND OFF (I-70)	1.12	420	2	1	0	3	1.78	0.89	0.00	2.67
41.47	0.49	R-2-F	JCT U.S.24 EAST AND WEST - RD E (2ND ST)	0.15	823	0	0	0	0	0.00	0.00	0.00	0.00
41.99	0.54	R-2-F	MILEPOST 42	0.10	519	0	0	0	0	0.00	0.00	0.00	0.00
49.58	7.55	R-2-F	RD E AND W (CO RD DD)	1.41	510	0	1	0	1	0.00	0.71	0.00	0.71
58.65	9.06	R-2-F	RD W (CO RD NN)	1.86	560	0	0	0	0	0.00	0.00	0.00	0.00
60.18	1.48	R-2-F	RD E (CO RD PP.00)	0.30	560	0	0	0	0	0.00	0.00	0.00	0.00
67.14	7.00	R-2-F	JCT SH036D NW AND SE END SH059A	1.46	570	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		66.37				5	2	0	7	0.51	0.20	0.00	0.71

SH059B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
74.47		R-2-F	JCT U.S.36 SH 36 E AND W RD S (CO RD F) -- END										
83.50	9.04	R-2-F	RD E AND W (CO RD 15)	1.59	480	0	0	0	0	0.00	0.00	0.00	0.00
87.53	4.00	R-2-F	RD E AND W (CO RD 19)	0.70	480	1	0	0	1	1.42	0.00	0.00	1.42
96.99	9.71	R-2-F	MILEPOST 97	1.35	380	1	0	0	1	0.74	0.00	0.00	0.74
98.28	1.31	R-2-F	RD W (CO RD 30)	0.18	380	0	0	0	0	0.00	0.00	0.00	0.00
105.29	7.00	R-2-F	RD E AND W (CO RD 37)	1.72	670	3	0	0	3	1.75	0.00	0.00	1.75
105.97	0.69	R-2-F	RD W (12TH AVE) - ENTER YUMA CITY LIMITS - IN	0.33	1,298	0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH059B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
106.71	0.43	R-2-F	RD W (6TH AVE)	0.33	2,100	0	0	0	0	0.00	0.00	0.00	0.00
107.27	0.25	R-2-F	RD W (2ND AVE)	0.24	2,600	3	0	0	3	12.61	0.00	0.00	12.61
107.86	0.59	R-2-F	RD W (BEATTY AVE) - RD E (CO RD 39)	0.63	2,899	0	0	0	0	0.00	0.00	0.00	0.00
116.89	8.99	R-2-F	RD E AND W (CO RD 48)	4.94	1,500	2	0	0	2	0.41	0.00	0.00	0.41
120.91	4.01	R-2-F	RD E AND W (CO RD 52)	2.20	1,500	1	0	0	1	0.45	0.00	0.00	0.45
122.85	1.90	R-2-F	RD NW (CO RD F)	0.33	471	0	0	0	0	0.00	0.00	0.00	0.00
130.58	7.71	R-2-F	RD E (CO RD 57)	0.96	340	1	0	0	1	1.04	0.00	0.00	1.04
139.66	9.26	R-2-F	MINORSTR (059B139690BL) UNNAMED DRAINAGE	0.95	280	1	1	0	2	1.05	1.05	0.00	2.11
145.51	5.83	R-2-F	RD E AND W (CO RD 26)	0.60	280	1	0	0	1	1.67	0.00	0.00	1.67
147.14	1.63	R-2-F	RD E AND W (2ND ST)	0.35	590	0	0	0	0	0.00	0.00	0.00	0.00
147.70	0.56	R-2-F	RD E AND W (GRANT ST)	0.18	866	0	0	0	0	0.00	0.00	0.00	0.00
148.50	0.79	R-2-F	RD E AND W (CO RD 32)	0.17	587	0	0	0	0	0.00	0.00	0.00	0.00
155.58	7.03	R-2-F	RD E (CO RD 38)	1.42	550	0	0	0	0	0.00	0.00	0.00	0.00
159.67	4.00	R-2-F	RD E AND W (CO RD 4)	0.32	220	0	0	0	0	0.00	0.00	0.00	0.00
166.49	6.83	R-2-R	RD E (CO RD 14.00)	0.40	160	1	0	0	1	2.50	0.00	0.00	2.50
171.06	4.58	R-2-R	INTERCHANGE STRS (A-26-P) (A-26-O)	0.37	220	0	0	0	0	0.00	0.00	0.00	0.00
173.34	2.22	R-2-R	JCT SH138A SW AND NE END SH059B	0.38	470	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	98.36					15	1	0	16	0.73	0.05	0.00	0.78

SH060A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT SH287C N AND S RD W (CO RD 14) -										
1.03	1.02	U-2-R	REGIONAL SECTION POLITICAL BOUNDARY OR	0.93	2,500	1	0	0	1	1.08	0.00	0.00	1.08
2.15	1.10	U-2-R	REGIONAL SECTION POLITICAL BOUNDARY OR	1.01	2,500	3	0	0	3	2.98	0.00	0.00	2.98
3.17	1.00	U-2-R	RD N (SUZIE LN)	0.92	2,500	0	1	0	1	0.00	1.09	0.00	1.09
3.80	0.63	U-2-R	RD N (CO RD 7)	0.58	2,500	0	0	0	0	0.00	0.00	0.00	0.00
4.97	1.16	U-2-R	RD N AND S (FRONTAGE RD) - RD E (CO RD 14) --	0.98	2,300	5	0	0	5	5.14	0.00	0.00	5.14
Totals:	4.91					9	1	0	10	2.04	0.23	0.00	2.27



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH060B														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents			Accident Rates *					
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
5.82		U-2-R	MINORSTR (025A252270BL) IRRIGATION DITCH --											
6.38	0.56	U-2-R	RD N (HIGH PLAINS BD)	2.22	10,853	11	0	0	11	4.98	0.00	0.00	4.98	
7.44	0.99	U-2-R	RD N (CARLSON RD)	3.99	11,000	1	0	0	1	0.25	0.00	0.00	0.25	
7.91	0.50	U-2-R	RD N AND S (CO RD 13)	2.01	11,000	1	1	0	2	0.50	0.50	0.00	1.00	
8.99	1.07	U-2-R	MILEPOST 9	3.56	9,100	8	0	0	8	2.24	0.00	0.00	2.24	
9.25	0.26	U-2-R	RD N AND S (HARDING AVE)	0.85	8,957	3	0	0	3	3.52	0.00	0.00	3.52	
9.78	0.51	U-2-R	RD N AND S (PARISH AVE CO RD 17)	1.57	8,400	5	1	0	6	3.16	0.63	0.00	3.80	
10.09	0.31	U-2-R	RRX (872-099U) GW RR	0.80	7,071	5	2	0	7	6.33	2.53	0.00	8.87	
11.24	1.13	U-2-R	LEAVE JOHNSTOWN CITY LIMITS	2.77	6,700	3	0	0	3	1.08	0.00	0.00	1.08	
11.84	0.58	U-2-R	JCT SH 257 N RD S (QUENTINE ST)	1.42	6,700	0	1	0	1	0.00	0.71	0.00	0.71	
12.38	0.53	U-2-R	RD S (IRENE AVE)	1.11	5,706	2	0	0	2	1.80	0.00	0.00	1.80	
12.63	0.24	U-2-R	RD N AND S (ETHEL AVE)	0.55	6,261	0	0	0	0	0.00	0.00	0.00	0.00	
12.89	0.25	U-2-R	RD N AND S (ALICE AVE CO RD 23) LEAVE	0.56	6,100	0	1	0	1	0.00	1.78	0.00	1.78	
14.69	1.75	R-2-R	RAMP ON	3.91	6,100	3	0	0	3	0.77	0.00	0.00	0.77	
16.56	1.78	R-2-R	RD E (CO RD44) (OLD SH 256)	3.32	5,100	7	2	0	9	2.10	0.60	0.00	2.70	
20.20	3.61	R-2-R	JCT SH085C SW AND NE -- END SH060B	5.42	4,101	5	3	0	8	0.92	0.55	0.00	1.48	
Totals:														
						14.07				65	1.59	0.32	0.00	1.91

SH061A														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents			Accident Rates *					
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
0.00		R-2-F	JCT U.S.34 SH 34 E AND W (FIRST AVE) - RD S (CO											
0.51	0.50	R-2-F	LEAVE OTIS	0.13	721	0	0	0	0	0.00	0.00	0.00	0.00	
8.05	7.55	R-2-F	RD E AND W (CO RD 48)	2.07	750	3	0	0	3	1.45	0.00	0.00	1.45	
14.02	5.88	R-2-F	RD E AND W (CO RD 54)	0.56	260	1	0	0	1	1.79	0.00	0.00	1.79	
22.50	8.56	R-2-F	RD W (CO RD 4)	1.44	460	1	0	0	1	0.69	0.00	0.00	0.69	
31.66	9.14	R-2-F	RD E (CO RD 22)	2.71	810	0	1	0	1	0.00	0.37	0.00	0.37	
32.46	0.82	R-2-F	RD S (CO RD 59)	0.29	979	0	0	0	0	0.00	0.00	0.00	0.00	
35.99	3.48	R-2-F	MILEPOST 36	1.40	1,100	2	1	0	3	1.43	0.71	0.00	2.14	
39.05	3.04	R-2-F	RD SW (CO RD 24.8)	1.45	1,300	0	0	0	0	0.00	0.00	0.00	0.00	
40.22	1.05	R-2-F	REGION BOUNDARY OR CLASSIFICATION	0.96	2,495	0	0	0	0	0.00	0.00	0.00	0.00	
40.99	0.60	U-2-F	JCT U.S.6 SH 6 NE AND SW RD N (RAMP TO I-76) --	0.55	2,500	1	1	0	2	1.82	1.82	0.00	3.64	
Totals:														
						40.62				11	0.69	0.26	0.00	0.95



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH062A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH 145 NW AND SE (PLACERVILLE) -- BEGIN										
9.99	10.08	R-2-M	MILEPOST 10	11.07	3,000	10	4	0	14	0.90	0.36	0.00	1.26
19.67	9.67	R-2-M	RD NE (CO RD 24C)	10.62	3,000	11	2	0	13	1.04	0.19	0.00	1.22
21.53	1.65	R-2-R	RD N (CO RD 24A)	1.93	3,200	4	1	0	5	2.06	0.52	0.00	2.58
22.55	1.03	R-2-R	RD N AND S (AMELIA ST)	1.51	4,000	2	0	0	2	1.32	0.00	0.00	1.32
23.41	0.84	R-2-R	JCT U.S. 550B N AND S - RD E (HUNTER PKWY) --	1.63	5,304	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	23.27					27	7	0	34	1.01	0.26	0.00	1.27

SH063A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	JCT U.S.36 SH 36 E AND W RD S (CO RD CC)										
5.07	5.03	R-2-F	RD E AND W (CO RD 17)	1.01	550	1	0	0	1	0.99	0.00	0.00	0.99
11.13	6.01	R-2-F	RD E AND W (CO RD 23)	0.62	280	1	0	0	1	1.62	0.00	0.00	1.62
20.15	9.15	R-2-F	RD E AND W (CO RD 32)	1.88	560	1	0	0	1	0.53	0.00	0.00	0.53
24.19	4.04	R-2-F	RD E AND W (CO RD 36)	0.83	560	1	0	0	1	1.21	0.00	0.00	1.21
28.14	3.93	R-2-F	RD W (CO RD 40)	0.85	590	0	0	0	0	0.00	0.00	0.00	0.00
28.87	0.72	R-2-F	RD E AND W (N RAILROAD ST)	0.29	1,100	0	0	0	0	0.00	0.00	0.00	0.00
29.42	0.54	R-2-F	RD E AND W (7TH ST)	0.31	1,559	1	0	0	1	3.25	0.00	0.00	3.25
29.99	0.45	R-2-F	MILEPOST 30	0.15	934	0	0	0	0	0.00	0.00	0.00	0.00
39.25	9.34	R-2-F	RD E AND W (CO RD 51)	2.80	820	3	0	0	3	1.07	0.00	0.00	1.07
48.19	9.00	R-2-F	WASHINGTON-LOGAN COUNTY LINE - RD E	1.75	530	1	0	0	1	0.57	0.00	0.00	0.57
53.28	5.09	R-2-F	ATWOOD/STERLING INTERCHANGE STRS	1.21	650	5	0	0	5	4.13	0.00	0.00	4.13
53.93	0.63	R-2-F	RD W (CO RD 12) AND RD SW (CO RD 310)	0.37	1,600	0	0	0	0	0.00	0.00	0.00	0.00
56.41	2.45	R-2-R	JCT U.S.6 SH 6 NE AND SW (ATWOOD) -- END SH	1.52	1,700	2	1	0	3	1.31	0.66	0.00	1.97
Totals:	56.38					16	1	0	17	1.18	0.07	0.00	1.25



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH064A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT U.S.40 SH 40 NW AND E BEGIN SH 64										
0.53	0.54	R-2-M	RD W (7TH ST)	0.38	1,900	0	0	0	0	0.00	0.00	0.00	0.00
5.77	5.08	R-2-M	RD SW (CO RD 21)	2.79	1,500	2	0	0	2	0.72	0.00	0.00	0.72
13.99	8.16	R-2-M	MILEPOST 14	4.78	1,600	5	2	0	7	1.05	0.42	0.00	1.47
15.99	1.99	R-2-M	MILEPOST 16	1.82	2,500	1	1	0	2	0.55	0.55	0.00	1.10
17.26	1.14	R-2-M	RD NE (CO RD 46) (NORTH RIVER EAST)	0.88	2,100	2	0	0	2	2.29	0.00	0.00	2.29
18.13	0.97	R-2-M	RD N AND S (STANOLIND AVE)	1.81	5,100	2	0	0	2	1.10	0.00	0.00	1.10
18.68	0.56	R-2-M	RD S (STEEL AVE)	1.09	5,320	3	0	0	3	2.77	0.00	0.00	2.77
19.27	0.57	R-2-M	RD S (KENNEDY DR)	0.99	4,728	1	0	0	1	1.02	0.00	0.00	1.02
19.78	0.50	R-2-M	JCT SH 139A SOUTH	0.53	2,907	0	0	0	0	0.00	0.00	0.00	0.00
27.30	7.50	R-2-M	RD N (CO RD 65)	5.76	2,100	2	0	0	2	0.35	0.00	0.00	0.35
36.33	9.00	R-2-M	MINORSTR (064A036340BR) SPRING GULCH	3.62	1,100	1	4	0	5	0.28	1.10	0.00	1.38
45.85	9.35	R-2-M	MINORSTR (064A045860BR) DRAINAGE	3.76	1,100	2	2	0	4	0.53	0.53	0.00	1.06
54.94	8.99	R-2-M	MINORSTR (064A054960BL) UNNAMED DRAINAGE	3.62	1,100	5	1	0	6	1.38	0.28	0.00	1.66
56.23	1.29	R-2-M	RD SW (CO RD 5) PICEANCE CREEK	0.52	1,100	1	0	0	1	1.92	0.00	0.00	1.92
65.57	9.20	R-2-M	MINORSTR (064A065490BL) UNNAMED DRAINAGE	4.71	1,400	9	0	0	9	1.91	0.00	0.00	1.91
72.54	7.01	R-2-M	RD N (CO RD 7) (STRAWBERRY CR)	3.59	1,400	9	2	0	11	2.51	0.56	0.00	3.06
73.71	1.15	R-2-M	JCT SH 013A NE AND SW -- END SH 064A	1.14	2,700	1	0	0	1	0.88	0.00	0.00	0.88
Totals:	73.00					46	12	0	58	1.10	0.29	0.00	1.39

SH065A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 92 NE AND SW BEGIN SH 65 MILEPOST 0 --										
2.04	2.03	R-2-R	RD E (CO RD J.25 DR)	5.35	7,200	7	0	0	7	1.31	0.00	0.00	1.31
5.17	3.11	R-2-R	RD S (CO RD 21.00)	6.37	5,600	9	2	1	12	1.41	0.31	15.67	1.88
6.20	1.03	R-2-R	RD E AND W (CO RD N.00)	2.64	6,995	3	0	0	3	1.14	0.00	0.00	1.14
10.07	3.84	R-2-R	RD E (INDEPENDENCE AVE)	8.57	6,100	11	2	1	14	1.28	0.23	11.66	1.63
10.67	0.61	R-2-R	RD W (2ND AVE)	1.32	5,901	4	0	0	4	3.06	0.00	0.00	3.06
11.78	1.09	R-2-R	RD W (CO RD S.00)	1.28	3,207	3	0	0	3	2.35	0.00	0.00	2.35
14.34	2.55	R-2-M	RD E AND W (CO RD U.50)	2.05	2,200	2	0	0	2	0.98	0.00	0.00	0.98
23.99	9.61	R-2-M	MILEPOST 24 - MISSING	3.48	990	5	2	0	7	1.44	0.57	0.00	2.01
26.86	2.85	R-2-M	RD E (CO RD AA.50)	1.03	990	2	1	0	3	1.94	0.97	0.00	2.90
35.91	9.34	R-2-M	RD SW (CO RD SW.40)	1.57	460	4	1	0	5	2.54	0.64	0.00	3.18



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH065A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
36.47	0.42	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	0.07	487	0	0	0	0	0.00	0.00	0.00	0.00
45.76	9.04	R-2-M	RD (ROBBINS LN)	1.72	520	5	4	0	9	2.91	2.32	0.00	5.23
49.56	3.77	R-2-M	RD E (CO RD KE.00) - RD W (STATE ST)	0.72	520	2	0	0	2	2.79	0.00	0.00	2.79
51.16	1.58	R-2-M	JCT SH 330 E	0.75	1,300	0	0	0	0	0.00	0.00	0.00	0.00
51.99	0.81	R-2-M	MILEPOST 52	0.69	2,333	1	0	0	1	1.44	0.00	0.00	1.44
61.38	9.35	R-2-M	RAMPS ON AND OFF (TO/FROM I-70 WB) -- END	7.53	2,200	6	1	0	7	0.80	0.13	0.00	0.93
Totals:	61.03					64	13	2	79	1.42	0.29	4.43	1.75

SH066B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
28.69		R-4-R	JCT U.S.36 NW AND SOUTH - RD N (CO RD 49) --										
32.58	3.87	R-4-R	RD N AND S (CO RD 31) (75TH ST)	12.89	9,100	14	1	0	15	1.09	0.08	0.00	1.16
33.99	1.39	U-2-R	MILEPOST 34	4.83	9,500	5	0	0	5	1.03	0.00	0.00	1.03
34.83	0.83	U-2-R	RD N (JOTIPA DR) - RD S (LAKE PARK DR)	2.89	9,500	4	0	0	4	1.39	0.00	0.00	1.39
35.23	0.39	U-2-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	1.99	13,952	7	0	0	7	3.50	0.00	0.00	3.50
35.83	0.59	U-2-R	RD S (FRANCIS ST)	3.67	17,000	2	1	0	3	0.55	0.27	0.00	0.82
36.19	0.32	U-2-R	RD S (GAY ST)	2.46	21,000	4	0	0	4	1.61	0.00	0.00	1.61
36.61	0.41	U-4-R	JCT U.S. 287C NORTH AND SOUTH (MAIN ST) -	3.30	22,000	9	0	0	9	2.73	0.00	0.00	2.73
36.94	0.49	U-4-R	RRX (245-010J) C AND S RR	2.87	16,024	17	2	0	19	5.92	0.70	0.00	6.61
37.90	0.99	U-2-R	RD S (CO RD 3)(PACE ST)	5.80	16,000	10	0	0	10	1.73	0.00	0.00	1.73
38.91	1.00	U-2-R	RD N AND S (BOULDER CO RD 901) (WELD CO RD)	4.40	12,016	5	2	1	8	1.14	0.46	22.85	1.83
42.73	3.96	R-2-R	I-25 INTERCHANGE STR (D-17-EP) - JCT SH 25 N	20.29	13,999	23	3	1	27	1.13	0.15	4.93	1.33
44.91	2.01	R-2-R	RD N AND S (CO RD 13)	8.83	12,000	12	3	0	15	1.36	0.34	0.00	1.70
47.90	2.94	R-2-R	RD N AND S (CO RD 19)	7.00	6,502	11	3	0	14	1.57	0.43	0.00	2.00
51.39	3.48	R-2-R	JCT U.S. 85 NORTH AND SOUTH - RD E (PLATTE)	9.29	7,295	16	3	1	20	1.72	0.32	10.75	2.15
Totals:	22.67					139	18	3	160	1.54	0.20	3.31	1.77



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH067A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 96 A - E AND SW (WETMORE) - MILEPOST										
6.83	6.78	R-2-R	RD SW (CO RD 741C) (CR 15)	3.23	1,300	4	4	0	8	1.24	1.24	0.00	2.48
10.17	3.33	R-2-R	RD SW (ARROWHEAD DR) (CO RD 685C)	1.83	1,500	0	0	0	0	0.00	0.00	0.00	0.00
11.05	0.94	R-2-R	JCT SH115A E AND W RD NE (ROBINSON AVE) --	1.38	4,018	1	0	0	1	0.73	0.00	0.00	0.73
Totals:	11.05					5	4	0	9	0.78	0.62	0.00	1.40

SH067B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
11.56		R-2-R	JCT U.S. 115 EAST AND WEST - RD SW (PIKES										
15.07	3.58	R-2-R	NORTH SIDE R-O-W - RD N (CO RD 767C) -- END	3.51	2,676	4	1	0	5	1.14	0.28	0.00	1.42
Totals:	3.58					4	1	0	5	1.14	0.29	0.00	1.43

SH067C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
45.56		R-2-M	RD N AND S (4TH ST) - RD E (VICTOR AVE) -- END										
46.58	1.01	R-2-M	RD NE (CRIPPLE CREEK AND VICTOR) GOLD MINE	0.42	1,124	0	0	0	0	0.00	0.00	0.00	0.00
51.06	4.01	R-2-M	RD S (XENIA ST)	1.61	1,100	4	1	0	5	2.48	0.62	0.00	3.10
51.57	0.39	R-2-M	RD N AND S (4TH ST)	0.34	2,365	4	1	0	5	11.76	2.94	0.00	14.70
52.07	0.43	R-2-M	RD S (BISON ST)	0.58	3,671	3	0	0	3	5.20	0.00	0.00	5.20
55.76	3.70	R-2-M	RD NE (CO RD 61) (FOUR MILE RD)	5.15	3,800	10	1	0	11	1.95	0.19	0.00	2.14
56.76	0.98	R-2-M	RD S (CO RD 81)	1.33	3,700	0	1	0	1	0.00	0.76	0.00	0.76
65.80	9.00	R-2-M	RD NE (CO RD 62 FSR 383)	13.51	4,100	26	8	0	34	1.93	0.59	0.00	2.52
69.65	4.29	R-2-M	JCT U.S. 024 NE AND SW (DIVIDE) - RD N (CO RD 5)	8.01	5,100	12	1	0	13	1.50	0.12	0.00	1.62
Totals:	23.81					59	13	0	72	1.91	0.42	0.00	2.33



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH067D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
76.92		U-2-M	JCT SH024A NE AND SW RD SE (ST 1) IN										
77.19	0.27	U-2-M	RD W (SPRUCE HAVEN)	0.81	8,235	3	0	0	3	3.70	0.00	0.00	3.70
77.49	0.29	U-2-M	RD E AND W (COUNTY RD)	0.97	9,108	3	0	0	3	3.09	0.00	0.00	3.09
78.01	0.49	U-2-M	RD E (CO RD 71) (KELLYS RD)	1.76	9,800	3	0	0	3	1.69	0.00	0.00	1.69
78.56	0.54	U-2-M	RD E (CO RD SM5) (TAMARAC PKWY)	0.73	3,711	3	0	0	3	4.08	0.00	0.00	4.08
80.89	2.31	R-2-M	RD E AND W (CO RD 75) (RED ROCK	3.13	3,700	4	1	0	5	1.28	0.32	0.00	1.60
89.99	9.05	R-2-M	MILEPOST 90	6.62	2,000	4	2	0	6	0.60	0.30	0.00	0.91
91.23	1.22	R-2-M	RD SW (CO RD 73 WESTCREEK RD)	0.89	2,000	2	3	0	5	2.25	3.37	0.00	5.62
100.04	8.81	R-2-M	RD SW (CO RD 75) (CAMP RD) - RD NW (CO RD	2.13	660	4	4	0	8	1.88	1.88	0.00	3.76
Totals:	22.98					26	10	0	36	1.53	0.59	0.00	2.11

SH067E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
117.35		R-2-M	RD SW (RAMPART RANGE ROAD) (CO RD 5) --										
122.30	4.94	R-2-M	RD S (OAK VALLEY RD) LOOP ROAD	1.99	1,100	3	1	0	4	1.51	0.50	0.00	2.01
124.83	2.58	R-2-R	RD W (RAINBOW CREEK RD) (CO RD 67C)	1.70	1,800	1	0	0	1	0.59	0.00	0.00	0.59
126.73	1.82	R-2-R	JCT SH 105B SE (PERRY PARK RD) - TO PALMER	2.06	3,100	2	1	0	3	0.97	0.48	0.00	1.45
127.45	0.58	R-2-R	JCT U.S. 085B SE AND NW (SEDALIA) -- END SH	1.11	5,247	11	0	0	11	9.81	0.00	0.00	9.81
Totals:	9.92					17	2	0	19	2.48	0.29	0.00	2.77

SH069A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT I-25 WALSENBURG BUSINESS LOOP SH 25 N										
5.30	5.25	R-2-M	RD NE (CO RD 610) (RED ROCK RD)	1.69	880	1	2	0	3	0.59	1.18	0.00	1.77
9.66	4.32	R-2-M	RD SW (CO RD 524)	1.09	690	5	0	0	5	4.58	0.00	0.00	4.58
18.93	9.31	R-2-M	MAJOR STR (N-16-Q) TURKEY CREEK --	2.18	640	3	0	0	3	1.38	0.00	0.00	1.38
25.01	5.82	R-2-M	RD N (CO RD 632) - RD S (CO RD 543)	1.36	640	6	1	1	8	4.40	0.73	73.30	5.86
26.03	1.08	R-2-M	RD SW (CO RD 550) TO REDWING	0.27	680	0	1	0	1	0.00	3.71	0.00	3.71
35.18	9.02	R-2-M	MINORSTR (069A035190BR) DRAINAGE	0.99	300	0	1	0	1	0.00	1.01	0.00	1.01
44.99	9.68	R-2-M	MILEPOST 45	1.06	300	3	1	0	4	2.82	0.94	0.00	3.76
49.41	4.38	R-2-R	RD E (CO RD 310)	0.48	300	1	0	0	1	2.08	0.00	0.00	2.08
54.12	4.69	R-2-R	RD S (CO RD 119) (COLFAX LN) - END	0.91	530	1	0	0	1	1.10	0.00	0.00	1.10

Safety Performance Function (SPF) Definition
Rural/Urban - # of Lanes - Terrain
R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
Fatal Rate in 100 Million Vehicle Miles Traveled
** PDO = Property Damage Only



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH069A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
55.30	1.14	R-2-R	RD E (CO RD 328 ROSITA RD) - RD W (CO RD 140)	0.35	840	0	0	0	0	0.00	0.00	0.00	0.00
58.38	3.07	R-2-R	RD E (HERMIT LN) - RD W (HERMIT RD CR 160)	2.02	1,800	3	0	1	4	1.48	0.00	49.48	1.98
58.89	0.52	R-2-R	RD S (3RD ST) - RD W (MAIN ST)	0.63	3,327	0	0	0	0	0.00	0.00	0.00	0.00
59.42	0.50	R-2-R	CHANGE SPEED LIMIT (65) - LEAVE WESTCLIFFE	0.48	2,608	1	0	0	1	2.11	0.00	0.00	2.11
62.11	2.66	R-2-R	RD N (CO RD 215) - RD S (CO RD 175 COPPER)	1.95	2,000	2	1	0	3	1.03	0.51	0.00	1.54
64.68	2.59	R-2-M	RD W (CO RD 182)	1.04	1,101	0	0	0	0	0.00	0.00	0.00	0.00
71.56	6.78	R-2-M	RD SW (CO RD 198)	4.47	1,800	3	0	0	3	0.67	0.00	0.00	0.67
80.99	9.57	R-2-M	MILEPOST 81	1.47	420	1	0	0	1	0.68	0.00	0.00	0.68
82.66	1.66	R-2-M	JCT U.S.50 SH 50 E AND W (TEXAS CREEK) -- END	0.26	420	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	82.04					30	7	2	39	1.32	0.31	8.81	1.72

SH070A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-4-R	UTAH-COLORADO STATE LINE - MILEPOST 0 --										
9.54	9.67	R-4-R	MAJOR STR (H-01-AH) WB - SALT CREEK -	23.00	6,500	10	4	0	14	0.43	0.17	0.00	0.61
11.10	1.36	R-4-R	MACK INTERCHANGE STRS (H-1-AF) WB AND	3.24	6,500	2	1	0	3	0.62	0.31	0.00	0.93
15.07	3.92	R-4-R	LOMA INTERCHANGE STR (H-01-AA) - JCT SH 139A	9.04	6,300	9	1	0	10	1.00	0.11	0.00	1.11
18.55	3.58	R-4-R	MAJOR STRS (H-02-FP) EB AND (H-02-FO) WB BIG	10.61	8,099	4	3	0	7	0.38	0.28	0.00	0.66
19.43	0.88	U-4-R	MAJOR STR (H-02-FJ) JCT SH 340 N AND S -	2.61	8,100	7	0	0	7	2.68	0.00	0.00	2.68
19.99	0.52	U-4-R	MILEPOST 20	3.41	17,924	2	0	0	2	0.58	0.00	0.00	0.58
24.40	4.47	R-4-R	REGIONAL SECTION OR DISTRICT BOUNDARY -	29.45	18,000	10	1	1	12	0.34	0.03	3.39	0.41
25.40	0.95	U-4-R	FROM 1-70 EB TO SH 070B SB RAMP E) EXIT 26	6.26	18,000	1	1	0	2	0.16	0.16	0.00	0.32
26.54	1.11	U-4-R	MAJOR STR (H-02-Q) UNDERPASS - RD N AND S	6.61	16,277	1	1	0	2	0.15	0.15	0.00	0.30
27.55	0.97	U-4-R	NORTH SIDE (RAMP GORE SPLIT) --	5.68	16,000	2	1	0	3	0.35	0.18	0.00	0.53
27.83	0.25	U-4-R	RAMP OFF	1.99	21,781	4	1	0	5	2.03	0.51	0.00	2.54
28.99	1.21	U-4-R	MILEPOST 29	9.74	22,000	2	0	0	2	0.21	0.00	0.00	0.21
30.07	1.05	U-4-R	MAJOR STR (H-02-EM) UNDERPASS - RD N AND S	8.45	22,000	5	3	0	8	0.59	0.35	0.00	0.94
31.14	1.06	U-4-R	MINORSTR (070A031160BL) UNNAMED DRAINAGE	8.54	22,000	3	0	0	3	0.35	0.00	0.00	0.35
31.44	0.30	U-4-R	MINORSTR (070A031400BL) DRAINAGE	2.39	21,729	11	1	0	12	4.69	0.43	0.00	5.11
32.70	1.25	U-4-R	MINORSTR (070A032700BL) UNNAMED DRAINAGE	9.61	21,000	5	0	0	5	0.52	0.00	0.00	0.52
33.86	1.17	U-4-R	MINORSTR (070A033900BL) UNNAMED DRAINAGE	8.99	21,000	0	0	0	0	0.00	0.00	0.00	0.00
34.99	1.12	U-4-R	MILEPOST 35	8.61	21,000	0	1	1	2	0.00	0.12	11.61	0.23
36.56	1.42	U-4-R	RAMP OFF	10.91	21,000	2	0	0	2	0.18	0.00	0.00	0.18



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH070A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
36.87	0.45	U-4-R	RAMP ON - (FROM SH 070B NB RAMP B) EXIT 13	3.38	20,507	4	3	0	7	1.19	0.89	0.00	2.08
37.99	1.12	U-4-R	MILEPOST 38	8.20	20,000	4	2	0	6	0.49	0.24	0.00	0.73
38.45	0.45	U-4-R	MINORSTR (070A038460BL) UNNAMED DRAINAGE	3.29	20,000	2	0	0	2	0.60	0.00	0.00	0.60
41.57	3.13	R-4-R	ELBERTA INTERCHANGE STRS (H-03-BB) WB AND	22.91	20,000	5	1	1	7	0.22	0.04	4.36	0.31
42.37	0.79	U-4-R	LEAVE GRAND JUNCTION URBAN AREA	4.63	16,000	2	1	0	3	0.44	0.22	0.00	0.65
43.67	1.48	R-4-R	MAJOR STR (H-03-AY) COLORADO RIVER (OVER	8.67	16,000	8	1	1	10	0.92	0.12	11.53	1.15
49.01	4.99	R-4-M	INTERCHANGE STR (H-03-BV) JCT SH 065A EAST -	40.17	21,996	19	5	0	24	0.47	0.12	0.00	0.60
58.05	9.29	R-4-M	MAJOR STR (G-04-BA) WB - COLORADO RIVER	54.40	16,000	44	5	0	49	0.81	0.09	0.00	0.90
61.64	3.56	R-4-M	ROAN CREEK ROAD / DE BEQUE INTERCHANGE	20.85	16,000	9	3	0	12	0.43	0.14	0.00	0.58
65.41	3.74	R-4-M	MESA-GARFIELD COUNTY LINE	19.16	14,000	10	1	0	11	0.52	0.05	0.00	0.57
74.42	8.85	R-4-M	RAMP ON - (FROM RD 215 RAMP E) EXIT 74	51.83	16,000	30	6	3	39	0.58	0.12	5.79	0.75
74.92	0.62	R-4-M	RAMP ON - (FROM RD 300 RAMP C) EXIT 74	4.27	18,830	6	0	0	6	1.41	0.00	0.00	1.41
81.23	6.34	R-4-M	RULISON CROSS ROAD INTERCHANGE STRS	51.05	22,000	27	2	0	29	0.53	0.04	0.00	0.57
86.84	5.61	R-4-M	WEST RIFLE / MEEKER INTERCHANGE STRS	39.01	19,000	19	4	0	23	0.49	0.10	0.00	0.59
89.63	2.77	R-4-M	ENTER RIFLE CITY LIMITS	15.21	15,000	20	3	0	23	1.31	0.20	0.00	1.51
90.41	0.78	U-4-M	RIFLE / MEEKER INTERCHANGE STRS (F-05-P) EB	4.28	15,000	11	1	0	12	2.57	0.23	0.00	2.80
91.80	1.36	U-4-M	LEAVE RIFLE CITY LIMITS	8.96	17,993	4	0	0	4	0.45	0.00	0.00	0.45
97.42	5.62	R-4-M	SILT INTERCHANGE STR (F-06-U) - JCT I-70 SILT	37.02	18,000	31	9	2	42	0.84	0.24	5.40	1.13
105.25	7.82	R-4-M	NEW CASTLE INTERCHANGE STRS (F-06-L)	54.38	19,000	45	4	0	49	0.83	0.07	0.00	0.90
113.51	8.25	R-4-M	ENTER GLENWOOD SPRINGS URBAN LIMIT	71.66	23,731	66	12	0	78	0.92	0.17	0.00	1.09
114.29	0.78	U-4-M	EXIT 114 / WEST GLENWOOD INTERCHANGE STRS	7.42	26,000	10	2	0	12	1.35	0.27	0.00	1.62
115.34	1.03	U-4-M	MINORSTR (070A115340BL) UNNAMED DRAINAGE	7.92	21,000	11	1	0	12	1.39	0.13	0.00	1.52
116.37	1.03	U-4-M	EXIT 116 / GLENWOOD SPRINGS / CARBONDALE	7.92	21,000	6	1	0	7	0.76	0.13	0.00	0.88
117.41	1.09	U-4-M	MINORSTR (070A117550BL) ENTER GLENWOOD	5.98	15,000	4	1	0	5	0.67	0.17	0.00	0.83
118.45	1.00	U-4-M	MINORSTR (070A118450BL) -- REGION BOUNDARY	5.49	15,000	5	2	0	7	0.91	0.36	0.00	1.28
118.80	0.36	U-4-M	RAMPS ON AND OFF - (TO/FROM NO NAME LN)	1.91	14,514	5	1	0	6	2.63	0.53	0.00	3.16
119.88	1.12	U-4-M	MINORSTR (070A119900EL) -- MINORSTR	5.74	14,000	9	0	0	9	1.57	0.00	0.00	1.57
120.94	1.06	U-4-M	MAJOR STR (F-07-AU) RAMP TO I 70 WBND DRAW	5.43	14,000	19	1	0	20	3.49	0.18	0.00	3.67
121.22	0.35	U-4-M	SIGN BRIDGE STR (Misc-F-07-G) SOUTH SIDE (1.79	14,000	1	0	0	1	0.55	0.00	0.00	0.55
130.23	9.42	R-4-M	REGIONAL SECTION POLITICAL BOUNDARY OR	48.27	14,000	98	9	0	107	2.03	0.19	0.00	2.22
134.04	3.90	R-4-M	EXIT 133 / DOTSERO EAST INTERCHANGE STRS	19.98	14,000	16	1	0	17	0.80	0.05	0.00	0.85
139.52	5.44	R-4-M	EXIT 140 / GYPSUM INTERCHANGE STR (F-09-J) -	29.86	14,999	20	1	0	21	0.67	0.03	0.00	0.70
146.64	7.11	R-4-M	EXIT 147 / EAGLE INTERCHANGE STR (F-09-AB) -	44.24	16,999	24	11	1	36	0.54	0.25	2.26	0.81
155.95	9.31	R-4-M	MINORSTR (070A155960WR) DRAINAGE	81.78	24,000	53	9	2	64	0.65	0.11	2.45	0.78
156.54	0.59	R-4-M	MINORSTR (070A156530BR) DRAINAGE	5.18	24,000	3	2	0	5	0.58	0.39	0.00	0.97



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH070A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
160.55	3.92	R-4-M	MAJOR STR (F-10-N) - RD (HILLCREST DR) - ENTER	31.56	22,000	38	3	0	41	1.20	0.09	0.00	1.30
161.64	1.18	U-4-M	EDWARDS SCENIC OVERLOOK EB RAMP ON	9.50	22,000	4	1	0	5	0.42	0.11	0.00	0.53
162.74	1.07	U-4-M	MINORSTR (070A162740BL) BERRY CREEK	8.62	22,000	0	0	0	0	0.00	0.00	0.00	0.00
162.99	0.25	U-4-M	MILEPOST 163 - RAMP ON AND OFF	3.21	35,057	0	1	0	1	0.00	0.32	0.00	0.32
164.06	1.04	U-4-M	MINORSTR (070A164060BL) DRAINAGE	14.08	37,000	10	2	0	12	0.71	0.14	0.00	0.85
165.53	1.46	U-4-M	MINORSTR (070A165540EL) DRAINAGE	19.77	37,000	8	2	0	10	0.40	0.10	0.00	0.51
166.54	1.01	U-4-M	MINORSTR (070A166500EL) DRAINAGE	13.68	37,000	2	1	0	3	0.15	0.07	0.00	0.22
167.92	1.40	U-4-M	RAMP OFF (EXIT 168 - TO EAST AVON	19.92	38,877	9	3	1	13	0.45	0.15	5.01	0.65
168.99	1.02	U-4-M	MILEPOST 169	14.56	39,000	8	0	0	8	0.55	0.00	0.00	0.55
170.11	1.20	U-4-M	MINORSTR (070A170110BR) DRAINAGE	17.13	39,000	13	0	0	13	0.76	0.00	0.00	0.76
170.36	0.23	U-4-M	CHANGE MEDIAN WIDTH	3.28	39,000	6	0	0	6	1.87	0.00	0.00	1.87
171.10	0.79	R-4-M	EXIT 171 / DOWD JUNCTION	11.28	39,000	19	1	0	20	1.69	0.09	0.00	1.78
173.31	2.06	R-4-M	EXIT 173 / WEST VAIL INTERCHANGE STRS	24.13	32,000	27	2	0	29	1.12	0.08	0.00	1.20
176.05	2.69	R-4-M	EXIT 176 / MID VAIL - LOINSHEAD INTERCHANGE	27.57	28,000	21	3	0	24	0.76	0.11	0.00	0.87
179.86	3.85	R-4-M	EXIT 180 / EAST VAIL INTERCHANGE STRS	32.41	23,000	20	2	0	22	0.62	0.06	0.00	0.68
188.99	9.27	R-4-M	MILEPOST 189	61.07	18,000	116	11	1	128	1.90	0.18	1.64	2.10
195.25	6.31	R-4-M	EXIT 195 / COPPER MOUNTAIN INTERCHANGE	41.57	18,000	45	3	0	48	1.08	0.07	0.00	1.16
200.99	5.64	R-4-M	EXIT 201 / FRISCO/MAIN STREET INTERCHANGE	55.73	27,000	46	4	0	50	0.83	0.07	0.00	0.90
201.99	1.00	U-4-M	MILEPOST 202	10.25	28,000	6	3	1	10	0.59	0.29	9.80	0.98
202.34	0.35	U-4-M	EXIT 203 / FRISCO-BRECKENRIDGE	3.59	28,000	0	2	0	2	0.00	0.56	0.00	0.56
203.40	1.05	U-4-M	RD SW (FROM OVERLOOK RT NB LANE ONLY)	15.75	40,975	11	0	0	11	0.70	0.00	0.00	0.70
204.46	1.06	U-4-M	REGIONAL SECTION OR DISTRICT BOUNDARY	15.91	41,000	10	2	0	12	0.63	0.13	0.00	0.75
205.41	0.93	U-4-M	EXIT 205 (DILLON/SILVERTHORNE) INTERCHANGE	13.96	41,000	24	1	0	25	1.72	0.07	0.00	1.80
206.48	1.05	U-4-M	MINORSTR (070A206470BL) CHANGE IN ROADWAY	11.17	29,057	9	0	0	9	0.81	0.00	0.00	0.81
207.59	1.12	U-6-M	MINORSTR (070A207640BL) DRAINAGE	11.89	29,000	7	0	0	7	0.59	0.00	0.00	0.59
208.26	0.66	U-6-M	MINORSTR (070A208320BL) UNNAMED DRAINAGE	7.01	29,000	10	3	0	13	1.43	0.43	0.00	1.86
216.18	7.91	R-6-M	LOVELAND PASS INTERCHANGE STRS (F-13-P) EB	83.96	29,000	112	9	0	121	1.33	0.11	0.00	1.44
225.26	9.04	R-4-M	ENTER SILVER PLUME CITY LIMITS - IN CLEAR	99.26	30,000	74	7	0	81	0.75	0.07	0.00	0.82
227.90	2.62	R-4-M	GEORGETOWN INTERCHANGE STRS (F-14-AR) -	26.30	27,427	22	1	0	23	0.84	0.04	0.00	0.87
231.88	3.93	R-4-M	EXIT 232 (EMPIRE JUNCTION) INTERCHANGE STR	53.22	37,000	28	1	0	29	0.53	0.02	0.00	0.55
234.20	2.32	R-4-M	EXIT 234 / DOWNIEVILLE INTERCHANGE STRS	33.96	40,000	24	2	0	26	0.71	0.06	0.00	0.77
235.00	0.78	R-4-M	MILEPOST 235	11.13	39,000	5	1	0	6	0.45	0.09	0.00	0.54
237.65	2.62	R-4-M	MINORSTR (070A237640EL) DRAINAGE	42.19	44,000	22	2	0	24	0.52	0.05	0.00	0.57
238.93	1.21	R-4-M	MAJOR STR (F-14-H) EB WB AND (F-14-AZ) CLEAR	18.60	42,000	9	0	0	9	0.49	0.00	0.00	0.49
239.64	0.75	R-4-M	EXIT 240 (IDAHO SPRINGS-MOUNT EVANS)	11.25	41,000	9	0	0	9	0.80	0.00	0.00	0.80



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH070A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
241.12	1.44	R-4-M	EXIT 241A-B IDAHO SPRINGS INTERCHANGE STR	22.14	41,999	21	2	0	23	0.95	0.09	0.00	1.04
242.97	1.87	R-4-M	MINORSTR (070A243000EL) DRAINAGE	33.54	49,000	30	0	0	30	0.90	0.00	0.00	0.90
244.25	1.24	R-4-M	CLEAR CREEK / KERMIT'S INTERCHANGE STRS	19.52	43,000	13	0	0	13	0.67	0.00	0.00	0.67
247.59	3.53	R-5-M	BEAVER BROOK INTERCHANGE STR (F-15-CB) -	59.43	46,000	46	8	0	54	0.77	0.13	0.00	0.91
251.31	3.74	R-6-M	MAJOR STR (F-15-CT) -- JCT SH 74 SE	64.12	46,844	36	2	0	38	0.56	0.03	0.00	0.59
252.23	0.84	R-6-M	INTERCHANGE STR (F-15-CH) - UNDERPASS	18.45	60,000	10	2	0	12	0.54	0.11	0.00	0.65
253.52	1.28	R-6-M	MAJOR STR (F-15-CI) JCT U.S. 040C	29.98	63,988	20	1	0	21	0.67	0.03	0.00	0.70
254.59	1.04	U-6-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	23.60	62,000	17	2	0	19	0.72	0.09	0.00	0.81
255.76	1.16	U-6-M	RAMP ON - (FROM GRAPEVINE RD RAMP D) EXIT	26.32	62,000	16	4	0	20	0.61	0.15	0.00	0.76
256.12	0.33	U-6-M	MINORSTR (070A256120BL) DRAINAGE	7.67	63,520	12	1	0	13	1.57	0.13	0.00	1.70
257.23	1.10	U-6-M	END TRUCK ESCAPE RAMP	26.57	66,000	19	3	0	22	0.72	0.11	0.00	0.83
258.37	1.12	U-6-M	ENTER DISTRICT (4) - ENTER MAINTSECTION (8)	27.05	66,000	12	0	0	12	0.44	0.00	0.00	0.44
258.71	0.33	U-6-M	RED ROCKS INTERCHANGE STRS (F-16-GS) EB	7.97	66,000	3	0	0	3	0.37	0.00	0.00	0.37
259.74	1.02	U-6-R	RD NW AND SE (ROONEY RD) (CO RD 53)	23.89	64,004	25	1	0	26	1.05	0.04	0.00	1.09
260.14	0.36	U-6-R	SIGN BRIDGE STR (F-16-MQ) -- RAMP OFF -	11.83	89,782	11	1	0	12	0.94	0.09	0.00	1.02
261.02	0.87	U-6-R	6TH AVENUE INTERCHANGE STRS (F-16-AT) WB	28.66	90,000	13	2	0	15	0.45	0.07	0.00	0.52
261.62	0.60	U-6-R	W COLFAX AVENUE INTERCHANGE STRS (F-16-HI)	14.49	66,000	5	1	0	6	0.35	0.07	0.00	0.42
262.56	0.86	U-6-R	DENVER WEST MARRIOT BLVD INTERCHANGE	24.87	79,000	40	1	0	41	1.61	0.04	0.00	1.65
263.86	1.26	U-6-R	MAJOR STR (E-16-HP) PEDESTRIAN OVERPASS	48.87	105,979	40	1	0	41	0.82	0.02	0.00	0.84
264.33	0.51	U-6-R	ENTER WHEAT RIDGE CITY LIMIT	19.79	106,000	13	1	0	14	0.66	0.05	0.00	0.71
265.33	0.94	U-6-R	GOLDEN INTERCHANGE STR (E-16-JJ) - JCT SH	29.25	85,022	34	1	0	35	1.16	0.03	0.00	1.20
265.72	0.41	U-6-R	WARD ROAD INTERCHANGE STRS (E-16-JN) EB	15.74	104,903	9	0	0	9	0.57	0.00	0.00	0.57
266.92	1.12	U-6-R	SIGN BRIDGE STR (SIGN-E-16-WF) - WBND ML	45.91	112,000	56	5	0	61	1.22	0.11	0.00	1.33
267.39	0.43	U-6-R	KIPLING STREET INTERCHANGE STRS (E-16-GY)	17.63	112,000	9	2	0	11	0.51	0.11	0.00	0.63
268.41	1.00	U-6-R	MAJOR STR (E-16-GW) OVERPASSES - RD N AND	49.03	133,956	85	5	0	90	1.74	0.10	0.00	1.84
269.00	0.40	U-11-R	MILEPOST 269	19.62	134,000	34	0	1	35	1.75	0.00	5.15	1.80
269.25	0.17	U-10-R	SIGN BRIDGE STR (SIGN-E-16-KP) POSTED	8.28	133,012	25	2	0	27	3.11	0.25	0.00	3.36
269.99	0.84	U-6-R	HARLAN STREET INTERCHANGE STR (E-16-FZ) -	27.67	90,000	11	2	0	13	0.40	0.07	0.00	0.47
270.49	0.49	U-6-R	SHERIDAN BOULEVARD INTERCHANGE STR	15.42	86,000	7	2	0	9	0.45	0.13	0.00	0.58
271.54	1.03	U-6-R	INTERCHANGE STR (E-16-DN) OVERPASS - RD N	36.19	96,000	26	4	0	30	0.72	0.11	0.00	0.83
272.00	0.48	U-6-R	MILEPOST 272	18.97	108,000	16	1	0	17	0.84	0.05	0.00	0.89
273.01	0.99	U-6-R	PECOS STREET INTERCHANGE STR (E-16-FW	44.57	123,000	27	0	0	27	0.60	0.00	0.00	0.60
274.04	0.90	U-6-R	MAJOR STR (E-16-GC) J RAMP -- OVERPASS	39.53	120,000	84	7	0	91	2.13	0.18	0.00	2.30
274.41	0.38	U-4-R	SIGN BRIDGE STR (SIGN-E-17-SG) POSTED	20.58	148,000	34	0	0	34	1.67	0.00	0.00	1.67
274.71	0.28	U-4-R	SIGN BRIDGE STR (SIGN-E-17-YT) POSTED	14.82	144,608	40	3	0	43	2.67	0.20	0.00	2.87



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH070A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
274.99	0.24	U-5-R	MILEPOST 275 - (1.013 MILE LENGTH)	12.12	138,000	11	0	0	11	0.93	0.00	0.00	0.93
275.24	0.24	U-8-R	SIGN BRIDGE STR (SIGN-E-17-ST) POSTED	12.16	138,430	8	1	0	9	0.67	0.08	0.00	0.75
275.56	0.42	U-6-R	RD N AND S (YORK ST) OFFSET REFERENCE	21.37	139,000	24	1	0	25	1.14	0.05	0.00	1.18
276.25	0.67	U-6-R	RD S (MADISON ST) - OFFSET REFERENCE	33.35	136,000	50	8	0	58	1.50	0.24	0.00	1.74
276.56	0.30	U-6-R	I-70/COLORADO BOULEVARD INTERCHANGE	12.41	113,000	14	3	0	17	1.14	0.25	0.00	1.39
277.01	0.46	U-6-R	MAJOR STR (E-17-HZ) DAHLIA STREET OVERPASS	19.36	114,991	35	6	0	41	1.82	0.31	0.00	2.13
278.04	1.01	U-6-R	MAJOR STRS (E-17-GC) WB AND (E-17-GD) EB	44.35	119,975	54	3	0	57	1.22	0.07	0.00	1.28
278.54	0.49	U-6-R	QUEBEC STREET INTERCHANGE STRS (E-17-GA)	22.96	128,000	43	6	0	49	1.89	0.26	0.00	2.15
279.08	0.51	U-6-R	RAMP OFF - (TO I-270 WB) EXIT 279	25.57	137,000	75	8	0	83	2.94	0.31	0.00	3.25
280.13	1.07	U-6-R	SIGN BRIDGE STR (SIGN-E-17-YN) POSTED	69.59	177,690	74	7	0	81	1.07	0.10	0.00	1.17
280.56	0.41	U-7-R	HAVANA STREET INTERCHANGE STR (E-17-JP)	28.66	191,000	22	4	0	26	0.78	0.14	0.00	0.92
281.55	1.00	U-8-R	MAJOR STR (E-17-IQ) RD N AND S (PEORIA ST)	68.08	186,000	125	14	1	140	1.84	0.21	1.47	2.06
282.55	0.99	U-7-R	SIGN BRIDGE STR (E-17-YM) -- DENVER - ADAMS	54.71	151,000	107	11	0	118	1.95	0.20	0.00	2.15
283.52	0.96	U-6-R	MAJOR STR (E-17-MV) RD N AND S (CHAMBERS	37.96	108,045	51	6	0	57	1.34	0.16	0.00	1.50
283.82	0.30	U-5-R	MAJOR RAMP STR (E-17-RS) WB CHAMBERS	9.96	90,730	33	5	0	38	3.36	0.51	0.00	3.87
284.62	0.76	U-4-R	AIRPORT BLVD INTERCHANGE STR (E-17-RU	18.36	66,000	12	2	0	14	0.65	0.11	0.00	0.76
285.72	1.09	U-4-R	TOWER ROAD INTRCHANGE STR (E-17-MY) - RD N	20.35	51,000	17	7	0	24	0.84	0.34	0.00	1.18
286.82	1.13	U-4-R	MAJOR STRS (E-17-AEJ) EB (E-17-AEK) WB -- RD E	11.17	27,000	9	2	1	12	0.81	0.18	8.98	1.08
287.99	1.08	U-4-R	MILEPOST 288	10.67	27,000	5	0	0	5	0.47	0.00	0.00	0.47
288.32	0.36	U-4-R	RAMP OFF (TO U.S. 040C) WB - SECONDARY	4.10	31,110	5	2	0	7	1.21	0.49	0.00	1.70
289.15	0.77	U-4-R	MAJOR STR (F-18-AW) - RD N AND S (OLD E-470	10.99	39,000	6	3	0	9	0.55	0.27	0.00	0.82
292.12	2.90	R-4-R	AIRPARK ROAD INTERCHANGE STR (F-18-AY) -	22.32	21,025	19	0	0	19	0.85	0.00	0.00	0.85
295.25	3.13	R-4-R	WATKINS INTERCHANGE STR (F-18-R) - JCT	25.20	22,000	4	1	0	5	0.16	0.04	0.00	0.20
304.35	9.01	R-4-R	BENNETT INTERCHANGE STR (F-19-AG)	46.17	14,000	28	6	0	34	0.61	0.13	0.00	0.74
305.77	1.43	R-4-R	COLORADO WELCOME CENTER INTERCHANGE	8.90	17,000	3	0	0	3	0.34	0.00	0.00	0.34
310.16	4.31	R-4-R	STRASBURG INTERCHANGE STR (F-19-BA) - JCT	23.67	15,002	1	5	2	8	0.04	0.21	8.46	0.34
315.90	5.71	R-4-R	BYERS INTERCHANGE STRS (F-20-AP) AND	25.08	12,000	7	3	0	10	0.28	0.12	0.00	0.40
322.08	6.15	R-4-R	PEORIA (CO RD 201) INTERCHANGE STRS	24.76	11,000	8	3	2	13	0.32	0.12	8.08	0.53
328.32	6.20	R-4-R	DEER TRAIL INTERCHANGE STRS (F-20-BC) EB	22.24	9,800	14	1	0	15	0.63	0.04	0.00	0.67
337.64	9.27	R-4-R	MAJOR STR (G-21-J) DRY WASH	32.57	9,600	9	2	1	12	0.28	0.06	3.07	0.37
340.34	2.63	R-4-F	AGATE INTERCHANGE MAJOR STR (G-21-Y	9.24	9,600	4	0	0	4	0.43	0.00	0.00	0.43
349.99	9.83	R-4-F	MILEPOST 350	30.22	8,400	25	9	0	34	0.83	0.30	0.00	1.13
352.33	2.33	R-4-F	KIOWA INTERCHANGE STR (G-21-T) -- JCT SH 086A	7.16	8,400	4	1	0	5	0.56	0.14	0.00	0.70
359.49	7.14	R-4-F	MAJOR INTERCHANGE STR (G-22-BA) JCT SH-24F	31.36	12,000	6	3	0	9	0.19	0.10	0.00	0.29
361.73	2.24	R-4-F	LIMON INTERCHANGE STRS (G-22-BL) EB AND	8.20	10,000	5	1	0	6	0.61	0.12	0.00	0.73



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH070A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
363.02	1.25	R-4-F	HUGO/KIT CARSON INTERCHANGE SH 24 NW AND	5.49	11,992	6	2	0	8	1.09	0.36	0.00	1.46
371.47	8.44	R-4-F	GENOA INTERCHANGE MAJOR STRS (G-23-AD)	25.33	8,200	15	2	1	18	0.59	0.08	3.95	0.71
380.99	9.52	R-4-F	MILEPOST 381	23.34	6,700	10	1	0	11	0.43	0.04	0.00	0.47
383.49	2.49	R-4-F	INTERCHANGE MAJOR STRS (G-23-AI) AND	6.11	6,700	0	1	0	1	0.00	0.16	0.00	0.16
392.51	9.02	R-4-F	MAJOR STR (G-24-Z) OVERPASS - RD N AND S (CO	21.79	6,600	10	3	1	14	0.46	0.14	4.59	0.64
394.55	2.00	R-4-F	INTERCHANGE STR (G-24-Q) OVERPASS - RD N	4.83	6,600	0	0	0	0	0.00	0.00	0.00	0.00
403.99	9.27	R-4-F	MILEPOST 404	31.21	9,199	12	0	0	12	0.38	0.00	0.00	0.38
404.99	0.99	R-4-F	MILEPOST 405 - REPOSTED MARKER	3.33	9,200	0	0	0	0	0.00	0.00	0.00	0.00
411.95	7.06	R-4-F	VONA INTERCHANGE STR (G-26-L) - JCT I-70 -	16.80	6,500	10	0	2	12	0.60	0.00	11.91	0.71
419.30	7.42	R-4-F	INTERCHANGE STR (G-26-P) UNDERPASS SH-57A	17.38	6,400	7	0	0	7	0.40	0.00	0.00	0.40
428.54	9.23	R-4-F	RAMP ON - (FROM CR 40.00 SB RAMP E) EXIT 429	23.31	6,900	4	0	2	6	0.17	0.00	8.58	0.26
436.78	8.26	R-4-F	BURLINGTON INTERCHANGE STR (G-27-Y) - JCT	20.86	6,900	9	0	0	9	0.43	0.00	0.00	0.43
438.22	1.41	R-4-F	ROSE AVENUE INTERCHANGE STRS (G-28-U) WB	4.13	8,000	2	1	0	3	0.48	0.24	0.00	0.73
447.70	9.50	R-4-F	MAJOR STR (G-28-S) WASH	27.12	7,800	6	1	0	7	0.22	0.04	0.00	0.26
449.59	1.84	R-4-F	COLORADO-KANSAS STATE LINE -- END	5.25	7,800	2	0	0	2	0.38	0.00	0.00	0.38
Totals:													
	448.26					3,413	409	29	3,851	0.88	0.11	0.74	0.99

SH070B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	I-70 (GRAND JUNCTION) INTERCHANGE STRS										
0.59	0.60	U-4-R	RD E AND SW (CO RD G.00 RAILROAD BLVD)	5.27	24,000	1	0	0	1	0.19	0.00	0.00	0.19
1.99	1.27	U-4-R	MILEPOST 2	13.48	28,996	4	1	0	5	0.30	0.07	0.00	0.37
2.33	0.44	U-4-R	RAMP OFF - (TO PATTERSON RD EB) EXIT 2	4.14	25,677	3	0	0	3	0.72	0.00	0.00	0.72
3.01	0.67	U-4-R	RD N AND S (CO RD 24.50)	6.48	26,405	9	3	0	12	1.40	0.47	0.00	1.86
3.60	0.58	U-4-R	RD N AND S (CO RD 25.00)	8.49	40,000	20	0	0	20	2.35	0.00	0.00	2.35
4.36	0.61	U-4-R	SIGN BRIDGE STR (SIGN-H-02-GV) POSTED	7.37	33,000	55	3	0	58	7.42	0.40	0.00	7.82
4.94	0.71	U-4-R	JCT SH 340 W - RD E (GRAND AVE) - RD N (FIRST	3.90	15,000	4	1	0	5	1.02	0.26	0.00	1.28
5.25	0.32	U-4-R	JCT SH-70Z (END 1-WAY RECIPROCAL WB, UTE	1.87	15,994	16	2	0	18	8.54	1.07	0.00	9.61
5.56	0.28	U-3-R	RD N AND S (4TH ST)	1.54	15,014	5	1	0	6	3.24	0.65	0.00	3.89
5.84	0.27	U-3-R	RD N AND S (7TH ST)	1.12	11,331	6	1	0	7	5.44	0.91	0.00	6.35
6.10	0.26	U-3-R	RD N AND S (10TH ST)	0.97	10,224	12	2	0	14	12.19	2.03	0.00	14.23
6.40	0.27	U-3-R	RD N (13TH ST)	0.84	8,484	2	1	0	3	2.42	1.21	0.00	3.63
6.74	0.38	U-3-R	RD N (18TH ST)	1.55	11,110	6	1	0	7	3.93	0.66	0.00	4.59



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH070B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
7.87	1.08	U-4-R	ENTER GRAND JUNCTION CITY LIMITS	6.72	17,000	6	0	1	7	0.89	0.00	14.84	1.04
8.28	0.40	U-4-R	RD N (MELODY LN 42ND ST)	2.49	17,000	2	0	0	2	0.81	0.00	0.00	0.81
8.87	0.57	U-4-R	ENTER GRAND JUNCTION CITY LIMITS	3.18	15,237	3	1	0	4	0.95	0.32	0.00	1.26
9.30	0.41	U-4-R	JCT SH-6B (NORTH AVE) W (KENNEDY AVE) E1	2.25	15,000	0	0	0	0	0.00	0.00	0.00	0.00
9.56	0.26	U-4-R	RD N (FRUITVALE CT)	2.17	22,828	8	1	0	9	3.74	0.47	0.00	4.21
10.50	0.93	U-4-R	RD N (CO RD 31.00 APPLE BLOSSOM RD)	6.47	19,000	0	0	0	0	0.00	0.00	0.00	0.00
11.56	1.04	U-4-R	RD NW (32 RD LOOP)	6.09	16,009	18	2	0	20	2.95	0.33	0.00	3.27
11.83	0.26	U-4-R	SIGN BRIDGE STR (SIGN-H-03-CB) - SBND ML	1.88	19,718	14	1	1	16	7.49	0.54	53.50	8.56
12.17	0.25	U-4-R	JCT U.S.6 SH 6 E RD W (CO RD F.00)	2.29	25,000	4	0	0	4	1.78	0.00	0.00	1.78
13.27	1.11	U-4-R	RAMP ON AND OFF (TO/FROM I-70 WB) -- END	6.09	15,000	5	2	0	7	0.82	0.33	0.00	1.15
Totals:		12.97				203	23	2	228	2.10	0.24	2.07	2.36

SH070E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	RD E AND W (FRONTAGE RD) -- BEGIN SH 070E										
0.22	0.21	R-2-R	JCT SH-006D EAST AND W (MAIN ST) - RD N (9TH	0.61	7,900	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		0.21				0	0	0	0	0.00	0.00	0.00	0.00

SH070F													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	ROUND ABOUT - JCT U.S. 006E E AND W - RD S										
0.35	0.38	R-2-M	RAMPS ON AND OFF (TO/FROM I-70 WB) - RD N	2.36	17,000	11	0	0	11	4.66	0.00	0.00	4.66
Totals:		0.38				11	0	0	11	4.65	0.00	0.00	4.65

SH070G													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-M	NORTH SIDE RAMP ON AND OFF (TO/FROM I-70										
0.58	0.61	U-2-M	JCT U.S. 006E NW AND SE (EDWARDS BUSINESS	3.57	15,981	13	0	0	13	3.64	0.00	0.00	3.64
Totals:		0.61				13	0	0	13	3.64	0.00	0.00	3.64



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH070K													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	MINORSTR (070A238750EL) -- SIGN BRIDGE STR										
0.71	0.71	R-2-M	RD N AND S (9TH AVE)	0.42	1,600	1	0	0	1	2.41	0.00	0.00	2.41
1.24	0.52	R-2-M	RD SW AND NE (RIVERSIDE DR)	0.67	3,532	1	0	0	1	1.48	0.00	0.00	1.48
2.71	1.47	R-2-M	JCT I-70 ON RAMP CONNECTION (TO I-70 EB) --	3.66	6,800	2	2	0	4	0.55	0.55	0.00	1.10
Totals:		2.70				4	2	0	6	0.84	0.42	0.00	1.26

SH070L													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	RD E AND W (FRONTAGE RD) -- BEGIN SH070L -										
0.40	0.40	R-2-R	JCT SH 036C EAST AND WEST -- RD N (CO RD 24)	0.39	2,648	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		0.40				0	0	0	0	0.00	0.00	0.00	0.00

SH070M													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	RD E AND W (FRONTAGE RD) - MILEPOST 0 --										
0.35	0.34	R-2-R	JCT SH-36D E AND W RD N (WAGNER ST)	0.57	4,619	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		0.34				0	0	0	0	0.00	0.00	0.00	0.00

SH070N													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.40 SH 40 NW AND SE -- BEGIN SH 070N										
0.40	0.36	R-2-R	RD NW AND SE (SEVENTH AVE) -- END SH070N	0.13	1,018	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		0.36				0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH0700													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH040F N RD S (I-70 FRONTAGE RD) -- BEGIN										
0.35	0.36	R-2-R	RAMPS ON AND OFF (TO/FROM I-70 EB) -- END	0.03	250	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		0.36				0	0	0	0	0.00	0.00	0.00	0.00

SH070P													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	RAMPS ON AND OFF (TO/FROM I-70 EB) -- BEGIN										
0.53	0.54	R-2-F	JCT SH024B (NORTH ST) E AND W RD N (1ST AVE)	0.03	148	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		0.54				0	0	0	0	0.00	0.00	0.00	0.00

SH070Q													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.14		R-2-F	JCT U.S. 024D WEST AN NORTH - RD N (6TH ST)										
0.38	0.24	R-2-F	RD SW (FRONTAGE RD) - RD E (ROSE AVE) BEGIN	0.17	1,900	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		0.24				0	0	0	0	0.00	0.00	0.00	0.00

SH070Z													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	JCT FAP RT 70 AND U.S.6-50 EB (GRAND										
0.33	0.31	U-4-R	RD N AND S (12TH ST)	1.01	8,875	7	0	0	7	6.91	0.00	0.00	6.91
0.62	0.28	U-3-R	RD N AND S (9TH ST)	0.89	8,706	3	1	0	4	3.42	1.14	0.00	4.56
0.90	0.27	U-3-R	RD N AND S (6TH ST)	0.96	9,726	8	1	0	9	8.45	1.06	0.00	9.50
1.34	0.43	U-3-R	JCT SH 070Z AND U.S.6-50 N AND S (1ST ST)	1.24	7,878	7	2	0	9	5.65	1.61	0.00	7.26
Totals:		1.29				25	4	0	29	6.10	0.98	0.00	7.07



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH071A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.350 SH 350 NE AND SW -- BEGIN SH 071A -										
7.03	6.96	R-2-R	RD E (CO RD Y)	0.71	280	1	0	0	1	1.40	0.00	0.00	1.40
9.03	2.03	R-2-R	JCT SH 10 E AND W -- END SH 071A BEGIN	0.17	230	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		8.99				1	0	0	1	1.13	0.00	0.00	1.13

SH071B													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
9.60		R-2-R	JCT SH 10 E AND W RD S (CO RD 19.5) (HAWLEY) --										
11.60	1.99	R-2-R	RD E (CO RD CC)	0.34	470	0	1	0	1	0.00	2.92	0.00	2.92
13.74	2.13	R-2-R	RD E AND W (HOPKINS AVE)	0.49	630	1	0	0	1	2.04	0.00	0.00	2.04
14.54	0.73	R-2-R	JCT SH050B NW AND SE (ELM AVE) JCT SH266A	0.65	2,419	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		4.85				1	1	0	2	0.68	0.68	0.00	1.35

SH071C													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
16.16		R-2-R	JCT U.S.50 SH 50 NW AND SE END OVERLAPPING										
22.66	6.39	R-2-R	RD W (CO RD 8) (CO RD C)	4.21	1,800	4	0	0	4	0.95	0.00	0.00	0.95
26.63	3.94	R-2-R	CHANGE SPEED LIMIT (35)	2.60	1,800	0	1	0	1	0.00	0.39	0.00	0.39
27.32	0.76	R-2-R	RD W (9TH ST) LEAVE ORDWAY CITY LIMITS	0.36	1,290	0	0	0	0	0.00	0.00	0.00	0.00
27.99	0.62	R-2-R	MILEPOST 28	0.21	910	1	0	0	1	4.83	0.00	0.00	4.83
37.26	9.33	R-2-F	MAJOR STR (K-22-O) POND CREEK	2.94	860	3	0	0	3	1.02	0.00	0.00	1.02
45.69	8.40	R-2-F	RD E (CO RD BB) (CO RD 52.00)	2.64	860	1	0	0	1	0.38	0.00	0.00	0.38
54.99	9.29	R-2-F	MILEPOST 55	2.75	810	0	0	0	0	0.00	0.00	0.00	0.00
64.49	9.11	R-2-F	RD N (CO RD 19)	2.70	810	3	0	0	3	1.11	0.00	0.00	1.11
65.55	1.11	R-2-F	RD E AND W (CO RD T) TO KARVAL	0.33	810	0	1	0	1	0.00	3.05	0.00	3.05
72.59	7.00	R-2-F	JCT SH 94 E AND W (PUNKIN CENTER)	2.02	790	0	1	0	1	0.00	0.49	0.00	0.49
81.60	8.98	R-2-F	RD W (CO RD 2K)	2.23	680	3	1	1	5	1.34	0.45	44.77	2.24
90.72	9.07	R-2-F	RD W (CO RD 2Y)	2.26	680	4	0	0	4	1.77	0.00	0.00	1.77
91.76	1.00	R-2-F	RD E AND W (CO RD 2W)	0.25	680	0	0	0	0	0.00	0.00	0.00	0.00
94.79	3.03	R-2-F	RD E AND W (CO RD 2Z)	0.79	710	1	0	0	1	1.27	0.00	0.00	1.27
97.78	3.00	R-2-F	RD W (CO RD 3C)	1.04	950	1	0	0	1	0.96	0.00	0.00	0.96
99.71	1.98	R-2-F	RD E AND W (CO RD 3E)	1.01	1,400	0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH071C														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
101.06	1.37	R-2-F	JCT SH-24G E AND W - RD (3RD ST) -- END SH	1.02	2,030	0	0	0	0	0.00	0.00	0.00	0.00	
Totals:						84.38	21	4	1	26	0.72	0.14	3.41	0.89

SH071D														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
101.97		R-2-F	JCT SH-24G (MAIN ST) E AND W - ENTER LIMON											
102.53	0.66	R-2-F	LEAVE LIMON CITY LIMITS	0.43	1,791	0	0	0	0	0.00	0.00	0.00	0.00	
104.66	2.01	R-2-F	RD E (CO RD 3J)	1.03	1,400	0	0	0	0	0.00	0.00	0.00	0.00	
113.99	9.39	R-2-F	MILEPOST 114	2.85	830	2	2	0	4	0.70	0.70	0.00	1.40	
123.99	10.08	R-2-F	MILEPOST 124	3.06	830	1	1	0	2	0.33	0.33	0.00	0.65	
132.98	8.86	R-2-F	RD E (CO RD 7)	2.69	830	1	0	0	1	0.37	0.00	0.00	0.37	
138.00	5.00	R-2-R	MILEPOST 138	1.37	750	1	0	0	1	0.73	0.00	0.00	0.73	
147.08	9.05	R-2-R	RD E (CO RD 21)	2.72	820	7	0	0	7	2.58	0.00	0.00	2.58	
155.18	8.06	R-2-R	RD E AND W (CO RD 29)	2.40	814	3	0	0	3	1.25	0.00	0.00	1.25	
164.63	9.49	R-2-F	RD W (CO RD 1.50)	2.19	630	1	2	0	3	0.46	0.91	0.00	1.37	
166.36	1.69	R-2-F	RD E AND W (CO RD K)	0.39	630	0	1	0	1	0.00	2.57	0.00	2.57	
173.51	7.19	R-2-F	RD N (CO RD 29) - RD E AND W (CO RD R)	4.74	1,800	2	1	0	3	0.42	0.21	0.00	0.63	
173.99	0.47	R-2-F	MILEPOST 174	0.28	1,600	0	0	0	0	0.00	0.00	0.00	0.00	
174.36	0.35	U-2-F	JCT U.S.34 E AND W - BEGIN OVERLAPPING	0.20	1,600	0	0	0	0	0.00	0.00	0.00	0.00	
Totals:						72.30	18	7	0	25	0.74	0.29	0.00	1.03

SH071E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
175.49		U-4-R	JCT U.S.34 SH 34 E AND W (EDISON ST) -- END										
175.92	0.43	U-4-R	RD E AND W (MILL ST)	0.66	4,200	0	0	0	0	0.00	0.00	0.00	0.00
176.45	0.46	U-4-R	I-76 INTERCHANGE STR (C-22-AU C-22-CE) JCT	0.99	5,885	3	0	0	3	3.05	0.00	0.00	3.05
176.89	0.22	U-2-R	RD W (INDUSTRIAL PARK RD)	0.18	2,284	0	0	0	0	0.00	0.00	0.00	0.00
178.84	2.24	U-2-R	RD S (CO RD 29)	1.80	2,200	1	0	0	1	0.55	0.00	0.00	0.55
181.86	2.92	R-2-R	RD NE (CO RD W.60) - ACCESS REMOVED	1.39	1,300	1	1	0	2	0.72	0.72	0.00	1.44
182.55	0.58	R-2-R	RD E (CO RD X.00)	0.11	518	0	0	0	0	0.00	0.00	0.00	0.00
189.57	7.00	R-2-F	RD E AND W (CO RD EE)	0.92	360	1	0	0	1	1.08	0.00	0.00	1.08
198.99	9.43	R-2-F	MILEPOST 199	1.00	290	1	0	0	1	1.00	0.00	0.00	1.00

Safety Performance Function (SPF) Definition
Rural/Urban - # of Lanes - Terrain
R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
Fatal Rate in 100 Million Vehicle Miles Traveled
** PDO = Property Damage Only



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH071E														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
201.64	2.64	R-2-F	JCT SH 14 EAST AND WEST - BEGIN	0.28	290	2	0	0	2	7.15	0.00	0.00	7.15	
Totals:						25.92	9	1	0	10	1.23	0.14	0.00	1.36

SH071F														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
205.53		R-2-F	JCT SH 14 EAST AND WEST -- END OVERLAPPING											
214.99	9.51	R-2-F	MILEPOST 215	3.06	880	2	0	0	2	0.65	0.00	0.00	0.65	
224.38	9.34	R-2-R	MAJOR STR (A-22-B) TWO MILE CREEK	3.01	880	1	0	0	1	0.33	0.00	0.00	0.33	
225.16	0.77	R-2-F	RD E (CO RD 124)	0.25	880	0	0	0	0	0.00	0.00	0.00	0.00	
232.90	7.66	R-2-F	COLORADO-NEBRASKA STATE LINE -- END SH	1.77	630	1	1	0	2	0.57	0.57	0.00	1.13	
Totals:						27.28	4	1	0	5	0.49	0.12	0.00	0.62

SH072A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-3-R	RD E AND W (44TH AVE) - RD N (WARD RD) --										
0.27	0.36	U-3-R	RD E (48TH AVE)	4.19	31,789	25	3	0	28	5.95	0.71	0.00	6.67
1.29	0.98	U-4-R	ENTER ARVADA CITY LIMITS	11.12	31,000	16	2	0	18	1.44	0.18	0.00	1.63
1.56	0.25	U-4-R	RD E AND W (58TH AVE)	2.84	31,000	6	0	0	6	2.12	0.00	0.00	2.12
2.06	0.49	U-4-R	RD E (62ND AVE)	5.20	29,000	20	3	0	23	3.83	0.57	0.00	4.40
2.36	0.33	U-4-R	CHANGE ROADWAY DIRECTION (W) - RD N (WARD	2.90	24,000	8	0	0	8	2.75	0.00	0.00	2.75
3.03	0.68	U-5-R	RD N (DEFRAME ST) - RD S (WINDHAM PKWY)	5.23	21,018	23	4	0	27	4.43	0.77	0.00	5.20
3.60	0.58	U-4-R	CHANGE ROADWAY DIRECTION (N) - RD W (64TH	5.52	26,000	14	2	0	16	2.52	0.36	0.00	2.88
4.64	1.08	U-4-R	RD E AND W (W 72ND AVE) LEAVE DENVER	6.73	17,025	17	2	0	19	2.54	0.30	0.00	2.83
5.71	0.96	U-2-R	MINORSTR (072A005699BL E-16-AH MINOR)	5.27	15,002	19	1	0	20	3.59	0.19	0.00	3.78
5.98	0.28	U-2-R	RD E (82ND AVE) - RD W (LEYDEN RD)	1.54	15,000	4	0	0	4	2.58	0.00	0.00	2.58
6.26	0.33	U-2-R	RD N (INDIANA ST) (CO RD 17) - RD E (86TH PKY) --	1.81	15,000	5	1	0	6	2.74	0.55	0.00	3.29
7.34	1.00	U-2-R	ENTER ARVADA CITY LIMITS	1.44	3,933	4	0	0	4	2.77	0.00	0.00	2.77
8.78	1.38	U-2-R	RD (TOSCO RD)	1.97	3,900	0	0	0	0	0.00	0.00	0.00	0.00
9.99	1.18	U-2-R	MILEPOST 10	1.68	3,900	0	0	0	0	0.00	0.00	0.00	0.00
10.65	0.63	U-2-R	JCT SH-93A NW AND SE1	0.90	3,900	1	0	0	1	1.11	0.00	0.00	1.11
10.99	0.34	U-2-R	MILEPOST 11	0.61	4,900	5	0	0	5	8.13	0.00	0.00	8.13
17.51	6.51	R-2-M	RD SW (CO RD 2 TWIN SPRUCE RD GAP RD)	11.68	4,900	21	4	0	25	1.80	0.34	0.00	2.14



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH072A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
18.60	1.06	R-2-M	RD SW (RANCH ELSIE RD)	1.71	4,400	7	0	0	7	4.09	0.00	0.00	4.09
20.72	2.13	R-2-M	RD S (CAMP EDEN RD)	2.42	3,101	1	4	0	5	0.41	1.66	0.00	2.07
25.60	4.81	R-2-M	RD NW (CO RD 97)	3.17	1,801	6	0	0	6	1.89	0.00	0.00	1.89
29.38	3.79	R-2-M	JCT SH 119 NE AND SW - BEGIN OVERLAPPING	1.66	1,200	1	0	0	1	0.60	0.00	0.00	0.60
Totals:		29.15				203	26	0	229	2.55	0.33	0.00	2.88

SH072B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
32.37		R-2-M	JCT SH-119A S AND NE IN NEDERLAND CITY										
32.89	0.52	R-2-M	RD NE (FOREST RD)	0.66	3,456	3	0	0	3	4.61	0.00	0.00	4.61
41.97	9.05	R-2-M	LEAVE ROOSEVELT NATIONAL FOREST	6.62	2,000	10	2	0	12	1.51	0.30	0.00	1.81
44.09	2.19	R-2-M	RD SW (AMERICAN ST)	1.60	2,000	1	0	0	1	0.62	0.00	0.00	0.62
48.34	4.19	R-2-M	RD E (CO RD 94)	1.69	1,100	2	2	1	5	1.18	1.18	59.24	2.96
54.06	5.65	R-2-M	JCT SH007A NW AND NE -- END SH072B	2.48	1,200	4	2	0	6	1.61	0.81	0.00	2.42
Totals:		21.60				20	6	1	27	1.53	0.46	7.66	2.07

SH074A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-4-M	SIGN BRIDGE STR (SIGN-F-15-CU) -- PRIMARY										
0.44	0.70	R-4-M	RAMP ON (CONN FROM SH040B EB TO SH074A)	5.32	20,763	10	1	0	11	1.88	0.19	0.00	2.06
1.51	1.34	U-4-M	ENTER FILLIUS PARK	10.79	22,000	4	2	0	6	0.37	0.19	0.00	0.56
1.88	0.37	U-4-M	RD N AND S (SODA CREEK RD) (CO RD 63)	2.98	22,000	1	0	0	1	0.33	0.00	0.00	0.33
2.39	0.45	U-4-M	RD E (SUGARBUSH DR)	2.64	16,000	3	1	0	4	1.14	0.38	0.00	1.52
2.99	0.55	U-4-M	MILEPOST 3	4.03	20,000	4	0	0	4	1.00	0.00	0.00	1.00
3.34	0.34	U-4-M	RD NE (BERGAN PKWY) (OLD HWY 74)	2.24	18,000	1	0	0	1	0.44	0.00	0.00	0.44
4.48	1.28	U-4-M	RD E (LEWIS RIDGE RD) - RD W (BERGEN PEAK	10.78	23,000	10	0	0	10	0.93	0.00	0.00	0.93
5.33	0.84	U-4-M	RD E AND W (STAGECOACH BLVD EL PINAL DR)	6.46	21,010	9	2	0	11	1.40	0.31	0.00	1.71
5.80	0.40	U-4-M	RD W (PALO VERDE)	2.85	19,449	7	0	0	7	2.46	0.00	0.00	2.46
6.10	0.36	U-4-M	RD W (TROUTDALE RD)	2.24	17,000	2	0	0	2	0.89	0.00	0.00	0.89
6.43	0.30	U-4-M	RD SE (DOUGLAS PARK RD)	2.34	21,340	3	0	0	3	1.27	0.00	0.00	1.27
7.07	0.64	U-4-M	RD SW (BEAR CREEK RD CO RD 74)	5.15	22,000	8	1	0	9	1.56	0.20	0.00	1.76
7.47	0.36	U-2-M	RD SW (TURKEY CREEK RD) (CO RD 73)	0.88	6,700	8	0	0	8	9.19	0.00	0.00	9.19



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH074A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
7.80	0.23	U-2-M	RD SE (FOREST HILL RD) (CO RD EG 11)	0.49	5,800	4	0	0	4	8.12	0.00	0.00	8.12
8.99	1.26	U-2-M	MILEPOST 9	2.58	5,600	5	2	0	7	1.94	0.78	0.00	2.71
10.00	0.97	U-2-M	MILEPOST 10	1.99	5,600	2	0	0	2	1.01	0.00	0.00	1.01
10.39	0.39	U-2-M	LEAVE EVERGREEN URBAN AREA LIMITS	0.63	4,436	1	0	0	1	1.58	0.00	0.00	1.58
14.18	3.76	R-2-M	RD NE (GRAPEVINE RD) (CO RD ID7)	4.68	3,400	14	4	0	18	2.99	0.86	0.00	3.85
17.61	3.33	R-2-M	RD N (DRIVE WAY) AMPHITHEATER ENTRANCE	3.90	3,200	11	11	0	22	2.82	2.82	0.00	5.65
17.83	0.25	R-3-M	MINORSTR (074A018000BL) UNNAMED DRAINAGE	0.48	5,200	0	1	0	1	0.00	2.09	0.00	2.09
18.11	0.16	U-3-M	JCT SH008A SOUTH AND EAST -- END SH074A	0.30	5,200	1	0	0	1	3.35	0.00	0.00	3.35
Totals:						108	25	0	133	1.46	0.34	0.00	1.80

SH075B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
5.29		U-4-R	RD N (LOWELL BLVD) - RD W (BOWLES AVE)										
6.30	1.04	U-4-R	RD W (COAL MINE AVE)	6.47	17,000	18	2	0	20	2.78	0.31	0.00	3.09
6.90	0.60	U-2-R	RD W (FREMONT AVE)	2.18	9,947	1	1	0	2	0.46	0.46	0.00	0.92
7.35	0.46	U-2-R	RD E AND W (MINERAL RD)	2.02	12,000	2	1	0	3	0.99	0.50	0.00	1.49
7.80	0.44	U-2-R	RD NW (CANYON TRAIL)	1.23	7,630	10	0	0	10	8.21	0.00	0.00	8.21
8.52	0.75	U-2-R	JCT SH 470A EAST AND WEST -- END SH 075B	1.90	6,934	2	1	0	3	1.05	0.53	0.00	1.58
Totals:						33	5	0	38	2.39	0.36	0.00	2.75

SH076A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-5-R	JCT I-70A (3) LANES CHANGE DIRECTIONS I-70										
1.04	0.89	U-5-R	SIGN BRIDGE STR (SIGN-E-16-LN) - 0076A MEDIAN	23.13	71,000	13	2	0	15	0.56	0.09	0.00	0.65
1.76	0.65	U-4-R	SHERIDAN BOULEVARD/SH 095A INTERCHANGE	16.89	71,000	7	1	0	8	0.42	0.06	0.00	0.48
2.77	1.01	U-4-R	MAJOR STRS (E-16-LC) WB AND (E-16-LB) EB - RD	26.99	73,000	26	4	0	30	0.96	0.15	0.00	1.11
3.21	0.49	U-4-R	FEDERAL BOULEVARD/U.S. 287C INTERCHANGE	13.09	73,000	9	0	0	9	0.69	0.00	0.00	0.69
4.21	0.97	U-4-R	MAJOR STRS (E-16-MI) EB AND (E-16-MJ) WB AND	25.92	73,000	14	3	0	17	0.54	0.12	0.00	0.66
5.30	1.10	U-4-R	RAMP ON - (FROM I-25 NB RAMP H AND SB RAMP	27.38	68,000	35	1	0	36	1.28	0.04	0.00	1.32
5.77	0.48	U-4-R	I-25 INTERCHANGE STRS (E-17-OC) EB AND	11.95	68,000	9	0	0	9	0.75	0.00	0.00	0.75
6.79	1.09	U-4-R	I-270B INTERCHANGE STRS (E-17-QS) WB AND	31.52	79,000	31	6	0	37	0.99	0.19	0.00	1.18
7.86	1.01	U-6-R	RAMP ON - (FROM SH 224A EB RAMP E) EXIT 2	27.36	74,015	41	2	0	43	1.50	0.07	0.00	1.57



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH076A													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
8.56	0.82	U-4-R	REGIONAL SECTION POLITICAL BOUNDARY OR	18.88	62,915	23	3	0	26	1.22	0.16	0.00	1.38
9.47	0.90	U-4-R	COMMERCE CITY INTERCHANGE STR (E-17-HB)	18.45	56,000	14	2	0	16	0.76	0.11	0.00	0.87
10.46	0.99	U-4-R	88TH AVENUE INTERCHANGE STR (E-17-KS)	27.88	76,936	15	3	0	18	0.54	0.11	0.00	0.65
11.54	1.06	U-6-R	INTERCHANGE STR (E-17-KT) - RD E AND W (96TH	28.71	74,000	33	5	0	38	1.15	0.17	0.00	1.33
12.42	0.93	U-6-R	JCT U.S. 85C NORTH - RAMP OFF TO SH-85C NB	21.78	64,000	25	5	0	30	1.15	0.23	0.00	1.38
13.68	1.16	U-4-R	MAJOR STR (E-17-VR) I 76 ML - ENTER	11.46	27,000	11	1	0	12	0.96	0.09	0.00	1.05
14.99	1.36	U-4-R	MILEPOST 15 - POST IS NOT VISIBLE	13.44	27,000	3	1	0	4	0.22	0.07	0.00	0.30
16.03	0.98	U-4-R	MINORSTR (076A016156BL E-17-AC MINOR) FARM	9.68	27,000	0	1	0	1	0.00	0.10	0.00	0.10
16.47	0.47	U-4-R	I-76 INTERCHANGE (COMMERCE CITY/SABLE) STR	4.64	27,000	2	0	0	2	0.43	0.00	0.00	0.43
17.09	0.56	U-4-R	MAJOR STR (E-17-UG) - RD E AND W (120TH AVE)	5.74	28,000	7	0	0	7	1.23	0.00	0.00	1.23
18.12	1.06	U-4-R	MAJOR STR (E-17-UM) AND (E-17-UN) THIRD	9.86	25,413	7	2	0	9	0.71	0.20	0.00	0.92
19.15	0.99	U-4-R	MAJOR STR (E-17-PQ) BRIGHTON LATERAL DITCH	10.87	30,000	1	0	0	1	0.09	0.00	0.00	0.09
19.71	0.55	U-4-R	INTERCHANGE STR (E-17-PR) - RD E AND W	6.04	30,000	5	1	0	6	0.83	0.17	0.00	0.99
20.74	1.00	U-4-R	EXIT 21 - SIGN BRIDGE STR (E-17-YA) - RAMP ON	10.25	28,006	12	0	0	12	1.17	0.00	0.00	1.17
21.78	1.08	U-4-R	SIGN BRIDGE STR (SIGN-E-17-TL) - 0076A MEDIAN	11.77	29,771	13	2	0	15	1.10	0.17	0.00	1.27
22.40	0.59	U-4-R	BROMLEY LANE INTERCHANGE STR (E-17-MI) - RD	6.69	31,000	3	3	0	6	0.45	0.45	0.00	0.89
23.41	1.03	U-4-R	MAJOR STR (E-18-B) W BURLINGTON DITCH	7.54	20,000	9	1	0	10	1.19	0.13	0.00	1.33
23.70	0.24	U-4-R	INTERCHANGE STR (E-18-AO) SH 007D (BRIDGE	1.76	20,000	2	0	0	2	1.14	0.00	0.00	1.14
24.86	1.09	U-4-R	RAMP ON - (EXIT 25 - FROM BASELINE RD RAMP	6.78	17,005	3	2	0	5	0.44	0.29	0.00	0.74
25.14	0.35	U-4-R	ADAMS/WELD COUNTY LINE - ENTER DISTRICT (1)	2.18	17,000	0	0	0	0	0.00	0.00	0.00	0.00
31.47	6.26	R-4-R	HUDSON INTERCHANGE STR (D-18-BR) SH 52 ML	38.95	17,000	13	1	0	14	0.33	0.03	0.00	0.36
34.40	2.98	R-4-R	KERSEY ROAD INTERCHANGE STRS (D-18-BV) WB	17.45	16,000	11	1	0	12	0.63	0.06	0.00	0.69
43.99	9.54	R-4-R	MILEPOST 44	41.70	11,943	22	3	0	25	0.53	0.07	0.00	0.60
47.96	3.95	R-4-F	ROGGEN INTERCHANGE STR (D-19-N) - RD N AND	15.90	11,000	7	2	0	9	0.44	0.13	0.00	0.57
49.23	1.27	R-4-F	PAINTER ROAD INTERCHANGE STRS (D-19-S) EB	5.11	11,000	3	0	0	3	0.59	0.00	0.00	0.59
58.99	9.84	R-4-F	MILEPOST 59	39.62	11,000	11	6	0	17	0.28	0.15	0.00	0.43
63.87	4.75	R-4-F	WIGGINS INTERCHANGE STR (D-20-AC) - JCT SH 6	19.12	11,000	10	3	0	13	0.52	0.16	0.00	0.68
66.09	2.22	R-4-F	MAJOR STR (D-20-AH) WIGGINS/GGODRICH	7.80	9,603	3	2	0	5	0.39	0.26	0.00	0.64
66.60	0.47	R-4-F	RAMP OFF (TO U.S. 034A AND U.S. 006I) WB	2.23	12,951	0	2	0	2	0.00	0.89	0.00	0.89
75.61	8.90	R-4-F	RAMP ON (FROM SH 034B RAMP F) EXIT 158	45.60	14,000	25	2	0	27	0.55	0.04	0.00	0.59
76.61	1.07	R-4-R	RD S (CO RD 15.00)	5.48	14,000	1	0	0	1	0.18	0.00	0.00	0.18
78.66	1.98	R-4-R	MEDIAN CROSSOVER -- ENTER FORT MORGAN	10.15	14,000	3	3	0	6	0.30	0.30	0.00	0.59
79.90	1.23	U-4-R	MINORSTR (076A079850BR) UTILITY UNDERPASS	6.67	14,813	4	0	0	4	0.60	0.00	0.00	0.60
80.28	0.43	U-4-R	MINORSTR (076A080293BR C-21-E MINOR)	2.36	15,000	2	1	0	3	0.86	0.43	0.00	1.29
81.42	1.14	U-4-R	RAMP ON - (FROM BARLOW RD SB RAMP E) EXIT	6.26	15,000	6	0	0	6	0.96	0.00	0.00	0.96



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH076A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
81.83	0.39	U-4-R	RAMPS ON AND OFF GORES	2.08	14,579	2	0	0	2	0.96	0.00	0.00	0.96
82.70	0.84	U-4-R	LEAVE FORT MORGAN URBAN AREA	4.30	14,000	4	0	0	4	0.92	0.00	0.00	0.92
87.70	5.00	R-4-R	MINOR STR (C-22-F MINOR) RD N AND S (COUNTY	24.90	13,604	17	0	1	18	0.68	0.00	4.02	0.72
88.69	0.98	U-4-R	HOSPITAL ROAD INTERCHANGE STRS (C-22-AS	4.66	13,000	3	1	0	4	0.64	0.21	0.00	0.86
89.63	0.98	U-4-R	BRUSH INTERCHANGE STR (C-22-AU C-22-CE) -	4.30	12,000	2	1	0	3	0.46	0.23	0.00	0.70
91.68	2.00	R-4-R	BRUSH INTERCHANGE STRS (C-22-BG) EB AND	8.05	11,002	5	3	0	8	0.62	0.37	0.00	0.99
100.99	9.27	R-4-R	MILEPOST 101	33.93	10,000	13	4	1	18	0.38	0.12	2.95	0.53
110.68	9.71	R-4-R	MAJOR STRS (C-23-E) WB (C-23-F) EB TWENTY	35.54	10,000	23	2	0	25	0.65	0.06	0.00	0.70
115.19	4.52	R-4-R	ATWOOD/STERLING INTERCHANGE STRS	16.54	10,000	13	1	0	14	0.79	0.06	0.00	0.85
124.04	8.83	R-4-R	ENTER STERLING CITY AND URBAN LIMITS	26.82	8,300	7	1	0	8	0.26	0.04	0.00	0.30
124.75	0.73	U-4-R	STERLING INTERCHANGE STRS (B-24-AT) AND	2.22	8,300	1	0	0	1	0.45	0.00	0.00	0.45
125.45	0.67	U-4-R	LEAVE STERLING URBAN AREA - LEAVE	1.57	6,400	6	0	0	6	3.83	0.00	0.00	3.83
133.50	8.04	R-4-R	ILIFF INTERCHANGE STRS (B-24-J) EB AND (B-24-I)	18.83	6,400	8	2	0	10	0.42	0.11	0.00	0.53
142.63	9.14	R-4-R	MINORSTR (076A142640BR) UNNAMED DRAINAGE	24.09	7,200	9	0	0	9	0.37	0.00	0.00	0.37
148.87	6.25	R-4-R	CROOK INTERCHANGE STRS (A-25-K) EB AND	16.47	7,200	10	2	0	12	0.61	0.12	0.00	0.73
157.99	9.08	R-4-R	MILEPOST 158	19.94	6,000	12	2	0	14	0.60	0.10	0.00	0.70
164.92	6.93	R-4-R	SEDGWICK INTERCHANGE STRS (A-26-P) EB AND	15.22	6,000	4	0	0	4	0.26	0.00	0.00	0.26
172.01	7.08	R-4-R	OVID INTERCHANGE STRS (A-27-AF) EB AND	17.62	6,800	5	0	0	5	0.28	0.00	0.00	0.28
180.21	8.19	R-4-R	JULESBURG INTERCHANGE STRS (A-28-R) EB AND	19.18	6,400	6	1	0	7	0.31	0.05	0.00	0.36
184.14	3.85	R-4-R	COLORADO-NEBRASKA STATE LINE -- END I-76	8.60	6,100	3	1	0	4	0.35	0.12	0.00	0.47
Totals:	183.41					647	98	2	747	0.64	0.10	0.20	0.74

SH076B													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	RD E AND W (CO RD 18) -- KEENESBURG CITY										
0.47	0.47	R-2-R	RD E AND W (OLD U.S. 6) - RD S (ELM ST) -- END	0.50	2,887	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	0.47					0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH078A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH 165 NW AND SE IN SAN ISABEL NATIONAL										
8.99	8.98	R-2-M	MILEPOST 9	0.16	50	1	0	0	1	6.08	0.00	0.00	6.08
12.70	3.37	R-2-M	MAJOR STR (L-17-Z) JCT SH 078B NW (BEULAH	0.56	450	2	0	0	2	3.61	0.00	0.00	3.61
18.18	5.40	R-2-M	RD N AND S (CO RD 221)	2.17	1,100	5	3	0	8	2.30	1.38	0.00	3.68
27.25	9.03	R-2-R	MAJOR STR (L-17-CD) BOGGS CREEK - ENTER	4.63	1,400	3	0	0	3	0.65	0.00	0.00	0.65
28.99	1.79	U-2-R	MILEPOST 29	0.92	1,400	0	0	0	0	0.00	0.00	0.00	0.00
29.89	0.81	U-2-R	RD NW (CO RD 931) (HOG FARM RD)	0.42	1,400	0	1	0	1	0.00	2.41	0.00	2.41
30.99	1.17	U-2-R	MILEPOST 31	1.67	3,894	0	0	0	0	0.00	0.00	0.00	0.00
32.10	1.05	U-2-R	RD NW AND SE (BANDERA PKWY)	1.50	3,900	0	0	0	0	0.00	0.00	0.00	0.00
32.43	0.32	U-2-R	RD SE (LA VISTA ROAD)	0.63	5,399	0	0	0	0	0.00	0.00	0.00	0.00
32.99	0.55	U-3-R	RD NW (THAMES DR) - MILEPOST 33	1.80	8,953	3	1	0	4	1.65	0.55	0.00	2.20
33.27	0.27	U-4-R	JCT SH 045A N AND S (PUEBLO BLVD) - RD NE	1.58	16,000	7	0	0	7	4.43	0.00	0.00	4.43
Totals:	32.74					21	5	0	26	1.31	0.31	0.00	1.62

SH078B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 078B NORTH - BEGIN SH 078B - ROUTE 78										
1.49	1.47	R-2-R	RD N AND S (CR 213) (PENNSYLVANIA AVE) - RD W	0.41	760	1	0	0	1	2.44	0.00	0.00	2.44
Totals:	1.47					1	0	0	1	2.45	0.00	0.00	2.45

SH079A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	RD W (DRIVEWAY TO YARD) BEGIN SH079A --										
1.24	1.38	R-2-R	JCT SH036C WEST -- END SH079A	2.17	4,300	3	0	0	3	1.38	0.00	0.00	1.38
Totals:	1.38					3	0	0	3	1.38	0.00	0.00	1.38



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH079B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
1.58		R-2-R	JCT SH 36 -- BEGIN SH 079B										
8.81	7.37	R-2-R	RD E AND W (88TH AVE IRONDALE RD CO RD 24)	7.01	2,600	0	0	0	0	0.00	0.00	0.00	0.00
17.99	9.19	R-2-R	MILEPOST 18	5.05	1,500	4	1	0	5	0.79	0.20	0.00	0.99
23.89	5.91	R-2-R	JCT SH 52 E AND W - RD N (CO RD 69) (PROSPECT	3.24	1,500	2	0	0	2	0.62	0.00	0.00	0.62
Totals:	22.47					6	1	0	7	0.39	0.07	0.00	0.46

SH082A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-M	RAMPS ON AND OFF (TO/FROM I-70 EB) BEGIN										
0.33	0.36	U-4-M	RAMPS ON AND OFF TO FRONTAGE ROADS (TO	3.27	24,792	34	1	0	35	10.53	0.31	0.00	10.83
1.35	1.22	U-4-M	RD W (WENDYS DRIVEWAY)	10.72	24,000	93	5	0	98	8.71	0.47	0.00	9.18
1.70	0.35	U-4-M	RD E AND W (27TH ST)	2.85	22,214	9	0	0	9	3.21	0.00	0.00	3.21
2.56	0.83	U-4-M	REGION BOUNDARY OR CLASSIFICATION	6.55	21,558	20	3	0	23	3.04	0.46	0.00	3.50
3.42	0.85	R-4-M	REGION BOUNDARY OR CLASSIFICATION	6.53	21,000	4	0	0	4	0.62	0.00	0.00	0.62
3.99	0.54	U-4-M	MILEPOST 4 - LEAVE GLENWOOD SPRINGS	4.15	21,000	9	1	0	10	2.17	0.24	0.00	2.41
4.75	0.75	R-4-M	REGION BOUNDARY OR CLASSIFICATION	5.76	21,000	6	1	0	7	1.04	0.17	0.00	1.22
4.99	0.22	U-4-M	RD NE (CO RD 154) - RD SW (OLD HWY 82) -	1.69	21,000	1	0	0	1	0.58	0.00	0.00	0.58
6.51	1.49	R-4-M	REGION BOUNDARY OR CLASSIFICATION	11.45	21,000	7	0	0	7	0.61	0.00	0.00	0.61
6.75	0.22	U-4-M	REGION BOUNDARY OR CLASSIFICATION	1.69	21,000	2	0	0	2	1.20	0.00	0.00	1.20
7.81	1.03	R-4-M	RD NE (CO RD 110 SPRING VALLY RD)	7.92	21,000	12	0	0	12	1.52	0.00	0.00	1.52
11.69	3.85	R-4-M	JCT SH133A SOUTH (CARBONDALE) - RD N (CO RD	26.78	19,002	14	0	0	14	0.52	0.00	0.00	0.52
13.54	1.80	R-4-M	RD NE (CO RD 103 CRYSTAL SPRINGS RD)	10.54	16,000	7	1	0	8	0.67	0.10	0.00	0.76
17.32	3.78	R-4-M	REGION BOUNDARY OR CLASSIFICATION	40.11	28,990	11	1	0	12	0.27	0.02	0.00	0.30
18.91	1.58	U-4-M	RD E (NURSERY RD) (CO RD 3A)	16.77	29,000	14	1	0	15	0.84	0.06	0.00	0.90
19.17	0.25	U-4-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	2.37	25,864	4	0	0	4	1.69	0.00	0.00	1.69
19.48	0.30	U-4-M	RD SW (WILLITS LN) (CO RD 102)	2.42	22,000	5	0	0	5	2.07	0.00	0.00	2.07
20.60	1.11	U-4-M	RD SW (EAST VALLEY RD) LOOP ROAD - RD NE	9.34	23,000	9	1	0	10	0.96	0.11	0.00	1.07
20.94	0.34	U-4-M	RD SW (WILLITS LN) (CO RD 3-C) - RD NE (TWO	2.86	23,000	3	1	0	4	1.04	0.35	0.00	1.38
21.17	0.28	U-4-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	1.95	19,058	13	0	0	13	6.78	0.00	0.00	6.78
22.14	0.92	R-4-M	PITKIN - EAGLE COUNTY LINE	6.40	19,000	10	1	0	11	1.56	0.16	0.00	1.71
22.53	0.38	U-4-M	BEGIN FRONTAGE RD LEFT	2.64	19,000	1	2	0	3	0.38	0.75	0.00	1.13
22.85	0.31	R-4-M	BEGIN FRONTAGE RD RIGHT	2.16	19,000	2	0	0	2	0.92	0.00	0.00	0.92
23.12	0.26	U-4-M	ENTER BASALT CITY LIMITS	1.81	19,000	7	1	0	8	3.89	0.56	0.00	4.44



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH082A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
23.56	0.44	U-4-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	3.06	19,000	0	0	0	0	0.00	0.00	0.00	0.00
24.08	0.47	R-4-M	RD NE (ARBANEY RANCH RD)	2.98	17,317	4	1	0	5	1.35	0.34	0.00	1.69
33.12	8.93	R-4-M	LEAVE SNOWMASS VILLAGE CITY LIMITS	52.29	16,000	45	5	0	50	0.86	0.10	0.00	0.96
37.07	3.97	R-4-R	REGION BOUNDARY OR CLASSIFICATION	23.25	16,000	13	5	0	18	0.56	0.22	0.00	0.77
37.62	0.50	U-4-R	RD E AND W (BALTIC AVE)	3.14	17,171	1	0	0	1	0.32	0.00	0.00	0.32
38.31	0.73	U-4-R	ENTER ASPEN CITY LIMITS - IN PITKIN COUNTY	4.81	18,000	5	0	1	6	1.04	0.00	20.85	1.25
39.35	1.09	U-4-R	RD S (CO RD 3)	7.58	18,997	18	1	0	19	2.37	0.13	0.00	2.50
39.79	0.45	U-2-R	RD S (CO RD 13 MAROON CR RD CASTLE CREEK	3.13	19,000	7	1	0	8	2.22	0.32	0.00	2.53
40.62	0.76	U-2-M	RD N AND S (5TH ST)	5.84	20,990	34	4	0	38	5.79	0.68	0.00	6.47
40.88	0.25	U-4-M	RD N AND S (1ST ST)	2.15	23,528	11	0	0	11	5.19	0.00	0.00	5.19
41.15	0.26	U-4-M	RD N AND S (MILL ST)	2.09	21,935	18	0	0	18	8.53	0.00	0.00	8.53
41.42	0.26	U-4-M	RD E (NEALE ST)	1.06	11,165	17	2	0	19	15.88	1.87	0.00	17.75
41.73	0.26	U-2-M	RD N (CLEVELAND ST)	0.61	6,377	6	1	0	7	9.81	1.64	0.00	11.45
42.46	0.76	U-2-M	RD NE (EAST LUPINE DRIVE) (CO RD 103)	1.64	5,900	1	0	0	1	0.61	0.00	0.00	0.61
42.86	0.38	U-2-M	REGIONAL SECTION OR DISTRICT BOUNDARY -	0.16	1,151	2	0	0	2	12.56	0.00	0.00	12.56
51.24	8.31	R-2-M	RD SW (CO RD 23 LINCOLN CREEK RD)	3.35	1,100	6	1	0	7	1.79	0.30	0.00	2.09
60.99	9.49	R-2-M	MILEPOST 61	3.40	980	5	1	0	6	1.47	0.29	0.00	1.76
70.55	9.22	R-2-M	RD SW (CO RD 82C) SOUTH FORK CREEK ROAD	3.31	980	3	1	0	4	0.91	0.30	0.00	1.21
78.99	8.26	R-2-M	MILEPOST 79	2.96	980	2	1	0	3	0.67	0.34	0.00	1.01
83.46	4.43	R-2-M	RD N (CO RD 10)	2.27	1,400	0	0	0	0	0.00	0.00	0.00	0.00
85.29	1.81	R-2-M	MAJOR STR (H-11-AD) - JCT U.S.24 NORTH AND	0.93	1,400	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	84.05					495	44	1	540	1.55	0.14	0.31	1.69

SH083A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
20.37		U-4-R	WEST SIDE RIGHT-OF-WAY RAMPS ON AND OFF										
21.23	0.85	U-4-R	RD NE (SHOUP RD CR 68)	4.98	16,000	6	3	0	9	1.21	0.60	0.00	1.81
22.58	1.33	U-4-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	4.82	9,905	5	0	0	5	1.04	0.00	0.00	1.04
23.12	0.54	U-4-R	RD W (OLD NORTH GATE RD)	1.96	9,900	4	2	1	7	2.06	1.03	51.49	3.60
24.59	1.45	U-2-R	RD W (STAGECOACH RD) (SHAMROCK RANCH RD)	4.25	8,000	3	2	0	5	0.71	0.47	0.00	1.18
25.86	1.25	U-2-R	RD E AND W (HODGEN RD) (CO RD 26)	3.66	8,000	8	2	0	10	2.19	0.55	0.00	2.74
26.99	1.08	U-2-R	MILEPOST 27	2.65	6,700	3	1	0	4	1.13	0.38	0.00	1.51
28.12	1.04	U-2-R	JCT SH 105A WEST - RD E (WALKER RD) (CO RD	2.55	6,700	1	0	0	1	0.39	0.00	0.00	0.39



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH083A													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
29.79	1.74	U-2-R	MINORSTR (083A029870BR) UNNAMED DRAINAGE	3.12	4,901	6	0	0	6	1.92	0.00	0.00	1.92
30.23	0.34	U-2-R	RD E AND W (CO RD 404) -- EL PASO-DOUGLAS	0.61	4,900	1	0	0	1	1.63	0.00	0.00	1.63
30.49	0.26	U-2-R	RD E (EL DORADO WY)	0.30	3,200	2	0	1	3	6.70	0.00	334.83	10.05
39.99	9.47	R-2-R	MILEPOST 40	11.09	3,200	9	0	1	10	0.81	0.00	9.02	0.90
42.33	2.33	R-2-R	RD SW (DAHLBURG RD CO RD 63) - RD W (LAKE	2.73	3,200	7	1	0	8	2.57	0.37	0.00	2.93
50.75	8.57	R-2-R	JCT SH 86 SE AND W (FRANKTOWN)	19.13	6,100	8	5	0	13	0.42	0.26	0.00	0.68
53.85	3.08	R-2-R	RD SE (BAYOU GULCH RD) (CO RD 28)	13.53	12,000	13	2	0	15	0.96	0.15	0.00	1.11
54.20	0.36	U-4-R	RD E (PINERY PKWY) - RD W (OLD SCHOOL	2.50	18,980	7	2	0	9	2.84	0.81	0.00	3.65
55.24	1.02	U-5-R	MINORSTR (083A055228BR G-17-BP) DRAW AND	7.84	21,000	14	5	0	19	1.79	0.64	0.00	2.43
55.61	0.35	U-5-R	MINORSTR (083A055630BR) UNNAMED DRAINAGE	3.91	30,528	3	0	1	4	0.76	0.00	25.43	1.02
56.85	1.23	U-6-R	RD E AND W (STROH RD CO RD 14) -- ENTER	15.31	34,000	7	0	0	7	0.46	0.00	0.00	0.46
57.85	1.00	U-6-R	RD E AND W (HESS RD)	14.64	39,994	13	4	0	17	0.89	0.27	0.00	1.16
58.97	0.99	U-6-R	ENTER PARKER CITY LIMITS - IN DOUGLAS	14.49	40,000	28	0	0	28	1.94	0.00	0.00	1.94
59.31	0.31	U-6-R	RD NE (PIKES PEAK RD) (CO RD 8A)	4.62	40,726	18	3	0	21	3.85	0.64	0.00	4.49
59.77	0.47	U-6-R	RD E AND W (MAINSTREET ST)	7.22	42,000	9	0	0	9	1.25	0.00	0.00	1.25
60.81	1.15	U-6-R	RD E (BALDWIN AVE)	19.36	46,000	61	1	0	62	3.14	0.05	0.00	3.19
61.16	0.34	U-6-R	MAJOR STR (F-17-IB) BALDWIN GULCH	5.90	47,390	42	1	0	43	7.10	0.17	0.00	7.27
61.44	0.27	U-6-R	RD E (PINE LN AVE)	4.74	48,000	18	0	0	18	3.87	0.00	0.00	3.87
62.07	0.59	U-7-R	INTERCHANGE STRS (F-17-C) AND (F-17-L) -- JCT	9.93	46,000	28	1	0	29	2.84	0.10	0.00	2.94
63.11	1.07	U-6-R	DOUGLAS-ARAPAHOE COUNTY LINE - LEAVE	16.45	42,000	16	0	0	16	0.98	0.00	0.00	0.98
63.55	0.46	U-6-R	RD NE (E MINERAL PL) (CO RD 48.2)	7.07	42,000	0	0	0	0	0.00	0.00	0.00	0.00
64.61	1.01	U-6-R	RD NE (FREMONT AVE CR 44.1) ENTER AURORA	12.57	34,000	22	1	0	23	1.75	0.08	0.00	1.83
65.31	0.70	U-6-R	MAJOR INTERCHANGE STR (F-17-QU) - RD E AND	8.71	34,000	7	0	0	7	0.80	0.00	0.00	0.80
66.45	1.04	U-5-R	MAJOR STR (F-17-I) PINEY CREEK	20.94	55,000	53	2	0	55	2.53	0.10	0.00	2.63
66.73	0.26	U-6-R	RD NE (MALL ENTERANCE)	4.38	46,004	27	2	0	29	6.10	0.45	0.00	6.55
67.92	1.18	U-5-R	RD (WHITAKER PL)	17.71	41,000	29	5	0	34	1.63	0.28	0.00	1.92
68.78	0.85	U-4-R	RD E AND W (QUINCY AVE)	12.76	41,000	24	3	0	27	1.87	0.23	0.00	2.11
69.82	1.08	U-5-R	REGIONAL SECTION POLITICAL BOUNDARY OR	29.25	74,000	79	9	0	88	2.71	0.31	0.00	3.02
70.07	0.23	U-6-R	SIGN BRIDGE STR (F-17-WC) -- RAMP ON (ACCESS	6.38	75,766	11	0	0	11	1.72	0.00	0.00	1.72
70.56	0.45	U-8-R	I-225 INTERCHANGE STRS (F-17-KK) AND (F-17-GZ)	12.52	76,000	49	7	0	56	3.90	0.56	0.00	4.45
70.88	0.30	U-6-R	SIGN BRIDGE STR (F-17-MX) -- RD (REGENT	5.74	52,285	44	3	0	47	7.72	0.53	0.00	8.24
71.22	0.34	U-6-R	RD W (DARTMOUTH AVE) - RD E (CORNELL ST)	5.85	47,000	23	2	0	25	3.89	0.34	0.00	4.22
71.80	0.57	U-7-R	RD E AND W (YALE AVE)	8.55	41,000	30	2	0	32	3.50	0.23	0.00	3.73
72.12	0.30	U-6-R	LEAVE ARAPAHOE COUNTY - LEAVE AURORA	4.72	42,993	24	1	0	25	5.10	0.21	0.00	5.31
72.48	0.36	U-5-R	LEAVE DENVER COUNTY - LEAVE DENVER CITY	5.01	38,042	24	2	0	26	4.84	0.40	0.00	5.25



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH083A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
73.62	1.15	U-5-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	12.21	29,008	51	7	0	58	4.20	0.58	0.00	4.77
74.53	0.90	U-4-R	RD NE (MISSISSIPPI AVE)	9.55	29,000	26	3	0	29	2.72	0.31	0.00	3.04
74.91	0.36	U-4-R	RD N AND S (S QUEBEC ST)	5.92	44,955	33	3	1	37	5.59	0.51	16.93	6.26
75.48	0.58	U-4-R	RD N AND S (MONACO PKWY)	8.70	41,000	97	10	1	108	11.16	1.15	11.51	12.43
76.07	0.57	U-4-R	RD N AND S (HOLLY ST)	7.30	35,000	50	7	0	57	6.80	0.95	0.00	7.75
76.68	0.60	U-4-R	RD S (S CHERRY ST)	7.03	32,000	40	3	0	43	5.73	0.43	0.00	6.16
76.99	0.28	U-4-R	MILEPOST 77	2.70	26,300	38	3	0	41	14.10	1.11	0.00	15.21
77.27	0.25	U-2-R	JCT SH 002A NORTH AND SOUTH (COLORADO	1.65	18,000	1	1	0	2	0.60	0.60	0.00	1.20
Totals:		56.30				1,122	111	6	1,239	2.67	0.26	1.43	2.95

SH084A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	NEW MEXICO-COLORADO STATE LINE -- BEGIN										
4.61	4.60	R-2-M	MAJOR STR (P-09-E) LITTLE NAVAJO RIVER - RD	1.50	890	2	0	0	2	1.33	0.00	0.00	1.33
12.43	7.83	R-2-M	RD S (CO RD 33.50)	3.15	1,100	5	0	0	5	1.59	0.00	0.00	1.59
19.73	7.29	R-2-M	RD NE (CO RD O.00)	3.47	1,300	7	2	0	9	2.02	0.58	0.00	2.59
25.91	6.09	R-2-M	RD NW (CO RD P.90) (HOT SPINGS BLVD)	4.23	1,900	8	2	0	10	1.89	0.47	0.00	2.36
27.92	1.98	R-2-M	JCT U.S.160 NE AND SW -- END U.S. 084A	2.11	2,917	4	1	0	5	1.89	0.47	0.00	2.36
Totals:		27.79				26	5	0	31	1.80	0.35	0.00	2.14

SH085A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
127.65		R-2-R	RD N AND S (S CHARTER OAK RANCH RD) (CO RD										
127.94	0.28	R-2-R	LEAVE TPR (14) - LEAVE CENTRAL FRONT RANGE	0.93	9,100	0	0	0	0	0.00	0.00	0.00	0.00
128.24	0.28	U-2-R	RD NW (CREST DR) - RD S (SANTA FE AVE)	1.10	10,697	0	0	0	0	0.00	0.00	0.00	0.00
128.63	0.37	U-2-R	RD E AND W (ILLINOIS AVE)	1.49	11,000	0	0	0	0	0.00	0.00	0.00	0.00
129.72	1.08	U-2-R	RD E (COMANCHE VILLAGE DR)	3.91	9,900	0	0	0	0	0.00	0.00	0.00	0.00
130.85	1.30	U-4-R	RD W (CATTAIL MARSH RD) - ENTER FOUNTAIN	6.66	14,000	1	0	0	1	0.15	0.00	0.00	0.15
131.55	0.62	U-2-R	WIDFIELD INTERCHANGE STR (J-18-BJ) JCT SH	3.18	14,000	0	0	0	0	0.00	0.00	0.00	0.00
131.99	0.31	U-2-R	MILEPOST 132 - CHANGE ROADWAY WIDTH	1.93	16,990	0	0	0	0	0.00	0.00	0.00	0.00
132.78	0.84	U-3-R	RD W AND NE (FONTAINE BLVD) (CO RD 476)	4.92	16,000	0	0	0	0	0.00	0.00	0.00	0.00
133.86	1.11	U-4-R	RD SW (CR 673) (WIDFIELD RD) (SOUTHMOOR	8.94	22,000	3	1	0	4	0.34	0.11	0.00	0.45



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH085A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
134.14	0.27	U-4-R	REGIONAL SECTION POLITICAL BOUNDARY OR	2.00	20,251	2	0	0	2	1.00	0.00	0.00	1.00
135.35	1.19	U-4-R	LOOP RAMPS ON - RAMP OFF (OLD SH83)	8.28	19,000	4	0	0	4	0.48	0.00	0.00	0.48
135.81	0.45	U-4-R	RD SW (CO RD 1574) (GLENARM RD)	2.35	14,288	11	5	0	16	4.65	2.12	0.00	6.77
136.25	0.42	U-4-R	RD NW (CO RD 379) (HAMLIN RD)	2.00	13,000	1	0	0	1	0.50	0.00	0.00	0.50
137.04	0.87	U-2-R	D RAMP OFF (TO B STREET) -- RD N (VENETUCCI	3.16	9,914	13	3	0	16	4.14	0.95	0.00	5.09
Totals:		9.39				35	9	0	44	0.69	0.18	0.00	0.87

SH085B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
184.67		U-6-R	FOUNDERS PARKWAY INTERCHANGE STR										
184.99	0.32	U-6-R	MILEPOST 185	3.85	32,842	62	3	0	65	15.97	0.77	0.00	16.74
185.29	0.29	U-4-R	MINORSTR (085B185290BR) UNNAMED DRAINAGE	1.81	17,007	18	1	0	19	10.01	0.56	0.00	10.56
186.92	1.62	U-4-R	RD SW (DRIVEWAY TO WATER TREATMENT	8.89	15,000	5	1	0	6	0.56	0.11	0.00	0.68
187.77	0.83	U-2-R	RD N (DANIELS PARK RD) (CR 29)	4.56	15,000	7	1	0	8	1.53	0.22	0.00	1.75
190.36	2.60	R-2-R	JCT SH 067E SW (SEDALIA)	15.23	16,000	4	5	0	9	0.26	0.33	0.00	0.59
193.98	3.57	R-4-R	RD W (KELLEY AVE) - RD E (GANN RD) (LOUVIERS	18.29	14,000	12	4	0	16	0.66	0.22	0.00	0.87
196.18	2.33	R-2-R	TITAN PARKWAY MAJOR INTERCHANGE STR	13.64	15,998	12	5	0	17	0.88	0.37	0.00	1.25
196.69	0.41	R-2-R	ENTER DENVER AURORA URBAN AREA	3.45	23,000	5	1	0	6	1.45	0.29	0.00	1.74
197.19	0.46	U-4-R	RD NE (LAKESIDE DR)	3.87	23,000	2	0	0	2	0.51	0.00	0.00	0.51
198.30	1.09	U-4-R	REGIONAL SECTION OR DISTRICT BOUNDARY -	9.57	23,996	3	1	0	4	0.31	0.10	0.00	0.42
198.90	0.60	U-4-R	RD (BRANDON DR)	5.82	26,499	12	1	0	13	2.07	0.17	0.00	2.25
199.16	0.27	U-4-R	RD E AND W (TOWN CENTER DR) (MIDWAY)	2.77	28,000	4	1	0	5	1.47	0.37	0.00	1.83
199.95	0.76	U-4-R	MAJOR STR (F-16-KI) AT AND SF RR (003-626P) --	8.90	32,000	13	4	0	17	1.46	0.45	0.00	1.91
200.38	0.42	R-4-R	C-470 INTERCHANGE STR (F-16-IC F-16-YE) JCT	5.51	35,862	19	4	0	23	3.44	0.72	0.00	4.16
200.80	0.42	U-4-R	SIGN BRIDGE STR (SIGN-F-16-YO) - US 85 ML	6.35	41,322	23	2	0	25	3.60	0.31	0.00	3.92
201.42	0.65	U-4-R	RD E AND W (MINERAL AVE) LITTLETON PARK	10.23	43,000	22	0	0	22	2.16	0.00	0.00	2.16
202.79	1.33	U-4-R	MAJOR STR (F-16-AA) LEE GULCH	22.39	46,000	45	1	0	46	2.01	0.04	0.00	2.05
203.61	0.83	U-4-R	RD E AND W (W CHURCH AVE)	13.97	46,000	29	2	0	31	2.08	0.14	0.00	2.22
203.88	0.27	U-5-R	SIGN BRIDGE STR (SIGN-E-17-H) - 0085 MEDIAN	5.24	53,049	42	3	0	45	8.16	0.58	0.00	8.75
204.75	0.78	U-4-R	BELLEVUE INTERCHANGE STR (F-16-MJ) -- JCT	14.27	50,000	41	1	0	42	2.86	0.07	0.00	2.93
205.75	1.04	U-4-R	RD E AND W (W QUINCY AVE) LEAVE	25.50	67,000	34	1	0	35	1.33	0.04	0.00	1.37
206.32	0.57	U-4-R	RD NW (RIVER POINT DR)	14.79	70,889	51	1	0	52	3.47	0.07	0.00	3.53
206.78	0.46	U-4-R	U.S. 285 INTERCHANGE STR (F-16-FU) SH 285 E	12.46	74,000	22	3	0	25	1.76	0.24	0.00	2.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH085B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
207.33	0.53	U-4-R	RD E AND W (W DARTMOUTH AVE)	13.58	70,000	42	3	0	45	3.12	0.22	0.00	3.35
208.36	0.98	U-4-R	SIGN BRIDGE STR (SIGN-F-16-TI) B RAMP OFF (TO	27.98	78,000	67	4	0	71	2.40	0.14	0.00	2.54
208.65	0.27	U-4-R	MAJOR STR (F-16-EX) RD E AND W (WEST EVANS	7.71	78,000	8	0	0	8	1.05	0.00	0.00	1.05
209.44	0.75	U-4-R	RD E AND W (W FLORIDA AVE)	22.51	82,000	40	5	0	45	1.77	0.22	0.00	1.99
209.92	0.50	U-6-R	RD E AND W (W MISSISSIPPI AVE)	16.65	90,964	45	10	0	55	2.68	0.60	0.00	3.28
210.86	0.91	U-7-R	RAMPS ON AND OFF (TO/FROM I-25 NB RAMPS) --	29.98	90,000	111	10	0	121	3.69	0.33	0.00	4.02
Totals:	25.86					800	78	0	878	2.29	0.22	0.00	2.51

SH085C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
226.80		U-3-R	DIRECT CONNECTION NE (EXIT-12 LEFT LANES)										
227.38	0.53	U-3-R	JCT SH-044A E AND W (104TH AVE) - ENTER	7.18	37,000	10	3	0	13	1.39	0.42	0.00	1.81
228.39	1.03	U-4-R	RRX (804-518F) UP RR - ABANDONED	13.19	35,000	20	2	0	22	1.52	0.15	0.00	1.67
229.40	1.00	U-4-R	MINORSTR (085C229420BR) UNNAMED DITCH	12.81	35,000	18	1	0	19	1.40	0.08	0.00	1.48
229.75	0.34	U-4-R	RD E AND W (120TH AVE) - LEAVE COMMERCE	4.36	35,000	1	1	0	2	0.23	0.23	0.00	0.46
230.29	0.54	U-4-R	JCT SH022A E AND W (124TH AVE)	6.32	32,000	16	1	0	17	2.52	0.16	0.00	2.68
231.22	0.93	U-4-R	MAJOR STR (E-17-ZO) - JCT E-470 EBND (TOLL) -	10.55	31,000	8	0	0	8	0.76	0.00	0.00	0.76
231.92	0.68	U-4-R	RD E AND W (136TH AVE)	7.96	32,000	7	1	0	8	0.88	0.13	0.00	1.01
232.99	1.05	U-4-R	MILEPOST 233	13.06	33,996	8	2	0	10	0.61	0.15	0.00	0.77
234.08	1.08	U-4-R	RD W (BROMLEY LN)	13.44	34,000	11	2	1	14	0.82	0.15	7.46	1.04
235.09	1.01	U-4-R	BRIGHTON INTERCHANGE STRS (E-17-JC) SB AND	11.83	32,000	38	2	0	40	3.22	0.17	0.00	3.39
236.02	0.94	U-4-R	RD W (168TH AVE) (CO RD 2) - RD E (BASELINE	9.45	27,475	22	2	0	24	2.33	0.21	0.00	2.55
237.05	1.02	U-4-R	RD E (CO RD 4)	10.45	28,000	13	1	0	14	1.25	0.10	0.00	1.35
238.05	0.99	U-4-R	RD E AND W (CO RD 6)	10.15	28,000	6	2	0	8	0.59	0.20	0.00	0.79
238.31	0.24	U-4-R	RD E (CO RD 6.25)	1.85	21,088	7	1	0	8	3.81	0.54	0.00	4.36
241.58	3.26	R-4-R	ENTER FORT LUPTON CITY LIMITS - IN WELD	25.06	21,000	27	6	0	33	1.08	0.24	0.00	1.32
242.65	1.09	U-4-R	JCT U.S.85 FORT LUPTON BUSINESS LOOP SH 85	7.58	19,000	7	1	0	8	0.92	0.13	0.00	1.05
242.99	0.29	U-4-R	MILEPOST 243	2.02	19,000	7	3	0	10	3.48	1.49	0.00	4.98
244.20	1.19	R-4-R	RD E AND W (CO RD 18)	8.28	19,000	15	1	0	16	1.81	0.12	0.00	1.93
246.20	1.99	R-4-R	RD E (CO RD 22)	12.38	17,000	19	8	0	27	1.53	0.65	0.00	2.18
250.64	4.27	R-4-R	JCT SH066B WEST - RD W (JUSTIN AVE)	26.57	17,000	23	5	0	28	0.87	0.19	0.00	1.05
251.79	1.33	R-4-R	JCT U.S. 085F (PLATTEVILLE BUSINESS LOOP)	10.22	21,000	12	1	0	13	1.17	0.10	0.00	1.27
258.59	6.66	R-5-R	RD E AND W (CO RD 44) (PECKHAM) -- OLD	43.62	17,893	23	6	0	29	0.53	0.14	0.00	0.66



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH085C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
261.86	3.35	R-4-R	MAJOR STR (C-18-FB) UP RR -ENTER GREELEY	22.07	18,000	14	3	0	17	0.63	0.14	0.00	0.77
262.62	0.75	U-4-R	RD NW AND SE (1ST AVE)	4.94	18,000	3	0	0	3	0.60	0.00	0.00	0.60
263.70	1.15	U-4-R	MAJOR STRS (C-18-K) NB AND (C-18-AG) SB	9.68	22,991	8	1	0	9	0.83	0.10	0.00	0.93
264.64	0.81	U-4-R	RD E AND W (37TH ST) (CO RD 54)	6.82	23,000	13	2	0	15	1.90	0.29	0.00	2.20
265.18	0.51	U-4-R	RD E AND W (31ST ST)	3.73	20,000	11	1	0	12	2.94	0.27	0.00	3.20
265.48	0.23	U-3-R	MINORSTR (085G000060BL) UNNAMED DRAINAGE	1.51	17,921	12	2	0	14	7.95	1.33	0.00	9.28
265.76	0.38	U-3-R	SIGN BRIDGE STR (SIGN-C-18-CM) DIRECT	0.74	5,300	3	0	0	3	4.09	0.00	0.00	4.09
Totals:						382	61	1	444	1.20	0.19	0.31	1.40

SH085E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT SH 52 E AND W (FIRST ST) - RD S (DENVER										
0.48	0.48	U-2-R	RD E AND W (9TH ST)	1.12	6,400	7	1	0	8	6.23	0.89	0.00	7.12
1.52	1.01	U-2-R	RD E AND W (16TH ST) - END FORT LUPTON	1.48	4,010	8	2	0	10	5.40	1.35	0.00	6.75
Totals:						15	3	0	18	5.75	1.15	0.00	6.91

SH085F													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	RD E AND W (CO RD 28) - RD S (CO RD 25.5) --										
1.23	1.27	R-2-R	JCT SH 066B E AND W (JUSTIN AVE)	0.56	1,200	0	0	0	0	0.00	0.00	0.00	0.00
2.69	1.38	R-2-R	JCT SH085C N AND S - END U.S. 085F	0.91	1,800	2	0	0	2	2.20	0.00	0.00	2.20
Totals:						2	0	0	2	1.36	0.00	0.00	1.36

SH085G													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	SIGN BRIDGE STR (SIGN-C-18-ET) JCT SH085C S										
0.71	0.74	U-4-R	RD E AND W (25TH ST)	2.98	11,000	6	1	0	7	2.01	0.34	0.00	2.35
0.98	0.25	U-4-R	RD S (8TH AVE)	0.74	8,123	8	0	0	8	10.68	0.00	0.00	10.68
1.35	0.37	U-4-R	RD E AND W (20TH ST)	2.42	17,892	14	0	0	14	5.86	0.00	0.00	5.86
1.63	0.26	U-4-R	JCT SH034D EAST (18TH ST) - RD N (8TH AVE) --	1.62	17,000	17	0	0	17	10.39	0.00	0.00	10.39



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH085G													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
Totals:						45	1	0	46	5.80	0.13	0.00	5.93

SH085H													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	JCT SH 034D WEST AND SOUTH (8TH AVE) - RD E										
0.31	0.31	U-4-R	RD E AND W (6TH ST)	1.13	9,958	14	1	0	15	12.35	0.88	0.00	13.23
0.69	0.37	U-4-R	RD W (2ND ST)	1.21	8,901	7	0	0	7	5.87	0.00	0.00	5.87
1.89	1.19	U-4-R	MAJOR STRS (C-18-BK) U.S. 058L (SECONDARY	2.27	5,206	6	0	0	6	2.66	0.00	0.00	2.66
2.24	0.27	U-4-R	JCT U.S. 085H NORTH (AT-GRADE DIRECT	0.51	5,200	0	0	0	0	0.00	0.00	0.00	0.00
Totals:						27	1	0	28	5.28	0.20	0.00	5.47

SH085L													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
265.85		U-5-R	SIGN BRIDGE STR(SIGN-C-18-EV) CHANGE SPEED										
266.64	0.72	U-5-R	RD E AND W (22ND ST)	6.32	24,000	2	1	0	3	0.32	0.16	0.00	0.48
267.17	0.53	U-4-R	JCT U.S.34 GREELEY BUSINESS LOOP SH 34 E	3.31	17,053	12	3	0	15	3.66	0.92	0.00	4.58
267.76	0.56	U-4-R	RD E AND W (13TH ST)	5.74	28,000	14	1	0	15	2.45	0.17	0.00	2.62
268.22	0.44	U-4-R	HISTORIC MAJOR STRID (C-18-DE) CACHE LA	3.06	19,000	7	1	0	8	2.27	0.32	0.00	2.59
268.48	0.27	U-4-R	RD E AND W (5TH ST) LEAVE GREELEY CITY	1.68	17,022	10	0	0	10	5.99	0.00	0.00	5.99
269.59	1.08	U-4-R	MINORSTR (085L269600BR) IN WELD COUNTY	3.79	9,600	3	1	0	4	0.79	0.26	0.00	1.06
270.24	0.68	U-4-R	MAJOR STR (C-18-BK) SECONDARY RAMP	2.39	9,600	3	0	1	4	1.25	0.00	41.73	1.67
271.25	1.07	U-4-R	RD S (11TH AVE)	5.48	13,992	5	0	0	5	0.91	0.00	0.00	0.91
272.42	1.02	U-4-R	MAJOR STRS (C-18-CA) SB AND (C-18-L) NB --	5.23	14,000	5	0	0	5	0.96	0.00	0.00	0.96
272.99	0.57	U-4-R	MILEPOST 273	2.14	10,258	13	0	0	13	6.10	0.00	0.00	6.10
275.58	2.58	R-4-R	RD E AND W (COLLINS AVE) (CO RD 74)	9.25	9,800	5	1	0	6	0.54	0.11	0.00	0.65
276.10	0.51	R-4-R	RRX (871-943M) GW RR	1.70	9,129	6	0	0	6	3.53	0.00	0.00	3.53
279.61	3.46	R-4-R	RD W (B ST)	7.98	6,300	5	1	0	6	0.63	0.13	0.00	0.75
280.25	0.65	R-4-R	RD W (JACKIE ANN ST)	1.25	5,254	4	0	0	4	3.22	0.00	0.00	3.22
280.82	0.55	R-4-R	RD E AND W (CO RD 84)	0.92	4,563	0	0	0	0	0.00	0.00	0.00	0.00
283.60	2.75	R-2-R	RD E AND W (MAIN ST)	4.63	4,600	4	1	0	5	0.86	0.22	0.00	1.08
284.17	0.64	R-4-R	MINORSTR (085L284180BL) PIERCE LATERAL	0.89	3,806	0	1	0	1	0.00	1.13	0.00	1.13
288.52	4.23	R-2-R	RD E AND W (4TH ST)	5.42	3,500	5	1	0	6	0.92	0.18	0.00	1.11



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH085L																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
293.14	4.63	R-2-R	RD E AND W (CO RD 108)	5.42	3,200	5	0	0	5	0.92	0.00	0.00	0.92				
302.21	9.03	R-2-R	RD W (CO RD 126)	7.60	2,300	4	1	0	5	0.53	0.13	0.00	0.66				
309.54	7.35	R-2-R	COLORADO-WYOMING STATE LINE -- END U.S.	6.19	2,300	4	1	0	5	0.65	0.16	0.00	0.81				
Totals:						43.32				116	14	1	131	1.28	0.15	1.11	1.45

SH086A																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
1.85		U-2-R	JCT SH 086B NORTH (OLD FOUNDERS PKWY) - RD														
2.99	1.06	U-2-R	MILEPOST 3	5.04	13,000	8	0	0	8	1.59	0.00	0.00	1.59				
3.40	0.41	U-2-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	1.71	11,412	7	0	0	7	4.10	0.00	0.00	4.10				
4.44	1.06	U-3-R	MINORSTR (086A004390BR) UNNAMED DRAINAGE	3.72	9,600	4	0	0	4	1.08	0.00	0.00	1.08				
5.81	1.36	U-3-R	MAJOR STR (G-17-CE) MITCHELL GULCH	4.78	9,600	8	1	0	9	1.68	0.21	0.00	1.89				
6.81	1.09	R-2-R	JCT SH 83 N AND S (FRANKTOWN)	3.83	9,600	3	0	0	3	0.78	0.00	0.00	0.78				
11.17	4.22	R-2-R	RD SW (DEERFIELD RD)	16.99	11,000	12	3	0	15	0.71	0.18	0.00	0.88				
15.21	4.05	R-2-R	RD S (ELIZABETH ST)	13.46	9,082	7	2	1	10	0.52	0.15	7.42	0.74				
15.73	0.49	R-3-R	RD N AND S (ELBERT ST)	2.51	14,000	10	0	0	10	3.97	0.00	0.00	3.97				
16.26	0.49	R-2-R	RD N AND S (CO RD 17)	1.97	11,000	4	0	0	4	2.02	0.00	0.00	2.02				
17.23	1.00	R-2-R	RD N AND S (CO RD 21)	2.96	8,100	4	0	0	4	1.35	0.00	0.00	1.35				
22.60	5.33	R-2-R	RD S (ELBERT RD) (CO RD 25 - 41)	9.75	5,000	4	1	0	5	0.41	0.10	0.00	0.51				
23.12	0.53	R-2-R	RD N AND S (UTE AVE) (CO RD 157)	0.91	4,702	3	1	0	4	3.28	1.09	0.00	4.38				
27.71	4.62	R-2-R	RD NE (CO RD 61.69) (COMMANCHE CREEK RD)	4.23	2,500	3	0	0	3	0.71	0.00	0.00	0.71				
32.24	4.47	R-2-F	RD S (CALHAN RD) (CO RD 77.0)	1.96	1,200	6	0	0	6	3.06	0.00	0.00	3.06				
41.32	9.15	R-2-F	RD NE (CO RD 113)	1.67	500	2	0	0	2	1.19	0.00	0.00	1.19				
50.60	9.16	R-2-F	RD W (CO RD 141)	1.68	500	2	0	0	2	1.19	0.00	0.00	1.19				
51.16	0.55	R-2-F	RD N (CO RD 153)	0.10	500	0	0	0	0	0.00	0.00	0.00	0.00				
59.28	8.09	R-2-F	RAMPS ON AND OFF (TO/FROM I-70) WB - RD NE	1.42	480	2	0	0	2	1.41	0.00	0.00	1.41				
Totals:						57.13				89	8	1	98	1.13	0.10	1.27	1.24



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH086B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
100.00		U-4-F	I-25 INTERCHANGE STR (G-17-AM) - JCT SH 085B										
100.37	0.38	U-4-F	RD NE AND SW (FRONT ST)	5.56	40,000	39	1	0	40	7.08	0.18	0.00	7.27
101.40	1.00	U-4-F	MINORSTR (086B101330BL) UNNAMED DRAINAGE	9.53	26,028	35	4	0	39	3.67	0.42	0.00	4.09
101.69	0.28	U-4-F	RD NE (BEECHNUT PL)	2.13	20,747	6	1	0	7	2.81	0.47	0.00	3.28
102.78	1.15	U-4-F	RD E (CRIMSON SKY DR)	7.16	17,000	2	0	0	2	0.28	0.00	0.00	0.28
103.92	1.06	U-4-F	RD W (BLACK PINE DR)	6.60	17,000	3	0	0	3	0.45	0.00	0.00	0.45
104.35	0.42	U-4-F	RD S (RIDGE RD) - RD E (5TH ST) (OLD SH086A TO	2.24	14,571	5	2	0	7	2.23	0.89	0.00	3.13
Totals:		4.29				90	8	0	98	2.71	0.24	0.00	2.95

SH088A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-7-R	U.S.40 INTERCHANGE STR (F-16-FW) - JCT U.S.										
0.30	0.32	U-7-R	RD E (W HOLDEN PL)	4.03	34,436	28	2	0	30	6.92	0.49	0.00	7.42
0.74	0.43	U-5-R	RD E AND W (W 8TH AVE)	5.35	34,000	19	2	0	21	3.54	0.37	0.00	3.92
1.08	0.25	U-4-R	U.S. 006G (6TH STREET) INTERCHANGE STR	2.93	32,000	19	3	0	22	6.49	1.02	0.00	7.51
1.35	0.35	U-5-R	RD E (W 2ND AVE)	5.38	42,000	29	2	0	31	5.41	0.37	0.00	5.78
1.97	0.62	U-5-R	JCT SH 26 E AND W (W ALAMEDA AVE)	9.53	42,000	47	5	1	53	4.95	0.53	10.53	5.58
2.95	0.98	U-5-R	RD E AND W (W MISSISSIPPI AVE)	12.20	34,000	68	12	3	83	5.56	0.98	24.52	6.79
3.44	0.49	U-5-R	RD E AND W (W FLORIDA AVE)	6.28	34,998	48	5	0	53	7.68	0.80	0.00	8.48
3.93	0.49	U-5-R	RD E AND W (W JEWELL AVE)	5.21	29,049	51	9	0	60	9.73	1.72	0.00	11.45
4.31	0.37	U-5-R	RD E AND W (W WARREN AVE)	4.60	34,000	44	5	0	49	9.58	1.09	0.00	10.67
4.93	0.62	U-4-R	RD W (W YALE AVE)	7.72	34,000	40	7	0	47	5.22	0.91	0.00	6.13
5.43	0.49	U-4-R	RD E AND W (W DARTMOUTH AVE)	4.66	26,000	12	5	0	17	2.59	1.08	0.00	3.67
5.92	0.49	U-4-R	RD E AND W (HAMPDEN AVE) (OLD HAMPDEN	4.12	23,000	13	2	0	15	3.18	0.49	0.00	3.67
6.20	0.27	U-4-R	RD W (KENYON AVE)	2.64	26,727	29	4	0	33	11.10	1.53	0.00	12.63
6.69	0.48	U-4-R	RD E AND W (OXFORD AVE)	4.92	28,000	7	0	0	7	1.42	0.00	0.00	1.42
7.71	1.01	U-4-R	RD W (GRAND AVE)	7.39	20,000	10	1	0	11	1.35	0.13	0.00	1.48
7.99	0.27	U-4-R	MILEPOST 8	2.11	21,303	20	0	0	20	9.36	0.00	0.00	9.36
8.86	0.71	U-4-R	MAJOR STR (F-16-JV) - RD N AND S (RIO GRANDE	7.02	27,000	27	2	0	29	3.84	0.28	0.00	4.13
9.39	0.52	U-5-R	RD S (HICKORY ST)	6.54	34,367	12	0	0	12	1.84	0.00	0.00	1.84
10.31	0.94	U-4-R	RD N AND S (S LOGAN ST)	10.67	31,000	31	3	0	34	2.92	0.28	0.00	3.20
11.43	1.12	U-4-R	MAJOR STR (F-17-J) LITTLE DRY CREEK	12.71	31,000	27	2	0	29	2.13	0.16	0.00	2.29
12.51	1.02	U-4-R	REGIONAL SECTION OR DISTRICT BOUNDARY -	10.91	29,236	41	2	0	43	3.78	0.18	0.00	3.96



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH088A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
13.58	1.03	U-4-R	REGIONAL SECTION POLITICAL BOUNDARY OR	10.93	29,000	5	0	0	5	0.46	0.00	0.00	0.46
14.12	0.53	U-4-R	ENTER DENVER COUNTY - ENTER DENVER CITY	5.63	29,000	19	0	0	19	3.38	0.00	0.00	3.38
14.77	0.66	U-4-R	MOAJOR STR (F-17-QB) -- RAMPS (TO/FROM I-25	8.22	34,044	77	1	0	78	9.43	0.12	0.00	9.56
Totals:		14.46				723	74	4	801	4.47	0.46	2.47	4.95

SH088B													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
16.83		U-4-R	SIGN BRIDGE STR (F-17-XE) -- RAMP ON (FROM										
17.12	0.30	U-4-R	RD N (BOSTON ST) - RD S (CLINTON ST)	7.63	69,475	68	1	0	69	9.00	0.13	0.00	9.14
17.46	0.33	U-5-R	RD S (EMPORIA ST) LEAVE GREENWOOD VILLAGE	8.94	74,000	51	3	0	54	5.67	0.33	0.00	6.01
17.87	0.40	U-6-R	RD N (HAVANA ST)	7.20	49,187	37	0	0	37	5.11	0.00	0.00	5.11
18.99	0.88	U-6-R	RD N (PARIS ST) - MILEPOST 19	19.32	59,975	63	2	0	65	3.27	0.10	0.00	3.37
19.46	0.52	U-6-R	RD N AND S (S REVERE WY)	10.09	52,992	42	2	0	44	4.20	0.20	0.00	4.41
20.49	1.03	U-6-R	RD NW AND SE (JORDAN RD)	19.23	51,000	60	1	0	61	3.13	0.05	0.00	3.18
21.73	1.00	U-6-R	JCT SH 83 NW AND SE- RD N AND S (PARKER RD)	20.86	57,000	33	1	0	34	1.58	0.05	0.00	1.63
Totals:		4.46				354	10	0	364	3.80	0.11	0.00	3.90

SH089A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	JCT SH 116 (LYCAN) BEGIN SH 089A - ENTER TPR										
8.97	8.97	R-2-F	RD E AND W (CO RD D)	0.76	230	0	0	0	0	0.00	0.00	0.00	0.00
17.99	9.02	R-2-F	MILEPOST 18	0.36	110	0	1	0	1	0.00	2.75	0.00	2.75
18.56	0.52	R-2-F	RD E AND W (CO RD N)	0.02	110	0	0	0	0	0.00	0.00	0.00	0.00
21.54	3.02	R-2-F	RD E AND W (CO RD S)	0.28	250	0	0	0	0	0.00	0.00	0.00	0.00
30.99	9.44	R-2-F	MILEPOST 31	0.93	270	0	0	0	0	0.00	0.00	0.00	0.00
33.17	2.19	R-2-F	RD W (CO RD DD.5)	0.22	270	0	0	0	0	0.00	0.00	0.00	0.00
34.34	1.15	R-2-R	JCT U.S.50 SH 50 E AND W (COLORADO ST) - END	0.41	984	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		34.31				0	1	0	1	0.00	0.34	0.00	0.34



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH090A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	COLORADO-UTAH STATE LINE MILEPOST 0 BEGIN										
9.14	9.17	R-2-M	MINORSTR (090A009240BR) UNNAMED DRAINAGE	0.77	230	3	1	0	4	3.89	1.30	0.00	5.18
9.69	0.57	R-2-M	MINORSTR (090A009830BR) UNNAMED DRAINAGE	0.05	259	0	0	0	0	0.00	0.00	0.00	0.00
14.79	4.94	R-2-M	RD NE (CO RD Z10)	0.60	330	2	0	0	2	3.35	0.00	0.00	3.35
23.99	9.10	R-2-M	RD SW (CO RD CC17) - MILEPOST 24	1.43	430	0	0	0	0	0.00	0.00	0.00	0.00
33.87	10.01	R-2-M	JCT SH 141 NW AND SE (VANCORUM) - BEGIN	1.58	430	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		33.79				5	1	0	6	1.13	0.23	0.00	1.35

SH090B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
81.53		R-2-R	RD SW (CO RD 90) BEGIN SH090B -- BEGIN SH										
82.99	1.44	R-2-R	MILEPOST 83	0.10	189	0	0	0	0	0.00	0.00	0.00	0.00
84.87	1.87	R-2-R	MAJOR STR (K-05-AU K-05-AL) RD S (CO RD	0.13	190	0	0	0	0	0.00	0.00	0.00	0.00
86.05	1.17	R-2-R	RD W (CO RD P) (W OAK GROVE) (CO RD 62.50)	0.24	569	1	0	0	1	4.12	0.00	0.00	4.12
86.92	0.86	R-2-R	RD E (CO RD P) - RD S (CO RD 62.95)	0.31	1,000	2	0	0	2	6.36	0.00	0.00	6.36
87.90	0.99	R-2-R	RD W (SPRING CREEK RD)	0.51	1,400	3	0	0	3	5.93	0.00	0.00	5.93
88.23	0.26	R-2-R	REGION BOUNDARY OR CLASSIFICATION	0.51	5,339	0	0	0	0	0.00	0.00	0.00	0.00
88.97	0.73	U-2-R	RD N AND S (CR 64.00) (MARINE DR) ENTER	1.44	5,400	2	0	0	2	1.39	0.00	0.00	1.39
89.29	0.36	U-2-R	RD S (CO RD 64.50) (CHIPETA DR)	1.19	9,000	2	0	0	2	1.67	0.00	0.00	1.67
89.86	0.58	U-4-R	JCT U.S. 50 NW (TOWNSEND AVE) - JCT U.S. 550	2.80	13,188	20	1	0	21	7.10	0.35	0.00	7.45
Totals:		8.26				30	1	0	31	4.15	0.14	0.00	4.29

SH091A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-M	JCT U.S.24 SH 24 NW AND S BEGIN SH 91 -										
0.73	0.72	U-4-M	REGION BOUNDARY OR CLASSIFICATION	1.24	4,700	1	0	0	1	0.81	0.00	0.00	0.81
1.54	0.83	R-2-M	ENTER URBAN AREA (LEADVILLE)	1.43	4,700	1	1	0	2	0.70	0.70	0.00	1.41
1.99	0.47	U-2-M	MILEPOST 2	0.81	4,700	1	0	0	1	1.24	0.00	0.00	1.24
11.12	9.10	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	15.65	4,700	12	1	0	13	0.77	0.06	0.00	0.83
11.90	0.72	R-2-M	RD N (CO RD 53)	0.91	3,468	0	0	0	0	0.00	0.00	0.00	0.00
20.99	8.78	R-2-M	MILEPOST 21 - END FREMONT PASS	10.28	3,200	15	0	0	15	1.46	0.00	0.00	1.46
22.61	1.67	R-2-M	SIGN BRIDGE STR (SIGN-F-12-BQ) RAMPS ON AND	2.38	3,902	5	1	0	6	2.09	0.42	0.00	2.51



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH091A																		
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *								
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total					
Totals:						22.29					35	3	0	38	1.07	0.09	0.00	1.16

SH092A																		
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *								
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total					
0.00		U-3-R	SIGN BRIDGE STR (SIGN-J-04-AW) JCT U.S.50 SH															
1.20	1.23	U-3-R	RD N AND S (16.75 RD)	6.30	14,000	7	2	1	10	1.12	0.32	15.93	1.59					
2.04	0.86	U-4-R	RD (INDUSTRIAL BLVD)	4.41	14,000	5	0	0	5	1.14	0.00	0.00	1.14					
2.63	0.52	R-4-R	MINORSTR (092A002620BR) DRAINAGE	2.58	13,534	2	0	0	2	0.77	0.00	0.00	0.77					
3.80	1.15	R-4-R	MINORSTR (065A000050BR) JCT SH 65 N	5.05	12,000	3	1	0	4	0.59	0.20	0.00	0.79					
6.95	3.13	R-2-R	RD N AND S (22.00 RD)	5.39	4,709	4	1	0	5	0.74	0.19	0.00	0.93					
15.99	9.10	R-2-R	MILEPOST 16	14.65	4,400	7	1	0	8	0.48	0.07	0.00	0.55					
16.90	0.90	R-2-R	RD N AND S (31.00 RD)	1.45	4,400	2	0	0	2	1.38	0.00	0.00	1.38					
20.20	3.30	R-2-R	RD N AND S (B ST)	6.76	5,600	14	3	0	17	2.07	0.44	0.00	2.51					
20.71	0.47	R-2-R	JCT SH 133 - RD N (5TH ST)	1.27	7,400	2	0	0	2	1.56	0.00	0.00	1.56					
21.66	0.96	R-2-R	RD NE (J.75 DR)	1.23	3,508	1	0	0	1	0.81	0.00	0.00	0.81					
27.07	5.40	R-2-R	RD W (F.50 RD)	4.15	2,101	3	2	0	5	0.72	0.48	0.00	1.21					
30.10	3.02	R-2-R	RD N (39.00 RD)	1.44	1,301	2	0	0	2	1.39	0.00	0.00	1.39					
31.52	1.41	R-2-R	RD E (DOGWOOD ST)	0.93	1,800	1	0	1	2	1.08	0.00	107.50	2.15					
33.63	2.10	R-2-R	RD E AND W (B.00 RD) (CO RD 81.00)	0.92	1,200	0	0	0	0	0.00	0.00	0.00	0.00					
36.57	2.91	R-2-M	RD E AND W (CR 73 B.80 RD) (CLEAR FORK RD)	0.45	421	0	0	0	0	0.00	0.00	0.00	0.00					
45.99	9.38	R-2-M	MILEPOST 46	0.82	240	1	0	0	1	1.21	0.00	0.00	1.21					
55.46	9.42	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	0.83	240	2	3	0	5	2.42	3.63	0.00	6.05					
64.99	9.49	R-2-M	MINORSTR (092A064980BL) -- MILEPOST 65	0.83	240	3	1	0	4	3.60	1.20	0.00	4.80					
71.81	6.79	R-2-M	RD NE (CO RD 721) (SOAP CREEK RD)	0.60	240	1	0	0	1	1.68	0.00	0.00	1.68					
73.26	1.49	R-2-M	JCT SH050A E AND W -- END SH092A	0.29	530	2	1	0	3	6.90	3.45	0.00	10.35					
Totals:						73.03					62	15	2	79	1.03	0.25	3.31	1.31



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH093A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	JCT SH006G W AND S JCT SH058A E -- BEGIN										
0.99	1.13	U-4-R	MAJOR STR (E-16-IZ) TUCKER GULCH - MILEPOST	9.10	22,000	49	4	1	54	5.40	0.44	11.02	5.95
1.41	0.42	U-3-R	RD W (SPYDERCO WAY)	3.84	25,000	8	0	0	8	2.07	0.00	0.00	2.07
1.77	0.33	U-2-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	2.54	21,000	6	0	0	6	2.37	0.00	0.00	2.37
2.85	1.17	U-2-R	REGIONAL SECTION POLITICAL BOUNDARY OR	8.99	21,000	9	1	0	10	1.00	0.11	0.00	1.11
3.99	1.33	U-2-R	MILEPOST 4	10.22	21,000	10	0	0	10	0.98	0.00	0.00	0.98
4.30	0.39	U-3-R	REGION BOUNDARY OR CLASSIFICATION	2.81	19,716	4	1	0	5	1.43	0.36	0.00	1.79
5.37	1.13	U-3-R	REGIONAL SECTION POLITICAL BOUNDARY OR	6.20	15,000	8	1	0	9	1.29	0.16	0.00	1.46
5.99	0.66	U-3-R	MILEPOST 6	3.62	15,000	1	0	0	1	0.27	0.00	0.00	0.27
7.11	1.16	U-2-R	ENTER ARVADA CITY LIMITS	7.22	17,000	6	2	0	8	0.83	0.28	0.00	1.11
7.56	0.44	U-3-R	JCT SH072A E AND W - LEAVE DENVER URBAN	2.74	17,000	9	1	0	10	3.32	0.37	0.00	3.69
7.83	0.40	U-2-R	MINORSTR (093A007840BL) IRRIGATION CANAL	2.49	17,000	4	0	0	4	1.63	0.00	0.00	1.63
13.62	5.78	R-2-R	REGION BOUNDARY OR CLASSIFICATION	35.30	16,686	35	6	1	42	0.99	0.17	2.83	1.19
14.68	1.06	U-4-R	MINORSTR (093A014700BL) UNNAMED DRAINAGE	6.21	16,000	5	1	0	6	0.80	0.16	0.00	0.96
15.34	0.62	U-4-R	RD SW (GREENBRIAR BLVD)	3.63	16,000	2	1	0	3	0.55	0.27	0.00	0.82
15.74	0.39	U-4-R	MINORSTR (093A015760BL) UNNAMED DRAINAGE	2.93	20,518	2	1	0	3	0.69	0.34	0.00	1.03
16.16	0.44	U-4-R	RD E AND W (TABLE MESA RD) - MINOR STR	3.64	22,611	12	1	0	13	3.32	0.28	0.00	3.59
16.56	0.39	U-6-R	RD NE AND SW (DARTMOUTH AVE)	3.85	27,000	14	4	0	18	3.62	1.04	0.00	4.66
17.15	0.57	U-6-R	RD NE AND SW (27TH WAY) SLIP RAMPOFF	6.67	31,965	4	1	0	5	0.60	0.15	0.00	0.75
17.41	0.27	U-6-R	JCT U.S. 036E EAST - RD W (BASELINE RD)	1.78	18,000	8	1	0	9	4.51	0.56	0.00	5.08
18.44	1.02	U-6-R	RD E AND W (UNIVERSITY AVE)	9.60	25,727	49	4	0	53	5.11	0.42	0.00	5.52
18.85	0.40	U-4-R	JCT SH 7 N (BROADWAY) AND E (CANYON BLVD)	3.20	21,884	30	2	0	32	9.48	0.63	0.00	10.11
Totals:	19.50					275	32	2	309	2.01	0.23	1.46	2.26

SH094A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.55		U-2-R	JCT U.S. 024G W AND NE (PLATTE AVE) - RD N										
0.99	0.46	U-2-R	RD N AND S (MARKSHEFFEL RD)(CO RD 423)	1.41	8,400	0	1	0	1	0.00	0.70	0.00	0.70
8.08	7.08	R-2-R	RD N AND S (CO RD 439) (CURTIS RD)	28.50	11,000	26	0	0	26	0.91	0.00	0.00	0.91
9.08	0.97	R-2-F	RD S (CO RD 441) (ENOCH RD TO CSOK SHRIEVER	2.52	7,100	7	1	0	8	2.77	0.40	0.00	3.16
13.09	3.98	R-2-F	RD N AND S (CO RD 463) (PEYTON HWY)	7.14	4,903	5	1	0	6	0.70	0.14	0.00	0.84
17.09	3.98	R-2-F	RD N AND S (CO RD 493) (ELLCOTT HWY)	5.83	4,000	5	2	0	7	0.86	0.34	0.00	1.20
24.01	6.91	R-2-F	RD N AND S (CO RD 523) (CALHAN HWY)	5.31	2,100	4	2	0	6	0.75	0.38	0.00	1.13



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH094A

Section MP	SPF Length	Class	Section Description	MVMT	AADT	Accidents			Accident Rates *				
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
26.01	1.99	R-2-F	RD N AND S (CO RD 1639) (YODER RD)	1.24	1,700	1	0	0	1	0.81	0.00	0.00	0.81
30.07	4.01	R-2-F	RD N (CO RD 577) (RAMAH RD)	1.25	850	2	0	0	2	1.60	0.00	0.00	1.60
33.07	2.99	R-2-F	RD N AND S (CO RD 591) (RUSH RD)	1.20	1,100	0	0	1	1	0.00	0.00	83.21	0.83
42.08	9.00	R-2-F	RD S (CO RD 8)	1.78	540	0	0	0	0	0.00	0.00	0.00	0.00
45.04	2.97	R-2-F	RD N AND S (CO RD 11) (HALL STATION)	0.59	540	2	0	0	2	3.41	0.00	0.00	3.41
54.57	9.51	R-2-F	JCT SH 71 N AND S (PUNKIN CENTER)	1.84	530	0	0	0	0	0.00	0.00	0.00	0.00
63.99	9.40	R-2-F	MILEPOST 64	0.89	260	2	0	0	2	2.24	0.00	0.00	2.24
73.39	9.40	R-2-F	MINORSTR (094A073380BL) UNNAMED DRAINAGE	0.89	260	1	0	0	1	1.12	0.00	0.00	1.12
82.99	9.53	R-2-F	MILEPOST 83	0.91	260	0	0	0	0	0.00	0.00	0.00	0.00
86.17	3.33	R-2-F	JCT SH040H NW AND SE END SH094A	0.32	260	1	0	0	1	3.16	0.00	0.00	3.16
Totals:										0.91	0.11	1.62	1.04

SH095A

Section MP	SPF Length	Class	Section Description	MVMT	AADT	Accidents			Accident Rates *				
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	RD S (SHERIDAN BLVD) - RD E (ON RAMP TO EB										
0.26	0.36	U-4-R	RD E (W COLGATE PL) - RD W (W COLGATE DR)	4.97	37,687	27	4	0	31	5.42	0.80	0.00	6.23
0.99	0.72	U-4-R	RD E AND W (YALE AVE) - MILEPOST 1	7.38	28,000	5	2	2	9	0.68	0.27	27.22	1.22
1.78	0.78	U-4-R	RD E AND W (W EVANS AVE)	8.85	31,000	22	5	0	27	2.49	0.57	0.00	3.05
2.04	0.24	U-4-R	MINORSTR (095A002070BL) SANDERSON GULCH	3.08	35,115	33	6	0	39	10.52	1.91	0.00	12.44
2.50	0.45	U-4-R	LEAVE DENVER COUNTY - LEAVE DENVER CITY	5.93	36,000	5	2	0	7	0.84	0.34	0.00	1.18
2.77	0.22	U-4-R	RD W (LOUISIANA AVE)	3.30	40,978	17	1	0	18	5.08	0.30	0.00	5.38
3.19	0.42	U-4-R	REGIONAL SECTION POLITICAL BOUNDARY OR	5.82	37,841	25	6	0	31	4.29	1.03	0.00	5.32
3.97	0.80	U-4-R	JCT SH 26 E AND RD W ALAMEDA AV	11.42	39,000	33	4	0	37	2.89	0.35	0.00	3.24
4.43	0.48	U-4-R	RD W (1ST AVE)	8.78	50,000	21	8	0	29	2.39	0.91	0.00	3.30
5.01	0.50	U-4-R	U.S.6 INTERCHANGE STR (F-16-FL F-16-XQ) JCT	9.52	52,000	61	6	0	67	6.42	0.63	0.00	7.05
5.52	0.50	U-4-R	ENTER DENVER COUNTY - ENTER DENVER CITY	7.14	39,000	66	7	0	73	9.27	0.98	0.00	10.25
6.02	0.47	U-4-R	JCT U.S.40 SH 40 E AND W (W COLFAX AVE)	5.50	32,000	45	2	0	47	8.16	0.36	0.00	8.52
6.52	0.49	U-4-R	RD E AND W (20TH AVE)	5.92	32,996	33	5	1	39	5.55	0.84	16.83	6.56
7.03	0.49	U-4-R	RD E AND W (W 26TH AVE)	6.45	35,976	21	0	0	21	3.23	0.00	0.00	3.23
8.03	0.99	U-4-R	RD E AND W (W 38TH AVE)	10.87	30,000	32	3	0	35	2.95	0.28	0.00	3.22
9.00	0.97	U-4-R	SIGN BRIDGE STR (SIGN-E-16-KV) -- MILEPOST 9	11.12	31,317	45	6	0	51	4.06	0.54	0.00	4.60
9.53	0.50	U-4-R	RD E AND W (W 52ND AVE)	5.49	29,994	15	1	0	16	2.71	0.18	0.00	2.89
9.88	0.35	U-4-R	I-76 INTERCHANGE STRS (E-16-IO) EB (E-16-IN) WB	4.10	31,994	30	5	0	35	7.24	1.21	0.00	8.44



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH095A														
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
10.14	0.20	U-5-R	RD W (W 58TH AVE) (RALSTON RD) - RD W	3.22	44,000	27	2	0	29	8.60	0.64	0.00	9.23	
11.06	0.94	U-4-R	RD E AND W (W 64TH AVE)	13.76	40,000	65	15	0	80	4.73	1.09	0.00	5.83	
12.08	1.00	U-4-R	RD E AND W (W 72ND AVE)	12.81	35,000	51	3	1	55	3.99	0.23	7.82	4.30	
13.10	0.99	U-4-R	RD E AND W (80TH AVE)	12.32	34,000	56	14	0	70	4.56	1.14	0.00	5.71	
14.08	1.02	U-6-R	RD E AND W (W 88TH AVE)	11.95	32,000	63	11	0	74	5.25	0.92	0.00	6.17	
14.38	0.31	U-5-R	RAMPS ON AND OFF (TO/FROM SH036B WB) --	5.45	48,000	42	1	0	43	7.71	0.18	0.00	7.90	
Totals:						14.19	840	119	4	963	4.54	0.64	2.16	5.20

SH096A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 69 W (MAIN ST) AND S (SIXTH ST) - RD N										
0.64	0.64	R-2-R	RD E (OHIO ST) - RD S (WOOD ST)	0.91	3,900	0	0	0	0	0.00	0.00	0.00	0.00
1.17	0.52	R-2-R	RD N AND S (DEWALT ST)	0.53	2,800	1	0	0	1	1.89	0.00	0.00	1.89
1.76	0.59	R-2-R	MINORSTR (096A001800BR) CHLORIDE GULCH	0.40	1,850	1	0	0	1	2.50	0.00	0.00	2.50
10.99	9.17	R-2-R	MILEPOST 11	5.71	1,700	6	0	0	6	1.05	0.00	0.00	1.05
11.85	0.85	R-2-R	MINORSTR (096A011860BR) DRAINAGE	0.41	1,332	1	0	0	1	2.42	0.00	0.00	2.42
20.99	9.13	R-2-R	MILEPOST 21	4.34	1,300	6	2	1	9	1.38	0.46	23.01	2.07
22.06	0.96	R-2-R	RD SE (CO RD 387)	0.46	1,300	1	0	0	1	2.18	0.00	0.00	2.18
26.26	4.21	R-2-R	JCT SH 067A NORTH (WETMORE)	2.47	1,600	1	0	0	1	0.41	0.00	0.00	0.41
33.57	6.74	R-2-R	RD N AND S (CO RD 201 SILOAM RD)	2.00	810	2	0	0	2	1.00	0.00	0.00	1.00
40.05	6.52	R-2-R	REGION BOUNDARY OR CLASSIFICATION	1.86	780	2	0	0	2	1.07	0.00	0.00	1.07
41.12	1.07	U-2-R	MAJOR STR (K-17-Z) DRAW	0.31	780	1	0	0	1	3.27	0.00	0.00	3.27
42.20	1.00	U-2-R	RD N (TO PUEBLO RESERVOIR)	0.29	780	0	0	0	0	0.00	0.00	0.00	0.00
43.52	1.34	U-2-R	MINORSTR (096A043570BR) UNNAMED DRAINAGE	1.42	2,900	2	1	0	3	1.40	0.70	0.00	2.10
44.64	1.08	U-2-R	MAJOR STR (L-17-CF) ROCK CREEK	1.15	2,900	0	0	0	0	0.00	0.00	0.00	0.00
45.99	1.40	U-2-R	MILEPOST 46	1.49	2,900	0	0	0	0	0.00	0.00	0.00	0.00
47.38	1.34	U-3-R	MINORSTR (096A047430BL) UNNAMED DRAINAGE	1.42	2,900	1	0	0	1	0.71	0.00	0.00	0.71
48.63	1.22	U-2-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	1.29	2,900	0	0	0	0	0.00	0.00	0.00	0.00
49.76	1.11	U-2-R	RD NW (RESERVOIR RD)	1.18	2,900	1	0	0	1	0.85	0.00	0.00	0.85
50.99	1.21	U-2-R	BEGIN CHANNELIZED INTERSECTION -- MILEPOST	1.28	2,900	2	1	0	3	1.55	0.78	0.00	2.33
51.73	0.68	U-2-R	MAJOR STR (K-18-P) RD N (GOODNIGHT AVE) (CO	0.72	2,900	0	0	0	0	0.00	0.00	0.00	0.00
52.12	0.37	U-4-R	RD S (EDNA ST)	0.51	3,800	0	0	0	0	0.00	0.00	0.00	0.00
52.40	0.27	U-4-R	REGIONAL SECTION POLITICAL BOUNDARY OR	0.58	5,836	0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH096A

Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
52.78	0.37	U-4-R	JCT SH 45 N AND S (PUEBLO BLVD) -- MINORSTR	0.84	6,200	1	0	0	1	1.19	0.00	0.00	1.19	
53.75	0.94	U-4-R	RD N AND S (PRAIRIE AVE)	5.16	15,000	10	3	0	13	1.94	0.58	0.00	2.52	
54.75	1.01	U-4-R	RD NW AND SE (ABRIENDO AVE)	7.11	19,243	53	0	0	53	7.45	0.00	0.00	7.45	
55.44	0.68	U-4-R	RD N (MIDTOWN CIR)	6.97	27,987	31	3	0	34	4.45	0.43	0.00	4.88	
55.74	0.29	U-4-R	RD N AND S (GREENWOOD ST)	2.52	23,760	17	0	0	17	6.79	0.00	0.00	6.79	
56.00	0.24	U-4-R	MILEPOST 56	1.30	14,784	22	0	0	22	16.87	0.00	0.00	16.87	
56.29	0.24	U-4-R	SIGN BRIDGE STR (SIGN-K-18-FW) RD N (RAMP ON	1.41	16,013	12	2	0	14	8.53	1.42	0.00	9.95	
56.57	0.30	U-4-R	RD N AND S (FOUNTAIN AVE)	1.91	17,361	10	3	0	13	5.26	1.58	0.00	6.84	
56.90	0.32	U-4-R	JCT SH 227 S RD N (JOPLIN AVE)	2.00	17,106	12	1	0	13	5.97	0.50	0.00	6.47	
57.32	0.41	U-4-R	RD N AND S (NORWOOD AVE)	1.95	13,005	7	1	0	8	3.62	0.52	0.00	4.14	
57.65	0.31	U-4-R	RD N AND S (QUEENS AVE)	1.14	10,019	8	0	0	8	6.95	0.00	0.00	6.95	
57.97	0.30	U-4-R	RD N (TROY AVE)	1.10	10,000	2	1	0	3	1.80	0.90	0.00	2.71	
58.81	0.86	U-4-R	JCT SH047A NE -- END SH096A -- BEGIN SH 047A	2.30	7,303	2	0	0	2	0.87	0.00	0.00	0.87	
Totals:						57.69	215	18	1	234	3.24	0.27	1.51	3.52

SH096B

Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
69.50		R-2-R	JCT U.S. 50 SH050B NW AND SE RD SW											
70.56	1.10	R-2-R	RD S (CO RD 327)	2.46	6,100	2	1	0	3	0.82	0.41	0.00	1.22	
75.49	4.91	R-2-R	JCT SH 209 S (HUGHES AVE)	2.70	1,502	4	0	0	4	1.48	0.00	0.00	1.48	
76.65	1.11	R-2-R	RD N (CO RD 611) (BOONE RD)	0.69	1,700	0	0	0	0	0.00	0.00	0.00	0.00	
85.99	9.58	R-2-R	MILEPOST 86	4.56	1,300	1	1	0	2	0.22	0.22	0.00	0.44	
90.14	4.00	R-2-R	JCT SH 167A SOUTH - RD N (CO RD 5.00)	1.90	1,300	2	0	0	2	1.05	0.00	0.00	1.05	
94.57	4.41	R-2-R	RD NW AND SE (GOULD AVE)	2.58	1,600	2	1	0	3	0.77	0.39	0.00	1.16	
95.36	0.76	R-2-R	RD N AND S (LANE 8) (CO RD 15.00)	0.50	1,800	0	0	0	0	0.00	0.00	0.00	0.00	
99.57	4.29	R-2-R	JCT SH 207 S RD N (CO RD 23) (TO CROWLEY)	1.88	1,200	5	0	0	5	2.65	0.00	0.00	2.65	
105.83	6.19	R-2-R	JCT SH 71 N AND S END SH 96 BEGIN	3.38	1,492	4	0	0	4	1.18	0.00	0.00	1.18	
Totals:						36.35	20	3	0	23	0.97	0.15	0.00	1.11



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH096C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
106.04		R-2-R	JCT SH071C N AND S (LANE 18) - RD W (3RD ST)										
110.97	4.92	R-2-R	RD N AND S (NEBRASKA ST)	2.34	1,300	3	0	0	3	1.28	0.00	0.00	1.28
111.82	0.86	R-2-R	RD S (LANE 23.5) CO RD 43.5)	0.15	473	0	0	0	0	0.00	0.00	0.00	0.00
119.48	7.65	R-2-R	CROWLEY - OTERO COUNTY LINE	1.26	450	0	0	0	0	0.00	0.00	0.00	0.00
128.99	9.50	R-2-F	MILEPOST 129	1.18	340	2	0	0	2	1.69	0.00	0.00	1.69
138.99	10.13	R-2-F	MILEPOST 139	1.26	340	1	0	0	1	0.79	0.00	0.00	0.79
143.77	4.70	R-2-F	RD S (CO RD 19) ENTER HASWELL CITY LIMITS	0.58	340	1	0	0	1	1.71	0.00	0.00	1.71
144.40	0.60	R-2-F	RD S (HOGUE ST)	0.11	480	0	0	0	0	0.00	0.00	0.00	0.00
153.64	9.21	R-2-F	MAJOR STR (K-25-N) DRAW	2.06	610	1	0	0	1	0.49	0.00	0.00	0.49
160.94	7.31	R-2-F	RD S (CO RD 35)	1.63	610	0	0	0	0	0.00	0.00	0.00	0.00
166.11	5.13	R-2-F	PRIMARY DIRECT CONNECTION (1-WAY) EB - JCT	1.46	780	1	0	0	1	0.68	0.00	0.00	0.68
Totals:		60.01				9	0	0	9	0.75	0.00	0.00	0.75

SH096D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
168.99		R-2-F	JCT SH287B NW AND SE BEGIN SH096D -- BEGIN										
175.09	6.29	R-2-F	RD N AND S (CO RD 49)	1.38	600	0	0	0	0	0.00	0.00	0.00	0.00
184.24	9.09	R-2-F	RD S (CO RD 57.2)	1.40	420	1	0	0	1	0.72	0.00	0.00	0.72
185.97	1.75	R-2-F	RD N AND S (CO RD 59)	0.27	420	0	0	0	0	0.00	0.00	0.00	0.00
193.04	7.05	R-2-F	JCT U.S.385 SH 385 S	2.58	1,000	1	0	0	1	0.39	0.00	0.00	0.39
193.84	0.79	R-2-F	JCT U.S.385 SH 385 N RD S (COLORADO AVE)	0.25	880	1	0	0	1	3.93	0.00	0.00	3.93
198.06	4.22	R-2-F	RD N AND S (CO RD 71)	1.02	660	0	0	0	0	0.00	0.00	0.00	0.00
205.13	6.99	R-2-F	RD N AND S (CO RD 78)	1.15	450	0	0	0	0	0.00	0.00	0.00	0.00
207.45	2.34	R-2-F	RD N AND S (CR 80.2) COLORADO-KANSAS STATE	0.42	490	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		38.52				3	0	0	3	0.35	0.00	0.00	0.35



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH097A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	MINORSTR (141A060480BL) JCT SH 141 NW AND										
0.57	0.58	R-2-R	REGION BOUNDARY OR CLASSIFICATION	0.31	1,458	0	0	0	0	0.00	0.00	0.00	0.00
4.58	3.96	R-2-R	RD E AND W (3RD AVE) -- END SH097A	1.96	1,349	0	0	1	1	0.00	0.00	51.13	0.51
Totals:		4.54				0	0	1	1	0.00	0.00	44.16	0.44

SH100A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	JCT U.S.160 SH 160 E AND W RD N (CO RD 34.5)										
0.42	0.43	R-2-F	RD E AND W (CO RD CC) (MAIN ST) - RD S (CO RD	0.06	372	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		0.43				0	0	0	0	0.00	0.00	0.00	0.00

SH101A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S. 050B E AND W (SEVENTH ST) - RD N										
0.99	1.00	R-2-R	MILEPOST 1	0.52	1,432	1	0	0	1	1.92	0.00	0.00	1.92
1.99	0.99	R-2-F	MILEPOST 2	0.17	480	0	0	0	0	0.00	0.00	0.00	0.00
5.14	3.17	R-2-F	RD E (CO RD BB)	0.48	410	1	0	0	1	2.10	0.00	0.00	2.10
14.74	9.56	R-2-R	MINORSTR (101A014970BR) UNNAMED DRAINAGE	0.98	280	1	0	0	1	1.02	0.00	0.00	1.02
16.44	1.64	R-2-R	RD E AND W (CO RD P)	0.17	280	0	0	0	0	0.00	0.00	0.00	0.00
21.41	4.96	R-2-R	RD E AND W (CR K) - RD SE (CR 18) -- END SH101A	0.13	70	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		21.32				3	0	0	3	1.23	0.00	0.00	1.23

SH103A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT I-70 IDAHO SPRINGS BUSINESS LOOP SH 70 E										
0.59	0.64	R-2-M	RD W (CO RD 130) (SPRING GULCH RD)	0.58	2,472	6	1	0	7	10.39	1.73	0.00	12.13
6.69	6.00	R-2-M	MINORSTR (103A006710BR) RD SW (CO RD 114) (W	4.17	1,900	0	1	0	1	0.00	0.24	0.00	0.24
13.26	6.59	R-2-M	JCT SH 005A SE (ECHO LAKE)	1.64	680	3	0	0	3	1.83	0.00	0.00	1.83
22.49	9.15	R-2-M	SQUAW PASS SUMMIT - ELEVATION 9,790 FT -	0.80	240	1	3	0	4	1.24	3.73	0.00	4.98
Totals:		22.38				10	5	0	15	1.39	0.69	0.00	2.08



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH105A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
4.73		U-4-R	RD S (JACKSON CREEK PKWY) (OLD FRONTAGE										
5.20	0.40	U-4-R	MONUMENT/PALMER LAKE INTERCHANGE STR	2.20	15,000	10	2	0	12	4.52	0.90	0.00	5.42
5.51	0.36	U-4-R	RD (SAFEWAY DRIVEWAY ACCESS	2.46	18,681	8	1	0	9	3.25	0.41	0.00	3.66
5.92	0.35	U-3-R	MAJOR STR (H-17-U) CRYSTAL CREEK	1.38	10,790	5	0	0	5	3.67	0.00	0.00	3.67
6.19	0.36	U-2-R	RD S (MC SHANE DR) (CO RD 1299)	1.13	8,600	0	0	0	0	0.00	0.00	0.00	0.00
6.40	0.20	R-2-R	RD NE (MEADOW LN)	0.58	7,930	0	0	0	0	0.00	0.00	0.00	0.00
7.08	0.67	U-2-R	LEAVE COLORADO SPRINGS URBAN AREA	1.62	6,600	0	0	0	0	0.00	0.00	0.00	0.00
7.72	0.62	R-2-R	MINORSTR (105A007730BR) UNNAMED DRAINAGE	1.35	5,940	0	0	0	0	0.00	0.00	0.00	0.00
8.47	0.81	R-2-R	RD SW (SO VALLEY RD)	1.57	5,300	1	0	0	1	0.64	0.00	0.00	0.64
9.48	0.90	R-2-R	RD N (PERRY PARK RD) (CO RD 105) -- EL	0.93	2,824	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		4.67				24	3	0	27	1.82	0.23	0.00	2.04

SH105B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
28.16		R-2-R	RD E (WOLFENBERGER RD) - BEGIN SH 105B -										
32.63	4.48	R-2-R	JCT SH067E NE AND SW END SH105B	3.28	2,000	5	0	0	5	1.52	0.00	0.00	1.52
Totals:		4.48				5	0	0	5	1.52	0.00	0.00	1.52

SH109A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.160 SH 160 S AND NE BEGIN SH 109 -										
7.71	7.52	R-2-R	RD E (CO RD 54)	0.83	300	0	0	0	0	0.00	0.00	0.00	0.00
16.99	8.99	R-2-R	MILEPOST 17	1.18	360	1	0	0	1	0.84	0.00	0.00	0.84
26.06	9.18	R-2-R	MINORSTR (109A026020BR) UNNAMED DRAINAGE	1.21	360	0	0	0	0	0.00	0.00	0.00	0.00
35.49	9.47	R-2-R	MINORSTR (109A035560BR) UNNAMED DRAINAGE	1.25	360	0	0	0	0	0.00	0.00	0.00	0.00
44.99	9.36	R-2-F	MILEPOST 45	1.23	360	0	0	0	0	0.00	0.00	0.00	0.00
52.99	8.09	R-2-F	MILEPOST 53	1.07	360	1	0	0	1	0.94	0.00	0.00	0.94
54.78	1.66	R-2-R	RD W (22ND ST)	0.25	410	1	0	0	1	4.02	0.00	0.00	4.02
55.27	0.46	U-2-R	RD E AND W (14TH ST) ENTER LA JUNTA CITY	0.20	1,200	1	0	0	1	4.98	0.00	0.00	4.98
55.64	0.38	U-2-R	RD E AND W (8TH ST)	0.37	2,638	1	0	0	1	2.75	0.00	0.00	2.75
55.93	0.29	U-2-R	RD W (4TH ST)	0.41	3,856	0	0	0	0	0.00	0.00	0.00	0.00
56.40	0.18	U-2-R	RAMP OFF (TO 2ND STREET) SB - CHANGE SPEED	0.28	4,310	1	0	0	1	3.58	0.00	0.00	3.58



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH109A																	
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
57.07	0.51	U-2-R	RD W (CHURCH ST) (CO RD AA.75)	0.84	4,500	1	1	0	2	1.20	1.20	0.00	2.40				
57.43	0.36	U-2-R	JCT SH 194A NORTHEAST	0.53	4,000	1	0	0	1	1.91	0.00	0.00	1.91				
57.78	0.34	U-2-R	RD E AND W (CANAL RD) (CO RD BB.55) -- LEAVE	0.32	2,600	0	0	0	0	0.00	0.00	0.00	0.00				
59.55	1.84	R-2-R	RD E (CO RD DD.50) (AIRPORT RD)	1.48	2,200	0	0	0	0	0.00	0.00	0.00	0.00				
63.25	3.64	R-2-R	JCT SH 266A WEST - RD E (CO RD HH.00)	1.60	1,200	1	1	0	2	0.63	0.63	0.00	1.25				
65.33	2.49	R-2-R	STATE HIGHWAY END POSTING SIGN - JUST	0.77	840	1	0	0	1	1.31	0.00	0.00	1.31				
Totals:						64.76				10	2	0	12	0.72	0.14	0.00	0.87

SH109B																	
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		U-2-R	SIGN BRIDGE STR (SIGN-M-22-AZ) JCT SH050B E														
0.18	0.18	U-2-R	JCT SH 109 RD E AND W (3RD ST)	0.19	2,951	0	0	0	0	0.00	0.00	0.00	0.00				
Totals:						0.18				0	0	0	0	0.00	0.00	0.00	0.00

SH110A																	
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		R-2-M	JCT U.S. 550B NW AND -- BEGIN SH 110A --														
0.14	0.19	R-2-M	RD W (CDOT MAINTENANCE YARD) -- END SH110A	0.19	2,800	0	0	0	0	0.00	0.00	0.00	0.00				
Totals:						0.19				0	0	0	0	0.00	0.00	0.00	0.00

SH112A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.160 SH 160 E AND W (GRAND AVE) BEGIN										
0.49	0.58	R-2-R	MAJOR STR (N-11-E) RIO GRANDE OVERFLOW	0.49	2,329	0	0	0	0	0.00	0.00	0.00	0.00
1.09	0.49	R-2-R	MINORSTR (112A001180BR) MIDLAND CANAL	0.31	1,716	4	0	0	4	13.13	0.00	0.00	13.13
10.09	8.97	R-2-R	RD N (SCR 44)	5.58	1,700	7	0	0	7	1.25	0.00	0.00	1.25
13.13	3.03	R-2-R	JCT U.S. 285B NORTH AND SOUTH	1.89	1,700	0	0	0	0	0.00	0.00	0.00	0.00
14.98	1.87	R-2-R	RD N (WASHINGTON ST)	1.03	1,500	5	1	0	6	4.87	0.97	0.00	5.84
15.49	0.47	R-2-R	RD N AND S (MILES ST)	0.68	3,934	5	0	0	5	7.37	0.00	0.00	7.37
16.17	0.66	R-2-R	RD S (RG CR 3E)	0.63	2,591	2	1	0	3	3.19	1.60	0.00	4.79



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH112A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
19.31	3.01	R-2-R	RD N (SCR 53) AND S (RG CR 6E) TRI COUNTY	2.31	2,100	1	0	0	1	0.43	0.00	0.00	0.43
25.23	6.05	R-2-R	RD S (CO RD 106.0) (ACR N06)	1.77	800	0	1	0	1	0.00	0.56	0.00	0.56
27.80	2.57	R-2-R	JCT SH 017B NORTH AND SOUTH - RUNNING	0.51	540	2	0	0	2	3.94	0.00	0.00	3.94
Totals:		27.70				26	3	0	29	1.71	0.20	0.00	1.91

SH113A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.138 SH 138 NE AND SW BEGIN SH 113										
1.89	1.85	R-2-R	RD E AND W (CO RD 46)	1.15	1,700	1	1	0	2	0.87	0.87	0.00	1.74
10.99	9.09	R-2-R	MILEPOST 11	4.33	1,300	5	0	0	5	1.16	0.00	0.00	1.16
18.83	7.83	R-2-F	COLORADO-NEBRASKA STATE LINE -- END SH	3.73	1,300	3	0	0	3	0.81	0.00	0.00	0.81
Totals:		18.77				9	1	0	10	0.98	0.11	0.00	1.09

SH114A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT U.S. 050A EAST AND WEST -- BEGIN SH 114A										
9.52	9.47	R-2-M	MINORSTR (114A009420BL) CAMP KETTLE GULCH	1.53	440	7	1	0	8	4.59	0.66	0.00	5.25
18.99	9.42	R-2-M	RD N (CO RD 14-PP) - MILEPOST 19	1.52	440	4	0	0	4	2.64	0.00	0.00	2.64
20.25	1.25	R-2-M	RD S (CO RD 14-MM)	0.12	270	0	0	0	0	0.00	0.00	0.00	0.00
29.64	9.40	R-2-M	MINORSTR (114A029720BL) STOCK PASS	0.38	110	3	0	0	3	7.93	0.00	0.00	7.93
38.67	9.06	R-2-M	MINORSTR (114A038670BR) TAYLOR CANYON &	0.36	110	3	0	0	3	8.23	0.00	0.00	8.23
47.70	8.82	R-2-R	RD E (CO RD 36-CC)	0.36	110	2	0	1	3	5.64	0.00	281.78	8.45
56.03	8.52	R-2-R	RD S (CO RD 42)	0.34	110	1	1	0	2	2.92	2.92	0.00	5.83
61.70	5.59	R-2-R	JCT U.S.285 SH 285 NE (GUNNISON AVE) AND S	1.11	544	4	0	0	4	3.59	0.00	0.00	3.59
Totals:		61.53				24	2	1	27	4.20	0.35	17.48	4.72



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH115A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT U.S.50 SH 50 NE AND SW (ROYAL GORGE										
0.53	0.53	U-2-R	RD W (GRIFFIN AVE)	2.52	13,000	12	0	0	12	4.80	0.00	0.00	4.80
0.78	0.24	U-2-R	MINORSTR (115A000790BR) IRRIGATION CANAL	0.90	10,287	2	0	0	2	2.21	0.00	0.00	2.21
1.07	0.18	U-2-R	RD E (GRAND AVE) (CO RD 470B)	0.62	9,400	3	0	0	3	4.79	0.00	0.00	4.79
1.41	0.33	U-2-R	RD N (FALLWELL CT) (CO RD 507B)	0.91	7,517	5	1	0	6	5.47	1.09	0.00	6.57
1.80	0.38	U-2-R	RD N AND S (PINE ST) (CO RD 511B)	0.93	6,700	0	0	0	0	0.00	0.00	0.00	0.00
2.34	0.60	U-2-R	RD E (ELM AVE) (CO RD 460B) (LINCOLN PARK)	1.38	6,301	4	1	0	5	2.90	0.72	0.00	3.62
2.90	0.55	U-2-R	RD SW (CEDAR AVE) (CO RD 440B)	0.93	4,600	5	1	0	6	5.44	1.09	0.00	6.53
3.40	0.49	U-2-R	RD N AND S (ASH ST) (CO RD 561B)	0.72	4,001	1	0	0	1	1.40	0.00	0.00	1.40
4.23	0.81	U-2-R	RD E (CEDAR AVE) (CO RD 442B)	1.48	5,000	4	0	0	4	2.69	0.00	0.00	2.69
4.65	0.48	U-2-R	RD N (MAC KENZIE AVE) (CO RD 607B) LEAVE	0.93	5,300	1	1	0	2	1.08	1.08	0.00	2.15
5.69	0.97	R-2-R	RD SW (CO RD 11A) - RD N (CUCUMBER LN) (CO	2.31	6,499	8	0	0	8	3.49	0.00	0.00	3.49
8.35	2.58	R-2-R	RD SE (2ND ST)	4.72	5,000	10	1	0	11	2.12	0.21	0.00	2.33
8.89	0.53	R-2-R	MAJOR STR (K-16-X) COAL CREEK	1.39	7,146	4	0	0	4	2.87	0.00	0.00	2.87
9.44	0.57	R-2-R	RD N (SUNNYSIDE AVE)	1.74	8,362	1	0	0	1	0.57	0.00	0.00	0.57
10.25	0.80	R-2-R	RD NW (CO RD 142)	2.49	8,500	2	1	0	3	0.81	0.40	0.00	1.21
11.04	0.76	R-2-R	MAJOR STR (K-16-T) COCKELBURR CREEK - JCT	1.36	4,900	2	0	0	2	1.46	0.00	0.00	1.46
13.95	2.89	R-2-R	U.S. 50 INTERCHANGE MAJOR STR (K-16-CC) - JCT	6.77	6,400	6	0	1	7	0.89	0.00	14.76	1.03
14.77	0.83	R-2-R	RD E AND W (9TH ST) (CO RD 460C) (PENROSE)	3.04	10,000	1	0	0	1	0.33	0.00	0.00	0.33
18.19	3.30	R-4-R	RD S (K ST) (CO RD 991C)	10.03	8,301	2	1	0	3	0.20	0.10	0.00	0.30
27.36	9.14	R-2-R	MINORSTR (115A027290BL) UNNAMED DRAINAGE	24.42	7,300	17	1	1	19	0.70	0.04	4.09	0.78
36.70	9.34	R-2-R	MAJOR STR (J-17-AC) LITTLE FOUNTAIN CREEK --	24.95	7,300	30	2	0	32	1.20	0.08	0.00	1.28
39.64	2.77	R-4-R	RD W (CHEROKEE RD) (CO RD 844)	9.12	9,000	11	0	0	11	1.21	0.00	0.00	1.21
40.33	0.67	R-2-R	RD E (TITUS BLVD) (TO FORT CARSON) ENTER	2.70	10,997	3	0	0	3	1.12	0.00	0.00	1.12
41.83	1.21	U-2-R	RAMP OFF	4.87	11,000	7	0	0	7	1.44	0.00	0.00	1.44
42.25	0.53	U-4-R	RAMP ON	3.46	17,843	11	2	0	13	3.15	0.57	0.00	3.73
42.66	0.52	U-4-R	FORT CARSON INTERCHANGE STR (J-17-D) RD W	4.76	25,000	4	1	0	5	0.84	0.21	0.00	1.05
43.81	1.13	U-4-R	ACADEMY BOULEVARD INTERCHANGE STR	10.34	25,000	5	1	0	6	0.48	0.10	0.00	0.58
44.54	0.74	U-4-R	MAJOR STR (I-17-PU) RD NE (CHEYENNE	6.23	23,000	25	0	0	25	4.02	0.00	0.00	4.02
45.57	0.97	U-4-R	RD E AND W (CHEYENNE MOUNTAIN BLVD)	10.30	29,000	23	0	0	23	2.23	0.00	0.00	2.23
45.99	0.26	U-4-R	MILEPOST 46	3.52	36,939	10	2	0	12	2.80	0.56	0.00	3.36
46.44	0.47	U-4-R	SIGN BRIDGE STR (SIGN-I-17-GT) - 0115 SBND ML	4.30	25,000	7	1	0	8	1.63	0.23	0.00	1.86
47.01	0.57	U-4-R	RD E (ST ELMO ST)	3.79	18,171	36	5	0	41	9.46	1.31	0.00	10.78
47.50	0.50	U-4-R	NORTH SIDE RAMPS ON AND OFF (TO I-25A)	6.83	37,308	76	4	0	80	11.20	0.59	0.00	11.79
Totals:		46.64				338	26	2	366	2.05	0.16	1.21	2.22



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH116A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	JCT U.S.287 SH 287 N AND S BEGIN SH 116										
9.11	9.07	R-2-F	RD N (CO RD 34)	0.60	180	0	0	0	0	0.00	0.00	0.00	0.00
12.03	2.96	R-2-F	RD N (7TH ST) - RD S (CO RD 37) - ENTER TWO	0.20	180	0	0	0	0	0.00	0.00	0.00	0.00
12.55	0.51	R-2-F	RD S (CO RD 37.5) - LEAVE TWO BUTTES CITY	0.05	247	0	0	0	0	0.00	0.00	0.00	0.00
13.54	0.99	R-2-F	RD S (CO RD 39.00)	0.06	170	0	0	0	0	0.00	0.00	0.00	0.00
20.02	6.46	R-2-F	RD N AND S (CO RD 45)	0.17	70	0	0	0	0	0.00	0.00	0.00	0.00
27.01	6.98	R-2-F	CHANGE SPEED LIMIT (65)	0.64	250	0	0	0	0	0.00	0.00	0.00	0.00
32.32	5.30	R-2-F	RD N AND S (CO RD 57) COLORADO-KANSAS	0.14	70	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		32.27				0	0	0	0	0.00	0.00	0.00	0.00

SH119A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH 006G NW AND SE -- MAJOR STR (F-15-AA)										
6.71	6.75	R-2-M	RD W (MAIN ST)	34.59	14,000	41	7	0	48	1.19	0.20	0.00	1.39
7.27	0.53	R-4-M	RD W (GREGORY ST)	1.01	5,200	5	0	0	5	4.96	0.00	0.00	4.96
7.99	0.68	R-2-M	MILEPOST 8	0.76	3,048	2	0	0	2	2.63	0.00	0.00	2.63
9.15	1.17	R-2-M	RD W (APEX RD) (CO RD 4-S)	1.11	2,600	0	0	0	0	0.00	0.00	0.00	0.00
12.48	3.36	R-2-M	JCT SH 46 SE (TO GOLDEN GATE CANYON STATE	2.95	2,400	0	0	0	0	0.00	0.00	0.00	0.00
20.90	8.36	R-2-M	RD E (MAIN ST) (CR CH2) - RD W (TOLLAND RD)	8.26	2,700	11	3	0	14	1.33	0.36	0.00	1.70
22.74	1.83	R-2-M	JCT SH 72 E	1.61	2,400	2	1	0	3	1.24	0.62	0.00	1.86
25.11	2.35	R-2-M	RD NW (ELDORA RD CO RD 130)	2.92	3,400	8	1	0	9	2.74	0.34	0.00	3.08
25.62	0.46	R-2-M	RD E (LAKEVIEW DR)	0.87	5,150	2	0	0	2	2.29	0.00	0.00	2.29
26.39	0.76	R-2-M	LEAVE NEDERLAND	1.24	4,447	5	0	0	5	4.02	0.00	0.00	4.02
35.99	9.67	R-2-M	MILEPOST 36	13.10	3,700	27	8	2	37	2.06	0.61	15.28	2.83
36.75	0.80	R-2-M	RD S (CO RD 132) (MAGNOLIA RD)	1.10	3,765	2	1	0	3	1.82	0.91	0.00	2.74
38.97	2.10	R-2-M	RD N (CO RD 118 4 MILE CANYON RD)	3.00	3,900	5	0	0	5	1.67	0.00	0.00	1.67
40.39	1.41	R-2-M	MAJOR STR (D-15-G) BOULDER CREEK	4.18	8,100	3	2	0	5	0.72	0.48	0.00	1.20
40.76	0.35	U-2-M	RD S (ARAPAHOE AVE)	1.18	9,247	0	0	0	0	0.00	0.00	0.00	0.00
41.10	0.29	U-2-R	MINORSTR (119A041180BL) UNNAMED DRAINAGE	1.03	9,677	1	0	0	1	0.97	0.00	0.00	0.97
41.38	0.26	U-4-R	RD NE (WALNUT ST) - RD NW AND SE (6TH ST)	0.94	9,900	1	0	0	1	1.07	0.00	0.00	1.07
41.89	0.44	U-4-R	JCT SH 7 NW (BROADWAY) AND NE (CANYON	2.49	15,432	17	2	0	19	6.78	0.80	0.00	7.58
Totals:		41.57				132	25	2	159	1.60	0.30	2.43	1.93



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH119B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
44.24		U-5-R	JCT U.S. 036B N AND S (28TH ST) - RD W (IRIS										
44.50	0.26	U-5-R	RD S (30TH ST)	2.38	25,000	1	0	0	1	0.42	0.00	0.00	0.42
44.91	0.42	U-5-R	RAMPS ON AND OFF - SIGNALIZED (TO/FROM	4.46	29,000	6	3	0	9	1.36	0.68	0.00	2.04
45.32	0.46	U-4-R	LOOP RAMP ON (FROM SH 157A NORTH) SB	2.15	12,764	7	6	0	13	3.29	2.82	0.00	6.12
45.76	0.30	U-2-R	JCT 157A END CHANGE ROADWAY WIDTH	1.09	9,900	5	0	0	5	4.55	0.00	0.00	4.55
46.06	0.37	U-6-R	RD E AND W (CO RD 44 JAY RD)	6.91	51,000	20	1	0	21	2.89	0.14	0.00	3.03
47.59	1.49	U-5-R	MINORSTR (119B047610SL) IRRIGATION CANAL	22.90	42,000	20	2	1	23	0.87	0.09	4.37	1.01
48.20	0.58	U-4-R	RD N AND S (63RD ST)	8.92	42,000	11	1	0	12	1.23	0.11	0.00	1.35
49.35	1.16	U-4-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	17.41	41,000	18	3	0	21	1.04	0.17	0.00	1.21
49.66	0.30	U-4-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	4.42	40,270	8	0	0	8	1.83	0.00	0.00	1.83
50.70	1.03	U-4-R	RD E AND W (NIWOT RD) (CO RD 34)	14.70	39,000	11	3	0	14	0.75	0.20	0.00	0.95
51.97	1.25	U-4-R	RD W (CO RD 26) (OXFORD RD) - RD E (CO RD 25)	17.84	39,000	14	2	0	16	0.79	0.11	0.00	0.90
52.67	0.74	U-4-R	RD SE (OGALLALA RD) (CO RD 26) PRIMARY	10.56	39,000	4	0	0	4	0.38	0.00	0.00	0.38
53.76	1.03	U-4-R	MINORSTR (119B053740SL) JAMES DITCH	10.56	28,011	11	2	0	13	1.05	0.19	0.00	1.24
54.40	0.63	U-4-R	RD N AND S (CO RD 19) (HOVER RD)	6.46	28,000	9	1	0	10	1.39	0.15	0.00	1.54
55.06	0.70	U-4-R	RD N AND S (SUNSET RD)	6.15	24,017	36	6	0	42	5.89	0.98	0.00	6.87
55.44	0.28	U-4-R	RD NW (NELSON RD) ACCESS TO (PRICE RD	2.36	23,011	11	1	0	12	4.68	0.43	0.00	5.11
55.76	0.42	U-4-R	RD N (SAFEBAY ENTRANCE)	5.01	32,564	33	5	0	38	6.56	0.99	0.00	7.56
56.19	0.39	U-4-R	JCT SH 287C RD N AND S (MAIN ST)	4.42	31,000	35	2	0	37	8.01	0.46	0.00	8.47
56.99	0.07	U-4-R	RD S (S KIMBARK ST) OFFSET REFERENCE --	0.69	27,110	13	2	0	15	17.95	2.76	0.00	20.71
58.02	1.29	U-5-R	MAJOR STR (D-16-DX) ST VRRAIN RIVER	13.22	28,000	31	7	0	38	2.34	0.53	0.00	2.87
59.09	0.88	U-4-R	RD S (IRON HORSE DRIVE)	9.02	28,000	15	1	0	16	1.66	0.11	0.00	1.77
Totals:	14.05					319	48	1	368	1.86	0.28	0.58	2.14

SH119C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
59.09		U-4-R	END KEN PRATT BLVD EXTENSION -- JCT SH-119B										
60.14	1.03	U-4-R	MINORSTR (119C060180BL) UNNAMED DRAINAGE	13.19	35,000	20	5	0	25	1.52	0.38	0.00	1.90
61.01	0.84	U-4-R	RD N (CO RD 3.50) - RD S (VISTA COMM)	10.76	35,000	2	1	0	3	0.19	0.09	0.00	0.28
63.70	2.62	R-4-R	RAMPS ON AND OFF (TO/FROM I-25) -- END	32.74	34,145	76	6	0	82	2.32	0.18	0.00	2.50
Totals:	4.49					98	12	0	110	1.73	0.21	0.00	1.94



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH120A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 115 NE AND W - RD N (CO RD 119) -- BEGIN										
3.10	3.15	R-2-R	RD SW (CO RD 154)	0.92	800	2	0	0	2	2.17	0.00	0.00	2.17
7.19	3.96	R-2-R	JCT SH050A NW AND SE - RD N (CO RD 368) (R ST)	0.32	220	1	0	0	1	3.13	0.00	0.00	3.13
Totals:		7.11				3	0	0	3	2.42	0.00	0.00	2.42

SH121A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	C-470 INTERCHANGE STRS (F-16-MG) EB AND										
1.21	0.86	U-4-R	RD E AND W (CHATFIELD AVE) (CO RD 56)	7.55	24,000	7	1	0	8	0.93	0.13	0.00	1.06
2.27	1.03	U-4-R	RD E AND W (KEN CARYL RD) (CO RD 54)	8.29	22,000	10	2	0	12	1.21	0.24	0.00	1.45
3.32	1.03	U-4-R	RD E AND W (COAL MINE RD) (CO RD 52)	10.18	26,995	26	3	0	29	2.56	0.30	0.00	2.86
3.58	0.24	U-4-R	MINORSTR (121A003590BL) UNNAMED DRAINAGE	2.89	32,900	9	3	0	12	3.11	1.04	0.00	4.15
4.34	0.75	U-4-R	RD E AND W (BOWLES AVE) (CO RD 50)	11.53	42,000	21	1	0	22	1.82	0.09	0.00	1.91
4.66	0.31	U-6-R	RD W (CROSS DR) SOUTHWEST PLAZA	5.22	46,000	35	4	0	39	6.73	0.77	0.00	7.50
5.35	0.66	U-7-R	RD E AND W (BELLEVIEW AVE)	11.84	49,000	37	5	0	42	3.13	0.42	0.00	3.55
6.39	1.01	U-7-R	RD E (RADCLIFF AVE)	15.54	42,028	35	4	1	40	2.25	0.26	6.42	2.57
6.79	0.39	U-7-R	RD W (OXFORD DR)	6.44	45,127	23	0	0	23	3.60	0.00	0.00	3.60
7.48	0.67	U-6-R	WADSWORTH INTERCHANGE STR (F-16-YI	11.53	47,000	55	5	0	60	4.74	0.43	0.00	5.18
8.54	1.05	U-4-R	RD E AND W (YALE AVE) -- BEGIN DENVER	16.53	43,023	60	7	0	67	3.65	0.43	0.00	4.07
9.05	0.48	U-4-R	JCT SH 8 W (MORRISON RD)	7.90	44,996	26	2	0	28	3.28	0.25	0.00	3.53
10.07	1.00	U-4-R	RD E AND W (FLORIDA AVE)	15.74	43,004	87	3	0	90	5.55	0.19	0.00	5.74
10.57	0.48	U-4-R	RD E AND W (MISSISSIPPI AVE)	7.20	41,000	36	2	0	38	4.96	0.28	0.00	5.23
11.42	0.98	U-5-R	RD E AND W (ALAMEDA AVE)	16.14	45,000	97	7	1	105	6.00	0.43	6.19	6.50
11.91	0.50	U-6-R	RD E AND W (1ST AVE)	9.88	54,000	94	2	0	96	9.51	0.20	0.00	9.71
12.43	0.47	U-6-R	U.S. 006G AT WADSWORTH BLVD INTERCHANGE	9.63	56,000	100	6	0	106	10.34	0.62	0.00	10.96
13.07	0.51	U-5-R	RD E AND W (10TH AVE)	9.16	49,055	49	6	1	56	5.38	0.66	10.99	6.15
13.45	0.37	U-4-R	RD E AND W (14TH AVE)	5.96	44,014	63	6	0	69	10.69	1.02	0.00	11.70
13.74	0.25	U-5-R	RD E (16TH AVE)	3.84	41,971	45	3	0	48	11.96	0.80	0.00	12.75
14.10	0.36	U-4-R	RD E AND W (20TH AVE)	5.67	43,000	19	1	0	20	3.33	0.18	0.00	3.50
14.60	0.49	U-4-R	RD E AND W (26TH AVE) LEAVE LAKEWOOD	6.64	37,012	22	0	1	23	3.34	0.00	15.19	3.49
15.11	0.49	U-4-R	RD E AND W (32ND AVE)	6.99	38,979	34	0	0	34	4.90	0.00	0.00	4.90
15.62	0.50	U-4-R	RD E AND W (38TH AVE)	6.77	37,012	38	2	0	40	5.60	0.29	0.00	5.89
16.13	0.49	U-4-R	RD E AND W (44TH AVE)	7.35	40,984	71	11	0	82	9.70	1.50	0.00	11.20



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH121A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
16.78	0.63	U-4-R	I-70 INTERCHANGE STR (E-16-PL) AND (E-16-JV)	10.15	44,000	76	2	0	78	7.47	0.20	0.00	7.66
17.14	0.33	U-5-R	SIGN BRIDGE STR (SIGN-E-16-LS) POSTED	7.85	65,000	30	1	0	31	3.79	0.13	0.00	3.91
17.97	0.80	U-7-R	RD E AND W (RALSTON RD) (58TH AVE)	12.31	42,057	69	6	0	75	5.59	0.49	0.00	6.08
18.60	0.78	U-6-R	RD E AND W (64TH AVE)	12.27	42,995	45	2	0	47	3.67	0.16	0.00	3.83
19.63	0.99	U-6-R	RD E AND W (72ND AVE)	19.20	52,990	71	3	0	74	3.69	0.16	0.00	3.84
20.65	1.00	U-6-R	RD E AND W (80TH AVE)	19.40	53,000	75	4	0	79	3.87	0.21	0.00	4.08
21.67	1.00	U-6-R	RD E AND W (88TH AVE) LEAVE ARVADA CITY	15.37	42,000	71	5	1	77	4.63	0.33	6.52	5.02
22.11	0.48	U-4-R	RD E AND W (92ND AV)	7.55	43,000	39	3	0	42	5.13	0.39	0.00	5.53
23.02	0.88	U-4-R	RD W (INDEPENDENCE DR)	10.63	33,000	35	4	1	40	3.31	0.38	9.46	3.78
23.33	0.32	U-4-R	RD E AND W (100TH AVE) (CHURCH RANCH RD)	4.10	34,987	14	1	0	15	3.44	0.25	0.00	3.68
24.32	0.99	U-4-R	RD E AND W (108TH AVE) LEAVE WESTMINSTER	10.87	30,010	36	1	0	37	3.30	0.09	0.00	3.39
25.34	1.12	U-4-R	RD W (JEFFCO AIRPORT AVE)(UPTOWN AVE)	10.66	26,007	18	2	0	20	1.69	0.19	0.00	1.87
25.81	0.35	U-4-R	JCT SH 128 W RD E (120TH AVE)	3.33	26,000	40	1	0	41	11.98	0.30	0.00	12.28
26.09	0.29	U-4-R	RAMPS ON AND OFF - (TO/FROM US 036B WB)	4.24	39,982	38	2	0	40	9.11	0.48	0.00	9.59
26.42	0.30	U-4-R	JCT U.S. 287C NORTH -- DIRECT CONNECTION	5.16	47,000	24	2	0	26	4.73	0.39	0.00	5.12
Totals:		25.63				1,780	125	6	1,911	4.69	0.33	1.58	5.04

SH121B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-4-R	MILEPOST 0 -- BEGIN SH 121B										
3.15	3.11	R-4-R	RD W (TRAIL MARK PKWY) - ENTER	25.04	22,000	7	3	0	10	0.28	0.12	0.00	0.40
3.62	0.59	U-4-R	REGIONAL SECTION POLITICAL BOUNDARY OR	4.86	22,489	3	1	0	4	0.62	0.21	0.00	0.83
4.41	0.71	U-4-R	C-470 INTERCHANGE (WADSWORTH BLVD) SH 470	6.10	23,473	3	1	0	4	0.49	0.16	0.00	0.65
Totals:		4.41				13	5	0	18	0.36	0.14	0.00	0.50

SH125A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT U.S.40 SH 40 E AND W BEGIN SH 125										
9.07	9.04	R-2-M	ENTER ARAPAHO NATIONAL FOREST - START	2.05	620	0	1	0	1	0.00	0.49	0.00	0.49
18.43	9.29	R-2-M	MINORSTR (125A018420BL) UNNAMED DRAINAGE	2.11	620	2	2	0	4	0.95	0.95	0.00	1.90
27.51	9.02	R-2-M	MINORSTR (125A027520BL) DRAINAGE	2.05	620	3	1	0	4	1.47	0.49	0.00	1.95
29.45	1.93	R-2-R	RD NE (CO RD 21)	0.44	620	1	0	0	1	2.29	0.00	0.00	2.29



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH125A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
31.49	2.02	R-2-R	RD N (CO RD 27)	0.22	300	0	0	0	0	0.00	0.00	0.00	0.00
35.57	4.05	R-2-R	RD W (CO RD 28)	0.33	220	0	0	0	0	0.00	0.00	0.00	0.00
44.99	9.36	R-2-M	MILEPOST 45	1.44	420	1	1	0	2	0.70	0.70	0.00	1.39
52.01	7.12	R-2-M	JCT SH014A W1	1.09	420	2	0	0	2	1.83	0.00	0.00	1.83
52.64	0.63	R-2-R	RD W (CO RD 12 CR 12W)	0.22	950	0	0	0	0	0.00	0.00	0.00	0.00
53.21	0.56	R-2-R	RD S (MAIN ST CO RD 17)	0.43	2,100	0	0	0	0	0.00	0.00	0.00	0.00
53.78	0.55	R-2-R	RD E AND W (2ND ST)	0.50	2,481	0	0	0	0	0.00	0.00	0.00	0.00
54.39	0.74	R-2-R	RD E (CO RD 44)	0.56	2,082	0	0	0	0	0.00	0.00	0.00	0.00
57.20	2.77	R-2-R	RD E (CO RD 10)	2.03	2,000	1	0	0	1	0.49	0.00	0.00	0.49
62.58	5.32	R-2-R	RD E AND W (CO RD 6 CR 6W)	3.50	1,800	0	0	0	0	0.00	0.00	0.00	0.00
66.55	3.95	R-2-R	JCT SH 127 NE	1.04	720	1	0	0	1	0.96	0.00	0.00	0.96
75.41	8.75	R-2-R	COLORADO-WYOMING STATE LINE -- END	0.90	280	3	0	0	3	3.35	0.00	0.00	3.35
Totals:		75.10				14	5	0	19	0.74	0.26	0.00	1.00

SH127A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 125 NW AND SOUTH -- BEGIN SH 127A --										
9.20	9.06	R-2-R	COLORADO-WYOMING STATE LINE -- END SH127A	1.99	600	10	1	1	12	5.03	0.50	50.29	6.03
Totals:		9.06				10	1	1	12	5.03	0.50	50.26	6.03

SH128A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-4-R	JCT SH 93 N AND S -- BEGIN SH 128A - MILEPOST										
3.93	4.00	R-4-R	RD N (CO RD 17) (MCCASLIN BLVD)	5.71	3,900	7	0	0	7	1.23	0.00	0.00	1.23
4.21	0.21	R-2-R	RD S (INDIANA ST) ENTER DENVER URBAN AREA	0.73	9,500	3	1	0	4	4.09	1.36	0.00	5.45
5.24	0.98	U-2-R	RD S (DRIVEWAY TO BUSINESS)	3.41	9,500	4	0	0	4	1.18	0.00	0.00	1.18
5.75	0.50	U-2-R	RD S (SIMMS ST) ENTER DENVER URBAN LIMIT	1.74	9,500	1	0	0	1	0.58	0.00	0.00	0.58
6.20	0.44	U-2-R	RD N (W INTERLOCKEN LOOP)	2.09	12,968	0	1	0	1	0.00	0.48	0.00	0.48
6.60	0.39	U-3-R	RD N (NETWORK PKWY) - RD S (W 120TH AVE)	2.28	16,000	2	0	0	2	0.88	0.00	0.00	0.88
7.58	1.03	U-2-R	RD S (AIRPORT WAY)	5.65	15,000	14	1	0	15	2.47	0.18	0.00	2.64
8.69	0.40	U-4-R	RD SE (WADSWORTH BLVD) -- RE-CONSTRUCTED	2.34	16,000	6	0	0	6	2.56	0.00	0.00	2.56
Totals:		7.95				37	3	0	40	1.54	0.13	0.00	1.67

Safety Performance Function (SPF) Definition
Rural/Urban - # of Lanes - Terrain
R-4-F = Rural 4-Lane Flat Roadway

* PDO and Injury Rates in Million Vehicle Miles Traveled
Fatal Rate in 100 Million Vehicle Miles Traveled
** PDO = Property Damage Only



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH128B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
12.17		U-4-R	JCT SH287C S AND W (N FEDERAL BLVD) -										
13.19	0.99	U-4-R	RD S (PECOS ST)	13.77	38,000	30	2	1	33	2.17	0.14	7.25	2.39
13.69	0.49	U-6-R	RD N AND S (HURON ST)	6.81	38,000	24	2	0	26	3.52	0.29	0.00	3.82
14.11	0.41	U-6-R	RAMPS ON AND OFF (TO/FROM NB I-25) - RD E	7.95	53,000	102	8	0	110	12.83	1.01	0.00	13.83
Totals:		1.89				156	12	1	169	5.47	0.42	3.50	5.92

SH131A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	RD SW (BELLYPACHE RIDGE RD) - MILEPOST 0										
0.32	0.32	R-2-M	JCT SH006E E AND W END SH131A	0.39	3,307	1	0	0	1	2.61	0.00	0.00	2.61
Totals:		0.32				1	0	0	1	2.58	0.00	0.00	2.58

SH131B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.05		R-2-M	JCT U.S.6 SH 6 E AND W (WOLCOTT) - END										
2.43	2.43	R-2-M	RD NE (CO RD 6) (MUDDY PASS RD)	1.69	1,900	2	0	0	2	1.18	0.00	0.00	1.18
11.99	9.39	R-2-M	MILEPOST 12	4.81	1,400	9	3	0	12	1.87	0.62	0.00	2.49
13.70	1.76	R-2-M	RD NE (CR E74) (CR 11) (TROUGH RD)	0.90	1,400	2	0	0	2	2.22	0.00	0.00	2.22
22.81	9.19	R-2-M	MINORSTR (131B022830BR) UNNAMED DRAINAGE	3.03	900	2	0	0	2	0.66	0.00	0.00	0.66
31.99	9.11	R-2-M	MILEPOST 32	3.00	900	2	1	1	4	0.67	0.33	33.34	1.33
32.89	0.92	R-2-M	JCT SH 134 NE	0.30	900	0	0	0	0	0.00	0.00	0.00	0.00
38.43	5.48	R-2-M	RD NE (CO RD 6) - RD SW (CO RD 3)	2.21	1,100	0	0	0	0	0.00	0.00	0.00	0.00
42.04	3.58	R-2-M	RD W (CO RD 21-2) (MOFFAT ST)	1.24	950	2	0	0	2	1.61	0.00	0.00	1.61
42.65	0.61	R-2-M	RD E (CO RD 8) - RD W (CO RD 17) - RD S (MAIN	0.36	1,600	0	0	0	0	0.00	0.00	0.00	0.00
47.91	5.21	R-2-M	RD N AND S (CO RD 15) (1ST STREET)	3.62	1,900	7	1	0	8	1.93	0.28	0.00	2.21
50.03	2.08	R-2-M	RD E (CR 14) (YELLOW JACKET PASS RD) (STAGE	1.52	2,000	2	0	0	2	1.31	0.00	0.00	1.31
51.68	1.65	R-2-M	RD S (MOFFAT AVE)	1.09	1,800	1	1	0	2	0.92	0.92	0.00	1.84
52.45	0.74	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	0.41	1,509	0	0	0	0	0.00	0.00	0.00	0.00
61.99	9.46	R-2-M	MILEPOST 62	3.81	1,100	18	2	0	20	4.73	0.53	0.00	5.25
62.61	0.61	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	0.57	2,574	5	0	0	5	8.77	0.00	0.00	8.77
68.72	6.07	R-2-M	JCT U.S.40 SH 40 N AND S END SH 131	8.46	3,808	9	0	0	9	1.06	0.00	0.00	1.06
Totals:		68.29				61	8	1	70	1.65	0.22	2.70	1.89



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH133A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 92 W AND E (BRIDGE ST) BEGIN SH 133										
2.21	2.19	R-2-R	RD NW (CO RD L.25) (CO RD L.00)	3.21	4,000	2	2	0	4	0.62	0.62	0.00	1.25
7.81	5.63	R-2-M	RD NW (CO RD P.00) (PITKIN RD) - RD SE (CO RD	8.45	4,100	15	1	0	16	1.77	0.12	0.00	1.89
8.85	1.02	R-2-M	JCT SH 187A SOUTH (TO PAONIA) - RD N	1.05	2,803	1	0	0	1	0.96	0.00	0.00	0.96
12.16	3.25	R-2-M	RD W (OLD HWY 133A RE-ROUTE)	3.09	2,600	9	1	0	10	2.91	0.32	0.00	3.23
15.99	3.86	R-2-M	MILEPOST 16	2.97	2,100	7	0	0	7	2.36	0.00	0.00	2.36
17.66	1.37	R-2-M	RD SW (CO RD S4)	1.30	2,600	1	0	0	1	0.77	0.00	0.00	0.77
18.94	1.42	R-2-M	MAJOR STRS (I-07-R) OVERHEAD COAL TIPPLE	1.09	2,100	0	0	0	0	0.00	0.00	0.00	0.00
23.99	5.02	R-2-M	MILEPOST 24	2.76	1,500	3	0	0	3	1.09	0.00	0.00	1.09
33.39	8.44	R-2-M	MINORSTR (133A033660BR) BUCK CREEK	4.32	1,400	6	1	0	7	1.39	0.23	0.00	1.62
42.75	8.60	R-2-M	LEAVE GUNNISON NATIONAL FOREST - ENTER	4.41	1,400	1	1	0	2	0.23	0.23	0.00	0.45
46.36	3.53	R-2-M	RD SE (CO RD 3)	1.81	1,400	0	0	0	0	0.00	0.00	0.00	0.00
51.35	5.01	R-2-M	RD E (CO RD 3 REDSTONE BLVD)	3.30	1,800	2	0	0	2	0.61	0.00	0.00	0.61
56.80	5.46	R-2-M	RD E (CO RD 3D AVALANCHE RD)	3.20	1,600	1	2	0	3	0.31	0.63	0.00	0.94
65.85	8.98	R-2-M	MINORSTR (133A065700BR) IRRIGATION CANAL	10.52	3,200	15	4	0	19	1.43	0.38	0.00	1.81
66.08	0.30	R-2-M	RD E (PRINCE CREEK RD)	0.39	3,578	0	0	0	0	0.00	0.00	0.00	0.00
66.44	0.45	U-2-M	MINORSTR (133A066650BL) -- ENTER	0.64	3,900	1	0	0	1	1.57	0.00	0.00	1.57
66.75	0.30	R-2-M	RD NE (ROARING FORK DR)	0.43	3,900	1	0	0	1	2.34	0.00	0.00	2.34
67.03	0.07	U-2-M	RD NE (SNOWMASS DR) - RD SW (RIVER VALLEY	0.10	3,900	0	0	0	0	0.00	0.00	0.00	0.00
67.41	0.46	U-2-M	RD N (8TH ST)	1.07	6,367	0	0	0	0	0.00	0.00	0.00	0.00
67.79	0.38	U-2-M	RAMP OFF EB	1.53	10,975	1	0	0	1	0.66	0.00	0.00	0.66
68.82	1.03	U-2-M	JCT SH 82 NW AND SE -- END SH 133A	6.03	16,000	18	2	0	20	2.98	0.33	0.00	3.31
Totals:	66.77					84	14	0	98	1.36	0.23	0.00	1.59

SH133B													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
12.16		R-2-M	DIRECT (Y) CONNECTION ALONG THE FIRE										
13.26	1.10	R-2-M	RD E (CO RD S.35) (BOWIE)	0.28	690	0	0	0	0	0.00	0.00	0.00	0.00
16.08	2.90	R-2-M	JCT SH133A -- END SH 133B	0.05	50	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	4.00					0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH134A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH 131 NW AND SE (TOPONAS) BEGIN SH 134										
9.59	9.45	R-2-M	MINORSTR (134A009600BL) LITTLE ROCK CREEK	1.14	330	4	0	0	4	3.50	0.00	0.00	3.50
16.31	6.67	R-2-M	RD N (CO RD 144)	0.81	330	2	1	0	3	2.48	1.24	0.00	3.72
25.99	9.56	R-2-M	MILEPOST 26	2.06	590	8	0	0	8	3.87	0.00	0.00	3.87
27.16	1.21	R-2-M	JCT SH040A NE AND SE -- END SH134A	0.26	590	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		26.89				14	1	0	15	3.28	0.23	0.00	3.51

SH135A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-M	JCT U.S. 50 EAST AND WEST (TOMICHI AVE) --										
0.73	0.74	U-4-M	RD E AND W (SPENCER AVE)	2.49	9,200	7	1	0	8	2.83	0.40	0.00	3.23
1.27	0.52	U-4-M	RD NE (CO RD 10) (CLARK BLVD)	1.64	8,600	2	0	0	2	1.21	0.00	0.00	1.21
1.82	0.59	R-4-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	1.78	8,226	1	1	0	2	0.56	0.56	0.00	1.13
3.13	1.23	R-2-M	RD N (CO RD 48E) (CASTLE MOUNTAIN RD)	3.38	7,500	8	0	0	8	2.37	0.00	0.00	2.37
3.81	0.68	R-2-M	MINORSTR (135A003820BR) STOCK PASS	1.11	4,448	0	0	0	0	0.00	0.00	0.00	0.00
10.23	6.35	R-2-M	RD E (CO RD 742) (TAYLOR RIVER RD)	8.83	3,800	14	1	1	16	1.58	0.11	11.32	1.81
19.49	9.18	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	11.42	3,400	12	0	0	12	1.05	0.00	0.00	1.05
20.69	1.20	R-2-M	RD NE (CO RD 740) (CEMENT CREEK RD)	1.49	3,400	1	0	0	1	0.67	0.00	0.00	0.67
27.48	6.73	R-2-M	RD N (6TH ST) - RD E AND W (ELK AVE) -- END SH	16.69	6,776	6	0	1	7	0.36	0.00	5.99	0.42
Totals:		27.22				51	3	2	56	1.04	0.06	4.10	1.15

SH136A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.285 NE AND SW (SPRUCE ST) - RD (MAIN										
0.54	0.55	R-2-R	MINORSTR (136A000560BR) RD W (CO RD W)	0.14	716	1	0	0	1	7.00	0.00	0.00	7.00
1.57	1.02	R-2-R	RD N (CO RD 31.3) (CO RD 17.3)	0.52	1,398	1	0	0	1	1.91	0.00	0.00	1.91
4.47	2.87	R-2-R	RD E AND W (2ND SOUTH ST) - RD S (MAIN ST) --	2.09	1,992	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		4.44				2	0	0	2	0.73	0.00	0.00	0.73



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH138A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-3-R	MILEPOST 0 JCT SH AND U.S. 6 SW (3RD ST) NW										
0.46	0.48	U-3-R	RD N AND S (SIDNEY AVE)	0.72	4,100	4	2	0	6	5.60	2.80	0.00	8.40
0.74	0.25	U-2-R	RD W (JACKSON ST)	0.28	3,096	5	0	0	5	17.65	0.00	0.00	17.65
1.31	0.55	U-4-R	RD E (RIGHT OF WAY RD)	0.76	3,800	2	1	0	3	2.62	1.31	0.00	3.94
1.80	0.48	U-4-R	RD W (PIONEER RD) (CO RD 30.5) MAJOR STR	0.65	3,700	1	0	0	1	1.54	0.00	0.00	1.54
3.32	1.53	R-4-R	RD N AND S (CO RD 43.5)	2.24	4,000	4	0	0	4	1.79	0.00	0.00	1.79
8.96	5.67	R-2-R	JCT SH 113 N	5.60	2,700	3	0	0	3	0.54	0.00	0.00	0.54
11.90	2.92	R-2-R	RD N (4TH ST) - RD W (4TH AVE)	1.39	1,300	2	0	0	2	1.44	0.00	0.00	1.44
12.60	0.68	R-2-R	RD N AND S (CO RD 55)	0.27	1,100	0	0	1	1	0.00	0.00	363.67	3.64
21.73	9.11	R-2-R	RD N (CO RD 71)	2.73	820	5	1	0	6	1.83	0.37	0.00	2.19
26.32	4.56	R-2-R	RD W (CO RD 58)	0.82	490	3	0	0	3	3.67	0.00	0.00	3.67
27.49	1.11	R-2-R	JCT SH 55 S RD N (FIRST ST)	0.19	470	0	0	0	0	0.00	0.00	0.00	0.00
28.50	1.02	R-2-R	MINORSTR (A-26-B MINOR)	0.18	488	0	0	0	0	0.00	0.00	0.00	0.00
34.97	6.43	R-2-R	RD N AND S (CO RD 95.00)	1.20	510	2	0	0	2	1.67	0.00	0.00	1.67
41.38	6.45	R-2-R	RD N (CO RD 11)	0.76	320	0	0	0	0	0.00	0.00	0.00	0.00
43.01	1.68	R-2-R	RD N (WEST AVE)	0.24	390	0	0	0	0	0.00	0.00	0.00	0.00
43.67	0.65	R-2-R	MAJOR STR (A-26-G) PETERSON DITCH	0.15	649	0	0	0	0	0.00	0.00	0.00	0.00
50.47	6.66	R-2-R	RD N AND S (6TH ST)	1.46	600	2	1	0	3	1.37	0.68	0.00	2.05
50.99	0.71	R-2-R	MILEPOST 51	0.23	898	0	0	0	0	0.00	0.00	0.00	0.00
53.99	2.98	R-2-R	MILEPOST 54	0.96	880	0	0	0	0	0.00	0.00	0.00	0.00
54.80	0.59	R-2-R	JCT SH AND U.S.385 NW - SPEED LIMIT (55)	0.21	980	0	0	0	0	0.00	0.00	0.00	0.00
56.99	2.36	R-2-R	MILEPOST 57	1.04	1,200	0	0	0	0	0.00	0.00	0.00	0.00
57.66	0.35	R-2-R	RD NW (SYCAMORE ST)	0.20	1,600	0	0	0	0	0.00	0.00	0.00	0.00
58.17	0.68	R-2-R	RRX (805-404W) UP RR - (ABANDONDED)	0.65	2,592	0	0	0	0	0.00	0.00	0.00	0.00
58.74	0.57	R-4-R	RAMP OFF (TO SH385D) WB LN	0.30	1,455	1	0	0	1	3.28	0.00	0.00	3.28
59.82	1.02	R-2-R	RD W (CR 36.3) COLO-NEBRASKA STATE LINE END	0.20	540	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	59.49					34	5	1	40	1.45	0.21	4.26	1.71



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH138Z													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	MILEPOST 0 JCT SH AND U.S. ROUTE 138 (END										
0.33	0.35	U-2-R	RD NW AND SE (ELM ST)	0.53	4,140	6	1	0	7	11.41	1.90	0.00	13.31
0.61	0.27	U-6-R	JCT SH AND U.S. 6 SE (CHESNUT ST) AND SW	0.39	3,972	4	0	0	4	10.38	0.00	0.00	10.38
Totals:		0.62				10	1	0	11	10.84	1.08	0.00	11.92

SH139A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	RD E AND W (HAWKEYE RD) BEGIN SH139A (13										
0.55	0.60	R-2-R	RD E (L 1/2 RD)	0.30	1,382	0	0	0	0	0.00	0.00	0.00	0.00
1.24	0.71	R-2-R	RRX (253-800K) DRGW RR	0.34	1,300	1	0	0	1	2.97	0.00	0.00	2.97
5.02	3.77	R-2-R	RD E AND W (Q.00 RD)	3.03	2,198	3	1	0	4	0.99	0.33	0.00	1.32
13.59	8.47	R-2-M	MESA - GARFIELD COUNTY LINE	3.41	1,100	1	0	0	1	0.29	0.00	0.00	0.29
22.99	9.38	R-2-M	MILEPOST 23	3.33	970	5	0	0	5	1.50	0.00	0.00	1.50
32.55	9.50	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	3.37	970	4	1	0	5	1.19	0.30	0.00	1.48
41.99	9.36	R-2-M	MILEPOST 42	3.32	970	9	1	0	10	2.71	0.30	0.00	3.01
51.18	9.16	R-2-M	RD W (CO RD 11620)	3.25	970	2	0	0	2	0.61	0.00	0.00	0.61
60.22	8.97	R-2-M	MINORSTR (139A060030BR) UNNAMED DRAINAGE	3.18	970	4	0	0	4	1.26	0.00	0.00	1.26
65.14	4.90	R-2-M	RD SW (HORSEDRAW) (CO RD 105)	1.74	970	0	0	0	0	0.00	0.00	0.00	0.00
72.07	6.76	R-2-M	JCT SH 64 E AND W -- END SH 139A	2.72	1,100	0	1	0	1	0.00	0.37	0.00	0.37
Totals:		71.58				29	4	0	33	1.04	0.14	0.00	1.18

SH140A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	COLORADO-NEW MEXICO STATE LINE MILEPOST										
8.26	8.21	R-2-R	RD E AND W (CO RD 100)	6.01	2,000	13	0	1	14	2.16	0.00	16.64	2.33
10.51	2.27	R-2-M	RD S (CO RD 134)	1.41	1,700	1	0	0	1	0.71	0.00	0.00	0.71
15.65	5.09	R-2-M	RD E (CO RD 141)	5.22	2,800	7	0	0	7	1.34	0.00	0.00	1.34
23.44	7.71	R-2-M	JCT U.S.160 NW AND SE -- END SH 140A	5.36	1,900	11	1	0	12	2.05	0.19	0.00	2.24
Totals:		23.28				32	1	1	34	1.78	0.06	5.56	1.89



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH141A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S. 491 NW AND SE - MILEPOST 0 -- BEGIN										
9.37	9.36	R-2-R	RD E AND W (CO RD H1 BURNS RD)	1.54	450	0	0	0	0	0.00	0.00	0.00	0.00
11.26	1.88	R-2-M	RD NE (CO RD K8)	0.24	350	0	1	0	1	0.00	4.16	0.00	4.16
20.99	9.68	R-2-R	MILEPOST 21	0.89	250	1	0	0	1	1.13	0.00	0.00	1.13
30.99	9.96	R-2-R	MILEPOST 31	0.91	250	2	1	0	3	2.20	1.10	0.00	3.29
40.66	9.70	R-2-R	MINORSTR (141A040670BR) UNNAMED DRAINAGE	0.89	250	0	0	0	0	0.00	0.00	0.00	0.00
44.11	3.47	R-2-R	RD E AND W (CO RD U29)	0.32	250	0	0	0	0	0.00	0.00	0.00	0.00
53.26	9.10	R-2-R	RD SW (CO RD HH31)	1.47	440	0	0	0	0	0.00	0.00	0.00	0.00
55.50	2.28	R-2-R	RD SE (CO RD FF31)	0.37	440	0	0	0	0	0.00	0.00	0.00	0.00
60.20	4.63	R-2-R	RD NE (2ND ST)	2.20	1,300	2	0	0	2	0.91	0.00	0.00	0.91
60.79	0.61	R-2-M	RD NE (W 3RD AVE)	0.33	1,464	0	0	0	0	0.00	0.00	0.00	0.00
62.43	2.03	R-2-M	JCT SH 90 SW (VANCORUM)	0.44	590	0	1	0	1	0.00	2.29	0.00	2.29
64.39	1.96	R-2-M	RD NE (CO RD CC) (CALAMITY RD)	0.22	300	0	0	0	0	0.00	0.00	0.00	0.00
73.40	9.06	R-2-M	RD SW (CO RD W19)	0.93	280	2	1	0	3	2.15	1.08	0.00	3.23
82.99	9.47	R-2-M	MILEPOST 83	0.97	280	0	1	0	1	0.00	1.03	0.00	1.03
92.99	9.97	R-2-M	MILEPOST 93	1.02	280	0	0	0	0	0.00	0.00	0.00	0.00
102.29	9.31	R-2-M	MINORSTR (141A102240BL) DRAINAGE	0.95	280	1	0	0	1	1.05	0.00	0.00	1.05
110.52	8.18	R-2-M	RD SW (JOHN BROWN CR RD)	0.84	280	0	0	1	1	0.00	0.00	119.25	1.19
119.59	8.99	R-2-M	MINORSTR (141A119610BR) DRAINAGE	2.14	650	2	1	0	3	0.94	0.47	0.00	1.40
128.99	9.40	R-2-M	MILEPOST 129	2.24	650	6	0	1	7	2.68	0.00	44.72	3.13
138.69	9.70	R-2-M	MINORSTR (141A138710BR) DRAINAGE	2.31	650	3	2	0	5	1.30	0.87	0.00	2.17
147.99	9.28	R-2-M	MILEPOST 148	2.21	650	2	2	0	4	0.91	0.91	0.00	1.81
154.11	6.08	R-2-R	JCT SH050A NW AND SE -- END SH 141A	1.52	685	4	3	0	7	2.63	1.97	0.00	4.59
Totals:		154.10				25	13	2	40	1.00	0.52	8.02	1.60

SH141B													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
156.75		U-2-R	JCT SH050A SE AND NW BEGIN SH141B1 -- BEGIN										
157.56	0.79	U-2-R	RD NW (CO RD A.25) (CAROL CT) - LEAVE GRAND	1.62	5,600	1	0	0	1	0.62	0.00	0.00	0.62
158.92	1.34	R-2-R	RD E AND W (CO RD B.50)	2.75	5,600	0	0	0	0	0.00	0.00	0.00	0.00
159.44	0.49	R-2-R	RD E AND W (CO RD C.00)	1.65	9,202	2	1	0	3	1.21	0.61	0.00	1.82
159.92	0.45	R-2-R	MAJOR STR (H-03-BL) COLORADO RIVER - ENTER	1.65	9,997	3	1	1	5	1.83	0.61	60.87	3.04
160.43	0.52	U-2-R	ENTER AND LEAVE A SMALL PART OF GRAND	1.90	10,000	3	0	0	3	1.58	0.00	0.00	1.58



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH141B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
160.94	0.48	U-3-R	RD E AND W (CR D.50) (GRAND AVE)	2.81	15,975	7	1	0	8	2.48	0.35	0.00	2.84
161.47	0.62	U-4-R	MAJOR STR (H-03-BO) GRAND VALLEY CANAL	4.08	17,984	5	1	0	6	1.23	0.25	0.00	1.47
161.93	0.34	U-4-R	RD W (CO RD E.40) (HALL AVE) - BEGIN NEW	2.24	18,000	2	0	0	2	0.88	0.00	0.00	0.88
162.30	0.33	U-4-R	NORTHWEST SIDE SLIP RAMPS (TO/FROM GRAND	2.66	22,000	5	1	0	6	1.87	0.37	0.00	2.24
Totals:		5.36				28	5	1	34	1.31	0.23	4.68	1.59

SH142A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 285A NORTH AND SOUTH -- BEGIN SH										
2.26	2.30	R-2-R	RD N AND S (CO RD 17) (9TH ST)	1.85	2,200	3	0	0	3	1.62	0.00	0.00	1.62
3.27	0.96	R-2-R	RD N AND S (CO RD 18) (1ST ST)	0.74	2,100	2	0	0	2	2.72	0.00	0.00	2.72
12.99	9.78	R-2-R	RD NE (CO RD 27.8) - MILEPOST 13	2.15	600	1	0	0	1	0.47	0.00	0.00	0.47
13.99	1.00	R-2-R	MILEPOST 14	0.13	343	2	0	0	2	15.95	0.00	0.00	15.95
22.95	8.81	R-2-R	RD E (CO RD 54)	0.55	170	2	0	0	2	3.65	0.00	0.00	3.65
28.70	5.67	R-2-R	RD S (CO RD 59)	0.44	210	1	0	0	1	2.30	0.00	0.00	2.30
33.84	4.97	R-2-R	JCT SH 159 N AND SW (MAIN ST) -- END SH 142A	0.64	350	4	0	0	4	6.29	0.00	0.00	6.29
Totals:		33.49				15	0	0	15	2.31	0.00	0.00	2.31

SH144A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	RD E (S FRONTAGE RD) - RD S (CO RD 1) BEGIN										
0.96	1.05	R-2-F	RD W (CO RD R.00)	0.06	150	0	0	0	0	0.00	0.00	0.00	0.00
2.81	1.84	R-2-F	JCT U.S.34 SH 34 NW AND SE	0.10	150	0	0	0	0	0.00	0.00	0.00	0.00
10.48	7.63	R-2-R	JCT SH 39 S (GOODRICH)	0.92	330	1	0	0	1	1.09	0.00	0.00	1.09
11.05	0.44	R-2-R	RD W (CO RD Y.50)	0.08	499	0	0	0	0	0.00	0.00	0.00	0.00
16.59	5.50	R-2-R	RD N (WARREN) (CO RD 9.50)	0.91	450	2	1	0	3	2.21	1.10	0.00	3.31
20.83	4.25	R-2-R	RD S (CO RD 12.00)	1.03	660	2	0	0	2	1.95	0.00	0.00	1.95
26.88	6.03	R-2-R	RD N (CEDAR ST) (CO RD 16.80) ENTER FORT	3.12	1,414	4	0	0	4	1.28	0.00	0.00	1.28
27.12	0.22	U-2-R	RD N (ASH ST)	0.27	3,300	0	0	0	0	0.00	0.00	0.00	0.00
27.32	0.17	R-2-R	RAMP ON	0.21	3,300	1	0	0	1	4.79	0.00	0.00	4.79
27.58	0.28	U-2-R	RD N (CO RD 17.25)	0.34	3,300	0	0	0	0	0.00	0.00	0.00	0.00
28.29	0.69	U-2-R	RD S (WEST ST)	0.83	3,300	1	0	0	1	1.19	0.00	0.00	1.19



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH144A														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
28.80	0.50	U-2-R	JCT SH 052N NORTH AND SOUTH (MAIN ST) - RD E	0.92	5,036	3	0	0	3	3.26	0.00	0.00	3.26	
Totals:						28.60	14	1	0	15	1.59	0.11	0.00	1.71

SH145A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	JCT U.S.160 EAST AND WEST (MAIN ST) -- BEGIN										
0.43	0.44	U-4-R	RD W (RAMPART ST)	1.14	7,073	2	0	0	2	1.76	0.00	0.00	1.76
1.25	0.79	U-4-R	RD E AND W (ALAMOSA RD)	1.97	6,800	2	1	0	3	1.01	0.51	0.00	1.52
2.25	1.01	U-4-R	RD E AND W (CO RD M)	2.29	6,201	3	0	0	3	1.31	0.00	0.00	1.31
3.26	1.00	U-2-R	RD E AND W (CO RD N)	1.68	4,600	0	0	0	0	0.00	0.00	0.00	0.00
7.85	4.55	R-2-R	JCT SH 184 NW	7.66	4,600	27	4	0	31	3.53	0.52	0.00	4.05
8.72	0.85	R-3-R	JCT SH 184 SE	1.62	5,197	1	1	0	2	0.62	0.62	0.00	1.23
9.53	0.82	R-2-R	RD N (B ST)	1.56	5,200	0	2	0	2	0.00	1.28	0.00	1.28
10.12	0.26	R-2-R	RD N AND S (4TH ST)	0.51	5,400	0	0	0	0	0.00	0.00	0.00	0.00
11.30	0.88	R-3-R	RD N (17TH ST)	1.51	4,700	2	0	0	2	1.33	0.00	0.00	1.33
17.09	5.81	R-2-M	RD NE (CO RD 36)	5.53	2,600	1	1	0	2	0.18	0.18	0.00	0.36
26.72	9.70	R-2-M	MINORSTR (145A026710BL) STOCK PASS	5.68	1,600	3	3	0	6	0.53	0.53	0.00	1.06
35.99	9.31	R-2-M	MILEPOST 36	5.45	1,600	1	0	1	2	0.18	0.00	18.34	0.37
45.61	9.61	R-2-M	MINORSTR (145A045610BR) SPRUCE GULCH	5.63	1,600	4	0	0	4	0.71	0.00	0.00	0.71
47.15	1.55	R-2-M	RD E AND W (MENTZ AVE)	0.91	1,600	1	0	0	1	1.10	0.00	0.00	1.10
56.54	9.29	R-2-M	MINORSTR (145A056520BL) SNOW SPUR CREEK	6.46	1,900	2	3	0	5	0.31	0.46	0.00	0.77
64.18	7.63	R-2-M	RD NW (CO RD 63-L) - RD SE (CO RD D-65) (ILLIUM	5.31	1,900	13	4	0	17	2.45	0.75	0.00	3.20
68.90	4.63	R-2-M	RD SE (CO RD TR-1) (1 VANCE CR RD) - END	3.56	2,100	4	0	1	5	1.12	0.00	28.12	1.41
69.75	0.90	R-2-M	RD E (MOUNTAIN VILLAGE BLVD)	1.63	4,954	2	0	0	2	1.23	0.00	0.00	1.23
71.47	1.65	R-2-M	JCT SH 145 SPUR E (TO TELLURIDE AND IDARADO	4.17	6,900	1	0	0	1	0.24	0.00	0.00	0.24
79.96	8.49	R-2-M	RD N (HYDE ST) (CO RD 58P) (LOST DOLLAR RD)	15.54	5,000	11	0	0	11	0.71	0.00	0.00	0.71
81.21	1.25	R-2-M	RD S (CO RD 57-P) (FALL CREEK RD)	2.20	4,800	2	1	0	3	0.91	0.46	0.00	1.37
84.28	3.00	R-2-M	JCT SH 062A NE - 3 WAY AT GRADE	4.72	4,300	6	0	0	6	1.27	0.00	0.00	1.27
93.41	9.15	R-2-M	MINORSTR (145A093430BR) UNNAMED DRAINAGE	5.02	1,500	2	1	0	3	0.40	0.20	0.00	0.60
96.06	2.61	R-2-R	RD N (CO RD 47-2) (SANBORN PARK RD)	1.43	1,500	0	0	0	0	0.00	0.00	0.00	0.00
99.48	3.39	R-2-R	RD N AND S (CO RD 44ZS) (LONE CONE RD)	2.23	1,800	1	1	0	2	0.45	0.45	0.00	0.90
101.55	2.06	R-2-R	RD E (SUMMET ST)	1.96	2,598	0	0	0	0	0.00	0.00	0.00	0.00
102.59	0.99	R-2-R	RD E (CO RD AA42) (CO RD W35)	0.65	1,801	2	0	0	2	3.06	0.00	0.00	3.06



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH145A																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
110.10	7.56	R-2-R	RD N AND S (CO RD 35.75)	3.32	1,200	5	0	0	5	1.51	0.00	0.00	1.51				
116.88	6.73	R-2-R	JCT SH 141 SE AND NW END -- SH 145A	2.71	1,100	4	0	0	4	1.48	0.00	0.00	1.48				
Totals:						115.91				102	22	2	126	0.98	0.21	1.92	1.21

SH149A																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
0.00		R-2-M	JCT SH160A (US 160) E AND SW IN SOUTH FORK														
1.15	0.95	R-2-M	RD E (N RIVER RD) (CO RD 15)	0.97	2,800	1	0	0	1	1.03	0.00	0.00	1.03				
3.44	2.29	R-2-M	RD SW (CO RD MP.8) (MASONIC PARK RD)	1.34	1,601	1	0	0	1	0.74	0.00	0.00	0.74				
12.99	9.47	R-2-M	MILEPOST 13	4.51	1,300	8	1	0	9	1.78	0.22	0.00	2.00				
18.51	5.49	R-2-M	RD W (CO RD 806A) (DEEP CREEK RD)	2.61	1,300	0	0	0	0	0.00	0.00	0.00	0.00				
21.56	3.27	R-2-M	RD W (W 11TH AVE)	1.80	1,500	0	0	0	0	0.00	0.00	0.00	0.00				
22.88	1.28	R-2-M	RD S (CO RD 806) (AIRPORT RD)	0.76	1,618	0	0	0	0	0.00	0.00	0.00	0.00				
26.57	3.64	R-2-M	RD E (DEEP CREEK RD) (CO RD 806)	1.33	1,000	0	0	0	0	0.00	0.00	0.00	0.00				
27.68	1.13	R-2-M	RD S (MIDDLE CREEK RD) (CO RD 523)	0.38	930	0	0	0	0	0.00	0.00	0.00	0.00				
36.93	9.13	R-2-M	CHANGE WIDTH	3.31	990	0	0	0	0	0.00	0.00	0.00	0.00				
41.47	4.35	R-2-M	RD W (CO RD 520)	1.58	990	0	0	0	0	0.00	0.00	0.00	0.00				
45.46	3.63	R-2-M	RD NW (BROWNS LAKE RD) (CO RD 10) - RD SE	0.65	490	0	0	0	0	0.00	0.00	0.00	0.00				
54.96	9.48	R-2-M	SPRING CREEK PASS SUMMIT - ELEVATION 10,901	1.46	420	0	1	0	1	0.00	0.69	0.00	0.69				
62.65	7.66	R-2-M	SLUMGULLION PASS SUMMIT - ELEVATION 11,320	1.18	420	0	1	0	1	0.00	0.85	0.00	0.85				
69.84	7.17	R-2-M	RD NW (CO RD 30) (LAKE SAN CRISTOBAL)	1.47	560	2	1	0	3	1.36	0.68	0.00	2.04				
71.89	2.03	R-2-M	RD E (SPRING ST) (CO RD 21)	0.63	850	0	0	0	0	0.00	0.00	0.00	0.00				
72.82	0.93	R-2-M	RD E (EIGHT AND ONE HALF ST)	0.67	1,962	0	0	0	0	0.00	0.00	0.00	0.00				
73.36	0.53	R-2-M	LEAVE LAKE CITY CITY LIMITS - ENTER LAKE CITY	0.11	586	0	0	0	0	0.00	0.00	0.00	0.00				
82.39	8.99	R-2-M	MINORSTR (149A082340BL) NARROW GRADE CR.	2.27	690	1	1	0	2	0.44	0.44	0.00	0.88				
91.99	9.65	R-2-M	MILEPOST 92	2.44	690	2	0	0	2	0.82	0.00	0.00	0.82				
100.59	8.59	R-2-M	RD SE (CO RD 27) (TO POWDERHORN)	2.17	690	4	1	0	5	1.84	0.46	0.00	2.31				
109.99	9.41	R-2-M	MILEPOST 110	2.76	800	4	0	0	4	1.45	0.00	0.00	1.45				
117.52	7.51	R-2-M	JCT U.S.050A EAST AND WEST -- END SH 149A	2.20	800	3	0	0	3	1.36	0.00	0.00	1.36				
Totals:						116.58				26	6	0	32	0.71	0.16	0.00	0.87



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH150A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.160 EAST AND WEST										
9.16	9.14	R-2-R	RD E (CO RD 2N)	2.14	640	3	0	0	3	1.40	0.00	0.00	1.40
13.50	4.28	R-2-R	RD W (CO RD 6.0N) (OLD HWY150)	1.00	640	1	0	0	1	1.00	0.00	0.00	1.00
16.11	2.50	R-2-R	ENTER SAND DUNES NATIONAL MONUMENT --	0.79	860	2	0	0	2	2.54	0.00	0.00	2.54
Totals:	15.92					6	0	0	6	1.53	0.00	0.00	1.53

SH151A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 172 N AND S - RD W (UTE ST) SOUTHERN										
0.52	0.53	R-2-R	RD N (CO RD 521)	0.70	3,600	1	0	0	1	1.44	0.00	0.00	1.44
4.99	4.46	R-2-R	RD N AND S (CO RD 334) - MILEPOST 5 - (1.058	4.90	3,000	3	3	1	7	0.61	0.61	20.43	1.43
14.36	9.33	R-2-R	RD S (BARTON CIR)	5.81	1,700	7	2	0	9	1.21	0.34	0.00	1.55
16.09	1.67	R-2-M	RD SW (CO RD B.80)	1.04	1,700	1	0	0	1	0.96	0.00	0.00	0.96
22.72	6.63	R-2-M	RD NW (CO RD 7.30) (FOSSETT GULCH RD) (CR	2.67	1,100	6	2	0	8	2.25	0.75	0.00	3.00
31.99	9.26	R-2-M	MILEPOST 32	2.17	640	5	0	0	5	2.30	0.00	0.00	2.30
33.96	1.95	R-2-M	JCT U.S.160 EAST AND WEST -- END SH 151A	0.46	640	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	33.83					23	7	1	31	1.30	0.39	5.64	1.75

SH157A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-3-R	RAMP OFF -- JCT U.S. 36 NW AND SE										
0.27	0.46	U-3-R	RAMP OFF (TO U.S. 036B WEST) SB	6.05	35,939	22	0	0	22	3.64	0.00	0.00	3.64
0.95	0.79	U-4-R	RD E AND W (BASELINE RD)	11.28	39,000	9	0	0	9	0.80	0.00	0.00	0.80
1.76	0.67	U-4-R	RD W (COLORADO AVE)	10.54	42,988	20	2	0	22	1.89	0.19	0.00	2.08
2.03	0.43	U-4-R	JCT SH 007C EAST AND WEST - RD E AND W	8.01	50,925	13	2	0	15	1.63	0.25	0.00	1.88
2.91	0.61	U-4-R	PEARL STREET INTERCHANGE STR (D-16-CU) - RD	11.61	52,000	13	1	0	14	1.12	0.09	0.00	1.21
3.36	0.70	U-4-R	MAJOR STR (D-16-DD) WONDERLAND CREEK -	10.77	42,021	46	2	0	48	4.27	0.19	0.00	4.46
3.72	0.32	U-4-R	DIAGONAL HWY INTERCHANGE STR (D-16-DF) -	4.57	39,000	4	0	0	4	0.87	0.00	0.00	0.87
4.53	0.76	U-4-R	DIRECT CONNECTION - JCT SH 119 NE AND W --	12.24	43,993	3	0	0	3	0.25	0.00	0.00	0.25
Totals:	4.74					130	7	0	137	1.73	0.09	0.00	1.83



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH159A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	COLORADO-NEW MEXICO STATE LINE MILEPOST										
7.00	7.04	R-2-R	MILEPOST 7	1.57	610	2	0	0	2	1.27	0.00	0.00	1.27
13.29	6.29	R-2-R	RD W (CO RD 54) (CO RD P)	2.23	970	8	3	0	11	3.58	1.34	0.00	4.92
17.54	4.18	R-2-R	MINORSTR (159A017560BR) RD E (1ST ST)	1.68	1,100	1	0	0	1	0.59	0.00	0.00	0.59
18.07	0.48	R-2-R	RD E (6TH ST) (CO RD P.7)	0.38	2,172	0	0	0	0	0.00	0.00	0.00	0.00
18.99	0.91	R-2-R	MILEPOST 19	0.71	2,130	0	0	0	0	0.00	0.00	0.00	0.00
28.78	9.79	R-2-R	MINORSTR (159A028800BR) TRINCHERA CANAL	6.81	1,900	2	0	0	2	0.29	0.00	0.00	0.29
30.95	2.17	R-2-R	MINORSTR (159A030930BR) IRRIGATION CANAL	1.51	1,900	0	0	0	0	0.00	0.00	0.00	0.00
33.66	2.68	R-2-R	JCT U.S.160 SH 160 E AND W -- END SH 159A	1.54	1,567	8	0	0	8	5.20	0.00	0.00	5.20
Totals:	33.54					21	3	0	24	1.28	0.18	0.00	1.46

SH160A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	COLORADO-NEW MEXICO STATE LINE -- BEGIN										
4.87	4.89	R-2-R	JCT SH 41 NW	3.94	2,200	1	0	0	1	0.25	0.00	0.00	0.25
13.91	8.97	R-2-R	MINORSTR (160A013920BL) DRAINAGE	6.24	1,900	1	1	0	2	0.16	0.16	0.00	0.32
18.29	4.35	R-2-R	RAMP ON	3.02	1,900	1	0	0	1	0.33	0.00	0.00	0.33
26.54	8.12	R-2-R	RD W (CO RD UM 31) (MIKE WASH RD)	13.08	4,400	5	1	0	6	0.38	0.08	0.00	0.46
34.07	7.75	R-2-R	RD W (CO RD F)	18.44	6,500	14	5	0	19	0.76	0.27	0.00	1.03
35.18	1.10	U-2-R	RD S (CO RD 24) - RD E AND W (MCELMO RD) (CO	3.06	7,600	3	1	0	4	0.98	0.33	0.00	1.31
36.44	1.23	U-2-R	RD W (ARROWHEAD LN)	4.45	9,893	6	0	0	6	1.35	0.00	0.00	1.35
37.38	0.92	U-2-R	RD E AND W (7TH ST HARTMAN RD)	3.33	9,900	5	0	0	5	1.51	0.00	0.00	1.51
37.71	0.33	U-4-R	JCT SH 491B NE (BROADWAY) - RD E (3RD ST) -	1.69	14,000	6	1	0	7	3.57	0.60	0.00	4.17
37.99	0.29	U-4-R	MILEPOST 38	1.61	15,138	3	0	0	3	1.87	0.00	0.00	1.87
38.26	0.27	U-4-R	RD N AND S (CHESTNUT ST)	1.34	13,604	10	1	0	11	7.49	0.75	0.00	8.24
38.62	0.35	U-4-R	RD N AND S (MADISON ST)	2.18	17,000	4	1	0	5	1.83	0.46	0.00	2.29
39.04	0.39	U-4-R	RD N (MILDRED RD)	2.57	18,000	8	3	0	11	3.14	1.18	0.00	4.31
39.57	0.49	U-4-R	RD N AND S(SLIGO ST)	3.23	18,000	6	2	0	8	1.87	0.62	0.00	2.49
39.85	0.32	U-4-R	RD SE (E MAIN ST) (HAWKINS ST)	1.88	16,025	6	1	0	7	3.18	0.53	0.00	3.71
40.29	0.38	U-4-R	JCT SH 145 NW (STATE ST)	1.95	14,026	2	1	0	3	1.02	0.51	0.00	1.53
40.65	0.33	U-4-R	RD S (TO REST AREA KOA CAMPGROUND) -	1.11	9,200	0	0	0	0	0.00	0.00	0.00	0.00
41.93	1.13	U-2-R	RD N (CO RD 29 TOTTEN LAKE RD) - LEAVE	3.52	8,500	8	2	0	10	2.28	0.57	0.00	2.85
48.60	6.77	R-2-R	MESA VERDE NATIONAL PARK INTERCHANGE	17.10	6,900	24	2	0	26	1.40	0.12	0.00	1.52



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH160A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
54.74	5.99	R-4-R	MINORSTR (160A054720BL) UNNAMED DRAINAGE	13.15	6,000	16	3	0	19	1.22	0.23	0.00	1.44
56.98	2.40	R-2-R	MINORSTR (160D002490BL) -- JCT U.S. 160D WEST	4.75	5,403	13	1	0	14	2.74	0.21	0.00	2.95
65.99	9.02	R-2-M	MILEPOST 66	22.12	6,699	18	6	0	24	0.81	0.27	0.00	1.09
72.33	6.27	R-3-M	RD N (CO RD 124 LA PLATA CANYON RD)	15.38	6,700	17	0	1	18	1.11	0.00	6.50	1.17
72.99	0.72	R-2-M	MILEPOST 73	1.68	6,380	2	0	0	2	1.20	0.00	0.00	1.20
76.14	3.18	R-2-M	RD N (ASPEN DR) (CO RD 162E)	7.22	6,200	7	4	0	11	0.97	0.55	0.00	1.52
79.86	3.67	R-2-M	RD NW (CO RD 207) (LIGHTNER CREEK RD)	11.28	8,396	19	1	0	20	1.68	0.09	0.00	1.77
81.18	1.27	R-3-M	RD SW (CO RD 141) (WILDCAT CANYON RD) (CO	4.18	9,000	3	0	0	3	0.72	0.00	0.00	0.72
82.27	1.15	U-3-M	RD NW (CO RD 206) (PERINS CANYON DR)	5.05	12,000	3	0	0	3	0.59	0.00	0.00	0.59
83.12	0.79	U-4-M	RD N (ROOSA AVE) (CO RD 206B)	5.78	20,000	4	0	0	4	0.69	0.00	0.00	0.69
83.38	0.29	U-4-M	RAMP ON (FROM U.S. 160A EAST) SB	2.71	25,488	10	1	0	11	3.76	0.38	0.00	4.14
84.33	0.72	U-4-M	MAJOR STR (O-05-AQ) ANIMAS RIVER	7.94	30,129	6	0	0	6	0.76	0.00	0.00	0.76
85.56	1.41	U-4-M	RD SW (TURNER DR)	17.03	33,000	13	2	0	15	0.76	0.12	0.00	0.88
86.48	0.91	U-4-M	HIGHMAST STR (HMLP05E)	8.99	27,000	13	2	0	15	1.45	0.22	0.00	1.67
87.91	0.77	U-4-M	RD S (FRONTAGE RD)	8.74	31,000	10	0	0	10	1.14	0.00	0.00	1.14
88.31	0.34	U-4-M	MINORSTR (160A088300BL) WILSON GULCH	3.86	31,000	5	0	0	5	1.29	0.00	0.00	1.29
89.55	1.12	U-3-M	RD S (CO RD 232)	9.02	22,000	4	0	0	4	0.44	0.00	0.00	0.44
90.78	1.21	U-4-M	RD S (VALLE ESCONDIDO DR)	9.74	22,000	11	0	0	11	1.13	0.00	0.00	1.13
91.47	0.70	U-4-M	JCT SH172A SOUTH - RD N (COUNTY ROAD)	5.64	22,000	9	1	0	10	1.60	0.18	0.00	1.78
91.81	0.33	U-4-M	MINORSTR (160A091380BL) FLORIDA CANAL --	1.57	13,000	10	1	0	11	6.37	0.64	0.00	7.01
93.13	1.38	R-2-M	RD NE (CO RD 223) - RD SE (CO RD 222)	6.57	13,000	12	2	1	15	1.83	0.30	15.23	2.28
100.80	7.34	R-2-M	RD N AND S (CO RD 507)	24.99	9,302	37	11	0	48	1.48	0.44	0.00	1.92
101.38	0.87	R-2-M	JCT U.S. 160E (BAYFIELD BUSINESS LOOP) NE	2.87	9,000	4	0	0	4	1.40	0.00	0.00	1.40
103.17	1.70	R-2-M	RD NW (COMMERCE DR TO COLORADO DR) (CO	4.17	6,700	13	2	0	15	3.12	0.48	0.00	3.60
103.90	0.71	R-2-M	MINORSTR (160A103910BR) STOCK PASS	1.96	7,529	3	0	0	3	1.54	0.00	0.00	1.54
112.99	9.11	R-2-M	MILEPOST 113	17.34	5,200	19	3	0	22	1.10	0.17	0.00	1.27
117.59	4.50	R-2-M	MINORSTR (160A117500BR) UNNAMED DRAINAGE	8.56	5,200	6	1	0	7	0.70	0.12	0.00	0.82
126.82	9.27	R-3-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	16.96	5,000	25	2	0	27	1.47	0.12	0.00	1.59
127.67	0.86	R-2-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	1.55	4,916	2	0	0	2	1.30	0.00	0.00	1.30
129.89	2.22	R-2-M	RD E (CAT CREEK RD (WEST) (CO RD 700)	3.98	4,900	4	1	1	6	1.01	0.25	25.15	1.51
138.05	8.07	R-2-M	RD SE (CO RD 23.90) (SCENIC DR) - ENTER	24.81	8,400	24	2	0	26	0.97	0.08	0.00	1.05
140.87	2.79	R-2-M	RD NW (CO RD 600) (PIEDRA RD) - RD S (HARMAN	15.32	15,000	17	1	0	18	1.11	0.07	0.00	1.18
142.93	2.08	R-2-M	RD S (10TH ST)	11.42	15,000	20	1	0	21	1.75	0.09	0.00	1.84
143.54	0.58	R-3-M	RD NW (4TH ST) - RD SE (HOT SPRINGS RD)	2.97	14,007	10	2	0	12	3.37	0.67	0.00	4.05
144.45	0.91	R-4-M	JCT SH084A - LEAVE PAGOSA SPRINGS CITY	2.90	8,700	10	0	0	10	3.45	0.00	0.00	3.45



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH160A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
153.97	9.52	R-2-M	MAJOR STR (O-09-S) WEST FORK SAN JUAN	14.63	4,200	12	0	0	12	0.82	0.00	0.00	0.82
154.72	0.78	R-2-M	MINORSTR (160A154730BR) STOCK PASS	0.94	3,306	1	1	0	2	1.07	1.07	0.00	2.13
163.99	9.27	R-2-M	MILEPOST 164	10.86	3,200	24	7	0	31	2.21	0.65	0.00	2.86
173.79	9.58	R-4-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	11.22	3,200	30	1	0	31	2.67	0.09	0.00	2.76
182.99	9.18	R-3-M	MILEPOST 183	10.75	3,200	13	2	0	15	1.21	0.19	0.00	1.40
184.65	1.65	R-2-M	RD SE (CO RD 20) (BEAVER CREEK RD)	1.93	3,200	2	0	0	2	1.04	0.00	0.00	1.04
186.11	1.35	R-2-M	JCT SH 149 NW (SOUTH FORK)	1.63	3,300	1	0	0	1	0.61	0.00	0.00	0.61
188.88	2.76	R-2-R	RD N (GERRARD LN) (CO RD 19) (ALDER CREEK	5.86	5,799	4	2	0	6	0.68	0.34	0.00	1.02
196.05	7.24	R-2-R	RD N (CO RD 17)	12.19	4,600	33	1	1	35	2.71	0.08	8.20	2.87
201.55	5.48	R-2-R	RD SW (PINOS CR RD) (CO RD 14) CENTER ST	9.63	4,800	8	4	0	12	0.83	0.42	0.00	1.25
202.07	0.51	R-2-R	JCT SH 112 N RD S (OAK ST)	1.26	6,757	2	0	0	2	1.59	0.00	0.00	1.59
202.68	0.63	R-4-R	RD S (CO RD DN6)	1.46	6,344	0	0	0	0	0.00	0.00	0.00	0.00
207.09	4.16	R-2-R	RD NE (CO RD 5N)	9.44	6,200	17	1	0	18	1.80	0.11	0.00	1.91
213.08	6.18	R-2-R	RD SE (CO RD 28)	11.08	4,900	4	2	0	6	0.36	0.18	0.00	0.54
215.11	2.01	R-2-R	RD N (CHICO CAMINO)	4.12	5,599	3	1	0	4	0.73	0.24	0.00	0.97
215.69	0.57	R-2-R	JCT U.S.285 SH 285 N JCT SH 15 S (BROADWAY)	1.69	8,096	5	0	0	5	2.96	0.00	0.00	2.96
216.23	0.55	R-4-R	RD N AND S (FRANKLIN ST)	2.33	11,579	6	1	0	7	2.56	0.43	0.00	2.99
216.90	0.65	R-2-R	RD E (SHERMAN ST)	2.85	12,000	4	1	0	5	1.40	0.35	0.00	1.75
219.08	2.16	R-2-R	RD N AND S (CO RD 3E)	6.88	8,700	10	1	0	11	1.45	0.15	0.00	1.60
227.05	7.98	R-2-R	RD N AND S (CO RD S104)	21.32	7,301	10	1	0	11	0.47	0.05	0.00	0.52
229.69	2.19	R-2-R	RD N (CO RD S106.4 CLARK AVE)	15.23	19,000	7	0	1	8	0.46	0.00	6.57	0.53
230.43	1.14	R-2-R	RD N AND S (CO RD S107) - ENTER ALAMOSA	9.18	21,995	1	0	0	1	0.11	0.00	0.00	0.11
231.50	1.07	U-4-R	RD NE (CRAFT DR)	8.62	22,000	8	0	0	8	0.93	0.00	0.00	0.93
231.84	0.33	U-4-R	RD NE (VICTORIA ST) - RD E (1ST ST)	2.42	20,000	10	0	0	10	4.09	0.00	0.00	4.09
232.36	0.51	U-4-R	RD N (EDGEMONT AVE)	3.92	20,998	14	2	0	16	3.60	0.51	0.00	4.11
232.68	0.31	U-4-R	RD S (LA VETA AVE) -- START TC -(200444) OLD	1.22	10,761	4	0	0	4	3.31	0.00	0.00	3.31
233.48	0.81	U-6-R	JCT U.S. 160Z WEST - RD E (MAIN ST) - END	2.94	9,909	19	1	0	20	6.47	0.34	0.00	6.81
233.73	0.24	U-2-R	RD E (COSTILLA AE)	1.20	13,703	4	1	0	5	3.38	0.84	0.00	4.22
234.00	0.19	U-2-R	MILEPOST 234	0.97	14,000	2	0	0	2	2.10	0.00	0.00	2.10
234.27	0.26	U-2-R	RD S (3RD ST CO RD S110.4) - RD N (OKEEF CO	0.90	9,500	0	1	0	1	0.00	1.10	0.00	1.10
235.08	0.80	U-2-R	RD S (WILD ACRES LN CO RD S111.5)	2.11	7,203	6	2	0	8	2.86	0.95	0.00	3.81
235.38	0.33	U-2-R	REGION BOUNDARY OR CLASSIFICATION	0.61	5,020	3	0	0	3	4.95	0.00	0.00	4.95
235.92	0.58	R-2-R	RD N AND S (HARMONY RD CO RD S112)	1.06	5,000	0	0	0	0	0.00	0.00	0.00	0.00
236.89	0.96	R-2-R	RD (EL RANCHO LN) (CO RD S113)	1.65	4,700	2	0	0	2	1.21	0.00	0.00	1.21
245.99	9.12	R-2-R	MILEPOST 246	13.69	4,100	8	0	0	8	0.58	0.00	0.00	0.58



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH160A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
247.92	1.90	R-2-R	JCT SH 150 N ALAMOSA-COSTILLA COUNTY LINE	2.85	4,100	0	0	0	0	0.00	0.00	0.00	0.00
253.60	5.71	R-2-R	RD N AND S (BROADWAY CO RD 14)	5.85	2,800	9	1	0	10	1.54	0.17	0.00	1.71
254.11	0.48	R-2-R	RD N (DOW LANE 3RD AVE) - RD S (CO RD 14)	0.74	4,200	2	0	0	2	2.69	0.00	0.00	2.69
256.16	2.01	R-2-R	RD S (SMITH LN) (CO RD 69)	3.75	5,100	5	0	0	5	1.33	0.00	0.00	1.33
258.18	2.01	R-2-R	RD N AND S (BEARDEN ST)	3.24	4,400	5	1	0	6	1.55	0.31	0.00	1.86
258.76	0.58	R-2-R	MINORSTR (160A258820BL) UNNAMED DRAINAGE	0.93	4,383	2	0	0	2	2.16	0.00	0.00	2.16
267.87	9.09	R-2-R	MINORSTR (160A267880BL) GOMER GULCH	14.31	4,300	29	0	1	30	2.03	0.00	6.99	2.10
276.74	8.87	R-2-M	RD NW (PASS CR RD CO RD 127 CO RD 29)	13.96	4,300	29	3	0	32	2.08	0.22	0.00	2.29
285.99	9.22	R-3-M	MILEPOST 286	10.80	3,200	20	3	0	23	1.85	0.28	0.00	2.13
288.42	2.40	R-3-R	RD SE (CO RD 450)	2.81	3,200	6	0	0	6	2.13	0.00	0.00	2.13
290.61	2.17	R-2-R	RD N (CO RD 520)	1.51	1,902	4	0	0	4	2.65	0.00	0.00	2.65
291.17	0.57	R-2-R	MINORSTR (160A291200BR) UNNAMED DRAINAGE	0.51	2,427	0	0	0	0	0.00	0.00	0.00	0.00
294.16	2.95	R-2-R	JCT SH 12 SW (TO LA VETA)	1.94	1,800	2	0	0	2	1.03	0.00	0.00	1.03
302.07	7.89	R-2-R	RD NW (CO RD 502)	14.94	5,175	19	2	0	21	1.27	0.13	0.00	1.41
304.41	2.31	R-3-R	RD SE (CO RD 340)	4.73	5,600	5	1	0	6	1.06	0.21	0.00	1.27
305.38	0.97	R-2-R	JCT I-25 (WALSBURG BUSINESS LOOP) NW	3.03	8,527	6	0	0	6	1.99	0.00	0.00	1.99
Totals:	303.21					932	116	6	1,054	1.33	0.17	0.86	1.51

SH160B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
305.53		R-2-R	JCT I-025C (WALSBURG BUSINESS LOOP) NW										
306.35	0.91	R-2-R	I-25 INTERCHANGE (WALSBURG/LA JUNTA)	0.48	1,449	3	0	0	3	6.25	0.00	0.00	6.25
Totals:	0.91					3	0	0	3	6.22	0.00	0.00	6.22

SH160C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
344.57		U-2-F	MINORSTR (025A014880BL) RD W (GODDARD AVE)										
344.99	0.37	U-2-F	MILEPOST 345	0.47	3,434	1	0	0	1	2.15	0.00	0.00	2.15
345.50	0.56	U-2-F	RD SW (MAIN ST) (OLD HWY 160C)	0.70	3,400	0	0	0	0	0.00	0.00	0.00	0.00
346.00	0.42	U-2-F	MILEPOST 346	0.48	3,100	1	0	0	1	2.09	0.00	0.00	2.09
347.53	1.57	R-2-F	RD NW (CO RD 75.1)	1.78	3,100	2	1	0	3	1.12	0.56	0.00	1.68
349.57	2.03	R-2-F	RD N (CO RD 79)	1.12	1,504	1	0	0	1	0.90	0.00	0.00	0.90



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH160C													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
350.76	1.21	R-2-F	JCT SH AND U.S.350 NE (BESHOAR JUNCTION)	0.75	1,700	2	1	0	3	2.65	1.33	0.00	3.98
353.64	3.07	R-2-F	RD N (CO RD 87)	0.93	830	0	1	0	1	0.00	1.07	0.00	1.07
362.88	9.23	R-2-R	MINORSTR (160C362750BR) UNNAMED DRAINAGE	0.64	190	0	0	0	0	0.00	0.00	0.00	0.00
371.91	8.99	R-2-F	MINORSTR (160C371760BL) UNNAMED DRAINAGE	0.52	159	1	0	0	1	1.91	0.00	0.00	1.91
380.99	9.11	R-2-F	MILEPOST 381	0.36	109	1	0	0	1	2.75	0.00	0.00	2.75
382.76	1.86	R-2-F	JCT SH 389 SW (TO BRANSON)	0.07	100	0	1	0	1	0.00	14.71	0.00	14.71
386.60	3.84	R-2-F	RD N AND S (CO RD 147)	0.24	170	1	0	0	1	4.18	0.00	0.00	4.18
395.99	9.43	R-2-F	MILEPOST 396	0.38	110	1	0	0	1	2.63	0.00	0.00	2.63
403.65	7.66	R-2-F	RD N AND S (CO RD 179)	0.31	110	1	0	0	1	3.24	0.00	0.00	3.24
406.68	3.08	R-2-F	RD S (CO RD 185)	0.12	110	0	0	0	0	0.00	0.00	0.00	0.00
414.32	7.56	R-2-F	RD E (CASCADE AVE)	0.42	150	1	0	0	1	2.41	0.00	0.00	2.41
416.52	2.25	R-2-F	JCT SH 109 NORTH - CHANGE ROADWAY	0.22	266	0	0	0	0	0.00	0.00	0.00	0.00
425.67	9.04	R-2-F	RD N AND S (CO RD 215)	0.89	270	1	0	0	1	1.12	0.00	0.00	1.12
434.99	9.30	R-2-F	MILEPOST 435	0.44	130	3	0	0	3	6.78	0.00	0.00	6.78
444.54	9.48	R-2-F	RD E AND W (CO RD Z)	0.75	215	1	0	0	1	1.34	0.00	0.00	1.34
447.58	3.06	R-2-F	RD W (CO RD CC)	0.46	410	1	1	0	2	2.18	2.18	0.00	4.35
450.96	3.42	R-2-F	RD W (CO RD DD)	0.58	460	0	1	0	1	0.00	1.74	0.00	1.74
459.99	8.90	R-2-F	MILEPOST 460	1.86	570	1	0	0	1	0.54	0.00	0.00	0.54
460.64	0.65	R-2-F	CHANGE IN ROADWAY WIDTH OR DESIGNED	0.19	781	0	0	0	0	0.00	0.00	0.00	0.00
464.42	3.74	R-2-F	JCT U.S. 287A NORTH AND SOUTH (SOUTH OF	1.18	860	1	0	0	1	0.85	0.00	0.00	0.85
473.64	9.27	R-2-F	JCT SH 100A SOUTH (TO VILAS) - RD N (CO RD	3.73	1,100	2	0	0	2	0.54	0.00	0.00	0.54
482.73	9.09	R-2-F	RD NW (CO RD 43.2)	2.06	620	3	0	0	3	1.45	0.00	0.00	1.45
483.26	0.54	R-2-F	RD S (TEXAS ST)	0.13	673	0	0	0	0	0.00	0.00	0.00	0.00
484.41	1.14	R-2-F	RD N AND S (CO RD 45)	0.31	750	0	0	0	0	0.00	0.00	0.00	0.00
491.95	7.53	R-2-F	RD N AND S (CO RD 52)	2.43	880	1	0	0	1	0.41	0.00	0.00	0.41
497.22	5.24	R-2-F	RD N AND S (CR 57) COLO-KANSAS STATE LINE --	0.61	320	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	152.64					27	6	0	33	1.07	0.24	0.00	1.31



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH160D

Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	MINORSTR (160A054720BL) -- JCT U.S.160 SH 160										
0.68	0.80	R-2-R	ENTER MANCOS CITY LIMITS - IN MONTEZUMA	0.17	591	0	0	0	0	0.00	0.00	0.00	0.00
1.20	0.48	R-2-R	RD S (BEECH ST)	0.10	570	0	0	0	0	0.00	0.00	0.00	0.00
2.49	1.33	R-2-R	JCT U.S.160 NE AND SW -- END U.S. 160D	0.35	709	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		2.61				0	0	0	0	0.00	0.00	0.00	0.00

SH160Z

Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-3-R	JCT U.S. 160A NORTH AND SOUTH - (DENVER										
0.65	0.65	U-3-R	JCT U.S.285 SOUTH - RD N (WEST AVE)	2.85	12,000	13	1	0	14	4.54	0.35	0.00	4.89
0.93	0.27	U-3-R	JCT U.S. 160A NORTHWEST AND SOUTHEAST	1.38	13,970	19	0	0	19	13.87	0.00	0.00	13.87
Totals:		0.92				32	1	0	33	7.56	0.24	0.00	7.79

SH165A

Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH 96 W AND NE - MILEPOST 0 -- BEGIN SH										
9.99	9.98	R-2-M	MILEPOST 10	1.17	320	0	0	0	0	0.00	0.00	0.00	0.00
15.30	5.16	R-2-M	GREENHILL DIVIDE PASS SUMMIT - ELEVATION	0.60	320	0	1	0	1	0.00	1.65	0.00	1.65
18.49	3.13	R-2-M	RD SW (CO RD 371) - SPEED LIMIT (35)	0.42	370	1	0	0	1	2.36	0.00	0.00	2.36
27.99	9.54	R-2-M	RD N (CO RD 243) (OLD SAN ISABEL RD) -	3.00	860	1	0	0	1	0.33	0.00	0.00	0.33
28.55	0.54	R-2-R	RD W (MAIN ST)	0.17	860	1	0	0	1	5.91	0.00	0.00	5.91
31.17	2.58	R-2-R	RD SE (CO RD CC445) (STANLEY AVE)	2.27	2,400	6	1	0	7	2.64	0.44	0.00	3.09
33.32	2.13	R-2-R	MINORSTR (165A033300BL) UNNAMED DRAINAGE	2.49	3,198	7	1	0	8	2.81	0.40	0.00	3.21
33.93	0.60	R-2-R	RD SE (CO RD 192) (CIBOLA DR)	0.72	3,300	2	1	0	3	2.77	1.38	0.00	4.15
34.71	0.77	R-2-R	RD N (CO RD 229) (BURNT MILL RD) (CROW RD)	1.07	3,797	2	0	0	2	1.86	0.00	0.00	1.86
36.89	2.17	R-2-R	RD NE AND SW (FRONTAGE RD) -- END SH165A	3.97	5,000	9	3	0	12	2.27	0.76	0.00	3.03
Totals:		36.60				29	7	0	36	1.82	0.44	0.00	2.26



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH167A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH096B E AND W - RD N (CO RD 5) -										
1.66	1.70	R-2-R	JCT U.S.50 AST AND WEST (CRANSTON AVE)	0.68	1,100	0	0	0	0	0.00	0.00	0.00	0.00
2.18	0.43	R-2-R	RD N (8TH ST)	0.17	1,086	0	0	0	0	0.00	0.00	0.00	0.00
2.90	0.71	R-2-R	RD N (CO RD 2) - RD W (CO RD LL)	0.25	946	0	0	0	0	0.00	0.00	0.00	0.00
4.86	1.99	R-2-R	RD W (CO RD JJ) - RD S (CO RD 2) -- END SH167A	0.15	200	2	0	0	2	13.72	0.00	0.00	13.72
Totals:		4.83				2	0	0	2	1.60	0.00	0.00	1.60

SH170A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	RD NW (CO RD ES2) - RD W (CO RD 68) (TO										
1.15	1.21	R-2-R	MAJOR STR (E-15-AB) DAVIDSON DITCH	0.58	1,300	1	0	0	1	1.74	0.00	0.00	1.74
2.15	0.91	U-2-R	RD N (SENOA ROCOSO AVE) (CO RD AC1)	0.43	1,300	0	0	0	0	0.00	0.00	0.00	0.00
2.39	0.32	U-2-R	RD N (PRIVATE DRIVE) - LEAVE BOULDER URBAN	0.32	2,700	0	0	0	0	0.00	0.00	0.00	0.00
2.72	0.27	R-2-R	JCT SH 093A NORTH AND SOUTH (4-WAY	0.41	4,137	0	0	0	0	0.00	0.00	0.00	0.00
3.05	0.34	U-2-R	CHANGE SPEED LIMIT (40)	0.56	4,500	0	0	0	0	0.00	0.00	0.00	0.00
3.68	0.78	U-2-R	LEAVE BOULDER URBAN AREA	5.42	19,000	2	0	0	2	0.37	0.00	0.00	0.37
5.55	1.71	R-2-R	MINORSTR (036B042230BR) LOUISVILLE RES	11.89	19,000	2	0	0	2	0.17	0.00	0.00	0.17
6.59	1.03	U-2-R	RD S (2ND AVE)	7.16	19,000	13	0	0	13	1.81	0.00	0.00	1.81
6.97	0.37	U-4-R	RD N (MCCASLIN BLVD) - SLIP RAMPS ON AND	3.19	23,566	24	3	0	27	7.50	0.94	0.00	8.44
Totals:		6.94				42	3	0	45	1.40	0.10	0.00	1.50

SH172A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	COLORADO-NEW MEXICO STATE LINE - MILEPOST										
2.07	2.00	R-2-R	RD E (CO RD 322)	0.29	400	0	0	0	0	0.00	0.00	0.00	0.00
7.54	5.47	R-2-R	RD W (CO RD 318)	2.40	1,200	4	0	0	4	1.67	0.00	0.00	1.67
8.78	1.15	R-2-R	RD E AND W (EMPIRE ST)	2.27	5,400	3	3	0	6	1.32	1.32	0.00	2.64
9.49	0.82	R-2-R	RD E (CO RD IA2 UTE RD)	2.14	7,141	0	0	0	0	0.00	0.00	0.00	0.00
9.99	0.47	R-3-R	MILEPOST 10	1.21	7,057	4	0	0	4	3.27	0.00	0.00	3.27
11.63	1.59	R-2-R	RD E (CO RD 516) - RD W (CO RD 317)	4.02	6,900	1	1	0	2	0.25	0.25	0.00	0.50
12.41	0.93	R-2-R	MINORSTR (172A012550BR) UNNAMED DRAINAGE	1.56	4,577	2	0	1	3	1.29	0.00	64.26	1.93
18.89	6.34	R-2-R	RD S (CO RD 309)	10.21	4,400	23	2	0	25	2.25	0.20	0.00	2.45



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH172A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
23.58	4.64	R-2-R	MINORSTR (172A023600BR) RD E (CO RD 221) - RD	11.89	7,000	13	1	0	14	1.09	0.08	0.00	1.18
24.50	1.01	U-2-R	JCT U.S.160 EAST AND WEST -- END SH 172A	3.14	8,500	4	0	0	4	1.27	0.00	0.00	1.27
Totals:		24.42				54	7	1	62	1.38	0.18	2.56	1.58

SH177A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-6-R	RAMPS ON AND OFF (FROM/TO EB C470) -										
0.28	0.54	U-6-R	RD E AND W (OTERO AVE)	5.96	30,166	33	3	0	36	5.51	0.50	0.00	6.02
0.99	0.70	U-4-R	RD E AND W (DRY CREEK RD) - MILEPOST 1 -	7.17	28,000	21	0	0	21	2.91	0.00	0.00	2.91
2.15	1.20	U-4-R	RD SE (EUCLID AVE) MAJOR STR (F-17-AC) BIG	14.05	32,000	63	2	0	65	4.50	0.14	0.00	4.64
3.22	1.00	U-4-R	RD E (LONGS RD)	11.71	32,000	17	0	0	17	1.45	0.00	0.00	1.45
4.11	0.89	U-4-R	JCT SH 88 E AND W (BELLEVIEW AVE) -- ENTER	10.42	32,000	8	0	0	8	0.77	0.00	0.00	0.77
5.04	0.91	U-4-R	RD E AND W (QUINCY AVE)	9.99	30,000	12	1	0	13	1.20	0.10	0.00	1.30
6.11	1.07	U-4-R	JCT SH285D E AND W (E HAMPDEN AVE) -- END	10.57	27,000	26	1	0	27	2.47	0.09	0.00	2.56
Totals:		6.31				180	7	0	187	2.58	0.10	0.00	2.68

SH183A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH050B NE AND SW MILEPOST 0 BEGIN										
1.00	1.00	R-2-R	RD E AND W (CO RD HH) - RD S (CO RD 15) (FORT	0.08	230	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		1.00				0	0	0	0	0.00	0.00	0.00	0.00

SH184A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S. 491B S NW AND SE -- BEGIN U.S. 184A --										
6.93	6.88	R-2-R	RD NW (ENTRANCE TO ESCALANTE RUINS)	3.27	1,300	5	0	0	5	1.53	0.00	0.00	1.53
8.16	1.20	R-2-R	JCT SH145A NE AND SW -- END SH 184A	1.19	2,700	4	2	0	6	3.37	1.69	0.00	5.06
Totals:		8.08				9	2	0	11	2.02	0.45	0.00	2.47



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH184B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
8.90		R-2-R	JCT SH145A EAST AND WEST - END										
11.72	2.71	R-2-R	MINORSTR (184B011730BR) RD S (CO RD 31)	2.38	2,400	5	0	0	5	2.10	0.00	0.00	2.10
14.59	2.85	R-2-R	RD N AND S (CO RD 33)	2.09	2,000	6	0	0	6	2.87	0.00	0.00	2.87
23.85	9.25	R-2-R	RD N (CO RD 40)	8.80	2,600	12	4	0	16	1.36	0.45	0.00	1.82
26.60	2.75	R-2-R	JCT U.S.160 EAST AND WEST (MANCOS BUSINESS	2.74	2,720	2	0	0	2	0.73	0.00	0.00	0.73
Totals:		17.56				25	4	0	29	1.56	0.25	0.00	1.81

SH194A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT SH 109 N AND S IN LA JUNTA URBAN LIMIT										
0.73	0.73	U-2-R	RD S (CO RD 30.50) (FRUIT AVE) LEAVE SMALL	0.26	980	0	0	0	0	0.00	0.00	0.00	0.00
3.79	3.01	R-2-R	RD N AND S (CO RD 33) (70TH RD)	1.08	980	3	0	0	3	2.78	0.00	0.00	2.78
12.99	9.21	R-2-R	MILEPOST 13	1.92	570	3	1	0	4	1.56	0.52	0.00	2.08
14.67	1.64	R-2-R	RD N (CO RD 5.5)	0.34	570	2	0	0	2	5.86	0.00	0.00	5.86
20.33	5.54	R-2-R	JCT SH050B E AND W -- END SH 194A	1.32	650	8	0	0	8	6.07	0.00	0.00	6.07
Totals:		20.13				16	1	0	17	3.25	0.20	0.00	3.45

SH196A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S. 050B EAST AND WEST -- BEGIN SH 196A										
1.59	1.56	R-2-R	RD E (CO RD LL.5) (1ST ST)	0.24	420	0	0	0	0	0.00	0.00	0.00	0.00
6.90	5.32	R-2-R	RD N AND S (CO RD 35)	0.62	320	2	0	0	2	3.21	0.00	0.00	3.21
8.92	1.98	R-2-R	JCT U.S. 287 NORTH AND SOUTH - RD E (OLD SH	0.32	440	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		8.86				2	0	0	2	1.69	0.00	0.00	1.69



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH202A													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S. 50 WEST (SWINK AVE) - RD NE (2ND ST) --										
0.61	0.62	R-2-R	RD N (INDUSTRIAL PARK RD)	0.18	789	0	0	0	0	0.00	0.00	0.00	0.00
1.21	0.57	R-2-R	RD N AND S (CO RD 18)	0.11	510	0	0	0	0	0.00	0.00	0.00	0.00
3.23	2.01	R-2-R	RD N (CO RD 16) - RD W (CO RD FF) -- END SH	0.14	190	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		3.20				0	0	0	0	0.00	0.00	0.00	0.00

SH207A													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S. 050B NW AND SE (FIRST ST) - RD SW										
3.50	3.45	R-2-R	RD E (CO RD 8) (CO RD D)	1.10	870	3	0	0	3	2.73	0.00	0.00	2.73
5.94	2.47	R-2-R	JCT SH 96 NE AND SW -- END SH 207A	0.48	530	1	0	0	1	2.09	0.00	0.00	2.09
Totals:		5.92				4	0	0	4	2.54	0.00	0.00	2.54

SH209A													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S. 50 WEST AND SOUTHEAST -- BEGIN SH										
1.53	1.51	R-2-R	JCT SH 96 E AND W -- END SH 209A	0.13	242	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		1.51				0	0	0	0	0.00	0.00	0.00	0.00

SH224A													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	RAMP ON AND OFF (FROM/TO BROADWAY) --										
0.26	0.31	U-4-R	JCT SH 53 S (BROADWAY) - RD W (70TH AVE) (CO	1.80	15,858	25	0	0	25	13.94	0.00	0.00	13.94
0.76	0.49	U-4-R	RD N AND S (CO RD 204 WASHINGTON ST)	2.51	14,000	15	2	0	17	5.97	0.80	0.00	6.77
1.80	1.06	U-2-R	RD N AND S (YORK ST)	3.84	9,900	9	1	1	11	2.35	0.26	26.09	2.87
2.74	0.93	U-4-R	I-76 INTERCHANGE STRS (E-17-AEA) JCT I-76 SW	3.74	11,000	10	0	0	10	2.67	0.00	0.00	2.67
3.06	0.29	U-4-R	RD S (CO RD 206.25) (BIRCH ST)	2.48	23,357	7	0	0	7	2.79	0.00	0.00	2.79
3.63	0.54	U-4-R	JCT U.S.6 NE AND SW - JCT U.S. 85 -- END SH 224A	3.76	19,000	8	0	0	8	2.15	0.00	0.00	2.15
Totals:		3.62				74	3	1	78	4.08	0.17	5.52	4.30



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH225A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-5-R	RAMPS (WB I-225 TO NB I-25) (NB I-25 TO EB I-225)										
0.66	0.49	U-5-R	RAMP ON GORE (FROM I-25 SB)EB	22.60	126,000	34	3	0	37	1.50	0.13	0.00	1.63
1.32	0.85	U-5-R	YOSEMITE ST INTERCHANGE STR (F-17-GL) - RD N	35.15	113,000	45	8	0	53	1.28	0.23	0.00	1.50
2.47	1.14	U-6-R	SIGN BRIDGE STR (SIGN-F-17-SV) POSTED	54.22	129,955	48	6	0	54	0.89	0.11	0.00	1.00
3.52	1.04	U-8-R	RAMP ON (FROM NB SH 083A) SB EXIT 71	49.48	130,000	50	5	1	56	1.01	0.10	2.02	1.13
3.94	0.41	U-7-R	PARKER ROAD INTERCHANGE STRS (F-17-GX) NB	19.51	130,000	38	5	0	43	1.95	0.26	0.00	2.20
4.97	0.93	U-6-R	MAJOR STR (F-17-JC F-17-AW) RD E AND W	36.76	108,000	59	4	0	63	1.61	0.11	0.00	1.72
5.36	0.49	U-6-R	RAMPS (CLOVERS ON AND OFF)	19.37	108,000	16	3	0	19	0.83	0.16	0.00	0.99
6.71	1.28	U-6-R	RAMPS ON AND OFF (TO/FROM MISSISSIPPI AVE)	49.19	105,007	55	9	0	64	1.12	0.18	0.00	1.30
6.97	0.28	U-6-R	SIGN BRIDGE STR (SIGN-F-17-MB) POSTED	11.07	108,018	75	10	0	85	6.78	0.90	0.00	7.68
7.91	0.93	U-6-R	INTERCHANGE STR (F-17-GN) UNDERPASS - RD E	40.16	118,000	38	5	0	43	0.94	0.12	0.00	1.07
8.94	0.99	U-4-R	6TH AVENUE INTERCHANGE STRS (F-17-LU) NB	42.39	117,001	69	8	0	77	1.62	0.19	0.00	1.81
9.89	1.00	U-4-R	COLFAX AVENUE INTERCHANGE STR (F-17-JK)	43.92	119,988	33	6	0	39	0.75	0.14	0.00	0.89
10.99	1.00	U-5-R	MILEPOST 11	43.19	118,002	62	7	0	69	1.43	0.16	0.00	1.59
12.03	1.02	U-5-R	MAJOR STR (E-17-SW E-17-JF) I-70A F RAMP	44.05	118,000	26	4	0	30	0.59	0.09	0.00	0.68
12.43	0.44	U-4-R	SIGN BRIDGE STR (SIGN-E-17-TP) JCT I-70 EB (NB	19.00	118,000	7	2	0	9	0.37	0.11	0.00	0.48
Totals:		12.29				655	85	1	741	1.24	0.16	0.19	1.40

SH227A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	RD NE (SECORRA RD) - RD S (ROSELAWN RD)										
0.30	0.27	U-2-R	CHANGE MEDIAN WIDTH	0.59	5,929	4	0	0	4	6.75	0.00	0.00	6.75
0.89	0.60	U-2-R	RD NE (PORTLAND AVE)	1.32	6,000	1	0	0	1	0.76	0.00	0.00	0.76
1.85	0.97	U-4-R	JCT SH 96 E AND W (4TH ST) - RD N (JOPLIN AVE)	1.39	3,907	5	1	1	7	3.61	0.72	72.24	5.06
Totals:		1.84				10	1	1	12	3.04	0.30	30.39	3.65



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH231A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.50 PUEBLO BUSINESS LOOP - JKCT SH 50										
0.50	0.50	R-2-R	RD E (CO RD 31) (DANIEL RD)	0.28	1,549	0	0	0	0	0.00	0.00	0.00	0.00
1.52	0.98	R-2-R	ENTER PUEBLO URBAN AREA	0.50	1,400	2	0	0	2	3.97	0.00	0.00	3.97
2.05	0.53	U-2-R	JCT SH050B E AND W -- END SH 231A	0.27	1,400	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		2.01				2	0	0	2	1.89	0.00	0.00	1.89

SH233A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT U.S.50 PUEBLO BUSINESS LOOP SH 50 E AND										
0.50	0.49	U-2-R	RD W (CO RD 21) (EVERETT RD)	0.59	3,300	0	0	0	0	0.00	0.00	0.00	0.00
1.83	1.29	U-2-R	RD W (CO RD 85) (BARNETT RD)	1.70	3,600	6	0	0	6	3.53	0.00	0.00	3.53
2.15	0.30	U-2-R	JCT SH050B E AND W RD N (KEELER PKWY) - END	0.40	3,600	0	1	0	1	0.00	2.56	0.00	2.56
Totals:		2.08				6	1	0	7	2.23	0.37	0.00	2.61

SH239A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-F	MAJOR STR (P-18-BE) JCT SH160C E AND W										
0.67	0.57	U-2-F	RD E (CO RD 26.7)	0.33	1,600	2	0	0	2	6.02	0.00	0.00	6.02
0.96	0.30	U-2-F	RD E (CO RD 28.2) -- LEAVE TRINIDAD URBAN	0.07	660	0	0	0	0	0.00	0.00	0.00	0.00
3.35	2.37	R-2-F	RD E (CR 32) - RD N (CR 75) -- END SH239A	0.38	440	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		3.24				2	0	0	2	2.54	0.00	0.00	2.54

SH257A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT SH 60 E AND W RD S (QUENTINE AVE) BEGIN										
0.33	0.34	U-2-R	REGION BOUNDARY OR CLASSIFICATION	0.62	5,000	2	0	0	2	3.23	0.00	0.00	3.23
0.57	0.23	R-2-R	MINORSTR (C-17-E MINOR) IRRIGATION DITCH	0.42	5,000	0	0	0	0	0.00	0.00	0.00	0.00
0.99	0.42	U-2-R	MILEPOST 1	0.77	5,000	0	0	0	0	0.00	0.00	0.00	0.00
3.13	2.10	R-2-R	ENTER GREELEY CITY LIMITS - IN WELD COUNTY	3.84	5,000	4	1	0	5	1.04	0.26	0.00	1.30
4.15	1.01	U-2-R	RD W (CO RD 56)	2.25	6,086	5	0	1	6	2.23	0.00	44.63	2.68



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH257A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
5.11	0.96	U-2-R	INTERCHANGE STR (C-17-FO) - JCT SH 034A EAST	2.14	6,100	2	0	0	2	0.94	0.00	0.00	0.94
5.41	0.28	U-2-R	HIGHMAST STR (HMLC17K)	0.79	7,677	4	0	0	4	5.16	0.00	0.00	5.16
6.34	0.88	U-2-R	JCT SH 257 SPUR SE	2.87	8,896	3	1	0	4	1.05	0.35	0.00	1.40
7.44	1.14	U-2-R	ENTER URBAN AREA (GREELEY)	4.17	10,000	1	0	1	2	0.24	0.00	23.97	0.48
8.50	1.04	U-2-R	RD E (WEBER RD) (KODAK GATE B)	3.81	10,000	7	2	0	9	1.84	0.53	0.00	2.36
9.58	1.06	U-2-R	RD E AND W (CO RD 66) (EASTMAN PARK DR)	3.88	10,000	1	0	1	2	0.26	0.00	25.73	0.51
10.39	0.80	U-2-R	RD W (WALNUT ST) RRX (244-898S) C AND S RR	2.11	7,200	7	0	0	7	3.32	0.00	0.00	3.32
10.91	0.51	U-2-R	RD N (CHIMNEY PARK DR) AND RD S (ZERO ST 0	1.73	9,248	2	0	0	2	1.15	0.00	0.00	1.15
11.17	0.25	U-4-R	RRX (244-895W) C AND S RR	1.03	11,277	1	0	0	1	0.98	0.00	0.00	0.98
11.57	0.38	U-4-R	JCT SH 392A W (MAIN ST) - RD S (7TH ST)	1.67	12,000	15	0	0	15	8.89	0.00	0.00	8.89
12.99	1.37	U-2-R	RD (VENTANA WY) - MILEPOST 13	3.71	7,400	8	2	0	10	2.15	0.54	0.00	2.69
14.05	1.12	U-2-R	REGIONAL SECTION POLITICAL BOUNDARY OR	3.03	7,400	2	0	0	2	0.66	0.00	0.00	0.66
14.52	0.45	U-2-R	RD E AND W (CO RD 74)	1.22	7,400	0	1	0	1	0.00	0.82	0.00	0.82
15.55	1.01	U-2-R	RD W (CO RD 76)	1.18	3,200	5	1	0	6	4.23	0.85	0.00	5.07
18.49	3.02	R-2-R	JCT SH 14 EAST AND WEST - RD N (CO RD 17) --	3.54	3,200	2	0	0	2	0.57	0.00	0.00	0.57
Totals:										1.59	0.18	6.70	1.83

SH257B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.04		U-2-R	JCT SH 257A NW AND S -- BEGIN SH 257B										
0.63	0.60	U-2-R	RD N (MISSILE SILO RD)	0.26	1,200	0	0	0	0	0.00	0.00	0.00	0.00
1.15	0.51	U-2-R	JCT SH034D SW AND E -- END SH 257B	0.02	99	0	0	0	0	0.00	0.00	0.00	0.00
Totals:										0.00	0.00	0.00	0.00

SH263A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.64		U-2-R	JCT U.S.85 SH 85 N AND S -- BEGIN SH 263A -										
1.71	1.03	U-2-R	RD N (CO RD 43) (CHERRY AVE)	2.53	6,700	4	1	0	5	1.58	0.39	0.00	1.97
2.73	1.01	U-2-R	RD N AND S (CO RD 45) (FERN AVE) - END SH 263A	1.33	3,600	1	0	0	1	0.75	0.00	0.00	0.75
Totals:										1.30	0.26	0.00	1.56



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH265A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	RD SW (BRIGHTON BLVD) RAMPS ON AND OFF										
0.24	0.32	U-4-R	RD E (48TH AVE)	0.94	8,056	18	0	0	18	19.38	0.00	0.00	19.38
0.62	0.38	U-2-R	RD S (RACE ST)	1.07	7,700	2	0	0	2	1.85	0.00	0.00	1.85
0.95	0.30	U-2-R	RD S (YORK ST)	0.63	5,700	1	1	0	2	1.58	1.58	0.00	3.15
1.21	0.25	U-2-R	RD NW (YORK ST)	1.28	13,967	9	0	0	9	6.99	0.00	0.00	6.99
2.24	1.03	U-2-R	RD W (E 60TH AVE)	2.92	7,737	3	0	0	3	1.03	0.00	0.00	1.03
2.50	0.24	U-2-R	RD N (COLORADO BLVD)	0.68	7,700	0	0	0	0	0.00	0.00	0.00	0.00
3.62	1.08	U-2-R	JCT U.S. 6 NORTH AND SOUTH -- END SH AND FAU	2.33	5,900	5	0	1	6	2.14	0.00	42.76	2.57
Totals:		3.60				38	1	1	40	3.86	0.10	10.16	4.06

SH266A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT U.S.50 SE (ELM AVE) - JCT SH 71 SW -										
0.84	0.85	R-2-R	RD N AND S (CO RD 20.5)	0.27	876	0	0	0	0	0.00	0.00	0.00	0.00
1.55	0.71	R-2-R	RD W (CO RD FF.25)	0.15	564	1	0	0	1	6.80	0.00	0.00	6.80
2.95	1.33	R-2-R	RD N (CO RD 22)	0.16	330	0	1	0	1	0.00	6.21	0.00	6.21
5.35	2.52	R-2-R	RD S (CO RD 24.5)	0.30	320	1	0	0	1	3.39	0.00	0.00	3.39
9.50	3.99	R-2-R	RD N AND S (CO RD 28)	0.61	420	0	0	0	0	0.00	0.00	0.00	0.00
11.52	2.01	R-2-R	JCT SH 109 N AND S RD E (CO RD HH) -- END SH	0.32	440	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		11.41				2	1	0	3	1.10	0.55	0.00	1.66

SH270A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	I-76 INTERCHANGE STRS (E-17-QO) WASHINGTON										
0.38	0.36	U-4-R	YORK ST INTERCHANGE STR (E-17-IC) - RD N AND	10.94	83,000	15	0	0	15	1.36	0.00	0.00	1.36
1.69	1.30	U-5-R	MAJOR STRS (E-17-IH) (E-17-II) OVERPASS SH265A	43.30	91,000	42	3	0	45	0.97	0.07	0.00	1.04
2.35	0.62	U-4-R	VASQUEZ BLVD INTERCHANGE STR (E-17-WZ) SB	20.65	91,000	28	1	0	29	1.35	0.05	0.00	1.40
3.46	1.13	U-4-R	SIGN BRIDGE STR (SIGN-E-17-LM) POSTED	35.15	85,000	35	5	0	40	0.99	0.14	0.00	1.14
4.47	0.96	U-4-R	NORTH SIDE RAMP GORE SPLIT - (FROM SH 035A	29.87	85,000	18	0	0	18	0.60	0.00	0.00	0.60
4.90	0.46	U-4-R	I-70 INTERCHANGE STR (E-17-KR) EB - JCT I-70	11.54	68,522	8	0	0	8	0.69	0.00	0.00	0.69
5.99	1.13	U-2-R	PRIMARY DIRECT CONNECTION EAST - JCT I-70 - 2	32.65	78,938	26	4	0	30	0.80	0.12	0.00	0.92
Totals:		5.96				172	13	0	185	0.93	0.07	0.00	1.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH270B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.18		U-4-R	EAST SIDE NORTHBOUND (C) RAMP PAVEMENT										
1.10	0.91	U-4-R	I-76 INTERCHANGE STR (E-17-QT) JCT I-76 NW	19.32	58,000	39	0	0	39	2.02	0.00	0.00	2.02
Totals:		0.91				39	0	0	39	2.02	0.00	0.00	2.02

SH285A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	COLORADO-NEW MEXICO STATE LINE -- BEGIN										
4.67	4.71	R-2-R	RD NE (CO RD 12)	2.07	1,200	3	0	0	3	1.45	0.00	0.00	1.45
5.17	0.47	R-2-R	RD SW (CR 12.5)	0.29	1,700	0	0	0	0	0.00	0.00	0.00	0.00
5.67	0.53	R-2-R	RD E AND W (3RD AVE)	0.68	3,484	1	0	0	1	1.48	0.00	0.00	1.48
6.23	0.53	R-2-R	RD W (11TH AVE)	0.86	4,430	1	0	0	1	1.16	0.00	0.00	1.16
6.85	0.58	R-2-R	RD W (CO RD 14.7) (CR G.7)	0.91	4,300	3	0	0	3	3.30	0.00	0.00	3.30
8.05	1.24	R-2-R	RD W (CO RD 18) (CR J)	1.63	3,600	10	0	0	10	6.11	0.00	0.00	6.11
12.70	4.65	R-2-R	JCT SH 142 E (TO ROMEO)	5.79	3,400	3	1	0	4	0.52	0.17	0.00	0.69
16.32	3.60	R-2-R	RD E AND W (CO RD 34) (CR T)	5.67	4,300	3	0	0	3	0.53	0.00	0.00	0.53
19.81	3.48	R-2-R	JCT SH 136A EAST - RD W (MAIN ST)	7.51	5,900	10	0	0	10	1.33	0.00	0.00	1.33
20.41	0.59	R-2-R	JCT SH015A W - RD E (CO RD 42) (CR X)	1.32	6,100	0	0	0	0	0.00	0.00	0.00	0.00
26.82	6.34	R-2-R	JCT SH 368 WEST - RD E (CO RD 14.0S)	12.07	5,200	6	1	0	7	0.50	0.08	0.00	0.58
31.25	4.45	R-2-R	JCT SH 370 W RD E (CO RD 10S)	8.31	5,100	5	0	0	5	0.60	0.00	0.00	0.60
32.35	1.10	R-2-R	RD W (CO RD 9S)	2.58	6,400	2	1	0	3	0.78	0.39	0.00	1.16
33.40	1.04	R-2-R	MINORSTR (285A033440BL) CHANGE SPEED LIMIT	2.97	7,800	4	0	0	4	1.35	0.00	0.00	1.35
33.67	0.26	U-2-R	RD E AND W (10TH ST)	0.88	9,200	5	0	0	5	5.67	0.00	0.00	5.67
34.10	0.42	U-2-R	JCT SH160A W AND E (MAIN ST) - RD N (WEST	1.88	12,220	9	0	0	9	4.81	0.00	0.00	4.81
Totals:		33.99				65	3	0	68	1.17	0.05	0.00	1.23

SH285B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
51.16		R-4-R	JCT SH160A E AND W (1ST AVE) JCT SH015A S										
51.74	0.58	R-4-R	RD E (SHAEFER RD) (CO RD 36)	1.06	5,009	0	0	0	0	0.00	0.00	0.00	0.00
53.30	1.51	R-4-R	MINORSTR (285B053280BL) UNNAMED DRAINAGE	2.82	5,100	1	0	0	1	0.36	0.00	0.00	0.36
57.88	4.45	R-4-R	RD E AND W (7 MILE RD) (CO RD 7N)	4.89	3,001	7	1	0	8	1.43	0.20	0.00	1.64
62.89	4.98	R-2-R	JCT SH 112A EAST AND WEST (RIO	3.65	2,000	4	0	0	4	1.10	0.00	0.00	1.10



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH285B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
71.99	9.19	R-2-R	MILEPOST 72	7.40	2,200	13	0	0	13	1.76	0.00	0.00	1.76
81.65	9.64	R-2-R	MINORSTR (285B081670BL) RIO GRANDE CANAL	7.76	2,200	4	1	1	6	0.52	0.13	12.88	0.77
84.22	2.56	R-2-R	RD E AND W (CO RD X)	2.06	2,200	2	0	0	2	0.97	0.00	0.00	0.97
86.25	1.99	R-2-R	RD E AND W (DENVER AVE)	0.95	1,300	3	0	0	3	3.17	0.00	0.00	3.17
86.99	0.73	R-2-R	MILEPOST 87	0.46	1,723	2	0	0	2	4.35	0.00	0.00	4.35
96.23	9.22	R-2-R	MINORSTR (285B096230BL) UNNAMED DRAINAGE	4.72	1,400	4	1	0	5	0.85	0.21	0.00	1.06
99.04	2.76	R-2-R	RD E (CO RD EE.6)	1.41	1,400	0	0	0	0	0.00	0.00	0.00	0.00
100.51	1.44	R-2-R	JCT SH 017B SOUTH	0.90	1,700	0	0	0	0	0.00	0.00	0.00	0.00
109.99	9.45	R-2-R	MILEPOST 110	8.28	2,393	1	0	0	1	0.12	0.00	0.00	0.12
119.03	8.96	R-2-M	PONCHA PASS SUMMIT - ELEVATION 9,012 FT	7.54	2,300	6	1	1	8	0.80	0.13	13.26	1.06
121.40	2.42	R-3-M	MINORSTR (285B121430BL) SILVER CREEK	2.04	2,300	1	0	0	1	0.49	0.00	0.00	0.49
126.48	5.05	R-3-M	JCT U.S.50 SH 50 N AND E -- END U.S. 285B SIGN	5.54	3,000	4	2	0	6	0.72	0.36	0.00	1.08
Totals:		74.93				52	6	2	60	0.85	0.10	3.25	0.98

SH285C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
126.85		R-2-M	JCT U.S.50 WEST AND SOUTH -- BEGIN SH 285C										
128.41	1.54	R-2-M	RD W (CO RD 256) (TALKINGTON)	2.65	4,700	4	0	0	4	1.51	0.00	0.00	1.51
133.87	5.34	R-4-M	JCT SH 291 SE (TO SALIDA)	8.01	4,100	12	0	0	12	1.50	0.00	0.00	1.50
142.48	8.57	R-2-M	RD W (CO RD 162)	18.19	5,799	11	3	0	14	0.60	0.16	0.00	0.77
148.07	5.55	R-2-M	JCT SH024A NW AND E -- END U.S.285C	14.42	7,100	26	0	0	26	1.80	0.00	0.00	1.80
Totals:		21.00				53	3	0	56	1.22	0.07	0.00	1.29

SH285D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
161.79		R-2-R	DIRECT CONNECTION - JCT U.S 024A SW AND NE										
170.99	9.42	R-2-R	MILEPOST 171	10.34	3,000	9	1	0	10	0.87	0.10	0.00	0.97
178.27	7.27	R-2-R	RD SE (CO RD 5) (WESTON PASS RD)	7.98	3,000	15	1	0	16	1.88	0.13	0.00	2.01
181.96	3.70	R-2-R	JCT SH 9 SE (TO HARTSEL)	6.36	4,700	5	0	0	5	0.79	0.00	0.00	0.79
182.98	1.01	R-2-R	JCT SH 009C NW - RD W (MAIN ST)	2.14	5,799	1	0	0	1	0.47	0.00	0.00	0.47
191.99	9.07	R-2-R	MILEPOST 192	13.61	4,100	23	2	0	25	1.69	0.15	0.00	1.84
192.60	0.63	R-2-R	RD SE (ELK HORN RD) (CO RD 15)	0.91	3,960	0	0	0	0	0.00	0.00	0.00	0.00



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH285D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	Accidents				Accident Rates *			
						** PDO	Injury	Fatal	Total	** PDO	Injury	Fatal	Total
198.96	6.22	R-2-R	RD SE (CO RD 77) (TARRYALL LAKE RD)	8.88	3,900	1	2	0	3	0.11	0.23	0.00	0.34
207.99	8.96	R-2-R	MILEPOST 208	14.10	4,300	19	0	0	19	1.35	0.00	0.00	1.35
210.81	2.81	R-2-M	RD N (CO RD 62)	4.42	4,300	1	0	0	1	0.23	0.00	0.00	0.23
219.84	9.03	R-2-M	REGIONAL SECTION POLITICAL BOUNDARY OR	12.56	3,800	10	2	0	12	0.80	0.16	0.00	0.96
220.60	0.76	R-2-M	RD S (CO RD GL2)	1.06	3,800	2	0	0	2	1.90	0.00	0.00	1.90
221.88	1.31	R-2-M	RD SW AND NE (CO RD 64) (MAIN ST)	2.88	5,997	3	0	0	3	1.04	0.00	0.00	1.04
222.43	0.51	R-2-M	LEAVE PIKE NATIONAL FOREST	1.33	7,123	4	0	0	4	3.03	0.00	0.00	3.03
224.67	2.15	R-3-M	RD NW (CO RD 43) - RD SE (CO RD 72)	5.27	6,700	15	2	0	17	2.84	0.38	0.00	3.22
225.32	0.69	R-4-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	3.03	11,985	7	2	0	9	2.31	0.66	0.00	2.97
226.32	0.97	R-2-M	RD SE (ROWLAND VALLEY DR) (CR 120)	4.61	12,997	8	2	0	10	1.74	0.43	0.00	2.17
228.94	2.69	R-3-M	RD NW (MT EVANS BLVD) - RD S (PINE VALLEY	13.78	14,000	7	3	1	11	0.51	0.22	7.26	0.80
230.87	1.88	R-4-M	LOOP RAMPS ON AND OFF	9.63	14,000	22	3	0	25	2.29	0.31	0.00	2.60
234.28	3.43	R-4-M	RD SW (WAGON TRAIL RD) (CO RD GV12)	17.58	14,000	29	5	0	34	1.65	0.28	0.00	1.94
235.17	0.84	R-4-M	RD SE (FOXTON RD) (CO RD 97)	5.84	18,982	7	3	0	10	1.21	0.52	0.00	1.72
237.37	2.20	R-4-M	RD NW (TAYLOR DR) (CO RD AP24) - RD SE	16.91	20,996	16	0	0	16	0.95	0.00	0.00	0.95
238.87	1.43	R-4-M	MAJOR STR (F-16-UA) NORTH ACCESS ROAD TO -	10.99	21,000	7	2	0	9	0.64	0.18	0.00	0.82
245.55	6.58	R-4-M	RD E (SOUTH TURKEY CREEK RD) (CO RD 122)	60.21	25,000	48	9	1	58	0.80	0.15	1.66	0.96
246.07	0.45	R-4-M	LEGACY PATROL BOUNDRY	3.96	24,073	4	0	0	4	1.01	0.00	0.00	1.01
248.43	2.36	R-4-M	MORRISON INTERCHANGE STR (F-16-FB) - JCT SH	25.05	29,000	35	6	1	42	1.40	0.24	3.99	1.68
249.57	1.16	U-4-M	MINORSTR (285D249580BL) DRAINAGE	11.89	28,003	4	1	0	5	0.34	0.08	0.00	0.42
250.07	0.52	U-4-M	JCT SH470A INTERCHANGE MAJOR STR (F-16-MZ)	5.33	28,000	2	1	0	3	0.38	0.19	0.00	0.56
251.23	1.16	U-4-R	SIGN BRIDGE STR (SIGN-F-16-QZ) - 0285D SBND	11.04	26,005	4	1	0	5	0.36	0.09	0.00	0.45
252.04	0.79	U-4-R	MAJOR STR (F-16-KN) SIMMS ST NW AND SE	7.52	26,000	2	0	0	2	0.27	0.00	0.00	0.27
253.12	1.05	U-5-R	SIGN BRIDGE STR (SIGN-F-16-VG) POSTED	12.67	32,980	7	0	0	7	0.55	0.00	0.00	0.55
253.50	0.36	U-4-R	INTERCHANGE STRS (F-16-RP) EB (F-16-DF) WB -	4.35	33,000	5	0	0	5	1.14	0.00	0.00	1.14
254.71	1.19	U-4-R	SIGN BRIDGE STR (SIGN-F-16-VL) POSTED	16.98	38,990	6	0	0	6	0.35	0.00	0.00	0.35
254.99	0.27	U-4-R	MILEPOST 255	3.85	39,000	1	0	0	1	0.26	0.00	0.00	0.26
256.13	1.11	U-4-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	24.78	61,000	18	0	0	18	0.73	0.00	0.00	0.73
256.54	0.41	U-4-R	SHERIDAN BOULEVARD INTERCHANGE STRS	9.15	61,000	3	0	0	3	0.32	0.00	0.00	0.32
257.54	0.98	U-4-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	24.39	68,000	27	1	0	28	1.10	0.04	0.00	1.14
258.05	0.50	U-6-R	INTERCHANGE STR (F-16-YH) WB (F-16-YG) EB	12.44	68,000	42	4	0	46	3.35	0.32	0.00	3.67
259.12	1.02	U-6-R	MAJOR STRS (F-16-ES) RD N AND S (S PLATTE	23.90	64,024	77	3	0	80	3.22	0.13	0.00	3.34
259.37	0.25	U-6-R	PAVEMENT GORE TO BOTH WEST DIAMOND	5.77	63,008	11	1	0	12	1.95	0.18	0.00	2.12
259.79	0.40	U-5-R	RD N AND S (S ELATI ST)	8.05	55,000	60	0	0	60	7.40	0.00	0.00	7.40
260.09	0.29	U-6-R	RAMP E SPLIT - (FROM BROADWAY NB AND SB)	5.73	53,948	47	0	0	47	8.24	0.00	0.00	8.24



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH285D																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
260.41	0.31	U-6-R	RD N AND S (LOGAN ST)	6.19	54,565	36	4	0	40	5.76	0.64	0.00	6.40				
260.66	0.24	U-6-R	ENTER CHERRY HILLS VILLAGE CITY LIMITS - IN	4.77	54,270	19	2	0	21	4.04	0.42	0.00	4.46				
260.93	0.26	U-6-R	LEAVE CHERRY HILLS VILLAGE CITY LIMITS	5.06	53,172	26	5	0	31	5.12	0.98	0.00	6.10				
261.27	0.33	U-6-R	RD N AND S (S GILPIN) - ENTER ENGLEWOOD	7.04	58,255	9	0	0	9	1.28	0.00	0.00	1.28				
261.71	0.43	U-6-R	JCT SH177A S AND RD N (S UNIVERSITY BLVD) -	9.29	59,000	27	0	0	27	2.91	0.00	0.00	2.91				
262.68	0.99	U-6-R	JCT SH 002A NORTH - RD S (S COLORADO BLVD)	19.57	54,000	65	7	0	72	3.33	0.36	0.00	3.69				
263.17	0.47	U-6-R	RD N AND S (S DAHLIA ST) - RD SE (HAPPY	9.63	56,000	27	1	0	28	2.81	0.10	0.00	2.91				
263.95	0.71	U-4-R	INTERCHANGE STR (F-17-NV) - JCT I-25 NORTH	13.25	51,007	59	8	0	67	4.45	0.60	0.00	5.05				
Totals:						101.57				882	84	3	969	1.68	0.16	0.57	1.84

SH287A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	OKLAHOMA-COLORADO STATE LINE - IN										
8.92	8.87	R-2-F	RD E AND W (CO RD J.0 4TH ST)	10.71	3,300	2	0	0	2	0.19	0.00	0.00	0.19
9.49	0.50	R-2-F	RD N (CO RD 28)	1.15	6,300	0	1	0	1	0.00	0.87	0.00	0.87
12.61	3.20	R-2-F	RD E AND W (CO RD M.0)	3.63	3,100	0	0	1	1	0.00	0.00	27.59	0.28
21.48	8.99	R-2-F	RD W (CO RD W.0)	8.55	2,600	1	0	0	1	0.12	0.00	0.00	0.12
28.77	7.18	R-2-F	JCT U.S.160 EAST AND WEST - LEAVE	6.31	2,400	4	1	0	5	0.63	0.16	0.00	0.79
29.95	1.17	R-4-F	RD E AND W (13TH AVE)	1.93	4,500	1	0	0	1	0.52	0.00	0.00	0.52
30.48	0.52	R-4-F	RD E AND W (6TH AVE)	1.36	7,134	0	0	0	0	0.00	0.00	0.00	0.00
30.99	0.49	R-4-F	MILEPOST 31	0.88	4,894	0	0	0	0	0.00	0.00	0.00	0.00
40.08	9.10	R-2-F	MAJOR STR (N-26-Q) N BRANCH WILD HORSE	13.32	4,000	5	0	1	6	0.38	0.00	7.51	0.45
40.76	0.66	R-2-F	JCT SH 116A EAST - RD W (CO RD RR.0)	0.97	4,000	0	0	0	0	0.00	0.00	0.00	0.00
49.99	9.20	R-2-F	MILEPOST 50	13.13	3,900	1	0	0	1	0.08	0.00	0.00	0.08
51.86	1.87	R-2-F	RD E AND W (CO RD F)	2.67	3,900	0	0	0	0	0.00	0.00	0.00	0.00
56.97	5.10	R-2-F	RD W (CO RD L)	6.91	3,700	3	1	0	4	0.43	0.14	0.00	0.58
65.99	9.01	R-2-F	MILEPOST 66	12.53	3,800	2	0	0	2	0.16	0.00	0.00	0.16
73.69	7.65	R-2-F	RD NE (CO RD 8.1) (MEMORIAL DRIVE)	10.64	3,800	1	3	0	4	0.09	0.28	0.00	0.38
75.45	1.75	R-2-F	RD W (CR FF) - RD E (COLLEGE RD)	1.73	2,700	2	0	0	2	1.16	0.00	0.00	1.16
75.92	0.50	R-2-F	RD W (9TH ST) (SADDLE CLUB DR) -	0.75	4,086	0	0	0	0	0.00	0.00	0.00	0.00
76.46	0.49	U-4-F	RD W (SAVAGE ST)	0.74	4,100	0	0	0	0	0.00	0.00	0.00	0.00
76.72	0.24	U-4-R	RD E (L2 ST)	1.01	11,444	1	0	0	1	0.99	0.00	0.00	0.99
76.99	0.29	U-4-R	RD E (LAUREL ST) - MILEPOST 77 - (1.039 MILE	1.30	12,266	2	0	0	2	1.52	0.00	0.00	1.52



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH287A																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
77.28	0.27	U-4-R	RD E AND W (PARK ST)	1.38	14,000	4	0	0	4	2.92	0.00	0.00	2.92				
77.64	0.36	U-4-R	JCT U.S. 050B NORTH AND EAST (MAIN ST) - RD E	1.87	14,201	8	1	0	9	4.30	0.54	0.00	4.84				
Totals:						77.41				37	7	2	46	0.36	0.07	1.93	0.44

SH287B																	
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *							
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total				
85.19		R-2-R	DIRECT CONNECTION (LOOP RAMP) EB AND														
85.80	0.61	R-2-R	RAMP ON - (FROM US 050B WB RAMP C) EXIT 428	0.73	3,251	1	0	0	1	1.38	0.00	0.00	1.38				
87.36	1.56	R-2-R	JCT SH 196 E AND W (WILEY)	2.06	3,600	0	0	0	0	0.00	0.00	0.00	0.00				
88.38	0.99	R-2-R	RD W (CO RD NN) JCT SH196B E	0.98	2,701	1	0	0	1	1.02	0.00	0.00	1.02				
91.45	3.03	R-2-R	RD E AND W (CO RD SS)	3.22	2,900	0	0	0	0	0.00	0.00	0.00	0.00				
100.52	9.12	R-2-R	MAJOR STR (K-26-J) NE GRANDE RES OUTLET	8.01	2,400	2	0	0	2	0.25	0.00	0.00	0.25				
109.99	9.42	R-2-F	MILEPOST 110	8.27	2,400	2	0	0	2	0.24	0.00	0.00	0.24				
110.58	0.59	R-2-F	JCT SH 96 NE RAMP ON	0.52	2,400	0	0	0	0	0.00	0.00	0.00	0.00				
112.90	2.33	R-2-F	RD N AND S (RITTGERS ST)	2.39	2,800	1	0	0	1	0.42	0.00	0.00	0.42				
113.41	0.49	R-2-F	JCT SH 96C WEST - RD S (WANSTED ST)	0.64	3,541	0	0	0	0	0.00	0.00	0.00	0.00				
122.52	9.26	R-2-F	MAJOR STR (J-25-F) RUSH CREEK	10.85	3,200	1	0	0	1	0.09	0.00	0.00	0.09				
128.31	5.65	R-2-F	RD E AND W (CO RD G)	6.62	3,200	2	0	0	2	0.30	0.00	0.00	0.30				
133.24	4.90	R-2-F	JCT SH040H NW AND NE -- END U.S. 287B	4.48	2,500	2	0	0	2	0.45	0.00	0.00	0.45				
Totals:						47.95				12	0	0	12	0.25	0.00	0.00	0.25

SH287C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
282.70		U-6-R	JCT SH088A SOUTH INTERCHANGE STR (F-16-YQ)										
283.45	0.74	U-6-R	RD E AND W (23RD AVE)	7.31	27,000	33	4	0	37	4.53	0.55	0.00	5.08
283.70	0.24	U-4-R	RD E AND W (26TH AVE)	3.16	36,000	6	1	0	7	1.91	0.32	0.00	2.22
284.08	0.37	U-4-R	RD NW AND SE (SPEER BLVD)	3.93	29,000	24	3	0	27	6.16	0.77	0.00	6.93
284.71	0.60	U-4-R	RD E AND W (38TH AVE)	7.03	32,000	26	4	0	30	3.68	0.57	0.00	4.24
285.23	0.50	U-4-R	RD E AND W (44TH AVE)	4.94	27,020	21	3	0	24	4.21	0.60	0.00	4.82
285.74	0.49	U-4-R	RAMPS ON AND OFF - (TO/FROM I-70 EB) EXIT 285	5.56	31,000	18	3	0	21	3.22	0.54	0.00	3.75
286.11	0.35	U-4-R	RD E (51ST AVE)	4.23	33,020	31	4	0	35	7.41	0.96	0.00	8.37
286.90	0.77	U-4-R	FEDERAL BOULEVARD/U.S. 287C INTERCHANGE	9.86	35,000	39	6	2	47	3.93	0.61	20.17	4.74



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH287C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
287.79	0.83	U-4-R	RD E AND W (64TH AVE)	10.33	34,002	36	7	0	43	3.48	0.68	0.00	4.16
288.81	1.00	U-6-R	RD E AND W (72ND AVE)	10.62	29,015	60	9	2	71	5.66	0.85	18.87	6.70
289.33	0.57	U-6-R	LOOP RAMP ON - (FROM US 036B EB RAMP G)	8.97	43,000	56	6	0	62	6.28	0.67	0.00	6.95
289.75	0.41	U-6-R	RD E AND W (80TH AVE)	5.85	39,000	28	5	0	33	4.84	0.86	0.00	5.71
290.26	0.49	U-5-R	RD E AND W (84TH AVE)	5.92	33,037	29	2	0	31	4.87	0.34	0.00	5.21
291.25	0.99	U-4-R	RD E AND W (92ND AVE)	10.15	28,000	47	5	0	52	4.65	0.49	0.00	5.15
291.77	0.50	U-4-R	RD E AND W (96TH AVE)	5.49	29,988	26	2	0	28	4.71	0.36	0.00	5.07
292.77	1.03	U-4-R	LEAVE FEDERAL HEIGHTS CITY LIMITS	10.18	27,000	36	9	0	45	3.54	0.88	0.00	4.42
293.73	0.94	U-5-R	RD E AND W (112TH AVE)	8.60	25,000	8	0	0	8	0.93	0.00	0.00	0.93
294.74	1.04	U-5-R	MAJOR STR (E-16-LX) BIG DRY CREEK - OFFSET	9.14	24,004	33	2	0	35	3.60	0.22	0.00	3.82
295.06	0.44	U-4-R	RD N AND S (LOWELL BLVD)	6.60	40,962	10	1	0	11	1.51	0.15	0.00	1.66
296.08	0.98	U-5-R	RD N AND S (SHERIDAN BLVD) - ADAMS -	11.84	33,008	60	4	0	64	5.06	0.34	0.00	5.39
297.00	0.91	U-4-R	MILEPOST 297	12.32	37,000	53	5	0	58	4.30	0.41	0.00	4.71
297.56	0.47	U-4-R	RD W (120TH AVE) (WEBSTER ST)	5.35	31,102	25	4	0	29	4.66	0.75	0.00	5.41
297.99	0.44	U-4-R	MILEPOST 298	4.83	30,000	3	1	0	4	0.63	0.21	0.00	0.84
298.26	0.28	U-4-R	MAJOR STRS (E-16-HR) NB AND (E-16-HS) SB --	3.99	38,949	19	2	0	21	4.83	0.51	0.00	5.34
298.59	0.31	U-4-R	MINORSTR (287C298570BL) UNNAMED DRAINAGE	4.59	40,494	45	0	0	45	9.86	0.00	0.00	9.86
298.95	0.36	U-4-R	MINORSTR (287C298836BL) PED. UNDER	4.92	37,310	21	1	0	22	4.22	0.20	0.00	4.43
299.19	0.24	U-4-R	RD E AND W (MIRAMONTE BLVD)	2.99	34,000	4	0	0	4	1.34	0.00	0.00	1.34
300.84	1.62	R-4-R	RD E AND W (DILLON RD EAST) (ACCESS RAMPS	20.16	34,000	20	1	1	22	0.99	0.05	4.97	1.09
301.82	0.99	U-4-R	JCT SH 042A WEST	13.41	37,000	47	2	0	49	3.51	0.15	0.00	3.66
302.30	0.46	U-4-R	RD NE (PUBLIC RD)	4.55	27,000	4	2	0	6	0.87	0.44	0.00	1.31
303.13	0.74	U-4-R	MAJOR STR (E-16-PO) -- RD E AND W (SOUTH	6.50	24,000	6	0	0	6	0.92	0.00	0.00	0.92
304.17	0.90	U-4-R	RD W (DRIVEWAY ACCESS TO OFFICES)	11.86	36,000	20	0	0	20	1.68	0.00	0.00	1.68
305.21	0.95	U-4-R	MINORSTR ()	10.61	30,523	29	0	1	30	2.72	0.00	9.39	2.82
305.57	0.35	U-4-R	RD W (SUMMIT PL)	3.69	28,812	16	0	0	16	4.40	0.00	0.00	4.40
308.08	2.50	R-4-R	RD E (JASPER RD)	25.62	28,000	14	5	0	19	0.55	0.20	0.00	0.74
309.38	1.26	R-4-R	RD E AND W (CO RD 38) (LOOKOUT RD)	8.30	18,000	8	1	1	10	0.96	0.12	12.02	1.20
310.38	0.99	R-4-R	JCT SH 52 E AND W	7.97	22,000	7	0	1	8	0.88	0.00	12.54	1.00
311.41	1.01	R-4-R	RD W (CO RD 34) (NIWOT RD)	9.98	27,000	7	1	0	8	0.70	0.10	0.00	0.80
313.55	2.13	R-4-R	RD W (CO RD 26 PLATEAU RD)	18.71	24,004	8	2	0	10	0.43	0.11	0.00	0.54
313.89	0.34	U-4-R	RD W (PIKE RD)	2.99	24,000	4	2	0	6	1.34	0.67	0.00	2.00
314.55	0.65	U-4-R	RD W (JERSEY AVE)	5.16	21,703	18	7	0	25	3.46	1.35	0.00	4.81
314.89	0.31	U-4-R	MAJOR STR (D-16-D) DRY CREEK	2.72	23,974	14	2	0	16	5.23	0.75	0.00	5.98
315.22	0.36	U-4-R	RD W (BOSTON AVE)	3.56	26,983	24	1	0	25	6.69	0.28	0.00	6.97



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH287C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
315.65	0.41	U-4-R	RD E AND W (3RD AVE) -- HISTORICAL JCT WITH	3.15	21,000	25	6	0	31	7.86	1.89	0.00	9.74
316.32	0.68	U-4-R	RD E AND W (9TH AVE)	6.47	26,000	56	6	0	62	8.69	0.93	0.00	9.62
316.84	0.50	U-4-R	RD E AND W (MOUNTAIN VIEW AVE)	4.76	26,000	30	4	0	34	6.37	0.85	0.00	7.22
317.35	0.49	U-4-R	RD E AND W (17TH AVE)	4.84	27,000	47	7	0	54	9.63	1.43	0.00	11.06
317.86	0.49	U-4-R	RD E AND W (21ST AVE)	4.84	27,000	35	4	0	39	7.17	0.82	0.00	7.99
318.32	0.50	U-4-R	JCT SH-066B EAST AND WEST	4.21	23,000	13	2	2	17	3.08	0.47	47.42	4.03
318.53	0.20	U-4-R	RD W (PARK RIDGE RD) - LEAVE LONGMONT	1.46	20,000	4	0	0	4	2.71	0.00	0.00	2.71
322.98	4.29	R-4-R	RD E (CO RD 2E)	31.40	20,000	7	1	0	8	0.22	0.03	0.00	0.26
323.97	1.00	R-4-R	RD E (CO RD 4E)	6.59	18,000	6	1	0	7	0.91	0.15	0.00	1.06
324.99	1.03	U-4-R	MILEPOST 325	6.79	18,000	1	0	0	1	0.15	0.00	0.00	0.15
326.12	1.11	U-4-R	CHANGE SHOULDER WIDTH -- CHANGE MEDIAN	7.31	18,000	13	1	0	14	1.77	0.14	0.00	1.91
327.18	0.83	U-4-R	REGIONAL SECTION OR DISTRICT BOUNDARY -	5.47	18,000	2	0	0	2	0.37	0.00	0.00	0.37
328.20	0.92	U-4-R	RD N AND S (CO RD 17) (TAFT ROAD)	6.06	18,000	2	0	1	3	0.33	0.00	16.53	0.50
329.30	1.12	U-4-R	RAMP ON (FROM 1ST STREET)	7.38	18,000	4	1	0	5	0.54	0.14	0.00	0.68
330.01	0.70	U-4-R	JCT SH 60 EAST - RD W (42ND STREET) (CO RD 14)	4.61	18,000	0	0	0	0	0.00	0.00	0.00	0.00
331.39	1.36	U-5-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	7.47	15,007	4	1	0	5	0.54	0.13	0.00	0.67
331.99	0.59	U-4-R	MILEPOST 332	3.74	17,342	2	0	0	2	0.53	0.00	0.00	0.53
332.60	0.61	U-4-R	JCT SH 287 N (CLEVELAND AVE - END 1-WAY	4.88	21,836	3	3	0	6	0.62	0.62	0.00	1.24
333.03	0.41	U-2-R	RD E AND W (1ST ST)	1.52	10,117	1	0	0	1	0.66	0.00	0.00	0.66
333.29	0.25	U-2-R	RD E AND W (5TH ST)	1.10	12,000	6	1	0	7	5.58	0.93	0.00	6.51
333.54	0.24	U-2-R	RD E (8TH ST)	1.04	11,875	1	0	0	1	0.98	0.00	0.00	0.98
333.80	0.25	U-3-R	MINORSTR (287C333810BL) BARNES DITCH	1.27	13,919	1	1	0	2	0.79	0.79	0.00	1.59
334.30	0.53	U-3-R	JCT SH 287 W (17TH ST) (BEGIN 1-WAY	2.64	13,617	4	2	0	6	1.52	0.76	0.00	2.28
334.63	0.28	U-4-R	RD E (23ND ST)	1.44	14,011	4	2	0	6	2.76	1.38	0.00	4.13
335.10	0.45	U-4-R	RD E AND W (29TH ST)	3.78	22,980	1	3	0	4	0.27	0.80	0.00	1.07
335.63	0.51	U-4-R	MAJOR STR (C-16-J) DRY CREEK	5.10	27,316	11	6	0	17	2.16	1.18	0.00	3.34
335.90	0.26	U-4-R	RD W (39TH ST)	2.72	28,582	10	5	0	15	3.63	1.82	0.00	5.45
336.99	1.11	U-4-R	MILEPOST 337	11.78	29,000	7	3	0	10	0.60	0.26	0.00	0.85
338.09	1.13	U-4-R	RD E AND W (CO RD 30) (71ST ST)	11.27	27,249	15	3	1	19	1.33	0.27	8.86	1.68
339.12	1.00	U-4-R	JCT SH 392A EAST - RD E (OLD CO RD 32)	9.88	27,000	14	0	0	14	1.42	0.00	0.00	1.42
340.17	1.00	U-4-R	RD E AND W (CO RD 34) (TRILBY RD)	9.88	27,000	17	1	0	18	1.72	0.10	0.00	1.82
341.40	1.21	U-4-R	MAJOR STR (B-16-FP) FOSSIL CREEK	13.73	30,997	34	4	1	39	2.47	0.29	7.27	2.84
341.73	0.33	U-4-R	RD E (FAIRWAY LN)	4.01	33,230	10	2	0	12	2.49	0.50	0.00	2.99
342.16	0.42	U-4-R	RD E AND W (HARMONY RD)	5.38	35,000	12	0	0	12	2.26	0.00	0.00	2.26
342.80	0.62	U-5-R	RD E AND W (BOARDWALK DR) (MUDDY RD)	7.49	33,000	55	4	0	59	7.40	0.54	0.00	7.94



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH287C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
343.18	0.37	U-6-R	RD E AND W (HORSETOOTH RD)	5.15	38,000	35	1	0	36	6.82	0.19	0.00	7.01
344.18	0.98	U-6-R	RD E AND W (DRAKE RD)	12.91	36,000	141	6	0	147	10.90	0.46	0.00	11.36
345.20	0.99	U-6-R	RD E AND W (PROSPECT ST)	15.21	41,976	104	8	0	112	6.82	0.52	0.00	7.34
345.97	0.75	U-6-R	RD E AND W (LAUREL ST)	9.34	34,023	55	4	0	59	5.89	0.43	0.00	6.32
346.31	0.32	U-4-R	RD E AND W (MAGNOLIA ST)	3.16	26,981	49	4	0	53	15.60	1.27	0.00	16.88
346.60	0.28	U-4-R	RD E AND W (MOUNTAIN AVE)	2.46	24,000	28	4	0	32	11.34	1.62	0.00	12.96
346.86	0.25	U-4-R	JCT SH 014C SE (JEFFERSON ST) - RD W (MAPLE	1.74	19,000	36	4	0	40	21.13	2.35	0.00	23.48
347.24	0.37	U-4-R	RD E (E VINE DRIVE)	3.78	27,902	18	0	0	18	4.80	0.00	0.00	4.80
347.71	0.45	U-4-R	RD E (CONIFER ST)	4.12	25,000	25	2	0	27	6.07	0.49	0.00	6.56
348.25	0.53	U-4-F	RD E AND W (WILLOX LANE)	3.88	20,000	16	1	0	17	4.16	0.26	0.00	4.42
348.63	0.37	U-4-R	JCT SH 001A NE (TO WELLINGTON)	2.71	20,000	8	0	0	8	2.97	0.00	0.00	2.97
349.67	1.21	U-4-R	RD N AND S (SHIELDS ST) (CO RD 17)	5.76	13,000	6	0	0	6	1.04	0.00	0.00	1.04
350.20	0.47	U-2-R	BEGIN SECONDARY DIVIDE (W) -- ONEWAY	2.41	14,000	4	1	0	5	1.66	0.42	0.00	2.08
351.62	1.42	U-2-R	LEAVE FORT COLLINS URBAN LIMIT	4.68	9,000	4	1	0	5	0.86	0.21	0.00	1.07
352.34	0.82	R-2-R	RD N AND S (CO RD 21C) (OVERLAND TRAIL)	2.70	9,000	0	0	0	0	0.00	0.00	0.00	0.00
355.85	3.89	R-3-R	JCT SH 014B WEST (TEDS PLACE)	9.22	6,477	1	3	0	4	0.11	0.33	0.00	0.43
363.22	7.23	R-4-R	RD N (CO RD 72)	13.76	5,200	7	1	0	8	0.51	0.07	0.00	0.58
367.00	3.65	R-3-R	MILEPOST 367	6.81	5,100	9	0	1	10	1.32	0.00	14.68	1.47
367.83	0.76	R-3-R	RD N (CO RD 80)	0.97	3,502	3	0	0	3	3.07	0.00	0.00	3.07
376.99	9.27	R-3-R	MILEPOST 377	12.21	3,600	6	1	0	7	0.49	0.08	0.00	0.57
385.22	8.12	R-2-R	COLORADO-WYOMING STATE LINE -- END U.S.	10.70	3,600	15	3	0	18	1.40	0.28	0.00	1.68
Totals:	101.18					2,070	237	14	2,321	2.98	0.34	2.02	3.35

SH287Z													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	JCT SH287C N AND S (LINCOLN AVE) - MILEPOST 0										
0.29	0.32	U-4-R	JCT SH 34 E AND W (EISENHOWER BLVD)	1.41	12,000	3	0	0	3	2.14	0.00	0.00	2.14
0.64	0.33	U-2-R	RD E AND W (10TH ST)	1.45	12,000	2	0	0	2	1.36	0.00	0.00	1.36
0.97	0.32	U-3-R	RD E AND W (6TH ST)	1.64	14,000	2	1	0	3	1.24	0.62	0.00	1.86
1.26	0.28	U-3-R	RD E AND W (2ND ST)	1.06	10,384	3	1	0	4	2.85	0.95	0.00	3.80
1.76	0.48	U-3-R	JCT SH AND U.S. 287 S AND N (LINCOLN AVE)	1.65	9,410	0	1	0	1	0.00	0.61	0.00	0.61
Totals:	1.73					10	3	0	13	1.39	0.42	0.00	1.80



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH291A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-M	JCT U.S.50 SH 50 SE AND W BEGIN SH 291 -										
0.86	0.83	U-2-M	RD NE AND SW (C ST)	1.22	4,000	5	0	0	5	4.10	0.00	0.00	4.10
1.86	0.96	U-2-M	RD SE (GRAND AVE)	1.34	3,800	9	1	0	10	6.72	0.75	0.00	7.47
2.48	0.60	U-2-M	REGION BOUNDARY OR CLASSIFICATION	0.83	3,800	1	0	0	1	1.21	0.00	0.00	1.21
2.99	0.54	R-2-M	MILEPOST 3	0.66	3,321	2	0	0	2	3.02	0.00	0.00	3.02
6.19	3.17	R-2-M	RD NE (CO RD 190E)	3.60	3,100	8	0	0	8	2.22	0.00	0.00	2.22
9.14	2.77	R-2-M	JCT SH285C N AND S -- END SH 291A	3.04	3,000	8	3	0	11	2.63	0.99	0.00	3.62
Totals:		8.87				33	4	0	37	3.09	0.37	0.00	3.46

SH300A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-M	JCT U.S.24 SH 24 N AND S (MALTA) BEGIN SH 300										
0.30	0.31	U-2-M	MAJOR STR (H-11-AB) CALIFORNIA GULCH	0.19	1,700	0	0	0	0	0.00	0.00	0.00	0.00
0.99	0.67	R-2-M	MILEPOST 1	0.11	442	0	0	0	0	0.00	0.00	0.00	0.00
3.36	2.37	R-2-M	RD E (CO RD 5A) -- END SH 300A	0.08	90	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		3.35				0	0	0	0	0.00	0.00	0.00	0.00

SH317A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH 013A NORTH AND SOUTH (HAMILTON) --										
9.99	9.81	R-2-M	MINORSTR (317A010010BL) -- MILEPOST 10	0.79	220	0	0	0	0	0.00	0.00	0.00	0.00
12.24	2.21	R-2-M	RD S (CO RD 29) -- END SH317A	0.18	220	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		12.02				0	0	0	0	0.00	0.00	0.00	0.00

SH318A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	UTAH-COLORADO STATE LINE -- BEGIN SH 318 -										
9.46	9.41	R-2-R	RD SW (CO RD 164)	0.76	220	1	0	0	1	1.32	0.00	0.00	1.32
18.99	9.46	R-2-R	MILEPOST 19	0.76	220	1	0	0	1	1.31	0.00	0.00	1.31
20.55	1.54	R-2-R	RD S (CO RD 10)	0.12	220	0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH318A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
29.99	9.42	R-2-R	MILEPOST 30	0.83	240	3	0	0	3	3.63	0.00	0.00	3.63
39.65	9.63	R-2-R	MINORSTR (318A039650BL) UNNAMED DRAINAGE	0.85	240	1	0	0	1	1.18	0.00	0.00	1.18
48.99	9.32	R-2-R	MILEPOST 49	0.82	240	1	0	0	1	1.22	0.00	0.00	1.22
54.30	5.28	R-2-R	RD N AND S (ACCESS RD TO SUNBEAM)	0.46	240	0	0	0	0	0.00	0.00	0.00	0.00
60.70	6.38	R-2-R	JCT U.S.40 SH 40 E AND W END SH 318A	0.70	300	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		60.44				7	0	0	7	1.32	0.00	0.00	1.32

SH325A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH013A N AND S MILEPOST 0 BEGIN SH325A										
4.09	4.00	R-2-M	RD NW (WEST RIFLE CREEK DR) (CO RD 252)	1.46	1,000	2	0	0	2	1.37	0.00	0.00	1.37
6.97	2.88	R-2-M	RD SE (CO RD 226)	0.47	450	2	0	0	2	4.21	0.00	0.00	4.21
11.40	4.39	R-2-M	RD N (CR 217) TO SOUTH ENTRANCE TO RIFLE	0.21	130	2	0	0	2	9.58	0.00	0.00	9.58
Totals:		11.27				6	0	0	6	2.79	0.00	0.00	2.79

SH330A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT SH 65 N AND S BEGIN SH 330 MILEPOST 0 --										
4.65	4.62	R-2-M	RD S (CO RD L.50)	3.21	1,900	5	0	0	5	1.56	0.00	0.00	1.56
11.40	6.75	R-2-M	RD S (GROVE CREEK) (RD CR 58.5) - RD E (HIGH	6.42	2,600	4	3	0	7	0.62	0.47	0.00	1.09
Totals:		11.37				9	3	0	12	0.93	0.31	0.00	1.25

SH340A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT U.S. 006A NW AND SE -- MILEPOST 0 -- BEGIN										
0.40	0.32	U-2-R	MAJOR STR (H-02-FL) - JCT U.S. 006A EAST AND	0.99	8,475	2	0	0	2	2.02	0.00	0.00	2.02
0.73	0.37	U-4-R	RD E AND W (JURASSIC RD)	1.11	8,226	14	0	0	14	12.50	0.00	0.00	12.50
1.46	0.73	U-2-R	LEAVE FRUITA URBAN AREA - ENTER FRUITA CITY	1.82	6,800	3	0	0	3	1.66	0.00	0.00	1.66
2.84	1.44	U-2-R	MINORSTR (340A002830BR) UNNAMED DRAINAGE	3.58	6,800	1	1	0	2	0.28	0.28	0.00	0.56
4.17	1.29	R-2-R	ENTER GRAND JUNCTION URBAN AREA	1.33	2,812	1	0	0	1	0.75	0.00	0.00	0.75



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH340A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
5.30	1.09	U-2-R	RD SW (DEER PARK RD) (CO RD F.85)	1.12	2,800	0	0	0	0	0.00	0.00	0.00	0.00
6.47	1.14	U-2-R	RD N (CO RD 19.88) (CANYON CREEK DR)	1.17	2,800	2	0	0	2	1.71	0.00	0.00	1.71
6.73	0.17	U-2-R	RD S (CO RD 20.00)	0.17	2,800	0	0	0	0	0.00	0.00	0.00	0.00
7.21	0.55	U-2-R	RD N (CO RD 20.50) ENTER GRAND JUNCTION	0.70	3,499	2	0	0	2	2.87	0.00	0.00	2.87
7.58	0.35	U-2-R	RD S (CO RD 20.75)	0.59	4,594	0	0	0	0	0.00	0.00	0.00	0.00
8.02	0.44	U-2-R	RD NE (CO RD E.90) (COLONIAL DR)	1.01	6,300	1	1	0	2	0.98	0.98	0.00	1.95
9.03	0.99	U-2-R	LEAVE GRAND JUNCTION CITY LIMITS - ENTER	3.51	9,690	6	0	0	6	1.71	0.00	0.00	1.71
9.35	0.31	U-2-R	LEAVE GRAND JUNCTION CITY LIMITS - ENTER	1.27	11,206	4	1	0	5	3.15	0.79	0.00	3.93
10.41	0.99	U-2-R	RD N AND S (CO RD 23.30) (ALCOVE DR)	4.35	12,000	8	0	0	8	1.83	0.00	0.00	1.83
11.42	1.00	U-2-R	RD N (CO RD 24.20) (CANARY LANE)	4.39	12,000	7	1	0	8	1.60	0.23	0.00	1.83
11.69	0.26	U-2-R	MINORSTR (340A011700BR) UNNAMED DRAINAGE	1.37	14,364	1	0	0	1	0.72	0.00	0.00	0.72
12.39	0.74	U-4-R	RD N (CO RD 25.20) (DIKE RD) (POWER RD) - RD S	4.33	16,000	4	1	0	5	0.92	0.23	0.00	1.15
13.34	0.87	U-4-R	JCT I-70B (GRAND JUNCTION BUSINESS LOOP)	6.37	19,995	15	3	0	18	2.36	0.47	0.00	2.83
Totals:		13.05				71	8	0	79	1.81	0.20	0.00	2.02

SH347A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-M	JCT U.S.50 SH 50 E AND W BEGIN SH 347										
1.81	1.81	R-2-M	MINORSTR (347A001830BR) RD E AND W (CO RD	0.59	890	0	0	0	0	0.00	0.00	0.00	0.00
5.25	3.34	R-2-M	RD NE (CO RD J-74) -- END SH 347A	0.82	670	0	0	1	1	0.00	0.00	122.17	1.22
Totals:		5.15				0	0	1	1	0.00	0.00	70.99	0.71

SH348A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT U.S.50 SH 50 N AND S (MAIN ST) BEGIN SH 348										
0.69	0.71	U-2-R	MAJOR STR (J-04-AT) UNCOMPAHGRE RIVER -	0.42	1,600	1	0	0	1	2.41	0.00	0.00	2.41
1.33	0.63	R-2-R	RD W (CO RD F.00)	0.37	1,600	1	0	0	1	2.72	0.00	0.00	2.72
3.24	1.99	R-2-R	RD E (CO RD D.00) (CR 1500) - CHANGE ROADWAY	0.95	1,300	0	0	0	0	0.00	0.00	0.00	0.00
3.99	0.65	R-2-R	MILEPOST 4	0.17	733	0	0	0	0	0.00	0.00	0.00	0.00
7.33	3.35	R-2-R	RD E AND W (CO RD C) (BANNER RD)	0.67	550	1	0	0	1	1.48	0.00	0.00	1.48
11.38	4.01	R-2-R	RD N (CO RD 55.00) (CR 5500) AND RD E (CO RD E	0.63	430	0	0	0	0	0.00	0.00	0.00	0.00
12.91	1.51	R-2-R	RD S (CO RD 55.50) (CR 5550)	0.50	910	0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH348A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
14.39	1.46	R-2-R	MINORSTR (J-04-AC MINOR) IRONSTONE CANAL	0.64	1,200	0	0	0	0	0.00	0.00	0.00	0.00
16.10	1.70	R-2-R	RD N (COFFMAN LN) (CO RD 348)	1.68	2,699	1	0	0	1	0.60	0.00	0.00	0.60
17.06	0.96	R-2-R	JCT SH050A SE AND NW RD E (DAVID ST) (CR	1.23	3,512	1	0	0	1	0.81	0.00	0.00	0.81
Totals:		16.97				5	0	0	5	0.69	0.00	0.00	0.69

SH350A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-F	JCT U.S.160 EAST AND SOUTHWEST (BESHOAR										
2.74	2.60	R-2-F	RD N AND S (CO RD 85)	0.94	990	1	0	0	1	1.06	0.00	0.00	1.06
7.09	4.32	R-2-F	RD W (CO RD 40) - RD SE (CO RD 40.9)	1.25	790	4	0	0	4	3.20	0.00	0.00	3.20
16.21	9.16	R-2-F	MAJOR STR (O-20-K) VANBREMER ARROYO	2.38	710	3	1	0	4	1.26	0.42	0.00	1.68
23.98	7.69	R-2-F	RD SE (CO RD 70) (SIMPSON RD)	2.00	710	2	0	0	2	1.00	0.00	0.00	1.00
32.99	9.07	R-2-F	MILEPOST 33	1.73	520	3	0	0	3	1.74	0.00	0.00	1.74
42.23	9.26	R-2-F	RD NW (CO RD 6.60) (CR 801)	1.76	520	3	0	0	3	1.70	0.00	0.00	1.70
51.59	9.22	R-2-F	MINORSTR (350A051590BR) UNNAMED DRAINAGE	1.75	520	4	0	0	4	2.28	0.00	0.00	2.28
56.23	4.62	R-2-R	RD NW (CO RD 16.5)	0.88	520	0	0	0	0	0.00	0.00	0.00	0.00
59.40	3.17	R-2-R	JCT SH 071A NORTH - LEAVE COMANCHE	0.52	450	1	0	0	1	1.92	0.00	0.00	1.92
68.89	9.50	R-2-R	MINORSTR (350A068860BR) UNNAMED DRAINAGE	0.83	240	0	0	0	0	0.00	0.00	0.00	0.00
69.68	0.77	R-2-R	RD E AND W (CO RD Y)	0.07	240	0	0	0	0	0.00	0.00	0.00	0.00
72.01	2.28	R-2-R	RD S (DALTON AVE) (CR 28) - RD E (CR Z.7) (10TH	0.48	570	0	1	0	1	0.00	2.10	0.00	2.10
72.72	0.70	R-2-R	JCT U.S. 050B E AND W -- RUNNING NORTH	0.28	1,104	3	0	0	3	10.67	0.00	0.00	10.67
Totals:		72.36				24	2	0	26	1.61	0.13	0.00	1.75

SH368A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 370 E AND W - RD N () -- BEGIN SH 368A -										
5.01	4.98	R-2-R	MINORSTR (368A005020BR) RD N (CO RD S100) -	0.53	290	1	0	0	1	1.89	0.00	0.00	1.89
6.01	1.00	R-2-R	JCT SH-371A SOUTH - RD W (CO RD 52) (CONEJOS	0.27	740	0	0	0	0	0.00	0.00	0.00	0.00
12.33	6.33	R-2-R	JCT U.S.285 NE AND SW -- END SH 368A	0.81	350	1	1	0	2	1.23	1.23	0.00	2.47
Totals:		12.31				2	1	0	3	1.24	0.62	0.00	1.86



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH370A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH 15 N AND S -- BEGIN SH 370A - MILEPOST										
2.96	2.95	R-2-R	RD N AND S (CO RD 3E)	0.77	710	1	0	0	1	1.30	0.00	0.00	1.30
3.99	1.01	R-2-R	JCT SH 368 S RD N (CO RD 4E)	0.19	520	0	0	0	0	0.00	0.00	0.00	0.00
5.97	1.97	R-2-R	RD N AND S (ACR S100 RGCR 6E) RIO	0.24	330	0	0	0	0	0.00	0.00	0.00	0.00
12.06	6.08	R-2-R	RD N AND S (CO RD S106)	1.65	740	1	0	0	1	0.61	0.00	0.00	0.61
14.12	2.07	R-2-R	JCT SH285A NE AND SW -- END SH 370A	0.58	760	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		14.08				2	0	0	2	0.58	0.00	0.00	0.58

SH371A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	JCT SH015B EAST AND WEST -- MINORSTR										
6.07	6.05	R-2-R	JCT SH368A E AND W -- END SH 371A	1.75	790	3	2	0	5	1.71	1.14	0.00	2.86
Totals:		6.05				3	2	0	5	1.71	1.14	0.00	2.86

SH385A													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
95.00		R-2-R	JCT U.S. 50B E AND W (GOFF ST) - RD S (MAIN ST)										
95.57	0.58	R-2-R	MAJOR STR (L-27-I) WOLF CREEK -- HISTORIC STR	0.21	983	0	0	0	0	0.00	0.00	0.00	0.00
98.62	3.00	R-2-R	JCT SH 196 W RD E (CO RD KK)	0.78	710	2	0	0	2	2.56	0.00	0.00	2.56
99.13	0.51	R-2-R	RD W (CO RD KK.5)	0.13	680	0	0	0	0	0.00	0.00	0.00	0.00
108.35	9.22	R-2-R	RD N (CO RD 24.50)	1.86	550	1	1	2	4	0.54	0.54	107.71	2.15
117.99	9.62	R-2-F	MILEPOST 118	1.94	550	1	0	0	1	0.52	0.00	0.00	0.52
122.88	4.81	R-2-F	JCT SH 96 E AND W - BEGIN OVERLAPPING	0.97	550	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		27.74				4	1	2	7	0.68	0.17	34.04	1.19



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH385B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
123.68		R-2-F	JCT SH 096D E AND W - RD S (COLORADO AVE) IN										
124.26	0.58	R-2-F	RD S (WESTERN AVE) - LEAVE SHERIDAN LAKE	0.16	737	1	0	0	1	6.39	0.00	0.00	6.39
133.40	9.15	R-2-F	RD W (CO RD Z)	1.57	470	1	0	0	1	0.64	0.00	0.00	0.64
134.39	0.97	R-2-F	RD E (CO RD AA)	0.17	470	0	0	0	0	0.00	0.00	0.00	0.00
141.15	6.67	R-2-F	RD W (CO RD G)	1.10	450	3	0	1	4	2.73	0.00	91.04	3.64
149.70	8.67	R-2-F	JCT U.S.40 E AND W - BEGIN OVERLAPPING	2.98	940	1	0	0	1	0.34	0.00	0.00	0.34
Totals:	26.04					6	0	1	7	1.00	0.00	16.73	1.17

SH385C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
150.25		R-2-F	JCT U.S. 40 E AND W - IN CHEYENNE WELLS CITY										
150.77	0.53	R-2-F	RD NE AND SW (S 1ST ST E)	0.21	1,104	1	0	0	1	4.66	0.00	0.00	4.66
151.33	0.49	R-2-F	RD W (CO RD R)	0.16	893	2	0	0	2	12.57	0.00	0.00	12.57
160.99	9.56	R-2-F	MILEPOST 161	1.50	430	5	1	0	6	3.32	0.66	0.00	3.99
167.11	6.19	R-2-F	RD E (CO RD DD)	0.97	430	3	0	0	3	3.08	0.00	0.00	3.08
175.93	8.80	R-2-F	RD E AND W (CO RD G)	0.93	290	0	1	0	1	0.00	1.07	0.00	1.07
184.99	9.02	R-2-F	MILEPOST 185	3.63	1,100	0	0	0	0	0.00	0.00	0.00	0.00
186.88	1.89	R-2-F	RD E AND W (CO RD U.00)	0.76	1,100	0	0	0	0	0.00	0.00	0.00	0.00
187.40	0.51	R-2-F	MAJOR INTERCHANGE STR (G-27-Y) JCT I-70 EAST	0.32	1,700	0	0	0	0	0.00	0.00	0.00	0.00
187.95	0.55	R-2-F	RD N (POMEROY ST)	0.84	4,176	5	0	0	5	6.00	0.00	0.00	6.00
188.51	0.56	R-4-F	RD N AND S (13TH ST)	0.96	4,700	1	0	0	1	1.04	0.00	0.00	1.04
189.02	0.51	R-4-F	RD W (LOWELL AVE)	0.66	3,542	1	0	0	1	1.51	0.00	0.00	1.51
189.85	0.82	R-2-F	RD E AND W (CO RD W)	0.45	1,508	0	0	0	0	0.00	0.00	0.00	0.00
194.80	5.00	R-2-F	RD E AND W (CO RD BB)	2.56	1,400	1	0	0	1	0.39	0.00	0.00	0.39
203.99	9.25	R-2-F	MILEPOST 204	2.54	750	1	0	0	1	0.39	0.00	0.00	0.39
213.51	9.34	R-2-F	MINORSTR (385C213490BL) UNNAMED DRAINAGE	2.56	750	3	0	0	3	1.17	0.00	0.00	1.17
214.66	1.14	R-2-F	RD E AND W (CO RD 7)	0.31	750	0	0	0	0	0.00	0.00	0.00	0.00
216.86	2.17	R-2-F	JCT U.S.36 SW - BEGIN OVERLAPPING	0.51	640	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	66.33					23	2	0	25	1.16	0.10	0.00	1.26



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH385D													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
219.45		R-2-F	JCT U.S.36 SH036D E BEGIN SH385D -- BEGIN SH										
228.99	9.79	R-2-F	MILEPOST 229	2.51	700	3	0	1	4	1.20	0.00	39.88	1.60
233.72	4.71	R-2-R	RD E AND W (CO RD 26)	1.21	700	2	0	0	2	1.66	0.00	0.00	1.66
241.11	7.39	R-2-R	RD E (CO RD 33)	2.19	810	1	1	0	2	0.46	0.46	0.00	0.91
242.91	1.78	R-2-R	RD E (W 10TH ST)	1.43	2,199	0	0	0	0	0.00	0.00	0.00	0.00
243.41	0.53	R-2-F	MAJOR STR (D-28-T) RRX (057-341D) BN RR --	0.67	3,470	0	0	0	0	0.00	0.00	0.00	0.00
243.99	0.55	R-2-F	MILEPOST 244	0.58	2,862	1	0	0	1	1.73	0.00	0.00	1.73
244.53	0.56	R-3-F	ENTER WRAY CITY LIMITS	0.57	2,763	0	0	0	0	0.00	0.00	0.00	0.00
253.99	9.40	R-2-F	MILEPOST 254	9.29	2,700	1	1	0	2	0.11	0.11	0.00	0.22
259.66	5.67	R-2-F	RD E AND W (CO RD 51)	5.60	2,700	1	0	0	1	0.18	0.00	0.00	0.18
262.89	3.22	R-2-F	RD E AND W (CO RD 54)	0.91	770	2	0	0	2	2.21	0.00	0.00	2.21
271.99	9.16	R-2-F	MILEPOST 272	4.36	1,300	2	0	0	2	0.46	0.00	0.00	0.46
278.43	6.41	R-2-F	RD W (CO RD 20)	3.05	1,300	2	0	0	2	0.66	0.00	0.00	0.66
278.94	0.50	R-2-F	ENTER HOLYOKE CITY LIMITS	0.26	1,420	0	0	0	0	0.00	0.00	0.00	0.00
279.49	0.54	R-4-F	RD E AND W (CARNAHAN ST)	0.70	3,548	2	0	0	2	2.84	0.00	0.00	2.84
279.99	0.50	R-2-F	MILEPOST 280	0.39	2,122	1	0	0	1	2.60	0.00	0.00	2.60
287.65	7.67	R-2-F	RD E AND W (CO RD 38)	2.81	1,000	0	0	1	1	0.00	0.00	35.62	0.36
294.61	6.98	R-2-F	RD E (CO RD 4)	1.48	580	0	2	0	2	0.00	1.35	0.00	1.35
302.69	8.15	R-2-F	RD E AND W (CO RD 20.00) - SPEED LIMIT (65)	1.82	610	2	0	0	2	1.10	0.00	0.00	1.10
305.70	3.00	R-2-F	RD E (CO RD 26.00)	0.69	630	0	0	0	0	0.00	0.00	0.00	0.00
309.15	3.30	R-2-F	INTERCHANGE STRS (A-28-R) EB (A-28-Q) WB	0.95	790	1	0	0	1	1.05	0.00	0.00	1.05
311.00	1.89	R-2-F	RAMPS ON AND OFF (TO/FROM WB SH138A) --	1.50	2,167	1	0	0	1	0.67	0.00	0.00	0.67
Totals:	91.70					22	4	2	28	0.51	0.09	4.66	0.65

SH385E													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
313.85		R-2-R	JCT SH138A SE -- BEGIN SH 385E										
317.63	3.96	R-2-R	RD W (CO RD 36.3) COLORADO-NEBRASKA STATE	0.65	450	0	0	0	0	0.00	0.00	0.00	0.00
Totals:	3.96					0	0	0	0	0.00	0.00	0.00	0.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH389A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-2-R	NEW MEXICO-COLORADO STATE LINE -- BEGIN SH										
1.88	1.89	R-2-R	RD E AND W (BRANSON ST)	0.03	40	0	0	0	0	0.00	0.00	0.00	0.00
10.99	9.09	R-2-R	MILEPOST 11	0.27	80	1	0	0	1	3.76	0.00	0.00	3.76
12.80	1.61	R-2-F	JCT U.S.160 SH 160 E AND W -- END SH 389A	0.05	80	0	0	0	0	0.00	0.00	0.00	0.00
Totals:		12.59				1	0	0	1	2.93	0.00	0.00	2.93

SH391A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	RD S (KIPLING PKWY) - RD E (SH285 FRONTAGE										
0.27	0.32	U-4-R	CHANGE IN ROADWAY WIDTH OR DESIGNED	4.89	41,752	30	1	0	31	6.15	0.21	0.00	6.36
0.62	0.36	U-4-R	MAJOR STRS (F-16-JN) NB (F-16-JO) SB BEAR	5.01	38,000	25	0	0	25	4.95	0.00	0.00	4.95
0.98	0.32	U-4-R	JCT SH008A (MORRISON RD) NE AND SW1	4.45	38,000	4	1	0	5	0.90	0.22	0.00	1.12
1.99	1.04	U-4-R	MILEPOST 2 - ENTER LAKEWOOD CITY LIMITS - IN	13.32	35,000	18	4	0	22	1.36	0.30	0.00	1.66
2.27	0.24	U-4-R	REGIONAL SECTION POLITICAL BOUNDARY OR	3.19	36,370	17	6	0	23	5.37	1.89	0.00	7.26
3.21	0.88	U-4-R	RD E AND W (MISSISSIPPI AVE)	11.92	37,000	22	1	0	23	1.84	0.08	0.00	1.93
4.23	1.00	U-4-R	RD E AND W (ALAMEDA AVE)	13.54	37,000	24	3	0	27	1.78	0.22	0.00	2.00
5.23	1.00	U-4-R	KIPLING ST/6TH AVE INTERCHANGE STR (F-16-EP)	16.09	43,972	62	3	0	65	3.84	0.19	0.00	4.02
5.78	0.52	U-4-R	MINORSTR (391A005760BL) RD W (10TH AVE)	7.04	37,000	41	4	0	45	5.81	0.57	0.00	6.38
6.26	0.48	U-4-R	JCT U.S.40 E AND W (W COLFAX AVE)	6.15	35,000	20	0	0	20	3.24	0.00	0.00	3.24
6.76	0.49	U-4-R	RD E AND W (20TH AVE)	6.64	37,000	18	1	0	19	2.73	0.15	0.00	2.89
7.35	0.48	U-4-R	RD E AND W (W 26TH AVE) LEAVE LAKEWOOD	6.85	38,992	22	0	0	22	3.20	0.00	0.00	3.20
7.86	0.51	U-4-R	RD E AND W (W 32ND AVE) ENTER WHEAT RIDGE	7.46	39,992	6	5	0	11	0.81	0.67	0.00	1.48
8.47	0.49	U-4-R	RD E AND W (W 38TH AVE)	6.28	35,000	25	1	0	26	4.02	0.16	0.00	4.18
9.08	0.60	U-4-R	RD E AND W (W 44TH AVE)	9.22	41,977	43	6	0	49	4.63	0.65	0.00	5.28
9.64	0.52	U-4-R	RD E AND W (49TH AVE) - RD N (KIPLING PKWY) --	7.23	38,000	80	6	0	86	11.00	0.82	0.00	11.82
Totals:		9.25				457	42	0	499	3.53	0.32	0.00	3.86



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH392A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
95.31		U-3-R	JCT SH287C NORTH AND SOUTH -- MINORSTR										
96.30	0.99	U-3-R	RD N AND S (S LEMAY AVE) (CO RD 13)	3.15	8,700	6	0	0	6	1.90	0.00	0.00	1.90
97.31	0.99	U-2-R	RD N AND S (TIMBERLINE RD) (CO RD 11)	3.15	8,700	8	0	0	8	2.53	0.00	0.00	2.53
97.96	0.64	U-2-R	LEAVE URBAN AREA	2.04	8,700	5	3	0	8	2.45	1.47	0.00	3.93
98.49	0.52	R-2-R	RD S (BOYD LAKE AVE) (CO RD 9)	1.66	8,700	1	0	0	1	0.60	0.00	0.00	0.60
99.90	1.40	R-2-R	RD N AND S (FRONTAGE RD)	6.66	12,988	2	1	0	3	0.30	0.15	0.00	0.45
100.25	0.34	U-2-R	RD S (ROYAL VISTA RD) - LEAVE WINDSOR CITY	1.88	15,071	30	1	0	31	16.19	0.54	0.00	16.73
101.44	1.23	U-3-R	RD N AND S (CO RD 3)	7.65	17,000	14	3	1	18	1.84	0.39	13.11	2.36
102.52	1.01	U-2-R	RD N AND S (LCR 1 WCR 13)	6.28	17,000	0	2	0	2	0.00	0.32	0.00	0.32
103.55	1.03	U-2-R	RD S (14TH ST)	5.65	15,000	11	1	1	13	1.95	0.18	17.68	2.30
104.46	0.88	U-4-R	JCT SH257A NORTH AND EAST (MAIN ST) - RD S	4.83	15,000	19	0	0	19	3.92	0.00	0.00	3.92
Totals:	9.03					96	11	2	109	2.24	0.26	4.66	2.54

SH392B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
105.44		U-2-R	JCT SH 257A S AND W (MAIN ST) - RD N (CO RD 19)										
106.55	1.14	U-2-R	MAJOR STR (C-17-EZ) GREELEY CANAL NO 2	3.09	7,400	1	0	0	1	0.32	0.00	0.00	0.32
107.13	0.56	U-2-R	RD S (CO RD 23) (CO RD 2180)	1.52	7,400	1	0	0	1	0.66	0.00	0.00	0.66
107.99	0.84	R-2-R	MILEPOST 108	2.06	6,705	9	0	0	9	4.38	0.00	0.00	4.38
109.25	1.23	R-2-R	RD S (CO RD 27) (CO RD 2575)	2.88	6,400	0	1	0	1	0.00	0.35	0.00	0.35
110.54	1.27	U-2-R	RD N AND S (CO RD 29)	2.97	6,400	2	1	0	3	0.67	0.34	0.00	1.01
111.54	0.99	U-2-R	RD N AND S (CO RD 31)	2.21	6,100	3	1	0	4	1.35	0.45	0.00	1.80
112.56	1.00	U-2-R	RD N AND S (CO RD 33)	2.09	5,700	4	0	0	4	1.92	0.00	0.00	1.92
113.57	1.00	U-2-R	RD N AND S (CO RD 35)	1.98	5,400	4	0	0	4	2.02	0.00	0.00	2.02
114.58	1.00	U-2-R	RD N AND S (CO RD 37)	1.98	5,400	1	0	0	1	0.51	0.00	0.00	0.51
115.39	0.83	U-2-R	MAJOR STR (C-18-CA) GREELEY CANAL NO 2 - JCT	1.64	5,400	3	1	1	5	1.84	0.61	61.18	3.06
117.60	2.16	R-2-R	RD N AND S (CO RD 43)	3.48	4,400	8	3	0	11	2.30	0.86	0.00	3.16
121.58	3.95	R-2-R	RD N AND S (CO RD 51)	4.63	3,200	9	0	0	9	1.95	0.00	0.00	1.95
130.99	9.43	R-2-R	MILEPOST 131	6.91	2,001	21	2	1	24	3.04	0.29	14.48	3.47
131.99	1.10	R-2-R	MILEPOST 132	0.81	2,000	3	0	0	3	3.72	0.00	0.00	3.72
141.58	9.42	R-2-R	JCT SH014C E AND W RD N (CO RD 77) -- END SH	3.78	1,096	3	1	0	4	0.79	0.26	0.00	1.06
Totals:	35.92					72	10	2	84	1.71	0.24	4.76	2.00



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH394A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT U.S. 040Z EAST AND WEST (VICTORY WAY) --										
0.37	0.37	U-2-R	RD E (2ND ST)	0.50	3,709	0	0	0	0	0.00	0.00	0.00	0.00
0.69	0.33	U-2-R	RRX (254-711W) COLORADO UTE RR	0.44	3,602	0	1	0	1	0.00	2.33	0.00	2.33
1.36	0.60	U-2-R	RD SW (CO RD 107) - CHANGE ROADWAY	0.70	3,200	0	0	0	0	0.00	0.00	0.00	0.00
2.81	1.52	U-2-R	RD S (ENTRANCE TO CRAIG MUNICIPAL AIRPORT)	1.00	1,803	0	0	0	0	0.00	0.00	0.00	0.00
3.27	0.36	U-2-R	RD NE (GOLF COURSE RD) (CO RD 33-N)	0.16	1,180	1	0	0	1	6.45	0.00	0.00	6.45
3.92	0.64	U-2-R	RD S (CO RD 33) - LEAVE CRAIG URBAN LIMIT	0.17	710	0	0	0	0	0.00	0.00	0.00	0.00
9.38	5.40	R-2-R	RD E (CO CR 65) -- END SH 394A - MOFFAT-ROUTT	0.51	260	0	1	0	1	0.00	1.94	0.00	1.94
Totals:		9.22				1	2	0	3	0.29	0.57	0.00	0.86

SH402A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-2-R	JCT SH287C N AND S (LINCOLN AVE) - RD W (14TH										
1.92	1.92	U-2-R	MINORSTR (402A001930BR) IRRIGATION CANAL	7.73	11,000	9	1	0	10	1.16	0.13	0.00	1.29
2.39	0.46	U-2-R	RD NW (CO RD 9E)	1.85	11,000	3	0	0	3	1.61	0.00	0.00	1.61
2.73	0.32	U-2-R	RD S (CO RD 9) (SAUK RD)	1.41	12,000	0	0	0	0	0.00	0.00	0.00	0.00
3.78	1.05	U-2-R	REGIONAL SECTION POLITICAL BOUNDARY OR	4.61	12,000	3	0	0	3	0.65	0.00	0.00	0.65
4.31	0.51	U-2-R	RD N AND S (I-25 E FRONTAGE RD) - RD E (CO RD	2.24	12,000	6	0	0	6	2.67	0.00	0.00	2.67
Totals:		4.26				21	1	0	22	1.18	0.06	0.00	1.23

SH470A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-5-R	DIRECT CONNECTION RAMP ON (FROM U.S. 006G)										
1.04	1.07	U-5-R	MINORSTR (470A001170BL) UNNAMED DRAINAGE	28.59	73,000	26	0	0	26	0.91	0.00	0.00	0.91
2.14	1.02	U-6-R	RAMP ON (FROM ALAMEDA AVE EB RAMP E) EXIT	27.25	73,000	23	5	0	28	0.84	0.18	0.00	1.03
3.23	1.11	U-6-R	REGIONAL SECTION OR DISTRICT BOUNDARY -	29.66	73,000	9	0	0	9	0.30	0.00	0.00	0.30
4.24	1.00	U-6-R	INTERCHANGE STR (F-16-LD) EB (F-16-LC) SH008A	26.72	73,000	10	1	0	11	0.38	0.04	0.00	0.41
5.28	1.03	U-4-R	LEGACY PATROL BOUNDRY	28.65	76,000	17	3	0	20	0.59	0.10	0.00	0.70
5.69	0.40	U-4-R	INTERCHANGE STRS (F-16-MZ) EB (F-16-MY) WB	11.13	76,000	13	0	0	13	1.17	0.00	0.00	1.17
6.27	0.56	U-4-R	SIGN BRIDGE STR (SIGN-F-16-QP) POSTED	13.92	67,928	15	5	0	20	1.09	0.36	0.00	1.45
7.59	1.32	U-4-R	RAMP OFF (TO BOWLES AVE RAMP B) EXIT 8	30.92	64,000	22	1	0	23	0.71	0.03	0.00	0.75
7.89	0.29	U-4-R	INTERCHANGE STR (F-16-NN) UNDERPASS	6.79	64,000	5	1	1	7	0.73	0.15	14.67	1.03



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH470A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
8.90	1.04	U-4-R	SIGN BRIDGE STR (F-16-QQ) MEDIAN	22.08	58,006	20	1	0	21	0.91	0.05	0.00	0.95
9.99	1.04	U-4-R	MILEPOST 10	22.08	58,000	10	0	0	10	0.45	0.00	0.00	0.45
10.28	0.28	U-4-R	MINORSTR (470A010230BR) MASSE DRAW	5.56	54,255	13	0	0	13	2.32	0.00	0.00	2.32
11.32	1.03	U-4-R	SIGN BRIDGE STR (F-16-RB) WB	17.34	46,000	10	3	0	13	0.58	0.17	0.00	0.75
12.41	1.08	U-4-R	MINORSTR (470A012400BR) UNNAMED DRAINAGE	18.18	46,000	11	0	0	11	0.60	0.00	0.00	0.60
12.73	0.31	U-4-R	SIGN BRIDGE STR (SIGN-F-16-OZ) POSTED	6.56	57,784	10	0	0	10	1.53	0.00	0.00	1.53
13.79	1.05	U-4-R	SOUTH SIDE (RAMP GORE SPLIT)	22.67	59,000	7	2	0	9	0.31	0.09	0.00	0.40
14.27	0.46	U-4-R	SIGN BRIDGE STR (SIGN-F-16-OI) -- RAMP ON	11.77	69,922	11	1	0	12	0.93	0.08	0.00	1.01
15.41	1.12	U-4-R	RAMP ON (FROM SH075A PLATTE CANYON DR TO	29.92	73,000	13	1	0	14	0.43	0.03	0.00	0.47
15.85	0.43	U-4-R	JEFFERSON-ARAPAHOE COUNTY LINE	11.49	73,000	6	1	0	7	0.52	0.09	0.00	0.60
16.99	1.12	U-4-R	MILEPOST 17	29.92	73,000	19	2	1	22	0.64	0.07	3.34	0.74
18.01	1.02	U-4-R	SIGN BRIDGE STR (SIGN-F-16-YN) - C470 ML EBND	28.75	77,000	35	2	0	37	1.22	0.07	0.00	1.29
18.45	0.39	U-4-R	MAJOR STR (F-17-KQ) RD N AND S (LUCENT BLVD)	10.99	77,000	13	0	0	13	1.17	0.00	0.00	1.17
19.59	1.18	U-4-R	BROADWAY INTERCHANGE STRS (F-17-HW) EB	33.69	78,000	49	5	0	54	1.45	0.15	0.00	1.60
20.62	1.03	U-4-R	SIGN BRIDGE STR (SIGN-F-17-PN) POSTED	34.31	91,000	96	4	2	102	2.80	0.12	5.84	2.98
21.06	0.43	U-4-R	UNIVERSITY BOULEVARD INTERCHANGE STRS	14.32	91,000	12	0	0	12	0.84	0.00	0.00	0.84
22.08	1.02	U-4-R	MAJOR STR (F-17-HR) UNDERPASS (DANIELS	35.09	94,000	35	1	0	36	1.00	0.03	0.00	1.03
23.14	1.05	U-4-R	MISCSTR (Misc-F-17-IA)	36.12	94,000	24	2	1	27	0.66	0.06	2.77	0.75
24.13	0.99	U-4-R	QUEBEC STREET INTERCHANGESTR (F-17-HJ) RD	34.06	94,000	20	1	0	21	0.59	0.03	0.00	0.62
25.25	1.12	U-4-R	RAMP OFF (FROM SH470A EB TO YOSEMITE ST)	42.21	102,968	53	3	0	56	1.26	0.07	0.00	1.33
25.56	0.26	U-4-R	INTERCHANGE STRS (F-17-HL) EB (F-17-HM) WB	9.80	103,000	8	1	0	9	0.81	0.10	0.00	0.91
26.20	0.63	U-4-R	I-25 INTERCHANGE STRS (F-17-JU) SB (F-17-HB)	22.14	96,033	50	0	1	51	2.26	0.00	4.52	2.30
Totals:	25.88					665	46	6	717	0.95	0.07	0.85	1.02

SH470B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-F	I-25 INTERCHANGE STRS (F-17-JU) SB AND										
1.00	0.91	U-4-F	MILEPOST 1	12.32	37,000	7	2	0	9	0.57	0.16	0.00	0.73
1.70	0.80	U-4-F	PEORIA STREET INTERCHANGE STR (E-470-1.71A)	10.83	37,000	2	1	0	3	0.18	0.09	0.00	0.28
2.99	1.27	U-4-F	MILEPOST 3 RAMP ON - (1.009 MILE LENGTH)	16.27	35,002	7	4	0	11	0.43	0.25	0.00	0.68
3.49	0.49	U-4-F	MAJOR STR (F-17-_) -- RD NE AND SW	6.28	35,000	2	0	0	2	0.32	0.00	0.00	0.32
4.63	1.14	U-4-F	RAMPS ON AND OFF	15.44	36,996	15	3	0	18	0.97	0.19	0.00	1.17
5.17	0.67	U-4-F	MAJOR STR (E-47--05.25A) E-470 EB (TOLL) - JCT	9.07	37,000	4	0	0	4	0.44	0.00	0.00	0.44



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH470B													
Section MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
6.22	1.14	U-4-F	REGIONAL SECTION POLITICAL BOUNDARY OR	12.52	30,000	10	1	0	11	0.80	0.08	0.00	0.88
7.73	1.36	U-4-F	MAJOR STR (E-470-07.78C) - RD NW AND SE	14.93	30,000	14	2	0	16	0.94	0.13	0.00	1.08
8.88	1.12	U-4-F	MAJOR STR (E-470-08.90C) - RD S (GARTRELL RD)	12.30	30,000	15	2	0	17	1.22	0.16	0.00	1.38
9.94	1.05	U-4-F	RAMP OFF (TO SMOKY HILL RD) NB	11.53	30,000	5	1	1	7	0.43	0.09	8.69	0.61
10.67	0.69	U-4-F	MAJOR STR (E-470-10.66C) SMOKY HILL	7.58	30,000	1	1	0	2	0.13	0.13	0.00	0.26
11.99	1.29	U-4-F	MILEPOST 12	10.87	23,016	10	2	0	12	0.92	0.18	0.00	1.10
13.32	1.32	U-4-F	ENTER AURORA CITY LIMITS	11.11	23,000	3	0	0	3	0.27	0.00	0.00	0.27
13.59	0.25	U-4-F	RAMP ON (FROM QUINCY AVE) NB	2.10	23,000	1	0	0	1	0.48	0.00	0.00	0.48
14.99	1.35	U-4-F	MILEPOST 15	11.36	23,000	2	1	0	3	0.18	0.09	0.00	0.26
16.05	1.06	U-4-F	RAMP OFF (TO JEWELL AVE) NB	8.92	23,000	3	1	0	4	0.34	0.11	0.00	0.45
16.44	0.44	U-4-F	TRAFFIC COUNT STATION	3.70	23,000	2	0	0	2	0.54	0.00	0.00	0.54
17.95	1.13	U-4-F	MAJOR STR (F-18-V) - JCT E-470 - ENTER AURORA	9.51	23,000	5	0	0	5	0.52	0.00	0.00	0.52
18.99	1.37	U-4-F	RD E AND W (E 6TH PKWY) - ENTER AURORA CITY	11.53	23,000	3	1	0	4	0.26	0.09	0.00	0.35
20.07	0.99	U-4-F	RAMP OFF (TO I-70 WEST FLYOVER RAMP I)	8.33	23,000	4	0	0	4	0.48	0.00	0.00	0.48
20.54	0.46	U-4-F	LEAVE ARAPAHOE COUNTY	3.87	23,000	3	0	0	3	0.78	0.00	0.00	0.78
21.99	1.46	U-4-F	MILEPOST 22	8.55	16,000	1	0	0	1	0.12	0.00	0.00	0.12
23.47	1.41	U-4-F	MAJOR STR (E-470-23.43C) DRAW	8.26	16,000	2	0	0	2	0.24	0.00	0.00	0.24
24.47	1.12	U-4-F	MAJOR INTERCHANGE STR (E-470-24.44C) - RD	6.56	16,000	0	0	0	0	0.00	0.00	0.00	0.00
25.51	1.03	U-4-F	MAJOR INTERCHANGE STR (E-470-25.48C) - RD E	6.03	16,000	1	0	0	1	0.17	0.00	0.00	0.17
26.99	1.49	U-4-F	MILEPOST 27	8.73	16,000	4	1	0	5	0.46	0.11	0.00	0.57
27.84	0.87	U-4-F	PENA BLVD MAJOR INTERCHANGE STR	5.09	16,000	7	1	0	8	1.37	0.20	0.00	1.57
28.99	1.16	U-4-F	MILEPOST 29	8.49	20,000	6	0	0	6	0.71	0.00	0.00	0.71
30.28	1.21	U-4-F	RAMP ON (FROM 96TH AVE) SB	8.86	20,000	3	0	0	3	0.34	0.00	0.00	0.34
31.29	1.03	U-4-F	RAMP ON (FROM 104TH AVE) SB	7.54	20,000	3	1	0	4	0.40	0.13	0.00	0.53
32.59	1.28	U-4-F	MAJOR STR (E-470-32.57C) - RD (112TH AVE)	9.37	20,000	0	0	0	0	0.00	0.00	0.00	0.00
33.72	1.09	U-4-F	RAMP OFF (TO 120TH AVE) NB	7.98	20,000	2	1	0	3	0.25	0.13	0.00	0.38
34.14	0.40	U-4-F	LEAVE DENVER-AURORA URBAN AREA	2.93	20,000	5	0	0	5	1.69	0.00	0.00	1.69
34.59	0.43	R-4-F	ENTER SMALL URBAN AREA	3.15	20,000	1	0	0	1	0.32	0.00	0.00	0.32
35.48	0.90	U-4-F	I-76 INTERCHANGE STR (E-17-ZY) - JCT I-76	6.59	20,000	3	0	0	3	0.45	0.00	0.00	0.45
36.82	1.32	U-4-F	LEAVE BRIGHTON CITY LIMITS	7.25	15,004	5	1	0	6	0.69	0.14	0.00	0.83
37.82	1.07	U-4-F	MAJOR STRS (E-17-ZO) E-470 EB - (E-17-ZB) E470	5.87	15,000	3	1	0	4	0.51	0.17	0.00	0.68
38.83	1.06	U-4-F	REGION BOUNDARY OR CLASSIFICATION	5.82	15,000	8	1	0	9	1.37	0.17	0.00	1.55
39.16	0.29	U-4-F	REGIONAL SECTION POLITICAL BOUNDARY OR	1.59	15,000	1	0	0	1	0.62	0.00	0.00	0.62
43.81	4.36	R-4-F	RD N AND S (COLORADO BD) ENTER	23.94	15,000	2	2	1	5	0.08	0.08	4.18	0.21
44.83	1.22	U-4-F	RD N AND S (YORK ST)	6.70	15,000	2	1	0	3	0.30	0.15	0.00	0.45



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH470B														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
45.85	1.00	U-4-F	ENTER THORNTON CITY LIMITS	5.49	15,000	1	0	0	1	0.18	0.00	0.00	0.18	
46.40	0.56	U-4-F	NORTHWEST PARKWAY INTERCHANGE STR	3.07	15,000	0	0	0	0	0.00	0.00	0.00	0.00	
Totals:						46.06	178	32	2	212	0.48	0.09	0.54	0.58

SH470N														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
46.40		U-4-F	NORTHWEST PARKWAY INTERCHANGE STR											
47.63	1.15	U-4-F	RAMP OFF (TO SHERIDAN BLVD) WB	4.63	11,000	3	1	0	4	0.65	0.22	0.00	0.87	
48.99	1.34	U-4-F	MILEPOST 49	5.39	11,000	1	0	0	1	0.18	0.00	0.00	0.18	
49.30	0.30	U-4-F	TOLL PLAZA	1.21	11,000	0	0	0	0	0.00	0.00	0.00	0.00	
51.24	1.93	R-4-F	CHANGE URBAN AREA (LAFAYETTE-LOUISVILLE)	7.77	11,000	0	0	0	0	0.00	0.00	0.00	0.00	
51.78	0.55	U-4-F	RAMP ON (FROM DILLON ROAD AND U.S. 287C-	2.21	11,000	0	1	0	1	0.00	0.45	0.00	0.45	
52.95	1.17	U-4-F	REGIONAL SECTION POLITICAL BOUNDARY OR	5.14	11,999	6	0	0	6	1.16	0.00	0.00	1.16	
53.21	0.26	U-4-F	CHANGE URBAN AREA (LAFAYETTE-LOUISVILLE)	1.14	12,000	1	0	0	1	0.89	0.00	0.00	0.89	
54.45	1.23	R-4-F	96TH ST INTERCHANGE - RD (96TH ST) -- END	5.40	12,000	5	1	1	7	0.92	0.18	18.50	1.29	
Totals:						7.93	16	3	1	20	0.49	0.09	3.04	0.61

SH470W														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
0.00		U-4-R	DIRECT CONNECTION RAMP ON (FROM 470A											
1.21	1.19	U-4-R	JCT U.S. 6 -- END SH 470W	10.02	23,000	7	0	0	7	0.70	0.00	0.00	0.70	
Totals:						1.19	7	0	0	7	0.70	0.00	0.00	0.70

SH491A														
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *				
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total	
0.00		R-2-R	COLORADO-NEW MEXICO STATE LINE IN THE UTE											
6.42	6.36	R-2-R	JCT U.S. 160 SW AND NE - BEGIN OVERLAPPING	9.08	3,900	3	0	0	3	0.33	0.00	0.00	0.33	
Totals:						6.36	3	0	0	3	0.33	0.00	0.00	0.33



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH491B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
26.22		U-2-R	JCT U.S. 160A NE - RD E (3RD ST) - RD W (CANYON										
26.53	0.31	U-2-R	RD E (NORTH ST)	0.82	7,237	0	0	0	0	0.00	0.00	0.00	0.00
26.79	0.25	U-4-R	RD E (DOWNEY AVE)	0.83	9,087	0	0	0	0	0.00	0.00	0.00	0.00
27.08	0.21	U-4-R	RD SE (EMPIRE RD)	0.92	12,000	2	0	0	2	2.17	0.00	0.00	2.17
27.38	0.37	U-4-R	MINORSTR (491B027410BR) UNNAMED DRAINAGE	1.43	10,524	4	0	0	4	2.85	0.00	0.00	2.85
28.35	0.95	U-4-R	RD E AND W (CO RD L)	3.44	9,900	2	1	0	3	0.58	0.29	0.00	0.88
29.46	1.10	U-4-R	RD E AND W (CO RD M)	2.86	7,110	6	1	0	7	2.09	0.35	0.00	2.44
30.70	1.21	U-4-R	RD E AND W (CO RD N)	3.14	7,100	5	2	0	7	1.59	0.64	0.00	2.23
31.73	1.01	R-2-R	RD E AND W (CO RD P)	2.62	7,100	0	0	0	0	0.00	0.00	0.00	0.00
33.87	2.15	R-2-R	RD E AND W (CO RD S)	3.93	5,000	3	3	0	6	0.76	0.76	0.00	1.53
36.79	2.91	R-2-R	JCT SH 184 E (TO DOLORES)	4.79	4,500	9	3	0	12	1.88	0.63	0.00	2.50
37.37	0.57	R-3-R	MINORSTR (491B037390BR) DAWSON DRAW	0.78	3,748	1	0	0	1	1.27	0.00	0.00	1.27
41.23	3.87	R-3-R	RD W (CO RD Y)	4.82	3,400	8	1	0	9	1.66	0.21	0.00	1.87
45.12	3.85	R-2-R	RD E AND W (CO RD BB) - RD N (CO RD 16)	4.93	3,500	6	0	1	7	1.22	0.00	20.29	1.42
46.26	1.11	R-2-R	RD E AND W (CO RD CC)	1.58	3,900	1	0	0	1	0.63	0.00	0.00	0.63
51.86	5.63	R-4-R	RD E AND W (CO RD R)	5.15	2,500	13	2	0	15	2.52	0.39	0.00	2.91
60.83	8.95	R-2-R	RD N (EAST AVE) - RD S (CO RD 8) - ENTER DOVE	9.17	2,800	12	1	0	13	1.31	0.11	0.00	1.42
61.37	0.50	R-3-R	RD N (GUYRENE ST)	0.77	4,185	0	0	0	0	0.00	0.00	0.00	0.00
61.99	0.62	R-4-R	MILEPOST 62	0.71	3,118	0	0	0	0	0.00	0.00	0.00	0.00
63.26	1.25	R-2-R	JCT SH 141 N RD S (CO RD 6)	1.33	2,900	2	0	0	2	1.50	0.00	0.00	1.50
69.60	6.34	R-2-R	COLORADO-UTAH STATE LINE -- END U.S. 491B	5.27	2,273	2	1	0	3	0.38	0.19	0.00	0.57
Totals:	43.16					76	15	1	92	1.28	0.25	1.69	1.55

SH491C													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		U-4-R	JCT U.S. 160 E AND W (BUSINESS SPUR/MAIN ST) -										
0.24	0.33	U-4-R	JCT U.S. 491B NE AND SW - RD E (ARBECAM AVE)	0.49	4,043	1	1	0	2	2.06	2.06	0.00	4.12
Totals:	0.33					1	1	0	2	2.05	2.05	0.00	4.10



Colorado Department of Transportation Accident and Rates Book for 2012

V2012.03.13

SH550A													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
0.00		R-4-M	NEW MEXICO-COLORADO STATE LINE IN										
4.47	4.41	R-4-M	RD E (CO RD 310) (CO RD 318)	12.11	7,500	7	0	0	7	0.58	0.00	0.00	0.58
12.18	7.60	R-2-M	RD E (CO RD 302)	15.86	5,700	29	4	0	33	1.83	0.25	0.00	2.08
16.56	4.33	R-2-M	JCT U.S.160 SW AND NE - BEGIN OVERLAPPING	10.62	6,701	16	5	1	22	1.51	0.47	9.42	2.07
Totals:										1.35	0.23	2.59	1.61

SH550B													
MP	Section Length	SPF Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
20.92		U-4-M	JCT U.S. 160A W AND SE -- IN DURANGO CITY										
21.21	0.29	U-4-M	RD E AND W (8TH ST)	3.56	33,495	24	2	0	26	6.68	0.56	0.00	7.24
21.51	0.30	U-4-M	RD NW (INDUSTRIAL ST)	2.55	23,250	18	1	0	19	7.15	0.40	0.00	7.54
21.77	0.25	U-4-M	RD E (BURGER KING ENTRANCE)	2.28	24,878	24	0	0	24	10.71	0.00	0.00	10.71
22.03	0.18	U-4-M	RD NE AND SW (W PARK AVE) - RD W (17TH ST)	2.18	33,057	13	1	0	14	6.11	0.47	0.00	6.57
22.39	0.35	U-4-M	RD E (ALAMO DR) - RD W (22ND ST)	3.97	31,000	17	3	0	20	4.33	0.76	0.00	5.09
22.66	0.27	U-4-M	RD W (25TH ST JUNCTION ST)	2.57	26,000	17	1	0	18	6.57	0.39	0.00	6.95
23.40	0.67	U-4-M	RD NW AND SE (32ND ST)	4.90	20,000	18	3	0	21	3.70	0.62	0.00	4.31
24.13	0.48	U-4-M	RD NW (HOSPITAL ST) - RD NE (ANIMAS VIEW DR)	3.34	19,000	13	1	0	14	3.89	0.30	0.00	4.19
25.21	1.12	U-4-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	4.92	12,006	6	2	0	8	1.22	0.41	0.00	1.63
26.35	1.12	U-4-M	MINORSTR (550B026590BL) UNNAMED DRAINAGE	4.92	12,000	6	1	0	7	1.23	0.20	0.00	1.43
26.67	0.30	U-2-M	REGIONAL SECTION OR DISTRICT BOUNDARY -	1.32	12,000	0	0	0	0	0.00	0.00	0.00	0.00
27.55	0.86	R-2-M	RD W (CO RD 203A)	3.78	12,000	0	1	0	1	0.00	0.26	0.00	0.26
30.32	2.75	R-2-M	RD E AND W (CO RD 252) (TRIMBLE LN)	8.86	8,803	8	1	0	9	0.90	0.11	0.00	1.02
31.07	0.78	R-2-M	RD E (CO RD HM14) (CR 251) (HERMOSA	1.97	6,902	2	0	0	2	1.02	0.00	0.00	1.02
35.53	4.40	R-2-M	RD E (CO RD 250)	7.74	4,804	7	0	0	7	0.90	0.00	0.00	0.90
44.65	8.33	R-3-M	CHANGE IN ROADWAY WIDTH OR DESIGNED	10.67	3,500	11	4	1	16	1.03	0.37	9.37	1.50
49.57	4.84	R-3-M	RD W (CO RD FS578) (PURGATORY SKI AREA) -	6.20	3,500	5	1	0	6	0.81	0.16	0.00	0.97
58.99	9.42	R-2-M	MILEPOST 59	7.24	2,100	7	3	0	10	0.97	0.41	0.00	1.38
68.13	9.01	R-2-M	MINORSTR (550B068130BL) UNNAMED DRAINAGE	6.93	2,100	8	3	1	12	1.15	0.43	14.44	1.73
70.36	2.17	R-2-M	JCT SH 110A NORTHEAST - CHANGE ROADWAY	1.67	2,100	1	0	0	1	0.60	0.00	0.00	0.60
79.64	9.35	R-2-M	MINORSTR (550B079680BL) MINERAL CREEK	6.73	1,966	5	3	1	9	0.74	0.45	14.86	1.34
80.51	0.88	R-2-M	RD S (CO RD 31)	0.61	1,900	1	0	0	1	1.63	0.00	0.00	1.63
89.52	8.72	R-2-M	MINORSTR (550B089530BR) UNCOMPAHGRE	7.02	2,200	11	2	0	13	1.57	0.28	0.00	1.85
92.20	2.60	R-2-M	RD SE (AMPHITHEATRE RD)	2.09	2,200	0	3	0	3	0.00	1.43	0.00	1.43



**Colorado Department of Transportation
Accident and Rates Book for 2012**

V2012.03.13

SH550B													
Section MP	SPF Length	Class	Section Description	MVMT	AADT	** PDO	Accidents			Accident Rates *			
							Injury	Fatal	Total	** PDO	Injury	Fatal	Total
92.88	0.65	R-2-M	RD SW (CO RD 361) (CAMP BIRD RD) - END RED	0.57	2,400	0	0	0	0	0.00	0.00	0.00	0.00
93.39	0.47	R-2-M	MINORSTR (550B093450BR L-06-E MINOR)	0.50	2,915	1	0	0	1	2.00	0.00	0.00	2.00
93.99	0.59	R-2-M	MILEPOST 94	1.06	4,907	3	0	0	3	2.85	0.00	0.00	2.85
98.02	4.03	R-2-M	RD NW (CO RD 23) - RD E (CO RD 9Z)	6.34	4,300	4	0	0	4	0.63	0.00	0.00	0.63
103.38	5.26	R-2-R	RD E (CO RD 12) ENTER RIDGEWAY CITY LIMITS	8.09	4,200	6	3	0	9	0.74	0.37	0.00	1.11
103.99	0.61	R-2-R	MILEPOST 104	1.31	5,888	0	0	0	0	0.00	0.00	0.00	0.00
105.42	1.44	R-2-R	RD E (CO RD 10)	3.74	7,100	3	1	0	4	0.80	0.27	0.00	1.07
106.15	0.55	R-2-R	RD SW (CO RD 24)	1.39	6,901	2	0	0	2	1.43	0.00	0.00	1.43
115.21	9.81	R-2-R	MINORSTR (550B115210BL) UNNAMED IRRIGATION	25.13	7,000	21	5	0	26	0.84	0.20	0.00	1.03
117.04	1.85	R-2-R	RD W (CO RD 22) (CR 1)	4.74	7,000	4	0	0	4	0.85	0.00	0.00	0.85
122.50	5.39	R-2-R	RD E (CO RD T) (TROUT RD)	13.22	6,700	25	1	0	26	1.89	0.08	0.00	1.97
124.81	2.42	R-2-R	RD E AND W (RACINE DR)(CO RD R.1) ENTER	7.44	8,399	10	2	0	12	1.34	0.27	0.00	1.61
125.97	1.04	U-2-R	RD NW AND SE (CO RD 64.5) (CHIPETA RD)	4.19	11,000	2	1	0	3	0.48	0.24	0.00	0.71
126.80	0.76	U-4-R	RD W (RIO GRANDE AVE) ACCESS TO	3.06	11,000	1	1	0	2	0.33	0.33	0.00	0.65
127.73	0.96	U-4-R	RD E AND W (CO RD P) (OAKGROVE RD)	8.78	25,000	24	4	0	28	2.73	0.46	0.00	3.19
128.23	0.49	U-4-R	RD E (NIAGARA RD)	4.66	26,000	19	2	0	21	4.07	0.43	0.00	4.49
128.55	0.32	U-4-R	RD SW AND NE (BROWN RD)	3.06	26,140	15	0	0	15	4.98	0.00	0.00	4.98
128.90	0.34	U-4-R	RD NE AND SW (5TH ST)	3.11	25,000	10	1	0	11	3.21	0.32	0.00	3.54
129.18	0.27	U-4-R	RD NE AND SW (1ST ST)	2.57	26,000	8	1	0	9	3.11	0.39	0.00	3.50
129.46	0.27	U-4-R	RD NE (N 3RD ST)	1.93	19,516	16	1	0	17	8.21	0.51	0.00	8.72
130.22	0.74	U-4-R	JCT U.S. 050A NW AND EAST (SAN JUAN AVE) - RD	5.15	19,000	3	0	0	3	0.58	0.00	0.00	0.58
Totals:	107.70					399	59	3	461	1.83	0.27	1.38	2.11