



24R51-1;

1.500" Radius, 0.625" Border, 0.375" Indent, Black on White;

"\$1000 FINE", C 80% spacing;

"FOR", C;

"LITTERING", C 118% spacing;

"ENFORCED", C;

Table of letter and object lefts

\$	I	O	O	O
2.826	4.938	6.048	8.250	10.452

F	I	N	E
14.622	16.488	17.436	19.644

F	O	R
9.030	10.920	13.290

L	I	T	T	E	R	I	N	G
3.805	5.831	6.746	8.489	10.514	12.646	14.928	16.127	18.515

E	N	F	O	R	C	E	D
3.615	5.655	7.995	9.885	12.255	14.385	16.665	18.705



48R51-1;
 3.000" Radius, 1.250" Border, 0.750" Indent, Black on White;
 "\$1000 FINE", C 80% spacing; "FOR", D; "LITTERING", C 118% spacing;
 "ENFORCED", C;

Table of letter and object lefts

\$	I	O	O	O	F	I	N	E
5.652	9.876	12.096	16.500	20.904	29.244	32.976	34.872	39.288
F	O	R						
16.920	21.420	27.000						
L	I	T	T	E	R	I	N	G
7.610	11.662	13.493	16.978	21.029	25.292	29.856	32.254	37.030
E	N	F	O	R	C	E	D	
7.230	11.310	15.990	19.770	24.510	28.770	33.330	37.410	