




30W12-55_CO;


30.000" across sides 2.000" Radius, 0.750" Border, 0.500" Indent, Black on Yellow;

"MOTORCYCLES", C; "USE EXTREME", C;

"CAUTION", C;

Table of letter and object lefts

M	O	T	O	R	C	Y	C	L	E	S
6.676	9.682	12.297	14.638	17.398	19.903	22.214	24.993	27.498	29.839	32.180
U	S	E								
6.670	9.321	11.972								
	E	X	T	R	E	M	E			
	17.222	19.563	22.010	24.351	27.002	29.343	32.350			
C	A	U	T	I	O	N				
12.465	14.776	17.555	20.060	22.401	23.630	26.390				



36W12-55_CO;


36.000" across sides 2.000" Radius, 0.875" Border, 0.625" Indent, Black on Yellow;

"MOTORCYCLES", C; "USE EXTREME", C;

"CAUTION", C;

Table of letter and object lefts

M	O	T	O	R	C	Y	C	L	E	S
8.960	12.396	15.384	18.059	21.214	24.077	26.718	29.893	32.757	35.432	38.108
U	S	E								
8.953	11.983	15.012								
	E	X	T	R	E	M	E			
	21.012	23.688	26.485	29.161	32.190	34.866	38.302			
C	A	U	T	I	O	N				
15.576	18.217	21.393	24.256	26.931	28.336	31.491				



48W12-55_CO;

48.000" across sides 3.000" Radius, 1.250" Border, 0.750" Indent, Black on Yellow;

"MOTORCYCLES", C; "USE EXTREME", C; "CAUTION", C;

Table of letter and object lefts

M	O	T	O	R	C	Y	C	L	E	S
11.155	15.880	19.988	23.667	28.005	31.942	35.573	39.939	43.876	47.555	51.234
U	S	E	E	X	T	R	E	M	E	
11.146	15.312	19.478	27.728	31.407	35.253	38.932	43.097	46.776	51.501	
C	A	U	T	I	O	N				
20.253	23.885	28.251	32.188	35.866	37.798	42.136				