

## Colorado Procedure 62-13

*Standard Practice for*

### Contractor Concrete Mix Design Approval Procedure

#### 1. SCOPE

1.1 This practice describes the procedures for concrete mix design approval.

#### 2. APPROVAL OF CONCRETE MIX DESIGNS SUBMITTED TO A PROJECT

2.1 This process will be used for Project specific concrete mix designs or concrete mix designs that are not on CDOT's APL.

2.2 Concrete mix designs shall be performed in conformance with Colorado, AASHTO, and ASTM procedures.

2.3 The Contractor submits to the Project Engineer two copies of the concrete mix design, which contains all the information detailed in Section 5, a minimum of three weeks prior to the anticipated concrete placement date. The Project Engineer will submit the Contractor's concrete mix design to the CPP Unit or Region Materials Engineer (RME) for review and approval along with CDOT Form #1188 and a copy of the Project's Index of Special Provisions.

2.3.1 All mix designs shall be stamped by a registered Professional Engineer in the State of Colorado pursuant to Section 12-25-117 of the Colorado Revised Statutes. Copied or faxed mix designs will not be accepted.

2.3.2 The CPP Unit or RME may verify any or all properties of the concrete mix design or individual component properties prior to mix design approval. The CPP Unit or RME will notify the Contractor that a mix design will be verified. The Contractor shall sample and submit the components to the CPP Unit or RME.

2.3.3 If requested, all worksheets and other supporting information shall be submitted to the CPP Unit or RME for their review prior to mix design approval.

2.4 If all tests conform to the specifications, a Concrete Mix Design Report (CDOT Form #1373) will be issued for the project.

2.4.1 A CDOT Form #1373 is only valid for the Project which it was issued to. If a concrete mix design is to be used on multiple Projects, the mix design, CDOT Form #1188 and a copy of the Project's Index of Special Provisions must be submitted for each Project.

2.5 When a standard mix design is approved by the CPP Unit the mix design will be placed on CDOT's Approved Products List and a CDOT Form #1373 will be sent to the Concrete Supplier.

2.6 When approved by the RME, the mix design will be forwarded to the CPP Unit for review.

#### 3. USE OF PRE-APPROVED CONCRETE MIX DESIGNS ON PROJECTS

3.1 This process will be used when a Contractor wants to use a pre-approved concrete mix design listed on CDOT's APL on a Project.

3.2 The Contractor shall submit to the Project Engineer a letter stating his intent to use a pre-approved concrete mix design. The letter shall state at a minimum, the Concrete Supplier, the supplier's mix design number and CDOT's Concrete Mix Design Report (CDOT Form #1373) number a minimum of one week prior to the anticipated concrete placement date.

3.3 The Project Engineer will submit a CDOT Form #1188 and a copy of the Project's Index of Special Provisions to the CPP Unit or RME.

3.4 If a pre-approved concrete mix design conforms to the Project's specifications, a Concrete Mix Design Report (CDOT Form #1373) will be issued for the project.

3.4.1 A CDOT Form #1373 is only valid for the Project which it was issued to.

#### 4. PRE-APPROVAL OF CONCRETE MIX DESIGNS

**NOTE 1:** Mix designs are not required to be on the CDOT APL for them to be used on a Project.

4.1 This process will place a Concrete Supplier's concrete mix on CDOT's Approved Products List (APL). The APL is located at [http://www.dot.state.co.us/App\\_APL/](http://www.dot.state.co.us/App_APL/).

4.1.1 Only standard mix designs will be placed on CDOT's APL. Project specific mix designs such as Class D (special) will not be added to CDOT's APL. Concrete mix design approval will follow the procedures listed in Section 5.

4.2 Concrete mix designs shall be performed in conformance with Colorado, AASHTO, and ASTM procedures.

4.3 The Concrete Supplier submits to the CDOT Central Materials Laboratory's Concrete & Physical Properties (CPP) Unit one copy of the concrete mix design, which contains all of the information detailed in Section 5.

4.3.1 All mix designs shall be stamped by a registered Professional Engineer in the State of Colorado pursuant to Section 12-25-117 of the Colorado Revised Statutes. Copied or faxed mix designs will not be accepted.

4.3.2 The CPP Unit may verify any or all properties of the concrete mix design or individual component properties prior to mix design approval. The CPP Unit will notify the Concrete Supplier that a mix design will be verified. The Concrete Supplier will sample and submit the components to the CPP Unit.

4.3.3 If requested, all worksheets and other supporting information shall be submitted to the CPP Unit for their review prior to mix design approval.

4.4 If all tests conform to the specifications, a Concrete Mix Design Report (CDOT Form #1373) will be created and sent to the Concrete Supplier.

4.5 The approved mix design will be placed on CDOT's APL.

4.5.1 A concrete mix placed on the APL is not guaranteed to be approved for use on a particular Project.

#### 5. CONCRETE MIX DESIGN REQUIREMENTS

5.1 Labs and personnel providing mix designs shall comply with the requirements listed in CP 10.

5.2 A concrete mix design shall contain the following information:

5.2.1 Cover Letter – A cover letter including the following:

- Laboratory name & address
- Concrete supplier's name & address
- Concrete supplier's mix design number
- CDOT concrete class
- Date of trial batch testing
- Source of all mix design components
- Stamped & signed by a Professional Engineer registered in the State of Colorado

5.2.2 Mix Design Sheet – A mix design sheet identifying the following:

- Name of testing laboratory
- Concrete supplier's name & address
- Concrete supplier's mix design number
- Components of the mix design:
  - Aggregates – Source, grading, and pit name
  - Cement – Source, type, and plant
  - Pozzolan – Source, class, and plant
  - Silica Fume – Source and plant
  - Admixtures – Source and type
  - Water – Source.
- Mix design proportions and trial mix data in accordance with Standard Specification Section 601.05
- Stamped & signed by a Professional Engineer registered in the State of Colorado

5.2.3 Appendix – An appendix shall include all supporting data and documentation required in Section 601.05. This shall include, but is not limited to aggregate data and certified test reports. Any test report or supporting documentation that is used in this report from sources not covered by the Engineer of Record shall be stamped & signed by a Professional Engineer registered in the State of Colorado in charge for that work.

5.3 When the source of an admixture changes on a pre-approved mix design, the Concrete Supplier shall submit a letter stamped

by the Concrete Mix Design Engineer approving the changes to the existing mix design to the CPP Unit. The letter shall list all mix designs that will be affected by the change. If the change is approved by the CPP Unit, the affected mix designs on the APL will be changed to reflect the new admixture source.

## **6. RECORD**

6.1 The RME or CPP Unit will issue a CDOT Form #1373 to the Project Engineer. See Chapter 600 of the CDOT Field Materials Manual for an example.

6.2 The Project Engineer will supply the Contractor the CDOT Form #1373 mix design number.

6.3 All requests for mix design information shall be made under the Colorado Open Records Act and shall follow CDOT Procedural Directives 25.2, 51.2, and 51.3.

## **7. REMOVAL OF A MIX DESIGN FROM THE APL**

7.1 The CPP Unit may elect to test any or all components of a mix design on the APL.

7.2 The CPP Unit will request that a Project sample the mix design constituents from the batch plant. The sample will be sent to the CPP Unit for testing.

7.3 When a material does not meet CDOT mix design specifications, the Concrete Supplier will be notified.

7.3.1 The material will be re-sampled by the Project and sent to the CPP Unit for retesting.

7.3.2 Upon a second failure, any mix design using the material will be removed from the APL.

7.3.3 The CPP Unit will send notice to the Region Materials Engineers that a mix design(s) has been removed from the APL and any Projects using the mix design(s) should discontinue its use.

{This page was intentionally left blank.}